




MBA

Couplings - Oldham - Precision Spring Loaded



2.8 to 4.2 Nm. Max Speed: 3000 RPM.

Max Speed: 3000 RPM.

Max Backlash: 5 minutes.

Max parallel shaft offset: 0.381mm.

Max angular offset: 1.5 Degrees.

303 Stainless Steel.

Couplings - Oldham - Precision Spring Loaded

Part Number	OD (D) mm	Bore (B1 / B2) mm	Length (L) mm	Hub Type and OD (H1 / H2) mm	Body length (L1) mm	Disk Material	Maximum Torque N.m
	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>		
# COPS1924-0317-3C	19.05 <i>0.750</i>	3.170 / 3.170	23.81 <i>0.937</i>	Clamp Hub 4.76 / 4.76	9.92 <i>0.391</i>	Spring Loaded 303SS	2.8
# COPS1924-0318-0635-3C	19.05 <i>0.750</i>	3.170 / 6.345	23.81 <i>0.937</i>	Clamp Hub 4.76 / 7.95	9.92 <i>0.391</i>	Spring Loaded 303SS	2.8
# COPS1924-0317-0476-3C	19.05 <i>0.750</i>	3.170 / 4.757	23.81 <i>0.937</i>	Clamp Hub 4.76 / 6.35	9.92 <i>0.391</i>	Spring Loaded 303SS	2.8

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Couplings - Oldham - Precision Spring Loaded

Part Number	OD (D) mm	Bore (B1 / B2) mm	Length (L) mm	Hub Type and OD (H1 / H2) mm	Body length (L1) mm	Disk Material	Maximum Torque N.m
	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>		
# COPS1924-0476-0635-3C	19.05 <i>0.750</i>	4.757 / 6.345	23.81 <i>0.937</i>	Clamp Hub 6.35 / 7.93	9.92 <i>0.391</i>	Spring Loaded 303SS	2.8
# COPS1924-0476-0635-3G	19.05 <i>0.750</i>	4.757 / 6.345	23.81 <i>0.937</i>	Set Screw Hub 14.29 / 14.29	9.92 <i>0.391</i>	Spring Loaded 303SS	2.8
# COPS1924-0476-3C	19.05 <i>0.750</i>	4.757 / 4.757	23.81 <i>0.937</i>	Clamp Hub 6.35 / 6.35	9.92 <i>0.391</i>	Spring Loaded 303SS	2.8
# COPS1924-0476-3G	19.05 <i>0.750</i>	4.757 / 4.757	23.81 <i>0.937</i>	Set Screw Hub 11.11 / 11.11	9.92 <i>0.391</i>	Spring Loaded 303SS	2.8
# COPS1924-0635-3G	19.05 <i>0.750</i>	6.345 / 6.345	23.81 <i>0.937</i>	Set Screw Hub 11.11 / 11.11	9.92 <i>0.391</i>	Spring Loaded 303SS	2.8
# COPS1924-0635-3C	19.05 <i>0.750</i>	6.345 / 6.345	23.81 <i>0.937</i>	Clamp Hub 7.93 / 7.93	9.92 <i>0.391</i>	Spring Loaded 303SS	2.8
# COPS2530-0635-3C	25.40 <i>1.000</i>	6.345 / 6.345	29.77 <i>1.172</i>	Clamp Hub 7.93 / 7.93	15.48 <i>0.609</i>	Spring Loaded 303SS	4.2
# COPS2530-0635-3G	25.40 <i>1.000</i>	6.345 / 6.345	29.77 <i>1.172</i>	Set Screw Hub 11.11 / 11.11	15.48 <i>0.609</i>	Spring Loaded 303SS	4.2
# COPS2530-0793-3C	25.40 <i>1.000</i>	7.932 / 7.932	29.77 <i>1.172</i>	Clamp Hub 9.53 / 9.53	15.48 <i>0.609</i>	Spring Loaded 303SS	4.2

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Couplings - Oldham - Precision Spring Loaded

Part Number	OD (D) mm	Bore (B1 / B2) mm	Length (L) mm	Hub Type and OD (H1 / H2) mm	Body length (L1) mm	Disk Material	Maximum Torque N.m
	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>		
# COPS2530-0793-3G	25.40	7.932 / 7.932	29.77	Set Screw Hub 14.29 / 14.29	15.48	Spring Loaded 303SS	4.2
	<i>1.000</i>		<i>1.172</i>		<i>0.609</i>		
# COPS2530-0952-3G	25.40	9.520 / 9.520	29.77	Set Screw Hub 14.29 / 14.29	15.48	Spring Loaded 303SS	4.2
	<i>1.000</i>		<i>1.172</i>		<i>0.609</i>		
# COPS2530-0952-3C	25.40	9.520 / 9.520	29.77	Clamp Hub 11.11 / 11.11	15.48	Spring Loaded 303SS	4.2
	<i>1.000</i>		<i>1.172</i>		<i>0.609</i>		
# COPS2530-0318-3C	25.40	3.170 / 3.170	29.77	Clamp Hub 4.76 / 4.76	15.48	Spring Loaded 303SS	4.2
	<i>1.000</i>		<i>1.172</i>		<i>0.609</i>		
# COPS2530-0476-3C	25.40	4.757 / 4.757	29.77	Clamp Hub 6.35 / 6.35	15.48	Spring Loaded 303SS	4.2
	<i>1.000</i>		<i>1.172</i>		<i>0.609</i>		

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.



DISTRIBUTED BY

Ask us to put your name and address here

<http://www.minibearings.com.au/product>

Ph +61 7 3245 7977

Fax +61 7 3245 1017

Catalogue requests to catalogues@minibearings.com.au
