




# MBA

## Couplings - Rigid



0.35 to 5.1 Nm.

Quality Class Precision: Bore Tolerance +0.013 / - 0.000 concentric within 0.0127mm T.I.R.

Quality Class Commercial: Bore Tolerance +0.051 / -0.000.

### Couplings - Rigid

Part Number	Bores (b1 / b2) mm <i>inches</i>	OD mm <i>inches</i>	Length (L) mm <i>inches</i>	Bore Depth (B) mm <i>inches</i>	Material / Finish	Quality Class	Diagram / Locking	Max Torque N.m
# CR-0229-0317-1588-3FLC	2.380 / 3.175	11.10 <i>0.437</i>	15.88 <i>0.625</i>	7.87 <i>0.310</i>	303 Stainless Steel	Precision	Fig. 3 / Fairloc	0.35
# CR-0229-0476-1588-3FLC	2.380 / 4.762	11.10 <i>0.437</i>	15.88 <i>0.625</i>	7.87 <i>0.310</i>	303 Stainless Steel	Precision	Fig. 3 / Fairloc	0.35
# CR-0238-0317-1588-3FLC	2.380 / 3.175	11.10 <i>0.437</i>	15.88 <i>0.625</i>	7.87 <i>0.310</i>	303 Stainless Steel	Precision	Fig. 3 / Fairloc	0.38
# CR-0238-0476-1588-3FLC	2.380 / 4.762	11.10 <i>0.437</i>	15.88 <i>0.625</i>	7.87 <i>0.310</i>	303 Stainless Steel	Precision	Fig. 3 / Fairloc	0.38

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Couplings - Rigid

Part Number	Bores (b1 / b2) mm	OD mm	Length (L) mm	Bore Depth (B) mm	Material / Finish	Quality Class	Diagram / Locking	Max Torque N.m
	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>				
# CR-0229-0305-1588-3FLC	2.380 / 3.175	11.10 <i>0.437</i>	15.88 <i>0.625</i>	7.87 <i>0.310</i>	303 Stainless Steel	Precision	Fig. 3 / Fairloc	0.35
# CR-0229-0634-1588-3FLC	2.380 / 6.350	13.46 / 11.10	15.88 <i>0.625</i>	7.87 <i>0.310</i>	303 Stainless Steel	Precision	Fig. 3 / Fairloc	0.35
# CR-0238-0634-1588-3FLC	2.380 / 6.350	13.46 / 11.10	15.88 <i>0.625</i>	7.87 <i>0.310</i>	303 Stainless Steel	Precision	Fig. 3 / Fairloc	0.38
# CR-0250-0250-1200-3G	2.500 / 2.500	8.00 <i>0.315</i>	12.00 <i>0.472</i>		303 Stainless Steel	Precision	Fig. 1 / Set Screw M2	
# CR-0250-0250-1200-AG	2.500 / 2.500	8.00 <i>0.315</i>	12.00 <i>0.472</i>		Aluminum / Chromic Acid Anodized	Precision	Fig. 1 / Set Screw	
# CR-0250-0250-1200-BG	2.500 / 2.500	8.00 <i>0.315</i>	12.00 <i>0.472</i>		Brass / Black Oxide Finish	Precision	Fig. 1 / Set Screw	
# CR-0250-0300-1200-3G	2.500 / 3.000	9.00 <i>0.354</i>	12.00 <i>0.472</i>	6.00 <i>0.236</i>	303 Stainless Steel	Precision	Fig. 2 / Set Screw M2	
# CR-0250-0300-1200-AG	2.500 / 3.000	9.00 <i>0.354</i>	12.00 <i>0.472</i>	6.00 <i>0.236</i>	Aluminum / Chromic Acid Anodized	Precision	Fig. 2 / Set Screw	

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Couplings - Rigid

Part Number	Bores (b1 / b2) mm	OD mm	Length (L) mm	Bore Depth (B) mm	Material / Finish	Quality Class	Diagram / Locking	Max Torque N.m
	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>				
# CR-0250-0300-1200-BG	2.500 / 3.000	9.00	12.00	6.00	Brass / Black Oxide Finish	Precision	Fig. 2 / Set Screw	
		<i>0.354</i>	<i>0.472</i>	<i>0.236</i>				
# CR-0250-0400-1200-3G	2.500 / 4.000	11.00	12.00	6.00	303 Stainless Steel	Precision	Fig. 2 / Set Screw M2	
		<i>0.433</i>	<i>0.472</i>	<i>0.236</i>				
# CR-0250-0400-1200-AG	2.500 / 4.000	11.00	12.00	6.00	Aluminum / Chromic Acid Anodized	Precision	Fig. 2 / Set Screw	
		<i>0.433</i>	<i>0.472</i>	<i>0.236</i>				
# CR-0250-0400-1200-BG	2.500 / 4.000	11.00	12.00	6.00	Brass / Black Oxide Finish	Precision	Fig. 2 / Set Screw	
		<i>0.433</i>	<i>0.472</i>	<i>0.236</i>				
# CR-0250-0400-1900-3FLC	2.500 / 4.000	11.00 / 14.00	19.00	9.00	303 Stainless Steel	Precision	Fig. 3 / Fairloc	0.40
			<i>0.748</i>	<i>0.354</i>				
# CR-0250-0300-1900-3FLC	2.500 / 3.000	11.10	19.00	9.00	303 Stainless Steel	Precision	Fig. 3 / Fairloc	0.40
		<i>0.437</i>	<i>0.748</i>	<i>0.354</i>				
# CR-0250-0500-1900-3FLC	2.500 / 5.000	11.00 / 14.00	19.00	9.00	303 Stainless Steel	Precision	Fig. 3 / Fairloc	0.40
			<i>0.748</i>	<i>0.354</i>				
CR-0300-0300-1200-3G	3.000 / 3.000	9.00	12.00		303 Stainless Steel	Precision	Fig. 1 / Set Screw M2	
		<i>0.354</i>	<i>0.472</i>					

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Couplings - Rigid

Part Number	Bores (b1 / b2) mm <i>inches</i>	OD mm <i>inches</i>	Length (L) mm <i>inches</i>	Bore Depth (B) mm <i>inches</i>	Material / Finish	Quality Class	Diagram / Locking	Max Torque N.m
# CR-0300-0300-1200-AG	3.000 / 3.000	9.00 <i>0.354</i>	12.00 <i>0.472</i>		Aluminum / Chromic Acid Anodized	Precision	Fig. 1 / Set Screw	
# CR-0300-0300-1200-BG	3.000 / 3.000	9.00 <i>0.354</i>	12.00 <i>0.472</i>		Brass / Black Oxide Finish	Precision	Fig. 1 / Set Screw	
CR-0300-0400-1200-3G	3.000 / 4.000	11.00 <i>0.433</i>	12.00 <i>0.472</i>	6.00 <i>0.236</i>	303 Stainless Steel	Precision	Fig. 2 / Set Screw M3	
# CR-0300-0400-1200-AG	3.000 / 4.000	11.00 <i>0.433</i>	12.00 <i>0.472</i>	6.00 <i>0.236</i>	Aluminum / Chromic Acid Anodized	Precision	Fig. 2 / Set Screw	
# CR-0300-0400-1200-BG	3.000 / 4.000	11.00 <i>0.433</i>	12.00 <i>0.472</i>	6.00 <i>0.236</i>	Brass / Black Oxide Finish	Precision	Fig. 2 / Set Screw	
# CR-0300-0300-1900-3FLC	3.000 / 3.000	11.10 <i>0.437</i>	19.00 <i>0.748</i>		303 Stainless Steel	Precision	Fig. 3 / Fairloc	0.45
# CR-0300-0400-1900-3FLC	3.000 / 4.000	11.00 / 14.00	19.00 <i>0.748</i>	9.00 <i>0.354</i>	303 Stainless Steel	Precision	Fig. 3 / Fairloc	0.45
# CR-0300-0500-1900-3FLC	3.000 / 5.000	11.00 / 14.00	19.00 <i>0.748</i>	9.00 <i>0.354</i>	303 Stainless Steel	Precision	Fig. 3 / Fairloc	0.45
# CR-0300-0600-2100-3FLC	3.000 / 6.000	11.00 / 17.00	21.00 <i>0.827</i>	11.00 <i>0.433</i>	303 Stainless Steel	Precision	Fig. 3 / Fairloc	0.45

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Couplings - Rigid

Part Number	Bores (b1 / b2) mm <i>inches</i>	OD mm <i>inches</i>	Length (L) mm <i>inches</i>	Bore Depth (B) mm <i>inches</i>	Material / Finish	Quality Class	Diagram / Locking	Max Torque N.m
# CR-0300-0500-1200-3G	3.000 / 5.000	12.00 <i>0.472</i>	12.00 <i>0.472</i>	6.00 <i>0.236</i>	303 Stainless Steel	Precision	Fig. 2 / Set Screw M3	
# CR-0300-0500-1200-AG	3.000 / 5.000	12.00 <i>0.472</i>	12.00 <i>0.472</i>	6.00 <i>0.236</i>	Aluminum / Chromic Acid Anodized	Precision	Fig. 2 / Set Screw	
# CR-0300-0500-1200-BG	3.000 / 5.000	12.00 <i>0.472</i>	12.00 <i>0.472</i>	6.00 <i>0.236</i>	Brass / Black Oxide Finish	Precision	Fig. 2 / Set Screw	
# CR-0305-0317-1092-3G	3.175 / 3.175	6.350 <i>0.250</i>	10.92 <i>0.430</i>		303 Stainless Steel	Precision	Fig. 1 / Set Screw 2-56	
# CR-0317-0317-1092-3G	3.175 / 3.175	7.938 <i>0.313</i>	10.92 <i>0.430</i>	5.33 <i>0.210</i>	303 Stainless Steel	Precision	Fig. 1 / Set Screw 2-56	
# CR-0317-0476-1270-3G	3.175 / 4.762	9.525 <i>0.375</i>	12.70 <i>0.500</i>	6.22 <i>0.245</i>	303 Stainless Steel	Precision	Fig. 2 / Set Screw 2-56 / 4-40	
# CR-0317-0317-1588-3FLC	3.175 / 3.170	11.10 <i>0.437</i>	15.88 <i>0.625</i>		303 Stainless Steel	Precision	Fig. 3 / Fairloc	0.48
# CR-0317-0476-1588-3FLC	3.175 / 4.762	11.10 <i>0.437</i>	15.88 <i>0.625</i>	7.87 <i>0.310</i>	303 Stainless Steel	Precision	Fig. 3 / Fairloc	0.48
# CR-0305-0476-1588-3FLC	3.175 / 4.762	11.10 <i>0.437</i>	15.88 <i>0.625</i>	7.87 <i>0.310</i>	303 Stainless Steel	Precision	Fig. 3 / Fairloc	0.45

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Couplings - Rigid

Part Number	Bores (b1 / b2) mm  <i>inches</i>	OD mm  <i>inches</i>	Length (L) mm  <i>inches</i>	Bore Depth (B) mm  <i>inches</i>	Material / Finish	Quality Class	Diagram / Locking	Max Torque N.m
# CR-0305-0317-1588-3FLC	3.175 / 3.175	11.10 <i>0.437</i>	15.88 <i>0.625</i>	7.87 <i>0.310</i>	303 Stainless Steel	Precision	Fig. 3 / Fairloc	0.45
# CR-0305-0305-1588-3FLC	3.175 / 3.175	11.10 <i>0.437</i>	15.88 <i>0.625</i>		303 Stainless Steel	Precision	Fig. 3 / Fairloc	0.45
# CR-0305-0476-1905-3G	3.175 / 4.762	11.11 <i>0.437</i>	19.05 <i>0.750</i>	9.53 <i>0.375</i>	303 Stainless Steel	Commercial	Fig. 2 / Set Screw	
# CR-0305-0476-1905-AG	3.175 / 4.762	11.11 <i>0.437</i>	19.05 <i>0.750</i>	9.53 <i>0.375</i>	Aluminium / Chromic Acid Anodized	Commercial	Fig. 2 / Set Screw	
# CR-0305-0476-1905-BG	3.175 / 4.762	11.11 <i>0.437</i>	19.05 <i>0.750</i>	9.53 <i>0.375</i>	Brass / Cadmium Plated	Commercial	Fig. 2 / Set Screw	
# CR-0317-0635-1422-3G	3.175 / 6.350	12.70 <i>0.500</i>	14.22 <i>0.560</i>	6.99 <i>0.275</i>	303 Stainless Steel	Precision	Fig. 2 / Set Screw 2-56 / 6-32	
# CR-0305-0611-1588-3FLC	3.175 / 6.109	13.46 / 11.10	15.88 <i>0.625</i>	7.87 <i>0.310</i>	303 Stainless Steel	Precision	Fig. 3 / Fairloc	0.45
# CR-0305-0634-1588-3FLC	3.175 / 6.350	13.46 / 11.10	15.88 <i>0.625</i>	7.87 <i>0.310</i>	303 Stainless Steel	Precision	Fig. 3 / Fairloc	0.45
# CR-0317-0611-1588-3FLC	3.175 / 6.109	13.46 / 11.10	15.88 <i>0.625</i>	7.87 <i>0.310</i>	303 Stainless Steel	Precision	Fig. 3 / Fairloc	0.48

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Couplings - Rigid

Part Number	Bores (b1 / b2) mm <i>inches</i>	OD mm <i>inches</i>	Length (L) mm <i>inches</i>	Bore Depth (B) mm <i>inches</i>	Material / Finish	Quality Class	Diagram / Locking	Max Torque N.m
# CR-0317-0634-1588-3FLC	3.175 / 6.350	13.46 / 11.10	15.88 <i>0.625</i>	7.87 <i>0.310</i>	303 Stainless Steel	Precision	Fig. 3 / Fairloc	0.48
# CR-0400-0400-1200-BG	4.000 / 4.000	11.00 <i>0.433</i>	12.00 <i>0.472</i>		Brass / Black Oxide Finish	Precision	Fig. 1 / Set Screw	
CR-0400-0400-1200-3G	4.000 / 4.000	11.00 <i>0.433</i>	12.00 <i>0.472</i>		303 Stainless Steel	Precision	Fig. 1 / Set Screw M3	
# CR-0400-0400-1200-AG	4.000 / 4.000	11.00 <i>0.433</i>	12.00 <i>0.472</i>		Aluminum / Chromic Acid Anodized	Precision	Fig. 1 / Set Screw	
# CRC-0400-0500-2000-3G	4.000 / 5.000	11.00 <i>0.433</i>	20.00 <i>0.787</i>	10.00 <i>0.394</i>	303 Stainless Steel	Commercial	Fig. 2 / Set Screw	
CR-0400-0400-2000-3G	4.000 / 4.000	11.00 <i>0.433</i>	20.00 <i>0.787</i>		303 Stainless Steel	Commercial	Fig. 1 / Set Screw	
YG2602	4.000 / 6.000	12.00 <i>0.472</i>	16.00 <i>0.630</i>	8.00 <i>0.315</i>	Brass	Commercial	Fig. 2 / Slotted Set Screw	
# CR-0400-0500-2000-3G	4.000 / 5.000	12.00 <i>0.472</i>	20.00 <i>0.787</i>	10.00 <i>0.394</i>	303 Stainless Steel	Precision	Fig. 2 / Set Screw M3	

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Couplings - Rigid

Part Number	Bores (b1 / b2) mm	OD mm	Length (L) mm	Bore Depth (B) mm	Material / Finish	Quality Class	Diagram / Locking	Max Torque N.m
	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>				
# CR-0400-0500-2000-AG	4.000 / 5.000	12.00	20.00	10.00	Aluminum / Chromic Acid Anodized	Precision	Fig. 2 / Set Screw	
		<i>0.472</i>	<i>0.787</i>	<i>0.394</i>				
# CR-0400-0500-2000-BG	4.000 / 5.000	12.00	20.00	10.00	Brass / Black Oxide Finish	Precision	Fig. 2 / Set Screw	
		<i>0.472</i>	<i>0.787</i>	<i>0.394</i>				
# CR-0400-0600-2000-BG	4.000 / 6.000	13.00	20.00	10.00	Brass / Black Oxide Finish	Precision	Fig. 2 / Set Screw	
		<i>0.512</i>	<i>0.787</i>	<i>0.394</i>				
# CR-0400-0600-2000-3G	4.000 / 6.000	13.00	20.00	10.00	303 Stainless Steel	Precision	Fig. 2 / Set Screw M3	
		<i>0.512</i>	<i>0.787</i>	<i>0.394</i>				
# CR-0400-0600-2000-AG	4.000 / 6.000	13.00	20.00	10.00	Aluminum / Chromic Acid Anodized	Precision	Fig. 2 / Set Screw	
		<i>0.512</i>	<i>0.787</i>	<i>0.394</i>				
# CRC-0400-0600-2000-3G	4.000 / 6.000	13.00	20.00	10.00	303 Stainless Steel	Commercial	Fig. 2 / Set Screw	
		<i>0.512</i>	<i>0.787</i>	<i>0.394</i>				
# CR-0400-0400-1900-3FLC	4.000 / 4.000	14.00	19.00		303 Stainless Steel	Precision	Fig. 3 / Fairloc	0.57
		<i>0.551</i>	<i>0.748</i>					
# CR-0400-0500-1900-3FLC	4.000 / 5.000	14.00	19.00	9.00	303 Stainless Steel	Precision	Fig. 3 / Fairloc	0.57
		<i>0.551</i>	<i>0.748</i>	<i>0.354</i>				
# CR-0400-0800-2100-3FLC	4.000 / 8.000	14.00 / 17.00	21.00	11.00	303 Stainless Steel	Precision	Fig. 3 / Fairloc	0.57
			<i>0.827</i>	<i>0.433</i>				

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Couplings - Rigid

Part Number	Bores (b1 / b2) mm  <i>inches</i>	OD mm  <i>inches</i>	Length (L) mm  <i>inches</i>	Bore Depth (B) mm  <i>inches</i>	Material / Finish	Quality Class	Diagram / Locking	Max Torque N.m
CR-0400-0600-2100-3FLC	4.000 / 6.000	14.00 / 17.00	21.00 <i>0.827</i>	11.00 <i>0.433</i>	303 Stainless Steel	Precision	Fig. 3 / Fairloc	0.57
# CR-0400-0800-2000-3G	4.000 / 8.000	16.00 <i>0.630</i>	20.00 <i>0.787</i>	10.00 <i>0.394</i>	303 Stainless Steel	Commercial	Fig. 2 / Set Screw	
# CR-0476-0476-1270-3G	4.762 / 4.762	9.525 <i>0.375</i>	12.70 <i>0.500</i>		303 Stainless Steel	Precision	Fig. 1 / Set Screw 4-40	
# CR-0476-0476-1588-3FLC	4.762 / 4.762	11.10 <i>0.437</i>	15.88 <i>0.625</i>		303 Stainless Steel	Precision	Fig. 3 / Fairloc	0.85
# CR-0476-0476-1905-3G	4.762 / 4.762	11.11 <i>0.437</i>	19.05 <i>0.750</i>	9.53 <i>0.375</i>	303 Stainless Steel	Commercial	Fig. 1 / Set Screw	
# CR-0476-0476-1905-CDG	4.762 / 4.762	11.11 <i>0.437</i>	19.05 <i>0.750</i>		Steel / Cadmium Plated	Commercial	Fig. 1 / Set Screw	
# CR-0476-0635-1422-3G	4.762 / 6.350	12.70 <i>0.500</i>	14.22 <i>0.560</i>	6.99 <i>0.275</i>	303 Stainless Steel	Precision	Fig. 2 / Set Screw 4-40 / 6-32	
CR-0476-0635-1905-CDG	4.762 / 6.350	12.70 <i>0.500</i>	19.05 <i>0.750</i>	9.53 <i>0.375</i>	Steel / Cadmium Plated	Commercial	Fig. 2 / Set Screw	
# CR-0476-0611-1588-3FLC	4.762 / 6.109	13.46 / 11.10	15.88 <i>0.625</i>	7.87 <i>0.310</i>	303 Stainless Steel	Precision	Fig. 3 / Fairloc	0.85

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Couplings - Rigid

Part Number	Bores (b1 / b2) mm <i>inches</i>	OD mm <i>inches</i>	Length (L) mm <i>inches</i>	Bore Depth (B) mm <i>inches</i>	Material / Finish	Quality Class	Diagram / Locking	Max Torque N.m
# CR-0476-0634-1588-3FLC	4.762 / 6.350	13.46 / 11.10	15.88 <i>0.625</i>	7.87 <i>0.310</i>	303 Stainless Steel	Precision	Fig. 3 / Fairloc	0.85
# CR-0476-0794-1905-CDG	4.762 / 7.937	15.88 <i>0.625</i>	19.05 <i>0.750</i>	9.53 <i>0.375</i>	Steel / Cadmium Plated	Commercial	Fig. 2 / Set Screw	
# CR-0476-0953-1905-CDG	4.762 / 9.525	19.05 <i>0.750</i>	19.05 <i>0.750</i>	9.53 <i>0.375</i>	Steel / Cadmium Plated	Commercial	Fig. 2 / Set Screw	
# CR-0500-0500-2000-BG	5.000 / 5.000	12.00 <i>0.472</i>	20.00 <i>0.787</i>		Brass / Black Oxide Finish	Precision	Fig. 1 / Set Screw	
CR-0500-0500-2000-AG	5.000 / 5.000	12.00 <i>0.472</i>	20.00 <i>0.787</i>		Aluminum / Chromic Acid Anodized	Precision	Fig. 1 / Set Screw	
CR-0500-0500-2000-3G	5.000 / 5.000	12.00 <i>0.472</i>	20.00 <i>0.787</i>		303 Stainless Steel	Precision	Fig. 1 / Set Screw M3	
CR-0500-0600-2000-3G	5.000 / 6.000	13.00 <i>0.512</i>	20.00 <i>0.787</i>	10.00 <i>0.394</i>	303 Stainless Steel	Precision	Fig. 2 / Set Screw M5	
# CR-0500-0600-2000-AG	5.000 / 6.000	13.00 <i>0.512</i>	20.00 <i>0.787</i>	10.00 <i>0.394</i>	Aluminum / Chromic Acid Anodized	Precision	Fig. 2 / Set Screw	

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Couplings - Rigid

Part Number	Bores (b1 / b2) mm	OD mm	Length (L) mm	Bore Depth (B) mm	Material / Finish	Quality Class	Diagram / Locking	Max Torque N.m
	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>				
# CR-0500-0600-2000-BG	5.000 / 6.000	13.00	20.00	10.00	Brass / Black Oxide Finish	Precision	Fig. 2 / Set Screw	
		<i>0.512</i>	<i>0.787</i>	<i>0.394</i>				
# CR-0500-0500-1900-3FLC	5.000 / 5.000	14.00	19.00		303 Stainless Steel	Precision	Fig. 3 / Fairloc	0.90
		<i>0.551</i>	<i>0.748</i>					
# CR-0500-0600-2100-3FLC	5.000 / 6.000	14.00 / 17.00	21.00	11.00	303 Stainless Steel	Precision	Fig. 3 / Fairloc	0.90
			<i>0.827</i>	<i>0.433</i>				
# CR-0500-0800-2100-3FLC	5.000 / 8.000	14.00 / 17.00	21.00	11.00	303 Stainless Steel	Precision	Fig. 3 / Fairloc	0.90
			<i>0.827</i>	<i>0.433</i>				
# CR-0500-1000-2500-3FLC	5.000 / 10.000	14.00 / 24.00	25.00	15.00	303 Stainless Steel	Precision	Fig. 3 / Fairloc	0.90
			<i>0.984</i>	<i>0.591</i>				
CR-0500-0800-2000-3G	5.000 / 8.000	16.00	20.00	10.00	303 Stainless Steel	Precision	Fig. 2 / Set Screw M5	
		<i>0.630</i>	<i>0.787</i>	<i>0.394</i>				
# CR-0500-0800-2000-BG	5.000 / 8.000	16.00	20.00	10.00	Brass / Black Oxide Finish	Precision	Fig. 2 / Set Screw	
		<i>0.630</i>	<i>0.787</i>	<i>0.394</i>				
# CR-0500-0800-2000-AG	5.000 / 8.000	16.00	20.00	10.00	Aluminum / Chromic Acid Anodized	Precision	Fig. 2 / Set Screw	
		<i>0.630</i>	<i>0.787</i>	<i>0.394</i>				
CR-0500-1000-2000-AG	5.000 / 10.000	19.00	20.00	10.00	Aluminum / Chromic Acid Anodized	Precision	Fig. 2 / Set Screw	
		<i>0.748</i>	<i>0.787</i>	<i>0.394</i>				

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Couplings - Rigid

Part Number	Bores (b1 / b2) mm	OD mm	Length (L) mm	Bore Depth (B) mm	Material / Finish	Quality Class	Diagram / Locking	Max Torque N.m
	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>				
# CR-0500-1000-2000-BG	5.000 / 10.000	19.00	20.00	10.00	Brass / Black Oxide Finish	Precision	Fig. 2 / Set Screw	
		<i>0.748</i>	<i>0.787</i>	<i>0.394</i>				
# CR-0500-1000-2000-3G	5.000 / 10.000	19.00	20.00	10.00	303 Stainless Steel	Precision	Fig. 2 / Set Screw M5	
		<i>0.748</i>	<i>0.787</i>	<i>0.394</i>				
YG2600	6.000 / 6.000	12.00	16.00		Brass	Commercial	Fig. 1 / Slotted Set Screw	
		<i>0.472</i>	<i>0.630</i>					
CR-0600-0600-2000-3G	6.000 / 6.000	13.00	20.00		303 Stainless Steel	Precision	Fig. 1 / Set Screw M4	
		<i>0.512</i>	<i>0.787</i>					
# CR-0600-0600-2000-AG	6.000 / 6.000	13.00	20.00		Aluminum / Chromic Acid Anodized	Precision	Fig. 1 / Set Screw	
		<i>0.512</i>	<i>0.787</i>					
# CR-0600-0600-2000-BG	6.000 / 6.000	13.00	20.00		Brass / Black Oxide Finish	Precision	Fig. 1 / Set Screw	
		<i>0.512</i>	<i>0.787</i>					
# CRC-0600-0600-2000-3G	6.000 / 6.000	13.00	20.00		303 Stainless Steel	Commercial	Fig. 1 / Set Screw	
		<i>0.512</i>	<i>0.787</i>					
CR-0600-0800-2000-3G	6.000 / 8.000	16.00	20.00	10.00	303 Stainless Steel	Precision	Fig. 2 / Set Screw M5	
		<i>0.630</i>	<i>0.787</i>	<i>0.394</i>				

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Couplings - Rigid

Part Number	Bores (b1 / b2) mm	OD mm	Length (L) mm	Bore Depth (B) mm	Material / Finish	Quality Class	Diagram / Locking	Max Torque N.m
	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>				
# CRC-0600-0800-2000-3G	6.000 / 8.000	16.00 <i>0.630</i>	20.00 <i>0.787</i>	10.00 <i>0.394</i>	303 Stainless Steel	Commercial	Fig. 2 / Set Screw	
# CR-0600-0800-2000-AG	6.000 / 8.000	16.00 <i>0.630</i>	20.00 <i>0.787</i>	10.00 <i>0.394</i>	Aluminum / Chromic Acid Anodized	Precision	Fig. 2 / Set Screw	
# CR-0600-0800-2000-BG	6.000 / 8.000	16.00 <i>0.630</i>	20.00 <i>0.787</i>	10.00 <i>0.394</i>	Brass / Black Oxide Finish	Precision	Fig. 2 / Set Screw	
# CR-0600-0800-2300-3FLC	6.000 / 8.000	17.00 <i>0.669</i>	23.00 <i>0.906</i>	12.00 <i>0.472</i>	303 Stainless Steel	Precision	Fig. 3 / Fairloc	1.30
CR-0600-0600-2300-3FLC	6.000 / 6.000	17.00 <i>0.669</i>	23.00 <i>0.906</i>		303 Stainless Steel	Precision	Fig. 3 / Fairloc	1.30
# CR-0600-1000-2700-3FLC	6.000 / 10.000	17.00 / 24.00	27.00 <i>1.063</i>	15.00 <i>0.591</i>	303 Stainless Steel	Precision	Fig. 3 / Fairloc	1.30
# CR-0600-1200-3000-3FLC	6.000 / 12.000	17.00 / 26.00	30.00 <i>1.181</i>	18.00 <i>0.709</i>	303 Stainless Steel	Precision	Fig. 3 / Fairloc	1.30
# CR-0600-1000-2000-3G	6.000 / 10.000	19.00 <i>0.748</i>	20.00 <i>0.787</i>	10.00 <i>0.394</i>	303 Stainless Steel	Precision	Fig. 2 / Set Screw M5	
# CR-0600-1000-2000-AG	6.000 / 10.000	19.00 <i>0.748</i>	20.00 <i>0.787</i>	10.00 <i>0.394</i>	Aluminum / Chromic Acid Anodized	Precision	Fig. 2 / Set Screw	

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Couplings - Rigid

Part Number	Bores (b1 / b2) mm	OD mm	Length (L) mm	Bore Depth (B) mm	Material / Finish	Quality Class	Diagram / Locking	Max Torque N.m
	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>				
# CR-0600-1000-2000-BG	6.000 / 10.000	19.00	20.00	10.00	Brass / Black Oxide Finish	Precision	Fig. 2 / Set Screw	
		<i>0.748</i>	<i>0.787</i>	<i>0.394</i>				
# CR-0600-1000-2500-3G	6.000 / 10.000	19.00	25.00	12.50	303 Stainless Steel	Commercial	Fig. 2 / Set Screw	
		<i>0.748</i>	<i>0.984</i>	<i>0.492</i>				
# CRC-0600-1200-2500-3G	6.000 / 12.000	19.00	25.00	12.50	303 Stainless Steel	Commercial	Fig. 2 / Set Screw	
		<i>0.748</i>	<i>0.984</i>	<i>0.492</i>				
# CR-0600-1200-2500-BG	6.000 / 12.000	22.00	25.00	12.50	Brass / Black Oxide Finish	Precision	Fig. 2 / Set Screw	
		<i>0.866</i>	<i>0.984</i>	<i>0.492</i>				
# CR-0600-1200-2500-AG	6.000 / 12.000	22.00	25.00	12.50	Aluminum / Chromic Acid Anodized	Precision	Fig. 2 / Set Screw	
		<i>0.866</i>	<i>0.984</i>	<i>0.492</i>				
# CR-0600-1200-2500-3G	6.000 / 12.000	22.00	25.00	12.50	303 Stainless Steel	Precision	Fig. 2 / Set Screw M5	
		<i>0.866</i>	<i>0.984</i>	<i>0.492</i>				
# CR-0635-0635-1905-AG	6.350 / 6.350	11.11	19.05	9.53	Aluminium / Chromic Acid Anodized	Commercial	Fig. 2 / Set Screw	
		<i>0.437</i>	<i>0.750</i>	<i>0.375</i>				
# CR-0635-0635-1905-BG	6.350 / 6.350	11.11	19.05	9.53	Brass / Cadmium Plated	Commercial	Fig. 2 / Set Screw	
		<i>0.437</i>	<i>0.750</i>	<i>0.375</i>				

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Couplings - Rigid

Part Number	Bores (b1 / b2) mm <i>inches</i>	OD mm <i>inches</i>	Length (L) mm <i>inches</i>	Bore Depth (B) mm <i>inches</i>	Material / Finish	Quality Class	Diagram / Locking	Max Torque N.m
# CR-0635-0635-1422-3G	6.350 / 6.350	12.70 <i>0.500</i>	14.22 <i>0.560</i>		303 Stainless Steel	Precision	Fig. 1 / Set Screw 6-32	
# CR-0635-0635-1905H-BG	6.350 / 6.350	12.70 <i>0.500</i>	19.05 <i>0.750</i>	9.53 <i>0.375</i>	Brass / Cadmium Plated	Commercial	Fig. 2 / Set Screw	
# CR-0635-0635-1905-CDG	6.350 / 6.350	12.70 <i>0.500</i>	19.05 <i>0.750</i>		Steel / Cadmium Plated	Commercial	Fig. 1 / Set Screw	
# CR-0635-0635-1905H-AG	6.350 / 6.350	12.70 <i>0.500</i>	19.05 <i>0.750</i>	9.53 <i>0.375</i>	Aluminium / Chromic Acid Anodized	Commercial	Fig. 2 / Set Screw	
# CR-0635-0635-1905-3G	6.350 / 6.350	12.70 <i>0.500</i>	19.05 <i>0.750</i>	9.53 <i>0.375</i>	303 Stainless Steel	Commercial	Fig. 2 / Set Screw	
# CR-0634-0634-1588-3FLC	6.350 / 6.350	13.46 <i>0.530</i>	15.88 <i>0.625</i>		303 Stainless Steel	Precision	Fig. 3 / Fairloc	1.30
# CR-0635-0953-1905-3G	6.350 / 9.525	14.29 <i>0.563</i>	19.05 <i>0.750</i>	9.53 <i>0.375</i>	303 Stainless Steel	Commercial	Fig. 2 / Set Screw	
# CR-0635-0953-1905-AG	6.350 / 9.525	14.29 <i>0.563</i>	19.05 <i>0.750</i>	9.53 <i>0.375</i>	Aluminium / Chromic Acid Anodized	Commercial	Fig. 2 / Set Screw	

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Couplings - Rigid

Part Number	Bores (b1 / b2) mm <i>inches</i>	OD mm <i>inches</i>	Length (L) mm <i>inches</i>	Bore Depth (B) mm <i>inches</i>	Material / Finish	Quality Class	Diagram / Locking	Max Torque N.m
# CR-0635-0953-1905-BG	6.350 / 9.525	14.29 <i>0.563</i>	19.05 <i>0.750</i>	9.53 <i>0.375</i>	Brass / Cadmium Plated	Commercial	Fig. 2 / Set Screw	
# CR-0635-0794-1905-CDG	6.350 / 7.937	15.88 <i>0.625</i>	19.05 <i>0.750</i>	9.53 <i>0.375</i>	Steel / Cadmium Plated	Commercial	Fig. 2 / Set Screw	
# CR-0635-0953-1905-CDG	6.350 / 9.525	19.05 <i>0.750</i>	19.05 <i>0.750</i>	9.53 <i>0.375</i>	Steel / Cadmium Plated	Commercial	Fig. 2 / Set Screw	
# CR-0635-1111-2540-CDG	6.350 / 11.112	22.23 <i>0.875</i>	25.40 <i>1.000</i>	12.70 <i>0.500</i>	Steel / Cadmium Plated	Commercial	Fig. 2 / Set Screw	
CR-0635-1270-2540-CDG	6.350 / 12.700	25.40 <i>1.000</i>	25.40 <i>1.000</i>	12.70 <i>0.500</i>	Steel / Cadmium Plated	Commercial	Fig. 2 / Set Screw	
# CR-0794-0794-1905-CDG	7.937 / 7.937	15.88 <i>0.625</i>	19.05 <i>0.750</i>		Steel / Cadmium Plated	Commercial	Fig. 1 / Set Screw	
# CR-0800-0800-2000-3G	8.000 / 8.000	16.00 <i>0.630</i>	20.00 <i>0.787</i>		303 Stainless Steel	Precision	Fig. 1 / Set Screw M4	
# CRC-0800-0800-2000-3G	8.000 / 8.000	16.00 <i>0.630</i>	20.00 <i>0.787</i>		303 Stainless Steel	Commercial	Fig. 1 / Set Screw	

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Couplings - Rigid

Part Number	Bores (b1 / b2) mm	OD mm	Length (L) mm	Bore Depth (B) mm	Material / Finish	Quality Class	Diagram / Locking	Max Torque N.m
	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>				
# CR-0800-0800-2000-AG	8.000 / 8.000	16.00	20.00		Aluminum / Chromic Acid Anodized	Precision	Fig. 1 / Set Screw	
		<i>0.630</i>	<i>0.787</i>					
CR-0800-0800-2000-BG	8.000 / 8.000	16.00	20.00		Brass / Black Oxide Finish	Precision	Fig. 1 / Set Screw	
		<i>0.630</i>	<i>0.787</i>					
CR-0800-0800-2300-3FLC	8.000 / 8.000	17.00	23.00		303 Stainless Steel	Precision	Fig. 3 / Fairloc	2.60
		<i>0.669</i>	<i>0.906</i>					
# CR-0800-1000-2700-3FLC	8.000 / 10.000	17.00 / 24.00	27.00	15.00	303 Stainless Steel	Precision	Fig. 3 / Fairloc	2.60
			<i>1.063</i>	<i>0.591</i>				
# CR-0800-1200-3000-3FLC	8.000 / 12.000	17.00 / 26.00	30.00	18.00	303 Stainless Steel	Precision	Fig. 3 / Fairloc	2.60
			<i>1.181</i>	<i>0.709</i>				
# CR-0800-1000-2500-BG	8.000 / 10.000	19.00	25.00	12.50	Brass / Black Oxide Finish	Precision	Fig. 2 / Set Screw	
		<i>0.748</i>	<i>0.984</i>	<i>0.492</i>				
# CR-0800-1000-2500-AG	8.000 / 10.000	19.00	25.00	12.50	Aluminum / Chromic Acid Anodized	Precision	Fig. 2 / Set Screw	
		<i>0.748</i>	<i>0.984</i>	<i>0.492</i>				
# CR-0800-1000-2500-3G	8.000 / 10.000	19.00	25.00	12.50	303 Stainless Steel	Precision	Fig. 2 / Set Screw M6	
		<i>0.748</i>	<i>0.984</i>	<i>0.492</i>				

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Couplings - Rigid

Part Number	Bores (b1 / b2) mm	OD mm	Length (L) mm	Bore Depth (B) mm	Material / Finish	Quality Class	Diagram / Locking	Max Torque N.m
	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>				
# CR-0800-1200-2500-AG	8.000 / 12.000	22.00	25.00	12.50	Aluminum / Chromic Acid Anodized	Precision	Fig. 2 / Set Screw	
		<i>0.866</i>	<i>0.984</i>	<i>0.492</i>				
# CR-0800-1200-2500-BG	8.000 / 12.000	22.00	25.00	12.50	Brass / Black Oxide Finish	Precision	Fig. 2 / Set Screw	
		<i>0.866</i>	<i>0.984</i>	<i>0.492</i>				
# CR-0800-1200-2500-3G	8.000 / 12.000	22.00	25.00	12.50	303 Stainless Steel	Precision	Fig. 2 / Set Screw M6	
		<i>0.866</i>	<i>0.984</i>	<i>0.492</i>				
# CRC-0800-1000-2500-3G	8.000 / 10.000	25.00	25.00	12.50	303 Stainless Steel	Commercial	Fig. 2 / Set Screw	
		<i>0.984</i>	<i>0.984</i>	<i>0.492</i>				
# CRC-0800-1200-2500-3G	8.000 / 12.000	25.00	25.00	12.50	303 Stainless Steel	Commercial	Fig. 2 / Set Screw	
		<i>0.984</i>	<i>0.984</i>	<i>0.492</i>				
# CR-0953-0953-1905-BG	9.525 / 9.525	14.29	19.05	9.53	Brass / Cadmium Plated	Commercial	Fig. 2 / Set Screw	
		<i>0.563</i>	<i>0.750</i>	<i>0.375</i>				
# CR-0953-0953-1905-AG	9.525 / 9.525	14.29	19.05	9.53	Aluminium / Chromic Acid Anodized	Commercial	Fig. 2 / Set Screw	
		<i>0.563</i>	<i>0.750</i>	<i>0.375</i>				
# CR-0953-0953-1905-3G	9.525 / 9.525	14.29	19.05	9.53	303 Stainless Steel	Commercial	Fig. 2 / Set Screw	
		<i>0.563</i>	<i>0.750</i>	<i>0.375</i>				

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Couplings - Rigid

Part Number	Bores (b1 / b2) mm <i>inches</i>	OD mm <i>inches</i>	Length (L) mm <i>inches</i>	Bore Depth (B) mm <i>inches</i>	Material / Finish	Quality Class	Diagram / Locking	Max Torque N.m
# CR-0953-0953-1905-CDG	9.525 / 9.525	19.05 <i>0.750</i>	19.05 <i>0.750</i>		Steel / Cadmium Plated	Commercial	Fig. 1 / Set Screw	
# CR-0953-1270-2540-CDG	9.525 / 12.700	25.40 <i>1.000</i>	25.40 <i>1.000</i>	12.70 <i>0.500</i>	Steel / Cadmium Plated	Commercial	Fig. 2 / Set Screw	
# CR-1000-1000-2000-AG	10.000 / 10.000	19.00 <i>0.748</i>	20.00 <i>0.787</i>		Aluminum / Chromic Acid Anodized	Precision	Fig. 1 / Set Screw	
# CR-1000-1000-2000-3G	10.000 / 10.000	19.00 <i>0.748</i>	20.00 <i>0.787</i>		303 Stainless Steel	Precision	Fig. 1 / Set Screw M6	
# CRC-1000-1000-2000-3G	10.000 / 10.000	19.00 <i>0.748</i>	20.00 <i>0.787</i>		303 Stainless Steel	Commercial	Fig. 1 / Set Screw	
# CR-1000-1000-2000-BG	10.000 / 10.000	19.00 <i>0.748</i>	20.00 <i>0.787</i>		Brass / Black Oxide Finish	Precision	Fig. 1 / Set Screw	
# CR-1000-1200-2500-AG	10.000 / 12.000	22.00 <i>0.866</i>	25.00 <i>0.984</i>	12.50 <i>0.492</i>	Aluminum / Chromic Acid Anodized	Precision	Fig. 2 / Set Screw	
# CR-1000-1200-2500-3G	10.000 / 12.000	22.00 <i>0.866</i>	25.00 <i>0.984</i>	12.50 <i>0.492</i>	303 Stainless Steel	Precision	Fig. 2 / Set Screw M6	

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Couplings - Rigid

Part Number	Bores (b1 / b2) mm	OD mm	Length (L) mm	Bore Depth (B) mm	Material / Finish	Quality Class	Diagram / Locking	Max Torque N.m
	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>				
# CR-1000-1200-2500-BG	10.000 / 12.000	22.00	25.00	12.50	Brass / Black Oxide Finish	Precision	Fig. 2 / Set Screw	
		<i>0.866</i>	<i>0.984</i>	<i>0.492</i>				
# CR-1000-1200-3500-3FLC	10.000 / 12.000	24.00 / 26.00	35.00	18.00	303 Stainless Steel	Precision	Fig. 3 / Fairloc	3.50
			<i>1.378</i>	<i>0.709</i>				
# CR-1000-1000-3500-3FLC	10.000 / 10.000	24.00	35.00		303 Stainless Steel	Precision	Fig. 3 / Fairloc	3.50
		<i>0.945</i>	<i>1.378</i>					
# CRC-1000-1200-2500-3G	10.000 / 12.000	25.00	25.00	12.50	303 Stainless Steel	Commercial	Fig. 2 / Set Screw	
		<i>0.984</i>	<i>0.984</i>	<i>0.492</i>				
# CR-1000-1500-3000-3G	10.000 / 15.000	27.00	30.00	15.00	303 Stainless Steel	Precision	Fig. 2 / Set Screw M6	
		<i>1.063</i>	<i>1.181</i>	<i>0.591</i>				
# CR-1000-1500-3000-BG	10.000 / 15.000	27.00	30.00	15.00	Brass / Black Oxide Finish	Precision	Fig. 2 / Set Screw	
		<i>1.063</i>	<i>1.181</i>	<i>0.591</i>				
# CR-1000-1500-3000-AG	10.000 / 15.000	27.00	30.00	15.00	Aluminum / Chromic Acid Anodized	Precision	Fig. 2 / Set Screw	
		<i>1.063</i>	<i>1.181</i>	<i>0.591</i>				
# CR-1111-1111-1905-CDG	11.112 / 11.112	22.23	19.05		Steel / Cadmium Plated	Commercial	Fig. 1 / Set Screw	
		<i>0.875</i>	<i>0.750</i>					
# CR-1200-1200-2000-BG	12.000 / 12.000	22.00	20.00		Brass / Black Oxide Finish	Precision	Fig. 1 / Set Screw	
		<i>0.866</i>	<i>0.787</i>					

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Couplings - Rigid

Part Number	Bores (b1 / b2) mm	OD mm	Length (L) mm	Bore Depth (B) mm	Material / Finish	Quality Class	Diagram / Locking	Max Torque N.m
	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>				
# CR-1200-1200-2000-AG	12.000 / 12.000	22.00	20.00		Aluminum / Chromic Acid Anodized	Precision	Fig. 1 / Set Screw	
		<i>0.866</i>	<i>0.787</i>					
# CRC-1200-1200-2000-3G	12.000 / 12.000	22.00	20.00		303 Stainless Steel	Commercial	Fig. 1 / Set Screw	
		<i>0.866</i>	<i>0.787</i>					
# CR-1200-1200-2000-3G	12.000 / 12.000	22.00	20.00		303 Stainless Steel	Precision	Fig. 1 / Set Screw M6	
		<i>0.866</i>	<i>0.787</i>					
# CR-1200-1200-3800-3FLC	12.000 / 12.000	26.00	38.00		303 Stainless Steel	Precision	Fig. 3 / Fairloc	5.10
		<i>1.024</i>	<i>1.496</i>					
# CR-1270-1270-1905-CDG	12.700 / 12.700	25.40	19.05		Steel / Cadmium Plated	Commercial	Fig. 1 / Set Screw	
		<i>1.000</i>	<i>0.750</i>					

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.



DISTRIBUTED BY

Ask us to put your name and address here

<http://www.minibearings.com.au/product>

Ph +61 7 3245 7977

Fax +61 7 3245 1017

Catalogue requests to [catalogues@minibearings.com.au](mailto:catalogues@minibearings.com.au)

