




MBA

Couplings - Sleeve Type



0.05 to 2.1 Nm. Max Speed 1750 rpm.

Polyethylene Sleeve.

Acetal hub.

Aluminium Alloy Insert.

Couplings - Sleeve Type

Part Number	Coupling OD mm	Bore mm	Length mm	Description	Max. N.m. at 1750 RPM N.m	Material	Angular Offset Deg.	Parallel Offset mm
	<i>inches</i>	<i>inches</i>	<i>inches</i>					<i>inches</i>
# CSLV15x03.2-HUB	14.7	3.18	10.30	Single Hub	0.21	Aluminium Alloy wuth Acetal Sleeve Retainer	3	0.13
	<i>0.579</i>	<i>0.125</i>	<i>0.406</i>					<i>0.005</i>
# CSLV15x03.2-COM	14.7	3.18	23.81	Complete Coupling	0.21	Aluminium / Acetal / Urethane	3	0.13
	<i>0.579</i>	<i>0.125</i>	<i>0.937</i>					<i>0.005</i>
# CSLV15x04.0-HUB	14.7	4.00	10.30	Insert & Hub Assembly	0.21	Aluminium Alloy wuth Acetal Sleeve Retainer	3	0.12
	<i>0.579</i>	<i>0.157</i>	<i>0.406</i>					<i>0.005</i>

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Couplings - Sleeve Type

Part Number	Coupling OD mm	Bore mm	Length mm	Description	Max. N.m. at 1750 RPM N.m	Material	Angular Offset Deg.	Parallel Offset mm
	<i>inches</i>	<i>inches</i>	<i>inches</i>					<i>inches</i>
# CSLV15x04.0-COM	14.7	4.00	23.80	Complete Coupling	0.21	Aluminium / Acetal / Urethane	3	0.12
	<i>0.579</i>	<i>0.157</i>	<i>0.937</i>					<i>0.005</i>
# CSLV15x04.8-HUB	14.7	4.76	10.30	Single Hub	0.21	Aluminium Alloy wuth Acetal Sleeve Retainer	3	0.13
	<i>0.579</i>	<i>0.187</i>	<i>0.406</i>					<i>0.005</i>
CSLV15x04.8-COM	14.7	4.76	23.81	Complete Coupling	0.21	Aluminium / Acetal / Urethane	3	0.13
	<i>0.579</i>	<i>0.187</i>	<i>0.937</i>					<i>0.005</i>
# CSLV15x05.0-HUB	14.7	5.00	10.30	Single Hub	0.21	Aluminium Alloy wuth Acetal Sleeve Retainer	3	0.12
	<i>0.579</i>	<i>0.197</i>	<i>0.406</i>					<i>0.005</i>
# CSLV15x05.0-COM	14.7	5.00	23.50	Complete Sleeve and 2 Hubs	0.21	Aluminium / Acetal / Urethane	3	0.12
	<i>0.579</i>	<i>0.197</i>	<i>0.925</i>					<i>0.005</i>
# CSLV15x06.0-HUB	14.7	6.00	10.30	Single Hub	0.21	Aluminium Alloy wuth Acetal Sleeve Retainer	3	0.12
	<i>0.579</i>	<i>0.236</i>	<i>0.406</i>					<i>0.005</i>
# CSLV15x06.0-COM	14.7	6.00	23.50	Complete Sleeve and 2 Hubs	0.21	Aluminium / Acetal / Urethane	3	0.12
	<i>0.579</i>	<i>0.236</i>	<i>0.925</i>					<i>0.005</i>

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Couplings - Sleeve Type

Part Number	Coupling OD mm	Bore mm	Length mm	Description	Max. N.m. at 1750 RPM N.m	Material	Angular Offset Deg.	Parallel Offset mm
	<i>inches</i>	<i>inches</i>	<i>inches</i>					<i>inches</i>
# CSLV15x06.4-HUB	14.7	6.35	10.30	Single Hub	0.21	Aluminium Alloy wuth Acetal Sleeve Retainer	3	0.13
	<i>0.579</i>	<i>0.250</i>	<i>0.406</i>					<i>0.005</i>
# CSLV15x06.4-COM	14.7	6.35	23.81	Complete Coupling	0.21	Aluminium / Acetal / Urethane	3	0.13
	<i>0.579</i>	<i>0.250</i>	<i>0.937</i>					<i>0.005</i>
CSLV15-SLV	14.7	-	-	Sleeve Only	0.21	Urethane	3	0.12
	<i>0.579</i>							<i>0.005</i>
# CSLV15-250-SLVU	14.7	-	254.00	Length Of Sleeve Stock		Urethane	3	0.13
	<i>0.579</i>		<i>10.000</i>					<i>0.005</i>
CSLV21x06.0-HUB	21.0	6.00	15.47	Single Hub	0.70	Aluminium Alloy wuth Acetal Sleeve Retainer	5	0.25
	<i>0.827</i>	<i>0.236</i>	<i>0.609</i>					<i>0.010</i>
# CSLV21x06.0-COM	21.0	6.00	35.00	Complete Sleeve and 2 Hubs	0.70	Aluminium / Acetal / Polyethylene	5	0.25
	<i>0.827</i>	<i>0.236</i>	<i>1.378</i>					<i>0.010</i>
# CSLV21x06.4-HUB	21.0	6.35	15.47	Single Hub	0.70	Aluminium Alloy wuth Acetal Sleeve Retainer	5	0.25
	<i>0.827</i>	<i>0.250</i>	<i>0.609</i>					<i>0.010</i>
# CSLV21x06.4-COM	21.0	6.35	34.93	Complete Coupling	0.70	Aluminium / Acetal / Polyethylene	5	0.25
	<i>0.827</i>	<i>0.250</i>	<i>1.375</i>					<i>0.010</i>

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Couplings - Sleeve Type

Part Number	Coupling OD mm	Bore mm	Length mm	Description	Max. N.m. at 1750 RPM N.m	Material	Angular Offset Deg.	Parallel Offset mm
	<i>inches</i>	<i>inches</i>	<i>inches</i>					<i>inches</i>
# CSLV21x07.9-HUB	21.0	7.94	15.47	Single Hub	0.70	Aluminium Alloy wuth Acetal Sleeve Retainer	5	0.25
	<i>0.827</i>	<i>0.313</i>	<i>0.609</i>					<i>0.010</i>
# CSLV21x07.9-COM	21.0	7.94	34.93	Complete Coupling	0.70	Aluminium / Acetal / Polyethylene	5	0.25
	<i>0.827</i>	<i>0.313</i>	<i>1.375</i>					<i>0.010</i>
# CSLV21x08.0-HUB	21.0	8.00	15.47	Single Hub	0.70	Aluminium Alloy wuth Acetal Sleeve Retainer	5	0.25
	<i>0.827</i>	<i>0.315</i>	<i>0.609</i>					<i>0.010</i>
# CSLV21x08.0-COM	21.0	8.00	35.00	Complete Sleeve and 2 Hubs	0.70	Aluminium / Acetal / Polyethylene	5	0.25
	<i>0.827</i>	<i>0.315</i>	<i>1.378</i>					<i>0.010</i>
CSLV21x09.5-HUB	21.0	9.53	15.47	Single Hub	0.70	Aluminium Alloy wuth Acetal Sleeve Retainer	5	0.25
	<i>0.827</i>	<i>0.375</i>	<i>0.609</i>					<i>0.010</i>
# CSLV21x09.5-COM	21.0	9.53	34.93	Complete Coupling	0.70	Aluminium / Acetal / Polyethylene	5	0.25
	<i>0.827</i>	<i>0.375</i>	<i>1.375</i>					<i>0.010</i>
# CSLV21x10.0-HUB	21.0	10.00	15.47	Single Hub	0.70	Aluminium Alloy wuth Acetal Sleeve Retainer	5	0.25
	<i>0.827</i>	<i>0.394</i>	<i>0.609</i>					<i>0.010</i>

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Couplings - Sleeve Type

Part Number	Coupling OD mm	Bore mm	Length mm	Description	Max. N.m. at 1750 RPM N.m	Material	Angular Offset Deg.	Parallel Offset mm
	<i>inches</i>	<i>inches</i>	<i>inches</i>					<i>inches</i>
# CSLV21x10.0-COM	21.0	10.00	35.00	Complete Sleeve and 2 Hubs	0.70	Aluminium / Acetal / Polyethylene	5	0.25
	<i>0.827</i>	<i>0.394</i>	<i>1.378</i>					<i>0.010</i>
CSLV21-SLV	21.0	-	-	Sleeve Only	0.70	Polyethylene	5	0.25
	<i>0.827</i>							<i>0.010</i>
# CSLV21-300-SLVP	21.0	-	304.80	Length Of Sleeve Stock		Polyethylene	5	0.25
	<i>0.827</i>		<i>12.000</i>					<i>0.010</i>
# CSLV27x07.9-HUB	27.4	7.94	19.05	Single Hub	2.10	Aluminium Alloy wuth Acetal Sleeve Retainer	7	0.38
	<i>1.079</i>	<i>0.313</i>	<i>0.750</i>					<i>0.015</i>
# CSLV27x07.9-COM	27.4	7.94	39.69	Complete Coupling	2.10	Aluminium / Acetal / Polyethylene	7	0.38
	<i>1.079</i>	<i>0.313</i>	<i>1.563</i>					<i>0.015</i>
# CSLV27x08.0-HUB	27.4	8.00	19.05	Single Hub	2.10	Aluminium Alloy wuth Acetal Sleeve Retainer	7	0.35
	<i>1.079</i>	<i>0.315</i>	<i>0.750</i>					<i>0.014</i>
# CSLV27x08.0-COM	27.4	8.00	39.70	Complete Sleeve and 2 Hubs	2.10	Aluminium / Acetal / Polyethylene	7	0.35
	<i>1.079</i>	<i>0.315</i>	<i>1.563</i>					<i>0.014</i>
# CSLV27x09.5-HUB	27.4	9.53	19.05	Single Hub	2.10	Aluminium Alloy wuth Acetal Sleeve Retainer	7	0.38
	<i>1.079</i>	<i>0.375</i>	<i>0.750</i>					<i>0.015</i>

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Couplings - Sleeve Type

Part Number	Coupling OD mm	Bore mm	Length mm	Description	Max. N.m. at 1750 RPM N.m	Material	Angular Offset Deg.	Parallel Offset mm
	<i>inches</i>	<i>inches</i>	<i>inches</i>					<i>inches</i>
# CSLV27x09.5-COM	27.4	9.53	39.69	Complete Coupling	2.10	Aluminium / Acetal / Polyethylene	7	0.38
	<i>1.079</i>	<i>0.375</i>	<i>1.563</i>					<i>0.015</i>
# CSLV27x10.0-HUB	27.4	10.00	19.05	Single Hub	2.10	Aluminium Alloy wuth Acetal Sleeve Retainer	7	0.35
	<i>1.079</i>	<i>0.394</i>	<i>0.750</i>					<i>0.014</i>
# CSLV27x10.0-COM	27.4	10.00	39.70	Complete Sleeve and 2 Hubs	2.10	Aluminium / Acetal / Polyethylene	7	0.35
	<i>1.079</i>	<i>0.394</i>	<i>1.563</i>					<i>0.014</i>
# CSLV27x11.1-HUB	27.4	11.11	19.05	Single Hub	2.10	Aluminium Alloy wuth Acetal Sleeve Retainer	7	0.38
	<i>1.079</i>	<i>0.437</i>	<i>0.750</i>					<i>0.015</i>
# CSLV27x11.1-COM	27.4	11.11	39.69	Complete Coupling	2.10	Aluminium / Acetal / Polyethylene	7	0.38
	<i>1.079</i>	<i>0.437</i>	<i>1.563</i>					<i>0.015</i>
# CSLV27x12.0-HUB	27.4	12.00	19.05	Single Hub	2.10	Aluminium Alloy wuth Acetal Sleeve Retainer	7	0.35
	<i>1.079</i>	<i>0.472</i>	<i>0.750</i>					<i>0.014</i>
CSLV27x12.0-COM	27.4	12.00	39.70	Complete Sleeve and 2 Hubs	2.10	Aluminium / Acetal / Polyethylene	7	0.35
	<i>1.079</i>	<i>0.472</i>	<i>1.563</i>					<i>0.014</i>

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Couplings - Sleeve Type

Part Number	Coupling OD mm	Bore mm	Length mm	Description	Max. N.m. at 1750 RPM N.m	Material	Angular Offset Deg.	Parallel Offset mm
	<i>inches</i>	<i>inches</i>	<i>inches</i>					<i>inches</i>
# CSLV27x12.7-HUB	27.4	12.70	19.05	Single Hub	2.10	Aluminium Alloy wuth Acetal Sleeve Retainer	7	0.38
	<i>1.079</i>	<i>0.500</i>	<i>0.750</i>					<i>0.015</i>
# CSLV27x12.7-COM	27.4	12.70	39.69	Complete Coupling	2.10	Aluminium / Acetal / Polyethylene	7	0.38
	<i>1.079</i>	<i>0.500</i>	<i>1.563</i>					<i>0.015</i>
# CSLV27-SLV	27.4	-	-	Sleeve Only	2.10	Polyethylene	7	0.35
	<i>1.079</i>							<i>0.014</i>
# CSLV27-300-SLVP	27.4	-	304.80	Length Of Sleeve Stock		Polyethylene	7	0.38
	<i>1.079</i>		<i>12.000</i>					<i>0.015</i>

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.



DISTRIBUTED BY

Ask us to put your name and address here

<http://www.minibearings.com.au/product>

Ph +61 7 3245 7977

Fax +61 7 3245 1017

Catalogue requests to catalogues@minibearings.com.au

