




MBA

Couplings - Slip - Spring Wrapped



Tension control - transmission overload protection. 0.035 to 1.69 Nm.

Coupling is slipped over one shaft and screws tightened.

Second shaft is inserted into other end.

Loose end of coupling is pulled back about 0.5mm then screws tightened.

Serves as a torque limiter as well as a coupling.

Long life under continuous slip applications.

Couplings - Slip - Spring Wrapped

Part Number	OD (D) mm	Bores (d1 / d2) mm	Overall Length (L) mm	Upper Limit Torque N.m	Hub (Diameter/Projection) mm	Material
	<i>inches</i>	<i>inches</i>	<i>inches</i>		<i>inches</i>	
# CSW13-03.00x03.00	12.70 <i>0.500</i>	3.000 / 3.000	22.600 <i>0.890</i>	0.035	9.4 / 4.32	Stainless Steel
# CSW13-03.18x03.18	12.70 <i>0.500</i>	3.175 / 3.175	22.606 <i>0.890</i>	0.035 +/- 0.005	9.398 / 4.318	Stainless Steel
# CSW13-04.00x04.00	12.70 <i>0.500</i>	4.000 / 4.000	22.600 <i>0.890</i>	0.035	9.4 / 4.32	Stainless Steel

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Couplings - Slip - Spring Wrapped

Part Number	OD (D) mm <i>inches</i>	Bores (d1 / d2) mm <i>inches</i>	Overall Length (L) mm <i>inches</i>	Upper Limit Torque N.m	Hub (Diameter/Projection) mm <i>inches</i>	Material
# CSW13-03.00x04.00	12.70 <i>0.500</i>	3.000 / 4.000	22.600 <i>0.890</i>	0.035	9.4 / 4.32	Stainless Steel
# CSW13-04.76x04.76	12.70 <i>0.500</i>	4.763 / 4.762	22.606 <i>0.890</i>	0.035 +/- 0.005	9.398 / 4.318	Stainless Steel
# CSW13-03.18x04.76	12.70 <i>0.500</i>	3.175 / 4.762	22.606 <i>0.890</i>	0.035 +/- 0.005	9.398 / 4.318	Stainless Steel
# CSW16-03.18x03.18	15.88 <i>0.625</i>	3.175 / 3.175	24.892 <i>0.980</i>	0.056 +/- 0.007	9.398 / 4.318	Stainless Steel
# CSW16-03.18x04.76	15.88 <i>0.625</i>	3.175 / 4.762	24.892 <i>0.980</i>	0.056 +/- 0.007	9.398 / 4.318	Stainless Steel
# CSW16-04.76x04.76	15.88 <i>0.625</i>	4.763 / 4.762	24.892 <i>0.980</i>	0.056 +/- 0.007	9.398 / 4.318	Stainless Steel
# CSW19-04.00x04.00	19.05 <i>0.750</i>	4.000 / 4.000	28.200 <i>1.110</i>	0.085	12.7 / 4.83	Stainless Steel
# CSW19-04.76x04.76	19.05 <i>0.750</i>	4.763 / 4.762	28.194 <i>1.110</i>	0.085 +/- 0.008	12.7 / 4.826	Stainless Steel
# CSW19-06.00x06.00	19.05 <i>0.750</i>	6.000 / 6.000	28.200 <i>1.110</i>	0.085	12.7 / 4.83	Stainless Steel
# CSW19-04.00x06.00	19.05 <i>0.750</i>	4.000 / 6.000	28.200 <i>1.110</i>	0.085	12.7 / 4.83	Stainless Steel

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Couplings - Slip - Spring Wrapped

Part Number	OD (D) mm <i>inches</i>	Bores (d1 / d2) mm <i>inches</i>	Overall Length (L) mm <i>inches</i>	Upper Limit Torque N.m	Hub (Diameter/Projection) mm <i>inches</i>	Material
# CSW19-06.35x06.35	19.05 <i>0.750</i>	6.350 / 6.350	28.194 <i>1.110</i>	0.085 +/- 0.008	12.7 / 4.826	Stainless Steel
# CSW19-04.76x06.35	19.05 <i>0.750</i>	4.763 / 6.350	28.194 <i>1.110</i>	0.085 +/- 0.008	12.7 / 4.826	Stainless Steel
# CSW25-04.00x04.00	25.40 <i>1.000</i>	4.000 / 4.000	32.000 <i>1.260</i>	0.141	12.7 / 4.83	Stainless Steel
# CSW25-04.76x04.76	25.40 <i>1.000</i>	4.763 / 4.762	32.004 <i>1.260</i>	0.141 +/- 0.014	12.7 / 4.826	Stainless Steel
# CSW25-06.00x06.00	25.40 <i>1.000</i>	6.000 / 6.000	32.000 <i>1.260</i>	0.141	12.7 / 4.83	Stainless Steel
# CSW25-04.00x06.00	25.40 <i>1.000</i>	4.000 / 6.000	32.000 <i>1.260</i>	0.141	12.7 / 4.83	Stainless Steel
# CSW25-04.76x06.35	25.40 <i>1.000</i>	4.763 / 6.350	32.004 <i>1.260</i>	0.141 +/- 0.014	12.7 / 4.826	Stainless Steel
# CSW25-06.35x06.35	25.40 <i>1.000</i>	6.350 / 6.350	32.004 <i>1.260</i>	0.141 +/- 0.014	12.7 / 4.826	Stainless Steel
# CSW32-06.00x06.00	31.75 <i>1.250</i>	6.000 / 6.000	36.300 <i>1.429</i>	0.339	15.75 / 6.35	Stainless Steel
# CSW32-06.35x06.35	31.75 <i>1.250</i>	6.350 / 6.350	36.322 <i>1.430</i>	0.339 +/- 0.035	15.748 / 6.35	Stainless Steel

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Couplings - Slip - Spring Wrapped

Part Number	OD (D) mm <i>inches</i>	Bores (d1 / d2) mm <i>inches</i>	Overall Length (L) mm <i>inches</i>	Upper Limit Torque N.m	Hub (Diameter/Projection) mm <i>inches</i>	Material
# CSW32-07.94x07.94	31.75 <i>1.250</i>	7.937 / 7.937	36.322 <i>1.430</i>	0.339 +/- 0.035	15.748 / 6.35	Stainless Steel
# CSW32-06.35x07.94	31.75 <i>1.250</i>	6.350 / 7.937	36.322 <i>1.430</i>	0.339 +/- 0.035	15.748 / 6.35	Stainless Steel
# CSW32-09.40x09.40	31.75 <i>1.250</i>	9.399 / 9.399	36.322 <i>1.430</i>	0.339 +/- 0.035	15.748 / 6.35	Stainless Steel
# CSW32-07.94x09.40	31.75 <i>1.250</i>	7.937 / 9.399	36.322 <i>1.430</i>	0.339 +/- 0.035	15.748 / 6.35	Stainless Steel
# CSW32-06.35x09.40	31.75 <i>1.250</i>	6.350 / 9.399	36.322 <i>1.430</i>	0.339 +/- 0.035	15.748 / 6.35	Stainless Steel
# CSW32-06.00x10.00	31.75 <i>1.250</i>	6.000 / 10.000	36.300 <i>1.429</i>	0.339	15.75 / 6.35	Stainless Steel
# CSW32-10.00x10.00	31.75 <i>1.250</i>	10.000 / 10.000	36.300 <i>1.429</i>	0.339	15.75 / 6.35	Stainless Steel
# CSW38-07.94x07.94	38.10 <i>1.500</i>	7.937 / 7.937	40.386 <i>1.590</i>	0.621 +/- 0.064	19.05 / 6.35	Stainless Steel
# CSW38-08.00x08.00	38.10 <i>1.500</i>	8.000 / 8.000	40.400 <i>1.591</i>	0.622	22.24 / 6.35	Stainless Steel
# CSW38-07.94x09.40	38.10 <i>1.500</i>	7.937 / 9.399	40.386 <i>1.590</i>	0.621 +/- 0.064	19.05 / 6.35	Stainless Steel

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Couplings - Slip - Spring Wrapped

Part Number	OD (D) mm <i>inches</i>	Bores (d1 / d2) mm <i>inches</i>	Overall Length (L) mm <i>inches</i>	Upper Limit Torque N.m	Hub (Diameter/Projection) mm <i>inches</i>	Material
# CSW38-09.40x09.40	38.10 <i>1.500</i>	9.399 / 9.399	40.386 <i>1.590</i>	0.621 +/- 0.064	19.05 / 6.35	Stainless Steel
# CSW38-10.00x10.00	38.10 <i>1.500</i>	10.000 / 10.000	40.400 <i>1.591</i>	0.622	22.24 / 6.35	Stainless Steel
# CSW38-12.70x12.70	38.10 <i>1.500</i>	12.700 / 12.700	40.386 <i>1.590</i>	0.621 +/- 0.064	19.05 / 6.35	Stainless Steel
# CSW38-09.40x12.70	38.10 <i>1.500</i>	9.399 / 12.700	40.386 <i>1.590</i>	0.621 +/- 0.064	19.05 / 6.35	Stainless Steel
# CSW38-07.94x12.70	38.10 <i>1.500</i>	7.937 / 12.700	40.386 <i>1.590</i>	0.621 +/- 0.064	19.05 / 6.35	Stainless Steel
# CSW48-10.00x10.00	47.50 <i>1.870</i>	10.000 / 10.000	46.740 <i>1.840</i>	0.847	22.1 / 7.11	Stainless Steel
# CSW48-12.00x12.00	47.50 <i>1.870</i>	12.000 / 12.000	46.740 <i>1.840</i>	0.847	22.1 / 7.11	Stainless Steel
# CSW48-10.00x12.00	47.50 <i>1.870</i>	10.000 / 12.000	46.740 <i>1.840</i>	0.847	22.1 / 7.11	Stainless Steel
# CSW57-10.00x10.00	57.15 <i>2.250</i>	10.000 / 10.000	57.150 <i>2.250</i>	1.695	31.75 / 9.65	Stainless Steel
# CSW57-12.00x12.00	57.15 <i>2.250</i>	12.000 / 12.000	57.150 <i>2.250</i>	1.695	31.75 / 9.65	Stainless Steel

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Couplings - Slip - Spring Wrapped

Part Number	OD (D) mm <i>inches</i>	Bores (d1 / d2) mm <i>inches</i>	Overall Length (L) mm <i>inches</i>	Upper Limit Torque N.m	Hub (Diameter/Projection) mm <i>inches</i>	Material
# CSW57-10.00x12.00	57.15 <i>2.250</i>	10.000 / 12.000	57.150 <i>2.250</i>	1.695	31.75 / 9.65	Stainless Steel
# CSW57-12.00x16.00	57.15 <i>2.250</i>	12.000 / 16.000	57.150 <i>2.250</i>	1.695	31.75 / 9.65	Stainless Steel
# CSW57-16.00x16.00	57.15 <i>2.250</i>	16.000 / 16.000	57.150 <i>2.250</i>	1.695	31.75 / 9.65	Stainless Steel

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.



DISTRIBUTED BY

Ask us to put your name and address here

<http://www.minibearings.com.au/product>

Ph +61 7 3245 7977

Fax +61 7 3245 1017

Catalogue requests to catalogues@minibearings.com.au
