




MBA

Couplings - Spider Type



2.1 to 17 Nm.

Split Type Hub.

Preloaded Rubber Spider.

Minimal backlash.

Choice of 3 different spiders for each size provides for different torque requirements.

Hubs and spiders available separately or as a complete unit.

Couplings - Spider Type

Part Number	OD mm	Bore (B) mm	Length (L) mm	Description	Distance Between Flanges (C) mm	Length through Bore (D) mm	Rated Torque N.m	Max. Angular Misalignment Deg.	Axial Play	Material (Hubs / Spider)
# CSP20-0500-HUB	20.0 <i>0.787</i>	5.000 <i>0.197</i>	5.0 <i>0.197</i>	Hub Only						Aluminium
# CSP20-0500-CM98	20.0 <i>0.787</i>	5.000 <i>0.197</i>	30.0 <i>1.181</i>	Complete - 2 Hubs and a Spider	10.0 <i>0.394</i>	11.0 <i>0.433</i>	5.0	1	0.80	Aluminium / Rust NBR Rubber

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Couplings - Spider Type

Part Number	OD mm	Bore (B) mm	Length (L) mm	Description	Distance Between Flanges (C) mm	Length through Bore (D) mm	Rated Torque N.m	Max. Angular Misalignment Deg.	Axial Play	Material (Hubs / Spider)
# CSP20-0500-CM92	20.0 <i>0.787</i>	5.000 <i>0.197</i>	30.0 <i>1.181</i>	Complete - 2 Hubs and a Spider	10.0 <i>0.394</i>	11.0 <i>0.433</i>	3.0	1	0.80	Aluminium / Black NBR Rubber
# CSP20-0500-CM86	20.0 <i>0.787</i>	5.000 <i>0.197</i>	30.0 <i>1.181</i>	Complete - 2 Hubs and a Spider	10.0 <i>0.394</i>	11.0 <i>0.433</i>	2.2	1	0.80	Aluminium / Tan NBR Rubber
# CSP20-0600-HUB	20.0 <i>0.787</i>	6.000 <i>0.236</i>	5.0 <i>0.197</i>	Hub Only						Aluminium
# CSP20-0600-CM92	20.0 <i>0.787</i>	6.000 <i>0.236</i>	30.0 <i>1.181</i>	Complete - 2 Hubs and a Spider	10.0 <i>0.394</i>	11.0 <i>0.433</i>	3.0	1	0.80	Aluminium / Black NBR Rubber
# CSP20-0600-CM86	20.0 <i>0.787</i>	6.000 <i>0.236</i>	30.0 <i>1.181</i>	Complete - 2 Hubs and a Spider	10.0 <i>0.394</i>	11.0 <i>0.433</i>	2.2	1	0.80	Aluminium / Tan NBR Rubber
# CSP20-0600-CM98	20.0 <i>0.787</i>	6.000 <i>0.236</i>	30.0 <i>1.181</i>	Complete - 2 Hubs and a Spider	10.0 <i>0.394</i>	11.0 <i>0.433</i>	5.0	1	0.80	Aluminium / Rust NBR Rubber
# CSP20-0635-HUB	20.0 <i>0.787</i>	6.350 <i>0.250</i>	30.2 <i>1.189</i>	Hub Only	9.9 <i>0.390</i>	11.1 <i>0.437</i>	-	1	0.76	Aluminium

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Couplings - Spider Type

Part Number	OD mm	Bore (B) mm	Length (L) mm	Description	Distance Between Flanges (C) mm	Length through Bore (D) mm	Rated Torque N.m	Max. Angular Misalignment Deg.	Axial Play	Material (Hubs / Spider)
# CSP20-0635-CM92	20.0	6.350	30.2	Complete - 2 Hubs and a Spider	9.9	11.1	2.9	1	0.76	Aluminium / Black NBR Rubber
	<i>0.787</i>	<i>0.250</i>	<i>1.189</i>		<i>0.390</i>	<i>0.437</i>				
# CSP20-0635-CM98	20.0	6.350	30.2	Complete - 2 Hubs and a Spider	9.9	11.1	4.9	1	0.76	Aluminium / Rust NBR Rubber
	<i>0.787</i>	<i>0.250</i>	<i>1.189</i>		<i>0.390</i>	<i>0.437</i>				
# CSP20-0635-CM86	20.0	6.350	30.2	Complete - 2 Hubs and a Spider	9.9	11.1	2.1	1	0.76	Aluminium / Tan NBR Rubber
	<i>0.787</i>	<i>0.250</i>	<i>1.189</i>		<i>0.390</i>	<i>0.437</i>				
# CSP20-0794-HUB	20.0	7.938	30.2	Hub Only	9.9	11.1	-	1	0.76	Aluminium
	<i>0.787</i>	<i>0.313</i>	<i>1.189</i>		<i>0.390</i>	<i>0.437</i>				
# CSP20-0794-CM86	20.0	7.938	30.2	Complete - 2 Hubs and a Spider	9.9	11.1	2.1	1	0.76	Aluminium / Tan NBR Rubber
	<i>0.787</i>	<i>0.313</i>	<i>1.189</i>		<i>0.390</i>	<i>0.437</i>				
# CSP20-0794-CM92	20.0	7.938	30.2	Complete - 2 Hubs and a Spider	9.9	11.1	2.9	1	0.76	Aluminium / Black NBR Rubber
	<i>0.787</i>	<i>0.313</i>	<i>1.189</i>		<i>0.390</i>	<i>0.437</i>				
# CSP20-0794-CM98	20.0	7.938	30.2	Complete - 2 Hubs and a Spider	9.9	11.1	4.9	1	0.76	Aluminium / Rust NBR Rubber
	<i>0.787</i>	<i>0.313</i>	<i>1.189</i>		<i>0.390</i>	<i>0.437</i>				

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Couplings - Spider Type

Part Number	OD mm	Bore (B) mm	Length (L) mm	Description	Distance Between Flanges (C) mm	Length through Bore (D) mm	Rated Torque N.m	Max. Angular Misalignment Deg.	Axial Play	Material (Hubs / Spider)
# CSP20-0800-HUB	20.0 <i>0.787</i>	8.000 <i>0.315</i>	5.0 <i>0.197</i>	Hub Only						Aluminium
# CSP20-0800-CM92	20.0 <i>0.787</i>	8.000 <i>0.315</i>	30.0 <i>1.181</i>	Complete - 2 Hubs and a Spider	10.0 <i>0.394</i>	11.0 <i>0.433</i>	3.0	1	0.80	Aluminium / Black NBR Rubber
# CSP20-0800-CM98	20.0 <i>0.787</i>	8.000 <i>0.315</i>	30.0 <i>1.181</i>	Complete - 2 Hubs and a Spider	10.0 <i>0.394</i>	11.0 <i>0.433</i>	5.0	1	0.80	Aluminium / Rust NBR Rubber
# CSP20-0800-CM86	20.0 <i>0.787</i>	8.000 <i>0.315</i>	30.0 <i>1.181</i>	Complete - 2 Hubs and a Spider	10.0 <i>0.394</i>	11.0 <i>0.433</i>	2.2	1	0.80	Aluminium / Tan NBR Rubber
# CSP20-92-DSK	20.0 <i>0.787</i>	All	N/A	Spider Only						Black NBR Rubber / 92 Durometer
# CSP20-86-DSK	20.0 <i>0.787</i>	All	N/A	Spider Only						Tan NBR Rubber / 86 Durometer
# CSP20-98-DSK	20.0 <i>0.787</i>	All	N/A	Spider Only						Rust NBR Rubber / 98 Durometer

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Couplings - Spider Type

Part Number	OD mm	Bore (B) mm	Length (L) mm	Description	Distance Between Flanges (C) mm	Length through Bore (D) mm	Rated Torque N.m	Max. Angular Misalignment Deg.	Axial Play	Material (Hubs / Spider)
# CSP30-0600-HUB	30.0 <i>1.181</i>	6.000 <i>0.236</i>	7.0 <i>0.276</i>	Hub Only						Aluminium
# CSP30-0600-CM92	30.0 <i>1.181</i>	6.000 <i>0.236</i>	40.0 <i>1.575</i>	Complete - 2 Hubs and a Spider	12.0 <i>0.472</i>	15.0 <i>0.591</i>	7.5	1	1.00	Aluminium / Black NBR Rubber
# CSP30-0600-CM86	30.0 <i>1.181</i>	6.000 <i>0.236</i>	40.0 <i>1.575</i>	Complete - 2 Hubs and a Spider	12.0 <i>0.472</i>	15.0 <i>0.591</i>	5.5	1	1.00	Aluminium / Tan NBR Rubber
# CSP30-0600-CM98	30.0 <i>1.181</i>	6.000 <i>0.236</i>	40.0 <i>1.575</i>	Complete - 2 Hubs and a Spider	12.0 <i>0.472</i>	15.0 <i>0.591</i>	12.5	1	1.00	Aluminium / Rust NBR Rubber
# CSP30-0635-HUB	30.0 <i>1.181</i>	6.350 <i>0.250</i>	40.1 <i>1.579</i>	Hub Only	11.9 <i>0.469</i>	15.0 <i>0.591</i>	-	1	1.02	Aluminium
# CSP30-0635-CM98	30.0 <i>1.181</i>	6.350 <i>0.250</i>	40.1 <i>1.579</i>	Complete - 2 Hubs and a Spider	11.9 <i>0.469</i>	15.0 <i>0.591</i>	12.4	1	1.02	Aluminium / Rust NBR Rubber
# CSP30-0635-CM92	30.0 <i>1.181</i>	6.350 <i>0.250</i>	40.1 <i>1.579</i>	Complete - 2 Hubs and a Spider	11.9 <i>0.469</i>	15.0 <i>0.591</i>	7.4	1	1.02	Aluminium / Black NBR Rubber

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Couplings - Spider Type

Part Number	OD mm	Bore (B) mm	Length (L) mm	Description	Distance Between Flanges (C) mm	Length through Bore (D) mm	Rated Torque N.m	Max. Angular Misalignment Deg.	Axial Play	Material (Hubs / Spider)
# CSP30-0635-CM86	30.0	6.350	40.1	Complete - 2 Hubs and a Spider	11.9	15.0	5.4	1	1.02	Aluminium / Tan NBR Rubber
	<i>1.181</i>	<i>0.250</i>	<i>1.579</i>		<i>0.469</i>	<i>0.591</i>				
# CSP30-0794-HUB	30.0	7.938	40.1	Hub Only	11.9	15.0	-	1	1.02	Aluminium
	<i>1.181</i>	<i>0.313</i>	<i>1.579</i>		<i>0.469</i>	<i>0.591</i>				
# CSP30-0794-CM98	30.0	7.938	40.1	Complete - 2 Hubs and a Spider	11.9	15.0	12.4	1	1.02	Aluminium / Rust NBR Rubber
	<i>1.181</i>	<i>0.313</i>	<i>1.579</i>		<i>0.469</i>	<i>0.591</i>				
# CSP30-0794-CM86	30.0	7.938	40.1	Complete - 2 Hubs and a Spider	11.9	15.0	5.4	1	1.02	Aluminium / Tan NBR Rubber
	<i>1.181</i>	<i>0.313</i>	<i>1.579</i>		<i>0.469</i>	<i>0.591</i>				
# CSP30-0794-CM92	30.0	7.938	40.1	Complete - 2 Hubs and a Spider	11.9	15.0	7.4	1	1.02	Aluminium / Black NBR Rubber
	<i>1.181</i>	<i>0.313</i>	<i>1.579</i>		<i>0.469</i>	<i>0.591</i>				
# CSP30-0800-HUB	30.0	8.000	7.0	Hub Only						Aluminium
	<i>1.181</i>	<i>0.315</i>	<i>0.276</i>							
# CSP30-0800-CM98	30.0	8.000	40.0	Complete - 2 Hubs and a Spider	12.0	15.0	12.5	1	1.00	Aluminium / Rust NBR Rubber
	<i>1.181</i>	<i>0.315</i>	<i>1.575</i>		<i>0.472</i>	<i>0.591</i>				

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Couplings - Spider Type

Part Number	OD mm	Bore (B) mm	Length (L) mm	Description	Distance Between Flanges (C) mm	Length through Bore (D) mm	Rated Torque N.m	Max. Angular Misalignment Deg.	Axial Play	Material (Hubs / Spider)
# CSP30-0800-CM92	30.0	8.000	40.0	Complete - 2 Hubs and a Spider	12.0	15.0	7.5	1	1.00	Aluminium / Black NBR Rubber
	<i>1.181</i>	<i>0.315</i>	<i>1.575</i>		<i>0.472</i>	<i>0.591</i>				
# CSP30-0800-CM86	30.0	8.000	40.0	Complete - 2 Hubs and a Spider	12.0	15.0	5.5	1	1.00	Aluminium / Tan NBR Rubber
	<i>1.181</i>	<i>0.315</i>	<i>1.575</i>		<i>0.472</i>	<i>0.591</i>				
# CSP30-0953-HUB	30.0	9.525	40.1	Hub Only	11.9	15.0	-	1	1.02	Aluminium
	<i>1.181</i>	<i>0.375</i>	<i>1.579</i>		<i>0.469</i>	<i>0.591</i>				
# CSP30-0953-CM92	30.0	9.525	40.1	Complete - 2 Hubs and a Spider	11.9	15.0	7.4	1	1.02	Aluminium / Black NBR Rubber
	<i>1.181</i>	<i>0.375</i>	<i>1.579</i>		<i>0.469</i>	<i>0.591</i>				
# CSP30-0953-CM86	30.0	9.525	40.1	Complete - 2 Hubs and a Spider	11.9	15.0	5.4	1	1.02	Aluminium / Tan NBR Rubber
	<i>1.181</i>	<i>0.375</i>	<i>1.579</i>		<i>0.469</i>	<i>0.591</i>				
# CSP30-0953-CM98	30.0	9.525	40.1	Complete - 2 Hubs and a Spider	11.9	15.0	12.4	1	1.02	Aluminium / Rust NBR Rubber
	<i>1.181</i>	<i>0.375</i>	<i>1.579</i>		<i>0.469</i>	<i>0.591</i>				
# CSP30-1000-HUB	30.0	10.000	7.0	Hub Only						Aluminium
	<i>1.181</i>	<i>0.394</i>	<i>0.276</i>							

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Couplings - Spider Type

Part Number	OD mm	Bore (B) mm	Length (L) mm	Description	Distance Between Flanges (C) mm	Length through Bore (D) mm	Rated Torque N.m	Max. Angular Misalignment Deg.	Axial Play	Material (Hubs / Spider)
# CSP30-1000-CM86	30.0	10.000	40.0	Complete - 2 Hubs and a Spider	12.0	15.0	5.5	1	1.00	Aluminium / Tan NBR Rubber
	<i>1.181</i>	<i>0.394</i>	<i>1.575</i>		<i>0.472</i>	<i>0.591</i>				
# CSP30-1000-CM98	30.0	10.000	40.0	Complete - 2 Hubs and a Spider	12.0	15.0	12.5	1	1.00	Aluminium / Rust NBR Rubber
	<i>1.181</i>	<i>0.394</i>	<i>1.575</i>		<i>0.472</i>	<i>0.591</i>				
# CSP30-1000-CM92	30.0	10.000	40.0	Complete - 2 Hubs and a Spider	12.0	15.0	7.5	1	1.00	Aluminium / Black NBR Rubber
	<i>1.181</i>	<i>0.394</i>	<i>1.575</i>		<i>0.472</i>	<i>0.591</i>				
# CSP30-98-DSK	30.0	All	N/A	Spider Only						Rust NBR Rubber / 98 Durometer
	<i>1.181</i>									
# CSP30-92-DSK	30.0	All	N/A	Spider Only						Black NBR Rubber / 92 Durometer
	<i>1.181</i>									
# CSP30-86-DSK	30.0	All	N/A	Spider Only						Tan NBR Rubber / 86 Durometer
	<i>1.181</i>									
# CSP40-0953-CM92	40.0	9.525	59.9	Complete - 2 Hubs and a Spider	15.1	23.8	9.9	1	1.27	Aluminium / Black NBR Rubber
	<i>1.575</i>	<i>0.375</i>	<i>2.358</i>		<i>0.594</i>	<i>0.937</i>				

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Couplings - Spider Type

Part Number	OD mm	Bore (B) mm	Length (L) mm	Description	Distance Between Flanges (C) mm	Length through Bore (D) mm	Rated Torque N.m	Max. Angular Misalignment Deg.	Axial Play	Material (Hubs / Spider)
# CSP40-0953-CM98	40.0	9.525	59.9	Complete - 2 Hubs and a Spider	15.1	23.8	16.9	1	1.27	Aluminium / Rust NBR Rubber
	<i>1.575</i>	<i>0.375</i>	<i>2.358</i>		<i>0.594</i>	<i>0.937</i>				
# CSP40-0953-CM86	40.0	9.525	59.9	Complete - 2 Hubs and a Spider	15.1	23.8	7.0	1	1.27	Aluminium / Tan NBR Rubber
	<i>1.575</i>	<i>0.375</i>	<i>2.358</i>		<i>0.594</i>	<i>0.937</i>				
# CSP40-0953-HUB	40.0	9.525	59.9	Hub Only	15.1	23.8	-	1	1.27	Aluminium
	<i>1.575</i>	<i>0.375</i>	<i>2.358</i>		<i>0.594</i>	<i>0.937</i>				
# CSP40-1000-HUB	40.0	10.000	11.0	Hub Only						Aluminium
	<i>1.575</i>	<i>0.394</i>	<i>0.433</i>							
# CSP40-1000-CM98	40.0	10.000	60.0	Complete - 2 Hubs and a Spider	15.0	24.0	17.0	1	1.20	Aluminium / Rust NBR Rubber
	<i>1.575</i>	<i>0.394</i>	<i>2.362</i>		<i>0.591</i>	<i>0.945</i>				
# CSP40-1000-CM92	40.0	10.000	60.0	Complete - 2 Hubs and a Spider	15.0	24.0	10.0	1	1.20	Aluminium / Black NBR Rubber
	<i>1.575</i>	<i>0.394</i>	<i>2.362</i>		<i>0.591</i>	<i>0.945</i>				
# CSP40-1000-CM86	40.0	10.000	60.0	Complete - 2 Hubs and a Spider	15.0	24.0	7.0	1	1.20	Aluminium / Tan NBR Rubber
	<i>1.575</i>	<i>0.394</i>	<i>2.362</i>		<i>0.591</i>	<i>0.945</i>				
# CSP40-1200-HUB	40.0	12.000	11.0	Hub Only						Aluminium
	<i>1.575</i>	<i>0.472</i>	<i>0.433</i>							

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Couplings - Spider Type

Part Number	OD mm	Bore (B) mm	Length (L) mm	Description	Distance Between Flanges (C) mm	Length through Bore (D) mm	Rated Torque N.m	Max. Angular Misalignment Deg.	Axial Play	Material (Hubs / Spider)
# CSP40-1200-CM92	40.0	12.000	60.0	Complete - 2 Hubs and a Spider	15.0	24.0	10.0	1	1.20	Aluminium / Black NBR Rubber
	<i>1.575</i>	<i>0.472</i>	<i>2.362</i>		<i>0.591</i>	<i>0.945</i>				
# CSP40-1200-CM98	40.0	12.000	60.0	Complete - 2 Hubs and a Spider	15.0	24.0	17.0	1	1.20	Aluminium / Rust NBR Rubber
	<i>1.575</i>	<i>0.472</i>	<i>2.362</i>		<i>0.591</i>	<i>0.945</i>				
# CSP40-1200-CM86	40.0	12.000	60.0	Complete - 2 Hubs and a Spider	15.0	24.0	7.0	1	1.20	Aluminium / Tan NBR Rubber
	<i>1.575</i>	<i>0.472</i>	<i>2.362</i>		<i>0.591</i>	<i>0.945</i>				
# CSP40-1270-CM92	40.0	12.700	59.9	Complete - 2 Hubs and a Spider	15.1	23.8	9.9	1	1.27	Aluminium / Black NBR Rubber
	<i>1.575</i>	<i>0.500</i>	<i>2.358</i>		<i>0.594</i>	<i>0.937</i>				
# CSP40-1270-CM98	40.0	12.700	59.9	Complete - 2 Hubs and a Spider	15.1	23.8	16.9	1	1.27	Aluminium / Rust NBR Rubber
	<i>1.575</i>	<i>0.500</i>	<i>2.358</i>		<i>0.594</i>	<i>0.937</i>				
# CSP40-1270-CM86	40.0	12.700	59.9	Complete - 2 Hubs and a Spider	15.1	23.8	7.0	1	1.27	Aluminium / Tan NBR Rubber
	<i>1.575</i>	<i>0.500</i>	<i>2.358</i>		<i>0.594</i>	<i>0.937</i>				
# CSP40-1270-HUB	40.0	12.700	59.9	Hub Only	15.1	23.8	-	1	1.27	Aluminium
	<i>1.575</i>	<i>0.500</i>	<i>2.358</i>		<i>0.594</i>	<i>0.937</i>				

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Couplings - Spider Type

Part Number	OD mm	Bore (B) mm	Length (L) mm	Description	Distance Between Flanges (C) mm	Length through Bore (D) mm	Rated Torque N.m	Max. Angular Misalignment Deg.	Axial Play	Material (Hubs / Spider)
# CSP40-1588-CM92	40.0	15.875	59.9	Complete - 2 Hubs and a Spider	15.1	23.8	9.9	1	1.27	Aluminium / Black NBR Rubber
	<i>1.575</i>	<i>0.625</i>	<i>2.358</i>		<i>0.594</i>	<i>0.937</i>				
# CSP40-1588-CM98	40.0	15.875	59.9	Complete - 2 Hubs and a Spider	15.1	23.8	16.9	1	1.27	Aluminium / Rust NBR Rubber
	<i>1.575</i>	<i>0.625</i>	<i>2.358</i>		<i>0.594</i>	<i>0.937</i>				
# CSP40-1588-CM86	40.0	15.875	59.9	Complete - 2 Hubs and a Spider	15.1	23.8	7.0	1	1.27	Aluminium / Tan NBR Rubber
	<i>1.575</i>	<i>0.625</i>	<i>2.358</i>		<i>0.594</i>	<i>0.937</i>				
# CSP40-1588-HUB	40.0	15.880	59.9	Hub Only	15.1	23.8	-	1	1.27	Aluminium
	<i>1.575</i>	<i>0.625</i>	<i>2.358</i>		<i>0.594</i>	<i>0.937</i>				
# CSP40-1600-HUB	40.0	16.000	11.0	Hub Only						Aluminium
	<i>1.575</i>	<i>0.630</i>	<i>0.433</i>							
# CSP40-1600-CM98	40.0	16.000	60.0	Complete - 2 Hubs and a Spider	15.0	24.0	17.0	1	1.20	Aluminium / Rust NBR Rubber
	<i>1.575</i>	<i>0.630</i>	<i>2.362</i>		<i>0.591</i>	<i>0.945</i>				
# CSP40-1600-CM86	40.0	16.000	60.0	Complete - 2 Hubs and a Spider	15.0	24.0	7.0	1	1.20	Aluminium / Tan NBR Rubber
	<i>1.575</i>	<i>0.630</i>	<i>2.362</i>		<i>0.591</i>	<i>0.945</i>				

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Couplings - Spider Type

Part Number	OD mm	Bore (B) mm	Length (L) mm	Description	Distance Between Flanges (C) mm	Length through Bore (D) mm	Rated Torque N.m	Max. Angular Misalignment Deg.	Axial Play	Material (Hubs / Spider)
# CSP40-1600-CM92	40.0	16.000	60.0	Complete - 2 Hubs and a Spider	15.0	24.0	10.0	1	1.20	Aluminium / Black NBR Rubber
	<i>1.575</i>	<i>0.630</i>	<i>2.362</i>		<i>0.591</i>	<i>0.945</i>				
# CSP40-98-DSK	40.0	All	N/A	Spider Only						Rust NBR Rubber / 98 Durometer
	<i>1.575</i>									
# CSP40-92-DSK	40.0	All	N/A	Spider Only						Black NBR Rubber / 92 Durometer
	<i>1.575</i>									
# CSP40-86-DSK	40.0	All	N/A	Spider Only						Tan NBR Rubber / 86 Durometer
	<i>1.575</i>									

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.



DISTRIBUTED BY

Ask us to put your name and address here

<http://www.minibearings.com.au/product>

Ph +61 7 3245 7977

Fax +61 7 3245 1017

Catalogue requests to catalogues@minibearings.com.au

