




MBA

Couplings - Spline Type



0.5 to 4.5 Nm. 12000 to 24000 rpm.

Angular Misalignment: 2 Deg. Parallel Offset: 0.2 Deg.

High RPM. No Lubrication.

Electrically Isolated.

Dampens Shock & Vibration.

Operating temperature -30 to 100 deg C.

Couplings - Spline Type

Part Number	Nom. OD (D) mm	Bore (d) mm	Overall Length (L) mm	Description	Hub Length mm	Spline Bore (May Vary) mm	Rated Torque N.m	Max. Speed RPM	Hub Material	Spline Material
	<i>inches</i>	<i>inches</i>	<i>inches</i>		<i>inches</i>	<i>inches</i>				
# CSPL16-0300ZHY	16.0	3.000	27.0	Complete Coupling	8.0	5.9	0.75	24000	Zinc Alloy Die Cast	Hytrel
	<i>0.630</i>	<i>0.118</i>	<i>1.063</i>		<i>0.315</i>	<i>0.232</i>				
# CSPL16-0300ZPU	16.0	3.000	27.0	Complete Coupling	8.0	5.9	0.5	24000	Zinc Alloy Die Cast	Polyurethane
	<i>0.630</i>	<i>0.118</i>	<i>1.063</i>		<i>0.315</i>	<i>0.232</i>				

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Couplings - Spline Type

Part Number	Nom. OD (D) mm	Bore (d) mm	Overall Length (L) mm	Description	Hub Length mm	Spline Bore (May Vary) mm	Rated Torque N.m	Max. Speed RPM	Hub Material	Spline Material
	<i>inches</i>	<i>inches</i>	<i>inches</i>		<i>inches</i>	<i>inches</i>				
# CSPL16-0300-HUB	16.0	3.000	27.0	Hub Only	12.0	5.9	0.5	24000	Zinc Alloy Die Cast	-
	<i>0.630</i>	<i>0.118</i>	<i>1.063</i>		<i>0.472</i>	<i>0.232</i>				
# CSPL16-0318ZPU	16.0	3.175	27.0	Complete Coupling	8.0	5.9	0.5	24000	Zinc Alloy Die Cast	Polyurethane
	<i>0.630</i>	<i>0.125</i>	<i>1.063</i>		<i>0.315</i>	<i>0.232</i>				
# CSPL16-0400-0600ZPU	16.0	4.000 / 6.000	27.0	Complete Coupling	8.0	5.9	0.5	24000	Zinc Alloy Die Cast	Polyurethane
	<i>0.630</i>		<i>1.063</i>		<i>0.315</i>	<i>0.232</i>				
# CSPL16-0400-HUB	16.0	4.000	27.0	Hub Only	12.0	5.9	0.5	24000	Zinc Alloy Die Cast	-
	<i>0.630</i>	<i>0.157</i>	<i>1.063</i>		<i>0.472</i>	<i>0.232</i>				
# CSPL16-0400ZHY	16.0	4.000	27.0	Complete Coupling	8.0	5.9	0.75	24000	Zinc Alloy Die Cast	Hytrel
	<i>0.630</i>	<i>0.157</i>	<i>1.063</i>		<i>0.315</i>	<i>0.232</i>				
# CSPL16-0400ZPU	16.0	4.000	27.0	Complete Coupling	8.0	5.9	0.5	24000	Zinc Alloy Die Cast	Polyurethane
	<i>0.630</i>	<i>0.157</i>	<i>1.063</i>		<i>0.315</i>	<i>0.232</i>				
# CSPL16-0500ZHY	16.0	5.000	27.0	Complete Coupling	8.0	5.9	0.75	24000	Zinc Alloy Die Cast	Hytrel
	<i>0.630</i>	<i>0.197</i>	<i>1.063</i>		<i>0.315</i>	<i>0.232</i>				
# CSPL16-0500ZPU	16.0	5.000	27.0	Complete Coupling	8.0	5.9	0.5	24000	Zinc Alloy Die Cast	Polyurethane
	<i>0.630</i>	<i>0.197</i>	<i>1.063</i>		<i>0.315</i>	<i>0.232</i>				

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Couplings - Spline Type

Part Number	Nom. OD (D) mm	Bore (d) mm	Overall Length (L) mm	Description	Hub Length mm	Spline Bore (May Vary) mm	Rated Torque N.m	Max. Speed RPM	Hub Material	Spline Material
	<i>inches</i>	<i>inches</i>	<i>inches</i>		<i>inches</i>	<i>inches</i>				
# CSPL16-0500-HUB	16.0	5.000	27.0	Hub Only	12.0	5.9	0.5	24000	Zinc Alloy Die Cast	-
	<i>0.630</i>	<i>0.197</i>	<i>1.063</i>		<i>0.472</i>	<i>0.232</i>				
# CSPL16-0600ZHY	16.0	6.000	27.0	Complete Coupling	8.0	5.9	0.75	24000	Zinc Alloy Die Cast	Hytrel
	<i>0.630</i>	<i>0.236</i>	<i>1.063</i>		<i>0.315</i>	<i>0.232</i>				
# CSPL16-0600ZPU	16.0	6.000	27.0	Complete Coupling	8.0	5.9	0.5	24000	Zinc Alloy Die Cast	Polyurethane
	<i>0.630</i>	<i>0.236</i>	<i>1.063</i>		<i>0.315</i>	<i>0.232</i>				
# CSPL16-0600-HUB	16.0	6.000	27.0	Hub Only	12.0	5.9	0.5	24000	Zinc Alloy Die Cast	-
	<i>0.630</i>	<i>0.236</i>	<i>1.063</i>		<i>0.472</i>	<i>0.232</i>				
# CSPL16-0635-HUB	16.0	6.350	27.0	Hub Only	11.9	5.9	0.5	24000	Zinc Alloy Die Cast	-
	<i>0.630</i>	<i>0.250</i>	<i>1.063</i>		<i>0.469</i>	<i>0.232</i>				
# CSPL16-0635ZPH	16.0	6.350	27.0	Complete Coupling	11.9	5.9	0.75	24000	Zinc Alloy Die Cast	Hytrel
	<i>0.630</i>	<i>0.250</i>	<i>1.063</i>		<i>0.469</i>	<i>0.232</i>				
# CSPL16-0635ZPU	16.0	6.350	27.0	Complete Coupling	11.9	5.9	0.5	24000	Zinc Alloy Die Cast	Polyurethane
	<i>0.630</i>	<i>0.250</i>	<i>1.063</i>		<i>0.469</i>	<i>0.232</i>				
# CSPL16-0800-HUB	16.0	8.000	27.0	Hub Only	12.0	5.9	0.5	24000	Zinc Alloy Die Cast	-
	<i>0.630</i>	<i>0.315</i>	<i>1.063</i>		<i>0.472</i>	<i>0.232</i>				

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Couplings - Spline Type

Part Number	Nom. OD (D) mm	Bore (d) mm	Overall Length (L) mm	Description	Hub Length mm	Spline Bore (May Vary) mm	Rated Torque N.m	Max. Speed RPM	Hub Material	Spline Material
	<i>inches</i>	<i>inches</i>	<i>inches</i>		<i>inches</i>	<i>inches</i>				
# CSPL16-0800ZHY	16.0	8.000	27.0	Complete Coupling	8.0	5.9	0.75	24000	Zinc Alloy Die Cast	Hytrel
	<i>0.630</i>	<i>0.315</i>	<i>1.063</i>		<i>0.315</i>	<i>0.232</i>				
# CSPL16-0800ZPU	16.0	8.000	27.0	Complete Coupling	8.0	5.9	0.5	24000	Zinc Alloy Die Cast	Polyurethane
	<i>0.630</i>	<i>0.315</i>	<i>1.063</i>		<i>0.315</i>	<i>0.232</i>				
# CSPL16-SH	16.0	-	27.0	Spline Only	12.0	5.9	0.75	24000	-	Hytrel
	<i>0.630</i>		<i>1.063</i>		<i>0.472</i>	<i>0.232</i>				
# CSPL16-SP	16.0	-	27.0	Spline Only	12.0	5.9	0.5	24000	-	Polyurethane
	<i>0.630</i>		<i>1.063</i>		<i>0.472</i>	<i>0.232</i>				
# CSPL20-0500-HUB	20.0	5.000	34.0	Hub Only	15.0	7.9	1.0	19000	Zinc Alloy Die Cast	-
	<i>0.787</i>	<i>0.197</i>	<i>1.339</i>		<i>0.591</i>	<i>0.311</i>				
# CSPL20-0500ZHY	20.0	5.000	34.0	Complete Coupling	10.0	7.9	1.5	19000	Zinc Alloy Die Cast	Hytrel
	<i>0.787</i>	<i>0.197</i>	<i>1.339</i>		<i>0.394</i>	<i>0.311</i>				
# CSPL20-0500ZPU	20.0	5.000	34.0	Complete Coupling	10.0	7.9	1.0	19000	Zinc Alloy Die Cast	Polyurethane
	<i>0.787</i>	<i>0.197</i>	<i>1.339</i>		<i>0.394</i>	<i>0.311</i>				
# CSPL20-0600-0700ZHY	20.0	6.000 / 7.000	34.0	Complete Coupling	10.0	7.9	1.5	19000	Zinc Alloy Die Cast	Hytrel
	<i>0.787</i>		<i>1.339</i>		<i>0.394</i>	<i>0.311</i>				
# CSPL20-0600-HUB	20.0	6.000	34.0	Hub Only	15.0	7.9	1.0	19000	Zinc Alloy Die Cast	-
	<i>0.787</i>	<i>0.236</i>	<i>1.339</i>		<i>0.591</i>	<i>0.311</i>				

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Couplings - Spline Type

Part Number	Nom. OD (D) mm	Bore (d) mm	Overall Length (L) mm	Description	Hub Length mm	Spline Bore (May Vary) mm	Rated Torque N.m	Max. Speed RPM	Hub Material	Spline Material
	<i>inches</i>	<i>inches</i>	<i>inches</i>		<i>inches</i>	<i>inches</i>				
# CSPL20-0600ZHY	20.0	6.000	34.0	Complete Coupling	10.0	7.9	1.5	19000	Zinc Alloy Die Cast	Hytrel
	<i>0.787</i>	<i>0.236</i>	<i>1.339</i>		<i>0.394</i>	<i>0.311</i>				
# CSPL20-0600ZPU	20.0	6.000	34.0	Complete Coupling	10.0	7.9	1.0	19000	Zinc Alloy Die Cast	Polyurethane
	<i>0.787</i>	<i>0.236</i>	<i>1.339</i>		<i>0.394</i>	<i>0.311</i>				
# CSPL20-0635ZPH	20.0	6.350	34.1	Complete Coupling	15.1	7.9	1.5	19000	Zinc Alloy Die Cast	Hytrel
	<i>0.787</i>	<i>0.250</i>	<i>1.343</i>		<i>0.594</i>	<i>0.311</i>				
# CSPL20-0635ZPU	20.0	6.350	34.1	Complete Coupling	15.1	7.9	1.5	19000	Zinc Alloy Die Cast	Polyurethane
	<i>0.787</i>	<i>0.250</i>	<i>1.343</i>		<i>0.594</i>	<i>0.311</i>				
CSPL20-0635-HUB	20.0	6.350	34.1	Hub Only	15.1	7.9	1.5	19000	Zinc Alloy Die Cast	-
	<i>0.787</i>	<i>0.250</i>	<i>1.343</i>		<i>0.594</i>	<i>0.311</i>				
# CSPL20-0635-0700ZPU	20.0	6.350 / 7.000	34.1	Complete Coupling	15.1	7.9	1.5	19000	Zinc Alloy Die Cast	Polyurethane
	<i>0.787</i>		<i>1.343</i>		<i>0.594</i>	<i>0.311</i>				
# CSPL20-0800ZHY	20.0	8.000	34.0	Complete Coupling	10.0	7.9	1.5	19000	Zinc Alloy Die Cast	Hytrel
	<i>0.787</i>	<i>0.315</i>	<i>1.339</i>		<i>0.394</i>	<i>0.311</i>				
# CSPL20-0800ZPU	20.0	8.000	34.0	Complete Coupling	10.0	7.9	1.0	19000	Zinc Alloy Die Cast	Polyurethane
	<i>0.787</i>	<i>0.315</i>	<i>1.339</i>		<i>0.394</i>	<i>0.311</i>				

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Couplings - Spline Type

Part Number	Nom. OD (D) mm	Bore (d) mm	Overall Length (L) mm	Description	Hub Length mm	Spline Bore (May Vary) mm	Rated Torque N.m	Max. Speed RPM	Hub Material	Spline Material
	<i>inches</i>	<i>inches</i>	<i>inches</i>		<i>inches</i>	<i>inches</i>				
# CSPL20-0800-HUB	20.0	8.000	34.0	Hub Only	15.0	7.9	1.0	19000	Zinc Alloy Die Cast	-
	<i>0.787</i>	<i>0.315</i>	<i>1.339</i>		<i>0.591</i>	<i>0.311</i>				
CSPL20-0953-HUB	20.0	9.530	34.1	Hub Only	15.1	7.9	1.5	19000	Zinc Alloy Die Cast	-
	<i>0.787</i>	<i>0.375</i>	<i>1.343</i>		<i>0.594</i>	<i>0.311</i>				
# CSPL20-0953ZPH	20.0	9.530	34.1	Complete Coupling	15.1	7.9	1.5	19000	Zinc Alloy Die Cast	Hytrel
	<i>0.787</i>	<i>0.375</i>	<i>1.343</i>		<i>0.594</i>	<i>0.311</i>				
# CSPL20-0953ZPU	20.0	9.530	34.1	Complete Coupling	15.1	7.9	1.5	19000	Zinc Alloy Die Cast	Polyurethane
	<i>0.787</i>	<i>0.375</i>	<i>1.343</i>		<i>0.594</i>	<i>0.311</i>				
# CSPL20-1000-HUB	20.0	10.000	34.0	Hub Only	15.0	7.9	1.0	19000	Zinc Alloy Die Cast	-
	<i>0.787</i>	<i>0.394</i>	<i>1.339</i>		<i>0.591</i>	<i>0.311</i>				
# CSPL20-1000ZHY	20.0	10.000	34.0	Complete Coupling	10.0	7.9	1.5	19000	Zinc Alloy Die Cast	Hytrel
	<i>0.787</i>	<i>0.394</i>	<i>1.339</i>		<i>0.394</i>	<i>0.311</i>				
# CSPL20-1000ZPU	20.0	10.000	34.0	Complete Coupling	10.0	7.9	1.0	19000	Zinc Alloy Die Cast	Polyurethane
	<i>0.787</i>	<i>0.394</i>	<i>1.339</i>		<i>0.394</i>	<i>0.311</i>				
# CSPL20-SP	20.0	-	34.0	Spline Only	15.0	7.9	1.0	19000	-	Polyurethane
	<i>0.787</i>		<i>1.339</i>		<i>0.591</i>	<i>0.311</i>				
CSPL20-SH	20.0	-	34.0	Spline Only	15.0	7.9	1.5	19000	-	Hytrel
	<i>0.787</i>		<i>1.339</i>		<i>0.591</i>	<i>0.311</i>				

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Couplings - Spline Type

Part Number	Nom. OD (D) mm	Bore (d) mm	Overall Length (L) mm	Description	Hub Length mm	Spline Bore (May Vary) mm	Rated Torque N.m	Max. Speed RPM	Hub Material	Spline Material
	<i>inches</i>	<i>inches</i>	<i>inches</i>		<i>inches</i>	<i>inches</i>				
# CSPL25-0600-HUB	25.0	6.000	41.0	Hub Only	18.0	9.9	1.5	15000	Zinc Alloy Die Cast	-
	<i>0.984</i>	<i>0.236</i>	<i>1.614</i>		<i>0.709</i>	<i>0.390</i>				
# CSPL25-0600ZHY	25.0	6.000	41.0	Complete Coupling	12.0	9.9	2.3	15000	Zinc Alloy Die Cast	Hytrel
	<i>0.984</i>	<i>0.236</i>	<i>1.614</i>		<i>0.472</i>	<i>0.390</i>				
# CSPL25-0600ZPU	25.0	6.000	41.0	Complete Coupling	12.0	9.9	1.5	15000	Zinc Alloy Die Cast	Polyurethane
	<i>0.984</i>	<i>0.236</i>	<i>1.614</i>		<i>0.472</i>	<i>0.390</i>				
# CSPL25-0635-HUB	25.0	6.350	40.9	Hub Only	17.9	9.9	1.5	15000	Zinc Alloy Die Cast	-
	<i>0.984</i>	<i>0.250</i>	<i>1.610</i>		<i>0.705</i>	<i>0.390</i>				
# CSPL25-0635ZPH	25.0	6.350	40.9	Complete Coupling	11.9	9.9	2.3	15000	Zinc Alloy Die Cast	Hytrel
	<i>0.984</i>	<i>0.250</i>	<i>1.610</i>		<i>0.469</i>	<i>0.390</i>				
# CSPL25-0635ZPU	25.0	6.350	40.9	Complete Coupling	17.9	9.9	1.5	15000	Zinc Alloy Die Cast	Polyurethane
	<i>0.984</i>	<i>0.250</i>	<i>1.610</i>		<i>0.705</i>	<i>0.390</i>				
# CSPL25-0800ZPU	25.0	8.000	41.0	Complete Coupling	12.0	9.9	1.5	15000	Zinc Alloy Die Cast	Polyurethane
	<i>0.984</i>	<i>0.315</i>	<i>1.614</i>		<i>0.472</i>	<i>0.390</i>				
# CSPL25-0800-HUB	25.0	8.000	41.0	Hub Only	18.0	9.9	1.5	15000	Zinc Alloy Die Cast	-
	<i>0.984</i>	<i>0.315</i>	<i>1.614</i>		<i>0.709</i>	<i>0.390</i>				

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Couplings - Spline Type

Part Number	Nom. OD (D) mm	Bore (d) mm	Overall Length (L) mm	Description	Hub Length mm	Spline Bore (May Vary) mm	Rated Torque N.m	Max. Speed RPM	Hub Material	Spline Material
	<i>inches</i>	<i>inches</i>	<i>inches</i>		<i>inches</i>	<i>inches</i>				
# CSPL25-0800ZHY	25.0	8.000	41.0	Complete Coupling	12.0	9.9	2.3	15000	Zinc Alloy Die Cast	Hytrel
	<i>0.984</i>	<i>0.315</i>	<i>1.614</i>		<i>0.472</i>	<i>0.390</i>				
# CSPL25-0900ZPU	25.0	9.000	41.0	Complete Coupling	12.0	9.9	1.5	15000	Zinc Alloy Die Cast	Polyurethane
	<i>0.984</i>	<i>0.354</i>	<i>1.614</i>		<i>0.472</i>	<i>0.390</i>				
# CSPL25-0953ZPH	25.0	9.530	40.9	Complete Coupling	11.9	9.9	2.3	15000	Zinc Alloy Die Cast	Hytrel
	<i>0.984</i>	<i>0.375</i>	<i>1.610</i>		<i>0.469</i>	<i>0.390</i>				
# CSPL25-0953ZPU	25.0	9.530	40.9	Complete Coupling	17.9	9.9	1.5	15000	Zinc Alloy Die Cast	Polyurethane
	<i>0.984</i>	<i>0.375</i>	<i>1.610</i>		<i>0.705</i>	<i>0.390</i>				
# CSPL25-0953-HUB	25.0	9.530	40.9	Hub Only	17.9	9.9	1.5	15000	Zinc Alloy Die Cast	-
	<i>0.984</i>	<i>0.375</i>	<i>1.610</i>		<i>0.705</i>	<i>0.390</i>				
# CSPL25-1000-HUB	25.0	10.000	41.0	Hub Only	18.0	9.9	1.5	15000	Zinc Alloy Die Cast	-
	<i>0.984</i>	<i>0.394</i>	<i>1.614</i>		<i>0.709</i>	<i>0.390</i>				
# CSPL25-1000ZHY	25.0	10.000	41.0	Complete Coupling	12.0	9.9	2.3	15000	Zinc Alloy Die Cast	Hytrel
	<i>0.984</i>	<i>0.394</i>	<i>1.614</i>		<i>0.472</i>	<i>0.390</i>				
# CSPL25-1000ZPU	25.0	10.000	41.0	Complete Coupling	12.0	9.9	1.5	15000	Zinc Alloy Die Cast	Polyurethane
	<i>0.984</i>	<i>0.394</i>	<i>1.614</i>		<i>0.472</i>	<i>0.390</i>				

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Couplings - Spline Type

Part Number	Nom. OD (D) mm	Bore (d) mm	Overall Length (L) mm	Description	Hub Length mm	Spline Bore (May Vary) mm	Rated Torque N.m	Max. Speed RPM	Hub Material	Spline Material
	<i>inches</i>	<i>inches</i>	<i>inches</i>		<i>inches</i>	<i>inches</i>				
# CSPL25-1200-HUB	25.0	12.000	41.0	Hub Only	18.0	9.9	1.5	15000	Zinc Alloy Die Cast	-
	<i>0.984</i>	<i>0.472</i>	<i>1.614</i>		<i>0.709</i>	<i>0.390</i>				
# CSPL25-1200ZHY	25.0	12.000	41.0	Complete Coupling	12.0	9.9	2.3	15000	Zinc Alloy Die Cast	Hytrel
	<i>0.984</i>	<i>0.472</i>	<i>1.614</i>		<i>0.472</i>	<i>0.390</i>				
# CSPL25-1200ZPU	25.0	12.000	41.0	Complete Coupling	12.0	9.9	1.5	15000	Zinc Alloy Die Cast	Polyurethane
	<i>0.984</i>	<i>0.472</i>	<i>1.614</i>		<i>0.472</i>	<i>0.390</i>				
# CSPL25-SH	25.0	-	40.9	Spline Only	17.9	9.9	2.3	15000	-	Hytrel
	<i>0.984</i>		<i>1.610</i>		<i>0.705</i>	<i>0.390</i>				
# CSPL25-SP	25.0	-	40.9	Spline Only	17.9	9.9	1.5	15000	-	Polyurethane
	<i>0.984</i>		<i>1.610</i>		<i>0.705</i>	<i>0.390</i>				
# CSPL32-0800SHY	32.0	8.000	48.0	Complete Coupling	14.0	11.9	4.5	12000	Sintered Metal	Hytrel
	<i>1.260</i>	<i>0.315</i>	<i>1.890</i>		<i>0.551</i>	<i>0.469</i>				
# CSPL32-0800SPU	32.0	8.000	48.0	Complete Coupling	14.0	11.9	3.0	12000	Sintered Metal	Polyurethane
	<i>1.260</i>	<i>0.315</i>	<i>1.890</i>		<i>0.551</i>	<i>0.469</i>				
# CSPL32-0800-HUB	32.0	8.000	48.0	Hub Only	21.0	11.9	3.0	12000	Sintered Metal	-
	<i>1.260</i>	<i>0.315</i>	<i>1.890</i>		<i>0.827</i>	<i>0.469</i>				
# CSPL32-0953-HUB	32.0	9.530	48.0	Hub Only	21.0	11.9	2.3	12000	Sintered Metal	-
	<i>1.260</i>	<i>0.375</i>	<i>1.890</i>		<i>0.827</i>	<i>0.469</i>				

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Couplings - Spline Type

Part Number	Nom. OD (D) mm	Bore (d) mm	Overall Length (L) mm	Description	Hub Length mm	Spline Bore (May Vary) mm	Rated Torque N.m	Max. Speed RPM	Hub Material	Spline Material
	<i>inches</i>	<i>inches</i>	<i>inches</i>		<i>inches</i>	<i>inches</i>				
# CSPL32-0953SPH	32.0	9.530	48.0	Complete Coupling	21.0	11.9	4.5	12000	Sintered Metal	Hytrel
	<i>1.260</i>	<i>0.375</i>	<i>1.890</i>		<i>0.827</i>	<i>0.469</i>				
# CSPL32-0953SPU	32.0	9.530	48.0	Complete Coupling	21.0	11.9	2.3	12000	Sintered Metal	Polyurethane
	<i>1.260</i>	<i>0.375</i>	<i>1.890</i>		<i>0.827</i>	<i>0.469</i>				
# CSPL32-1000-HUB	32.0	10.000	48.0	Hub Only	21.0	11.9	3.0	12000	Sintered Metal	-
	<i>1.260</i>	<i>0.394</i>	<i>1.890</i>		<i>0.827</i>	<i>0.469</i>				
# CSPL32-1000SHY	32.0	10.000	48.0	Complete Coupling	14.0	11.9	4.5	12000	Sintered Metal	Hytrel
	<i>1.260</i>	<i>0.394</i>	<i>1.890</i>		<i>0.551</i>	<i>0.469</i>				
# CSPL32-1000SPU	32.0	10.000	48.0	Complete Coupling	14.0	11.9	3.0	12000	Sintered Metal	Polyurethane
	<i>1.260</i>	<i>0.394</i>	<i>1.890</i>		<i>0.551</i>	<i>0.469</i>				
# CSPL32-1111SPU	32.0	11.110	48.0	Complete Coupling	14.0	13.9	3.0	12000	Sintered Metal	Polyurethane
	<i>1.260</i>	<i>0.437</i>	<i>1.890</i>		<i>0.551</i>	<i>0.547</i>				
# CSPL32-1200SPU	32.0	12.000	48.0	Complete Coupling	14.0	13.9	3.0	12000	Sintered Metal	Polyurethane
	<i>1.260</i>	<i>0.472</i>	<i>1.890</i>		<i>0.551</i>	<i>0.547</i>				
# CSPL32-1200-HUB	32.0	12.000	48.0	Hub Only	21.0	13.9	3.0	12000	Sintered Metal	-
	<i>1.260</i>	<i>0.472</i>	<i>1.890</i>		<i>0.827</i>	<i>0.547</i>				
CSPL32-1200SHY	32.0	12.000	48.0	Complete Coupling	14.0	13.9	4.5	12000	Sintered Metal	Hytrel
	<i>1.260</i>	<i>0.472</i>	<i>1.890</i>		<i>0.551</i>	<i>0.547</i>				

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Couplings - Spline Type

Part Number	Nom. OD (D) mm	Bore (d) mm	Overall Length (L) mm	Description	Hub Length mm	Spline Bore (May Vary) mm	Rated Torque N.m	Max. Speed RPM	Hub Material	Spline Material
	<i>inches</i>	<i>inches</i>	<i>inches</i>		<i>inches</i>	<i>inches</i>				
# CSPL32-1270-HUB	32.0 <i>1.260</i>	12.700 <i>0.500</i>	48.0 <i>1.890</i>	Hub Only	21.0 <i>0.827</i>	11.9 <i>0.469</i>	2.3	12000	Sintered Metal	-
# CSPL32-1270SPH	32.0 <i>1.260</i>	12.700 <i>0.500</i>	48.0 <i>1.890</i>	Complete Coupling	21.0 <i>0.827</i>	11.9 <i>0.469</i>	4.5	12000	Sintered Metal	Hytrel
# CSPL32-1270SPU	32.0 <i>1.260</i>	12.700 <i>0.500</i>	48.0 <i>1.890</i>	Complete Coupling	21.0 <i>0.827</i>	11.9 <i>0.469</i>	2.3	12000	Sintered Metal	Polyurethane
# CSPL32-1400-HUB	32.0 <i>1.260</i>	14.000 <i>0.551</i>	48.0 <i>1.890</i>	Hub Only	21.0 <i>0.827</i>	13.9 <i>0.547</i>	3.0	12000	Sintered Metal	-
# CSPL32-1400SHY	32.0 <i>1.260</i>	14.000 <i>0.551</i>	48.0 <i>1.890</i>	Complete Coupling	14.0 <i>0.551</i>	13.9 <i>0.547</i>	4.5	12000	Sintered Metal	Hytrel
# CSPL32-1400SPU	32.0 <i>1.260</i>	14.000 <i>0.551</i>	48.0 <i>1.890</i>	Complete Coupling	14.0 <i>0.551</i>	13.9 <i>0.547</i>	3.0	12000	Sintered Metal	Polyurethane
# CSPL32-SP	32.0 <i>1.260</i>	-	48.0 <i>1.890</i>	Spline Only	21.0 <i>0.827</i>	13.9 <i>0.547</i>	3.0	12000	-	Polyurethane
CSPL32-SH	32.0 <i>1.260</i>	-	48.0 <i>1.890</i>	Spline Only	21.0 <i>0.827</i>	13.9 <i>0.547</i>	4.5	12000	-	Hytrel

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.



DISTRIBUTED BY

Ask us to put your name and address here

<http://www.minibearings.com.au/product>

Ph +61 7 3245 7977

Fax +61 7 3245 1017

Catalogue requests to catalogues@minibearings.com.au

