




MBA

Couplings - Torque Tube



Internal compression spring preloads the ends against axial movement and backlash. Up to 2.8 Nm. Up to 2000 rpm.

Maximum Torque: 2.8 N.m (25 lb.in).

Delrin Torque Tube. Aluminium Split Hubs.

Do not compress the unit axially during installation.

Speeds to 2000 rpm.

One piece assembly.

Couplings - Torque Tube

Part Number	Overall Length mm <i>inches</i>	Bore (A / B) mm <i>inches</i>	Outside Diameter mm <i>inches</i>	Hub Configuration	Material (Hubs/Tube)	Ang. Misalignment Deg
# CTT38-0476-0476	38.1 <i>1.500</i>	4.762 / 4.762	23.9 <i>0.941</i>	Clamp Hub	Aluminum / Delrin	5
# CTT38-0476-0635	38.1 <i>1.500</i>	4.762 / 6.350	23.9 <i>0.941</i>	Clamp Hub	Aluminum / Delrin	5
# CTT38-0635-0635	38.1 <i>1.500</i>	6.350 / 6.350	23.9 <i>0.941</i>	Clamp Hub	Aluminum / Delrin	5

Indicates item not stocked at time of printing - Please enquire for lead time
 E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd
 MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Couplings - Torque Tube

Part Number	Overall Length mm <i>inches</i>	Bore (A / B) mm <i>inches</i>	Outside Diameter mm <i>inches</i>	Hub Configuration	Material (Hubs/Tube)	Ang. Misalignment Deg
# CTT38-0635-0793	38.1 <i>1.500</i>	6.350 / 7.925	23.9 <i>0.941</i>	Clamp Hub	Aluminum / Delrin	5
# CTT38-0793-0793	38.1 <i>1.500</i>	7.925 / 7.925	23.9 <i>0.941</i>	Clamp Hub	Aluminum / Delrin	5
# CTT38-0793-0953	38.1 <i>1.500</i>	7.925 / 9.525	23.9 <i>0.941</i>	Clamp Hub	Aluminum / Delrin	5
# CTT38-0953-0953	38.1 <i>1.500</i>	9.525 / 9.525	23.9 <i>0.941</i>	Clamp Hub	Aluminum / Delrin	5
# CTT51-0476-0476	50.8 <i>2.000</i>	4.762 / 4.762	23.9 <i>0.941</i>	Clamp Hub	Aluminum / Delrin	5
# CTT51-0476-0635	50.8 <i>2.000</i>	4.762 / 6.350	23.9 <i>0.941</i>	Clamp Hub	Aluminum / Delrin	5
# CTT51-0635-0635	50.8 <i>2.000</i>	6.350 / 6.350	23.9 <i>0.941</i>	Clamp Hub	Aluminum / Delrin	5
# CTT51-0635-0793	50.8 <i>2.000</i>	6.350 / 7.925	23.9 <i>0.941</i>	Clamp Hub	Aluminum / Delrin	5
# CTT51-0793-0793	50.8 <i>2.000</i>	7.925 / 7.925	23.9 <i>0.941</i>	Clamp Hub	Aluminum / Delrin	5
# CTT51-0793-0953	50.8 <i>2.000</i>	7.925 / 9.525	23.9 <i>0.941</i>	Clamp Hub	Aluminum / Delrin	5

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Couplings - Torque Tube

Part Number	Overall Length mm <i>inches</i>	Bore (A / B) mm <i>inches</i>	Outside Diameter mm <i>inches</i>	Hub Configuration	Material (Hubs/Tube)	Ang. Misalignment Deg
# CTT51-0953-0953	50.8 <i>2.000</i>	9.525 / 9.525	23.9 <i>0.941</i>	Clamp Hub	Aluminum / Delrin	5
# CTT76-0476-0476	76.2 <i>3.000</i>	4.762 / 4.762	23.9 <i>0.941</i>	Clamp Hub	Aluminum / Delrin	5
# CTT76-0476-0635	76.2 <i>3.000</i>	4.762 / 6.350	23.9 <i>0.941</i>	Clamp Hub	Aluminum / Delrin	5
# CTT76-0635-0635	76.2 <i>3.000</i>	6.350 / 6.350	23.9 <i>0.941</i>	Clamp Hub	Aluminum / Delrin	5
# CTT76-0635-0793	76.2 <i>3.000</i>	6.350 / 7.925	23.9 <i>0.941</i>	Clamp Hub	Aluminum / Delrin	5
# CTT76-0793-0793	76.2 <i>3.000</i>	7.925 / 7.925	23.9 <i>0.941</i>	Clamp Hub	Aluminum / Delrin	5
# CTT76-0793-0953	76.2 <i>3.000</i>	7.925 / 9.525	23.9 <i>0.941</i>	Clamp Hub	Aluminum / Delrin	5
# CTT76-0953-0953	76.2 <i>3.000</i>	9.525 / 9.525	23.9 <i>0.941</i>	Clamp Hub	Aluminum / Delrin	5

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.



DISTRIBUTED BY

Ask us to put your name and address here

<http://www.minibearings.com.au/product>

Ph +61 7 3245 7977

Fax +61 7 3245 1017

Catalogue requests to catalogues@minibearings.com.au

