




MBA

Covers - Universal Joint - Elasticate Rubber



For Single and Double Universal Joints.

-27 Deg C to 70 Deg C temp range (constant).

-32 Deg C to 120 Deg C temp range (intermittent).

Covers - Universal Joint - Elasticate Rubber

Part Number	Inner Diameter mm <i>inches</i>	Length mm <i>inches</i>	Overall Diameter mm <i>inches</i>	Material	Fit	Type	Comments
UJCS-016-032	16.0 <i>0.630</i>	32.0 <i>1.260</i>	35.0 <i>1.378</i>	Oil resisting synthetic elasticate rubber	Tight	Single	Resistant to weather and water
# UJCD-016-055	16.0 <i>0.630</i>	55.0 <i>2.165</i>	35.0 <i>1.378</i>	Oil resisting synthetic elasticate rubber	Tight	Double	Resistant to weather and water
# UJCS-020-040	20.0 <i>0.787</i>	40.0 <i>1.575</i>	36.0 <i>1.417</i>	Oil resisting synthetic elasticate rubber	Tight	Single	Resistant to weather and water

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Covers - Universal Joint - Elasticate Rubber

Part Number	Inner Diameter mm <i>inches</i>	Length mm <i>inches</i>	Overall Diameter mm <i>inches</i>	Material	Fit	Type	Comments
# UJCD-020-065	20.0 <i>0.787</i>	65.0 <i>2.559</i>	36.0 <i>1.417</i>	Oil resisting synthetic elasticate rubber	Tight	Double	Resistant to weather and water
UJCS-024-045	24.0 <i>0.945</i>	45.0 <i>1.772</i>	44.0 <i>1.732</i>	Oil resisting synthetic elasticate rubber	Tight	Single	Resistant to weather and water
# UJCD-024-070	24.0 <i>0.945</i>	70.0 <i>2.756</i>	44.0 <i>1.732</i>	Oil resisting synthetic elasticate rubber	Tight	Double	Resistant to weather and water
UJCS-028-050	28.0 <i>1.102</i>	50.0 <i>1.969</i>	51.0 <i>2.008</i>	Oil resisting synthetic elasticate rubber	Tight	Single	Resistant to weather and water
# UJCD-028-080	28.0 <i>1.102</i>	80.0 <i>3.150</i>	51.0 <i>2.008</i>	Oil resisting synthetic elasticate rubber	Tight	Double	Resistant to weather and water
UJCS-032-055	32.0 <i>1.260</i>	55.0 <i>2.165</i>	62.0 <i>2.441</i>	Oil resisting synthetic elasticate rubber	Tight	Single	Resistant to weather and water
# UJCD-032-090	32.0 <i>1.260</i>	90.0 <i>3.543</i>	62.0 <i>2.441</i>	Oil resisting synthetic elasticate rubber	Tight	Double	Resistant to weather and water
UJCS-036-065	36.0 <i>1.417</i>	65.0 <i>2.559</i>	65.0 <i>2.559</i>	Oil resisting synthetic elasticate rubber	Tight	Single	Resistant to weather and water

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Covers - Universal Joint - Elasticate Rubber

Part Number	Inner Diameter mm <i>inches</i>	Length mm <i>inches</i>	Overall Diameter mm <i>inches</i>	Material	Fit	Type	Comments
# UJCS-040-075	40.0 <i>1.575</i>	75.0 <i>2.953</i>	73.0 <i>2.874</i>	Oil resisting synthetic elasticate rubber	Tight	Single	Resistant to weather and water
# UJCD-040-120	40.0 <i>1.575</i>	120.0 <i>4.724</i>	73.0 <i>2.874</i>	Oil resisting synthetic elasticate rubber	Tight	Double	Resistant to weather and water
# UJCS-045-085	45.0 <i>1.772</i>	85.0 <i>3.346</i>	80.0 <i>3.150</i>	Oil resisting synthetic elasticate rubber	Tight	Single	Resistant to weather and water
# UJCS-050-095	50.0 <i>1.969</i>	95.0 <i>3.740</i>	90.0 <i>3.543</i>	Oil resisting synthetic elasticate rubber	Tight	Single	Resistant to weather and water
# UJCD-050-155	50.0 <i>1.969</i>	155.0 <i>6.102</i>	90.0 <i>3.543</i>	Oil resisting synthetic elasticate rubber	Tight	Double	Resistant to weather and water
# UJCS-055-105	55.0 <i>2.165</i>	105.0 <i>4.134</i>	95.0 <i>3.740</i>	Oil resisting synthetic elasticate rubber	Tight	Single	Resistant to weather and water
# UJCS-060-115	60.0 <i>2.362</i>	115.0 <i>4.528</i>	100.0 <i>3.937</i>	Oil resisting synthetic elasticate rubber	Tight	Single	Resistant to weather and water
# UJCS-065-125	65.0 <i>2.559</i>	125.0 <i>4.921</i>	110.0 <i>4.331</i>	Oil resisting synthetic elasticate rubber	Tight	Single	Resistant to weather and water

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Covers - Universal Joint - Elasticate Rubber

Part Number	Inner Diameter mm <i>inches</i>	Length mm <i>inches</i>	Overall Diameter mm <i>inches</i>	Material	Fit	Type	Comments
# UJCS-070-137	70.0 <i>2.756</i>	137.0 <i>5.394</i>	125.0 <i>4.921</i>	Oil resisting synthetic elasticate rubber	Tight	Single	Resistant to weather and water
# UJCS-080-150	80.0 <i>3.150</i>	150.0 <i>5.906</i>	135.0 <i>5.315</i>	Oil resisting synthetic elasticate rubber	Tight	Single	Resistant to weather and water
# UJCS-090-160	90.0 <i>3.543</i>	160.0 <i>6.299</i>	150.0 <i>5.906</i>	Oil resisting synthetic elasticate rubber	Tight	Single	Resistant to weather and water
# UJCS-100-170	100.0 <i>3.937</i>	170.0 <i>6.693</i>	170.0 <i>6.693</i>	Oil resisting synthetic elasticate rubber	Tight	Single	Resistant to weather and water

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.



DISTRIBUTED BY

Ask us to put your name and address here

<http://www.minibearings.com.au/product>

Ph +61 7 3245 7977

Fax +61 7 3245 1017

Catalogue requests to catalogues@minibearings.com.au

