




MBA

Dampers - Rotary - 50 to 400 Ncm



Body: Polycarbonate.

Temp range 0 to 50 Deg C.

Weight: Max 120 grams.

Dampers - Rotary - 50 to 400 Ncm

Part Number	Damping Torque Ncm	Direction	Max Speed RPM
# FRTK2502	50 (+/- 10)	Bi-directional	50
# FRNK2L502	50 (+/- 10)	Left Hand (Anti-Clockwise)	50
# FRNK2R502	50 (+/- 10)	Right Hand (Clockwise)	50
# FRTK2103	100 (+/- 20)	Bi-directional	50
# FRNK2L103	100 (+/- 20)	Left Hand (Anti-Clockwise)	50
# FRNK2R103	100 (+/- 20)	Right Hand (Clockwise)	50

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Dampers - Rotary - 50 to 400 Ncm

Part Number	Damping Torque Ncm	Direction	Max Speed RPM
# FRTF2203	200 (+/- 40)	Bi-directional	50
# FRNK2L203	200 (+/- 40)	Left Hand (Anti-Clockwise)	50
# FRNK2R203	200 (+/- 40)	Right Hand (Clockwise)	50
# FRTF2303	300 (+/- 80)	Bi-directional	50
# FRTF2403	400 (+/- 100)	Bi-directional	50

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.



DISTRIBUTED BY

Ask us to put your name and address here

<http://www.minibearings.com.au/product>

Ph +61 7 3245 7977

Fax +61 7 3245 1017

Catalogue requests to catalogues@minibearings.com.au

