




MBA

Dual Vee - Guide Wheels - Studded



Vee grooved track roller guide wheels.

Match with correct Track Size.

Note! OD is reference only. Allow up to 1.2 mm larger than listed.

This catalogue to be read in conjunction with information at http://www.minibearings.com.au/ogue/tech/dualvee/Dual_Vee_1.pdf

http://www.minibearings.com.au/ogue/tech/dualvee/Dual_Vee_2.pdf

Dual Vee - Guide Wheels - Studded

Part Number	Guide Wheel Size	Outside Diameter (D) mm	Width (W) mm	Overall Length (L) mm	Wheel Type	Offset Value (EC) mm	Static Load (Radial / Axial) N	Dynamic Load (Radial / Axial) N	Thread (Size / Length) mm	Material
		<i>inches</i>	<i>inches</i>	<i>inches</i>		<i>inches</i>			<i>inches</i>	
DVWS1-ADJ	1	19.6	7.87	25.4	Adjustable	0.4	1110 / 1040	2180 / 1090	M6 x 1.0 / 8.9mm Long	Steel SAE 52100 - Shielded
		<i>0.772</i>	<i>0.310</i>	<i>1.000</i>		<i>0.016</i>				
# DVWS1	1	19.6	7.87	25.4	Stationary	-	1110 / 1040	2180 / 1090	M6 x 1.0 / 8.9mm Long	Steel SAE 52100 - Shielded
		<i>0.772</i>	<i>0.310</i>	<i>1.000</i>						

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Dual Vee - Guide Wheels - Studded

Part Number	Guide Wheel Size	Outside Diameter (D) mm	Width (W) mm	Overall Length (L) mm	Wheel Type	Offset Value (EC) mm	Static Load (Radial / Axial) N	Dynamic Load (Radial / Axial) N	Thread (Size / Length) mm	Material
		<i>inches</i>	<i>inches</i>	<i>inches</i>		<i>inches</i>			<i>inches</i>	
DVWS2	2	30.7	11.13	39.1	Stationary	-	2780 / 2630	4700 / 2380	M10 x 1.5 / 15.0mm Long	Steel SAE 52100 - Shielded
		<i>1.209</i>	<i>0.438</i>	<i>1.539</i>						
DVWS2-ADJ	2	30.7	11.13	39.1	Adjustable	0.6	2780 / 2630	4700 / 2380	M10 x 1.5 / 15.0mm Long	Steel SAE 52100 - Shielded
		<i>1.209</i>	<i>0.438</i>	<i>1.539</i>		<i>0.024</i>				
# DVWS0	0	14.8	6.35	18.8	Stationary	-	500 / 470	1050 / 530	M4 x 0.7 / 6.1mm Long	Steel SAE 52100 - Sealed
		<i>0.583</i>	<i>0.250</i>	<i>0.740</i>						
# DVWS0-ADJ	0	14.8	6.35	18.8	Adjustable	0.3	500 / 470	1050 / 530	M4 x 0.7 / 6.1mm Long	Steel SAE 52100 - Sealed
		<i>0.583</i>	<i>0.250</i>	<i>0.740</i>		<i>0.012</i>				

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.



DISTRIBUTED BY

Ask us to put your name and address here

<http://www.minibearings.com.au/product>

Ph +61 7 3245 7977

Fax +61 7 3245 1017

Catalogue requests to catalogues@minibearings.com.au

