




MBA

Dual Vee - Tracks with Mounting Holes



Vee tracks for vee grooved track roller guide wheels.

Match Track Size with same size Guide Wheel.

This catalogue to be read in conjunction with information at http://www.minibearings.com.au/ogue/tech/dualvee/Dual_Vee_1.pdf

http://www.minibearings.com.au/ogue/tech/dualvee/Dual_Vee_2.pdf

Dual Vee - Tracks with Mounting Holes

Part Number	Track Size	Overall Length (L) mm	Overall Width (F) mm	Height (E / MDT) mm	Type	Hole Spacing (C) mm	Number of Holes	End Hole Spacing (B) mm	Material	Condition
		<i>inches</i>	<i>inches</i>	<i>inches</i>		<i>inches</i>		<i>inches</i>		
# DVT1-0318-HCH	1	317.5	4.75	11.11 / 3.18	Single Edged	50.8	7	6.35	1045 Carbon Steel	Hardened to HRC 58-60
		<i>12.500</i>	<i>0.187</i>			<i>2.000</i>		<i>0.250</i>		
# DVT1-0318-HCU	1	317.5	4.75	11.11 / 3.18	Single Edged	50.8	7	6.35	1045 Carbon Steel	Unhardened
		<i>12.500</i>	<i>0.187</i>			<i>2.000</i>		<i>0.250</i>		
# DVT1-0318-HSH	1	317.5	4.75	11.11 / 3.18	Single Edged	50.8	7	6.35	420 Stainless Steel	Hardened to HRC48-50
		<i>12.500</i>	<i>0.187</i>			<i>2.000</i>		<i>0.250</i>		

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Dual Vee - Tracks with Mounting Holes

Part Number	Track Size	Overall Length (L) mm	Overall Width (F) mm	Height (E / MDT) mm	Type	Hole Spacing (C) mm	Number of Holes	End Hole Spacing (B) mm	Material	Condition
		<i>inches</i>	<i>inches</i>	<i>inches</i>		<i>inches</i>		<i>inches</i>		
# DVT1-0318-HSU	1	317.5 <i>12.500</i>	4.75 <i>0.187</i>	11.11 / 3.18	Single Edged	50.8 <i>2.000</i>	7	6.35 <i>0.250</i>	420 Stainless Steel	Unhardened
# DVT1-0622-HSU	1	622.3 <i>24.500</i>	4.75 <i>0.187</i>	11.11 / 3.18	Single Edged	50.8 <i>2.000</i>	13	6.35 <i>0.250</i>	420 Stainless Steel	Unhardened
# DVT1-0622-HCH	1	622.3 <i>24.500</i>	4.75 <i>0.187</i>	11.11 / 3.18	Single Edged	50.8 <i>2.000</i>	13	6.35 <i>0.250</i>	1045 Carbon Steel	Hardened to HRC 58-60
# DVT1-0622-HCU	1	622.3 <i>24.500</i>	4.75 <i>0.187</i>	11.11 / 3.18	Single Edged	50.8 <i>2.000</i>	13	6.35 <i>0.250</i>	1045 Carbon Steel	Unhardened
# DVT1-0622-HSH	1	622.3 <i>24.500</i>	4.75 <i>0.187</i>	11.11 / 3.18	Single Edged	50.8 <i>2.000</i>	13	6.35 <i>0.250</i>	420 Stainless Steel	Hardened to HRC48-50
# DVT1-0927-HSU	1	927.1 <i>36.500</i>	4.75 <i>0.187</i>	11.11 / 3.18	Single Edged	50.8 <i>2.000</i>	19	6.35 <i>0.250</i>	420 Stainless Steel	Unhardened
# DVT1-0927-HSH	1	927.1 <i>36.500</i>	4.75 <i>0.187</i>	11.11 / 3.18	Single Edged	50.8 <i>2.000</i>	19	6.35 <i>0.250</i>	420 Stainless Steel	Hardened to HRC48-50
# DVT1-0927-HCH	1	927.1 <i>36.500</i>	4.75 <i>0.187</i>	11.11 / 3.18	Single Edged	50.8 <i>2.000</i>	19	6.35 <i>0.250</i>	1045 Carbon Steel	Hardened to HRC 58-60

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Dual Vee - Tracks with Mounting Holes

Part Number	Track Size	Overall Length (L) mm	Overall Width (F) mm	Height (E / MDT) mm	Type	Hole Spacing (C) mm	Number of Holes	End Hole Spacing (B) mm	Material	Condition
		<i>inches</i>	<i>inches</i>	<i>inches</i>		<i>inches</i>		<i>inches</i>		
# DVT1-0927-HCU	1	927.1 <i>36.500</i>	4.75 <i>0.187</i>	11.11 / 3.18	Single Edged	50.8 <i>2.000</i>	19	6.35 <i>0.250</i>	1045 Carbon Steel	Unhardened
# DVT1-1232-HSU	1	1231.9 <i>48.500</i>	4.75 <i>0.187</i>	11.11 / 3.18	Single Edged	50.8 <i>2.000</i>	25	6.35 <i>0.250</i>	420 Stainless Steel	Unhardened
# DVT1-1232-HCH	1	1231.9 <i>48.500</i>	4.75 <i>0.187</i>	11.11 / 3.18	Single Edged	50.8 <i>2.000</i>	25	6.35 <i>0.250</i>	1045 Carbon Steel	Hardened to HRC 58-60
# DVT1-1232-HCU	1	1231.9 <i>48.500</i>	4.75 <i>0.187</i>	11.11 / 3.18	Single Edged	50.8 <i>2.000</i>	25	6.35 <i>0.250</i>	1045 Carbon Steel	Unhardened
# DVT1-1232-HSH	1	1231.9 <i>48.500</i>	4.75 <i>0.187</i>	11.11 / 3.18	Single Edged	50.8 <i>2.000</i>	25	6.35 <i>0.250</i>	420 Stainless Steel	Hardened to HRC48-50
# DVT1-1537-HSH	1	1536.7 <i>60.500</i>	4.75 <i>0.187</i>	11.11 / 3.18	Single Edged	50.8 <i>2.000</i>	31	6.35 <i>0.250</i>	420 Stainless Steel	Hardened to HRC48-50
# DVT1-1537-HSU	1	1536.7 <i>60.500</i>	4.75 <i>0.187</i>	11.11 / 3.18	Single Edged	50.8 <i>2.000</i>	31	6.35 <i>0.250</i>	420 Stainless Steel	Unhardened
# DVT1-1537-HCH	1	1536.7 <i>60.500</i>	4.75 <i>0.187</i>	11.11 / 3.18	Single Edged	50.8 <i>2.000</i>	31	6.35 <i>0.250</i>	1045 Carbon Steel	Hardened to HRC 58-60

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Dual Vee - Tracks with Mounting Holes

Part Number	Track Size	Overall Length (L) mm	Overall Width (F) mm	Height (E / MDT) mm	Type	Hole Spacing (C) mm	Number of Holes	End Hole Spacing (B) mm	Material	Condition
		<i>inches</i>	<i>inches</i>	<i>inches</i>		<i>inches</i>		<i>inches</i>		
# DVT1-1537-HCU	1	1536.7 <i>60.500</i>	4.75 <i>0.187</i>	11.11 / 3.18	Single Edged	50.8 <i>2.000</i>	31	6.35 <i>0.250</i>	1045 Carbon Steel	Unhardened
# DVT1-1842-HCH	1	1841.5 <i>72.500</i>	4.75 <i>0.187</i>	11.11 / 3.18	Single Edged	50.8 <i>2.000</i>	37	6.35 <i>0.250</i>	1045 Carbon Steel	Hardened to HRC 58-60
# DVT1-1842-HCU	1	1841.5 <i>72.500</i>	4.75 <i>0.187</i>	11.11 / 3.18	Single Edged	50.8 <i>2.000</i>	37	6.35 <i>0.250</i>	1045 Carbon Steel	Unhardened
# DVT1-1842-HSH	1	1841.5 <i>72.500</i>	4.75 <i>0.187</i>	11.11 / 3.18	Single Edged	50.8 <i>2.000</i>	37	6.35 <i>0.250</i>	420 Stainless Steel	Hardened to HRC48-50
# DVT1-1842-HSU	1	1841.5 <i>72.500</i>	4.75 <i>0.187</i>	11.11 / 3.18	Single Edged	50.8 <i>2.000</i>	37	6.35 <i>0.250</i>	420 Stainless Steel	Unhardened
# DVT1-1848-HCH	1	1847.9 <i>72.752</i>	4.75 <i>0.187</i>	11.11 / 3.18	Single Edged	50.8 <i>2.000</i>	37	6.35 <i>0.250</i>	1045 Carbon Steel	Hardened to RC53
# DVT1-1848-HCU	1	1847.9 <i>72.752</i>	4.75 <i>0.187</i>	11.11 / 3.18	Single Edged	50.8 <i>2.000</i>	37	6.35 <i>0.250</i>	1045 Carbon Steel	Unhardened
# DVT2-0318-HCH	2	38.5 <i>1.516</i>	6.35 <i>0.250</i>	15.88 / 4.75	Single Edged	76.2 <i>3.000</i>	5	7.874 <i>0.310</i>	1045 Carbon Steel	Hardened to RC53

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Dual Vee - Tracks with Mounting Holes

Part Number	Track Size	Overall Length (L) mm	Overall Width (F) mm	Height (E / MDT) mm	Type	Hole Spacing (C) mm	Number of Holes	End Hole Spacing (B) mm	Material	Condition
		<i>inches</i>	<i>inches</i>	<i>inches</i>		<i>inches</i>		<i>inches</i>		
# DVT2-0318-HCU	2	38.5 <i>1.516</i>	6.35 <i>0.250</i>	15.88 / 4.75	Single Edged	76.2 <i>3.000</i>	5	7.874 <i>0.310</i>	1045 Carbon Steel	Unhardened
# DVT2-0622-HCU	2	75.1 <i>2.957</i>	6.35 <i>0.250</i>	15.88 / 4.75	Single Edged	76.2 <i>3.000</i>	9	7.874 <i>0.310</i>	1045 Carbon Steel	Unhardened
# DVT2-0622-HCH	2	75.1 <i>2.957</i>	6.35 <i>0.250</i>	15.88 / 4.75	Single Edged	76.2 <i>3.000</i>	9	7.874 <i>0.310</i>	1045 Carbon Steel	Hardened to RC53
# DVT2-0112-HCU	2	111.7 <i>4.398</i>	6.35 <i>0.250</i>	15.88 / 4.75	Single Edged	76.2 <i>3.000</i>	13	7.874 <i>0.310</i>	1045 Carbon Steel	Unhardened
# DVT2-0112-HCH	2	111.7 <i>4.398</i>	6.35 <i>0.250</i>	15.88 / 4.75	Single Edged	76.2 <i>3.000</i>	13	7.874 <i>0.310</i>	1045 Carbon Steel	Hardened to RC53
# DVT2-0148-HCU	2	148.2 <i>5.835</i>	6.35 <i>0.250</i>	15.88 / 4.75	Single Edged	76.2 <i>3.000</i>	17	7.874 <i>0.310</i>	1045 Carbon Steel	Unhardened
# DVT2-0148-HCH	2	148.2 <i>5.835</i>	6.35 <i>0.250</i>	15.88 / 4.75	Single Edged	76.2 <i>3.000</i>	17	7.874 <i>0.310</i>	1045 Carbon Steel	Hardened to RC53
# DVT2-0185-HCU	2	184.8 <i>7.276</i>	6.35 <i>0.250</i>	15.88 / 4.75	Single Edged	76.2 <i>3.000</i>	21	7.874 <i>0.310</i>	1045 Carbon Steel	Unhardened

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Dual Vee - Tracks with Mounting Holes

Part Number	Track Size	Overall Length (L) mm	Overall Width (F) mm	Height (E / MDT) mm	Type	Hole Spacing (C) mm	Number of Holes	End Hole Spacing (B) mm	Material	Condition
		<i>inches</i>	<i>inches</i>	<i>inches</i>		<i>inches</i>		<i>inches</i>		
# DVT2-0185-HCH	2	184.8 <i>7.276</i>	6.35 <i>0.250</i>	15.88 / 4.75	Single Edged	76.2 <i>3.000</i>	21	7.874 <i>0.310</i>	1045 Carbon Steel	Hardened to RC53
# DVT2-0221-HCH	2	221.4 <i>8.717</i>	6.35 <i>0.250</i>	15.88 / 4.75	Single Edged	76.2 <i>3.000</i>	25	7.874 <i>0.310</i>	1045 Carbon Steel	Hardened to RC53
# DVT2-0221-HCU	2	221.4 <i>8.717</i>	6.35 <i>0.250</i>	15.88 / 4.75	Single Edged	76.2 <i>3.000</i>	25	7.874 <i>0.310</i>	1045 Carbon Steel	Unhardened
# DVT2-0321-HCH	2	320.8 <i>12.630</i>	6.35 <i>0.250</i>	15.88 / 4.75	Single Edged	76.2 <i>3.000</i>	5	7.87 <i>0.310</i>	1045 Carbon Steel	Hardened to HRC 58-60
# DVT2-0321-HCU	2	320.8 <i>12.630</i>	6.35 <i>0.250</i>	15.88 / 4.75	Single Edged	76.2 <i>3.000</i>	5	7.87 <i>0.310</i>	1045 Carbon Steel	Unhardened
# DVT2-0321-HSH	2	320.8 <i>12.630</i>	6.35 <i>0.250</i>	15.88 / 4.75	Single Edged	76.2 <i>3.000</i>	5	7.87 <i>0.310</i>	420 Stainless Steel	Hardened to HRC48-50
# DVT2-0321-HSU	2	320.8 <i>12.630</i>	6.35 <i>0.250</i>	15.88 / 4.75	Single Edged	76.2 <i>3.000</i>	5	7.87 <i>0.310</i>	420 Stainless Steel	Unhardened
# DVT2-0626-HCH	2	625.6 <i>24.630</i>	6.35 <i>0.250</i>	15.88 / 4.75	Single Edged	76.2 <i>3.000</i>	9	7.87 <i>0.310</i>	1045 Carbon Steel	Hardened to HRC 58-60

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Dual Vee - Tracks with Mounting Holes

Part Number	Track Size	Overall Length (L) mm	Overall Width (F) mm	Height (E / MDT) mm	Type	Hole Spacing (C) mm	Number of Holes	End Hole Spacing (B) mm	Material	Condition
		<i>inches</i>	<i>inches</i>	<i>inches</i>		<i>inches</i>		<i>inches</i>		
# DVT2-0626-HCU	2	625.6 <i>24.630</i>	6.35 <i>0.250</i>	15.88 / 4.75	Single Edged	76.2 <i>3.000</i>	9	7.87 <i>0.310</i>	1045 Carbon Steel	Unhardened
# DVT2-0626-HSH	2	625.6 <i>24.630</i>	6.35 <i>0.250</i>	15.88 / 4.75	Single Edged	76.2 <i>3.000</i>	9	7.87 <i>0.310</i>	420 Stainless Steel	Hardened to HRC48-50
# DVT2-0626-HSU	2	625.6 <i>24.630</i>	6.35 <i>0.250</i>	15.88 / 4.75	Single Edged	76.2 <i>3.000</i>	9	7.87 <i>0.310</i>	420 Stainless Steel	Unhardened
# DVT2-0930-HCH	2	930.4 <i>36.630</i>	6.35 <i>0.250</i>	15.88 / 4.75	Single Edged	76.2 <i>3.000</i>	13	7.87 <i>0.310</i>	1045 Carbon Steel	Hardened to HRC 58-60
# DVT2-0930-HCU	2	930.4 <i>36.630</i>	6.35 <i>0.250</i>	15.88 / 4.75	Single Edged	76.2 <i>3.000</i>	13	7.87 <i>0.310</i>	1045 Carbon Steel	Unhardened
# DVT2-0930-HSH	2	930.4 <i>36.630</i>	6.35 <i>0.250</i>	15.88 / 4.75	Single Edged	76.2 <i>3.000</i>	13	7.87 <i>0.310</i>	420 Stainless Steel	Hardened to HRC48-50
DVT2-0930-HSU	2	930.4 <i>36.630</i>	6.35 <i>0.250</i>	15.88 / 4.75	Single Edged	76.2 <i>3.000</i>	13	7.87 <i>0.310</i>	420 Stainless Steel	Unhardened
# DVT2-1235-HCH	2	1235.2 <i>48.630</i>	6.35 <i>0.250</i>	15.88 / 4.75	Single Edged	76.2 <i>3.000</i>	17	7.87 <i>0.310</i>	1045 Carbon Steel	Hardened to HRC 58-60

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Dual Vee - Tracks with Mounting Holes

Part Number	Track Size	Overall Length (L) mm	Overall Width (F) mm	Height (E / MDT) mm	Type	Hole Spacing (C) mm	Number of Holes	End Hole Spacing (B) mm	Material	Condition
		<i>inches</i>	<i>inches</i>	<i>inches</i>		<i>inches</i>		<i>inches</i>		
# DVT2-1235-HCU	2	1235.2 <i>48.630</i>	6.35 <i>0.250</i>	15.88 / 4.75	Single Edged	76.2 <i>3.000</i>	17	7.87 <i>0.310</i>	1045 Carbon Steel	Unhardened
# DVT2-1235-HSH	2	1235.2 <i>48.630</i>	6.35 <i>0.250</i>	15.88 / 4.75	Single Edged	76.2 <i>3.000</i>	17	7.87 <i>0.310</i>	420 Stainless Steel	Hardened to HRC48-50
# DVT2-1235-HSU	2	1235.2 <i>48.630</i>	6.35 <i>0.250</i>	15.88 / 4.75	Single Edged	76.2 <i>3.000</i>	17	7.87 <i>0.310</i>	420 Stainless Steel	Unhardened
# DVT2-1540-HCH	2	1540.0 <i>60.630</i>	6.35 <i>0.250</i>	15.88 / 4.75	Single Edged	76.2 <i>3.000</i>	21	7.87 <i>0.310</i>	1045 Carbon Steel	Hardened to HRC 58-60
# DVT2-1540-HCU	2	1540.0 <i>60.630</i>	6.35 <i>0.250</i>	15.88 / 4.75	Single Edged	76.2 <i>3.000</i>	21	7.87 <i>0.310</i>	1045 Carbon Steel	Unhardened
# DVT2-1540-HSH	2	1540.0 <i>60.630</i>	6.35 <i>0.250</i>	15.88 / 4.75	Single Edged	76.2 <i>3.000</i>	21	7.87 <i>0.310</i>	420 Stainless Steel	Hardened to HRC48-50
# DVT2-1540-HSU	2	1540.0 <i>60.630</i>	6.35 <i>0.250</i>	15.88 / 4.75	Single Edged	76.2 <i>3.000</i>	21	7.87 <i>0.310</i>	420 Stainless Steel	Unhardened
# DVT2-1845-HSH	2	1844.8 <i>72.630</i>	6.35 <i>0.250</i>	15.88 / 4.75	Single Edged	76.2 <i>3.000</i>	25	7.87 <i>0.310</i>	420 Stainless Steel	Hardened to HRC48-50

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Dual Vee - Tracks with Mounting Holes

Part Number	Track Size	Overall Length (L) mm	Overall Width (F) mm	Height (E / MDT) mm	Type	Hole Spacing (C) mm	Number of Holes	End Hole Spacing (B) mm	Material	Condition
		<i>inches</i>	<i>inches</i>	<i>inches</i>		<i>inches</i>		<i>inches</i>		
# DVT2-1845-HCH	2	1844.8	6.35	15.88 / 4.75	Single Edged	76.2	25	7.87	1045 Carbon Steel	Hardened to HRC 58-60
		<i>72.630</i>	<i>0.250</i>			<i>3.000</i>		<i>0.310</i>		
# DVT2-1845-HCU	2	1844.8	6.35	15.88 / 4.75	Single Edged	76.2	25	7.87	1045 Carbon Steel	Unhardened
		<i>72.630</i>	<i>0.250</i>			<i>3.000</i>		<i>0.310</i>		
# DVT2-1845-HSU	2	1844.8	6.35	15.88 / 4.75	Single Edged	76.2	25	7.87	420 Stainless Steel	Unhardened
		<i>72.630</i>	<i>0.250</i>			<i>3.000</i>		<i>0.310</i>		
# DVT3-0039-HCU	3	38.9	8.71	22.22 / 6.35	Single Edged	76.2	5	9.652	1045 Carbon Steel	Unhardened
		<i>1.531</i>	<i>0.343</i>			<i>3.000</i>		<i>0.380</i>		
# DVT3-0039-HCH	3	38.9	8.71	22.22 / 6.35	Single Edged	76.2	5	9.652	1045 Carbon Steel	Hardened to RC53
		<i>1.531</i>	<i>0.343</i>			<i>3.000</i>		<i>0.380</i>		
# DVT3-0622-HCU	3	75.4	8.71	22.22 / 6.35	Single Edged	76.2	9	9.652	1045 Carbon Steel	Unhardened
		<i>2.969</i>	<i>0.343</i>			<i>3.000</i>		<i>0.380</i>		
# DVT3-0622-HCH	3	75.4	8.71	22.22 / 6.35	Single Edged	76.2	9	9.652	1045 Carbon Steel	Hardened to RC53
		<i>2.969</i>	<i>0.343</i>			<i>3.000</i>		<i>0.380</i>		
# DVT3-0112-HCU	3	112.0	8.71	22.22 / 6.35	Single Edged	76.2	13	9.652	1045 Carbon Steel	Unhardened
		<i>4.409</i>	<i>0.343</i>			<i>3.000</i>		<i>0.380</i>		

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Dual Vee - Tracks with Mounting Holes

Part Number	Track Size	Overall Length (L) mm	Overall Width (F) mm	Height (E / MDT) mm	Type	Hole Spacing (C) mm	Number of Holes	End Hole Spacing (B) mm	Material	Condition
		<i>inches</i>	<i>inches</i>	<i>inches</i>		<i>inches</i>		<i>inches</i>		
# DVT3-0112-HCH	3	112.0 <i>4.409</i>	8.71 <i>0.343</i>	22.22 / 6.35	Single Edged	76.2 <i>3.000</i>	13	9.652 <i>0.380</i>	1045 Carbon Steel	Hardened to RC53
# DVT3-0149-HCU	3	148.6 <i>5.850</i>	8.71 <i>0.343</i>	22.22 / 6.35	Single Edged	76.2 <i>3.000</i>	17	9.652 <i>0.380</i>	1045 Carbon Steel	Unhardened
# DVT3-0149-HCH	3	148.6 <i>5.850</i>	8.71 <i>0.343</i>	22.22 / 6.35	Single Edged	76.2 <i>3.000</i>	17	9.652 <i>0.380</i>	1045 Carbon Steel	Hardened to RC53
# DVT3-0185-HCU	3	185.2 <i>7.291</i>	8.71 <i>0.343</i>	22.22 / 6.35	Single Edged	76.2 <i>3.000</i>	21	9.652 <i>0.380</i>	1045 Carbon Steel	Unhardened
# DVT3-0185-HCH	3	185.2 <i>7.291</i>	8.71 <i>0.343</i>	22.22 / 6.35	Single Edged	76.2 <i>3.000</i>	21	9.652 <i>0.380</i>	1045 Carbon Steel	Hardened to RC53
# DVT3-0222-HCU	3	221.7 <i>8.728</i>	8.71 <i>0.343</i>	22.22 / 6.35	Single Edged	76.2 <i>3.000</i>	25	9.652 <i>0.380</i>	1045 Carbon Steel	Unhardened
# DVT3-0222-HCH	3	221.7 <i>8.728</i>	8.71 <i>0.343</i>	22.22 / 6.35	Single Edged	76.2 <i>3.000</i>	25	9.652 <i>0.380</i>	1045 Carbon Steel	Hardened to RC53
# DVT3-0324-HSU	3	323.9 <i>12.752</i>	8.71 <i>0.343</i>	22.22 / 6.35	Single Edged	76.2 <i>3.000</i>	5	9.65 <i>0.380</i>	420 Stainless Steel	Unhardened

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Dual Vee - Tracks with Mounting Holes

Part Number	Track Size	Overall Length (L) mm	Overall Width (F) mm	Height (E / MDT) mm	Type	Hole Spacing (C) mm	Number of Holes	End Hole Spacing (B) mm	Material	Condition
		<i>inches</i>	<i>inches</i>	<i>inches</i>		<i>inches</i>		<i>inches</i>		
# DVT3-0324-HSH	3	323.9 <i>12.752</i>	8.71 <i>0.343</i>	22.22 / 6.35	Single Edged	76.2 <i>3.000</i>	5	9.65 <i>0.380</i>	420 Stainless Steel	Hardened to HRC48-50
DVT3-0324-HCU	3	323.9 <i>12.752</i>	8.71 <i>0.343</i>	22.22 / 6.35	Single Edged	76.2 <i>3.000</i>	5	9.65 <i>0.380</i>	1045 Carbon Steel	Unhardened
# DVT3-0324-HCH	3	323.9 <i>12.752</i>	8.71 <i>0.343</i>	22.22 / 6.35	Single Edged	76.2 <i>3.000</i>	5	9.65 <i>0.380</i>	1045 Carbon Steel	Hardened to HRC 58-60
# DVT3-0629-HSU	3	628.7 <i>24.752</i>	8.71 <i>0.343</i>	22.22 / 6.35	Single Edged	76.2 <i>3.000</i>	9	9.65 <i>0.380</i>	420 Stainless Steel	Unhardened
# DVT3-0629-HCH	3	628.7 <i>24.752</i>	8.71 <i>0.343</i>	22.22 / 6.35	Single Edged	76.2 <i>3.000</i>	9	9.65 <i>0.380</i>	1045 Carbon Steel	Hardened to HRC 58-60
# DVT3-0629-HCU	3	628.7 <i>24.752</i>	8.71 <i>0.343</i>	22.22 / 6.35	Single Edged	76.2 <i>3.000</i>	9	9.65 <i>0.380</i>	1045 Carbon Steel	Unhardened
# DVT3-0629-HSH	3	628.7 <i>24.752</i>	8.71 <i>0.343</i>	22.22 / 6.35	Single Edged	76.2 <i>3.000</i>	9	9.65 <i>0.380</i>	420 Stainless Steel	Hardened to HRC48-50
# DVT3-0933-HSU	3	933.5 <i>36.752</i>	8.71 <i>0.343</i>	22.22 / 6.35	Single Edged	76.2 <i>3.000</i>	13	9.65 <i>0.380</i>	420 Stainless Steel	Unhardened

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Dual Vee - Tracks with Mounting Holes

Part Number	Track Size	Overall Length (L) mm	Overall Width (F) mm	Height (E / MDT) mm	Type	Hole Spacing (C) mm	Number of Holes	End Hole Spacing (B) mm	Material	Condition
		<i>inches</i>	<i>inches</i>	<i>inches</i>		<i>inches</i>		<i>inches</i>		
# DVT3-0933-HSH	3	933.5 <i>36.752</i>	8.71 <i>0.343</i>	22.22 / 6.35	Single Edged	76.2 <i>3.000</i>	13	9.652 <i>0.380</i>	420 Stainless Steel	Hardened to RC53
# DVT3-0934-HCH	3	933.5 <i>36.752</i>	8.71 <i>0.343</i>	22.22 / 6.35	Single Edged	76.2 <i>3.000</i>	13	9.65 <i>0.380</i>	1045 Carbon Steel	Hardened to HRC 58-60
# DVT3-0934-HCU	3	933.5 <i>36.752</i>	8.71 <i>0.343</i>	22.22 / 6.35	Single Edged	76.2 <i>3.000</i>	13	9.65 <i>0.380</i>	1045 Carbon Steel	Unhardened
# DVT3-0934-HSH	3	933.5 <i>36.752</i>	8.71 <i>0.343</i>	22.22 / 6.35	Single Edged	76.2 <i>3.000</i>	13	9.65 <i>0.380</i>	420 Stainless Steel	Hardened to HRC48-50
# DVT3-1238-HSU	3	1238.3 <i>48.752</i>	8.71 <i>0.343</i>	22.22 / 6.35	Single Edged	76.2 <i>3.000</i>	17	9.65 <i>0.380</i>	420 Stainless Steel	Unhardened
# DVT3-1238-HCH	3	1238.3 <i>48.752</i>	8.71 <i>0.343</i>	22.22 / 6.35	Single Edged	76.2 <i>3.000</i>	17	9.65 <i>0.380</i>	1045 Carbon Steel	Hardened to HRC 58-60
# DVT3-1238-HCU	3	1238.3 <i>48.752</i>	8.71 <i>0.343</i>	22.22 / 6.35	Single Edged	76.2 <i>3.000</i>	17	9.65 <i>0.380</i>	1045 Carbon Steel	Unhardened
# DVT3-1238-HSH	3	1238.3 <i>48.752</i>	8.71 <i>0.343</i>	22.22 / 6.35	Single Edged	76.2 <i>3.000</i>	17	9.65 <i>0.380</i>	420 Stainless Steel	Hardened to HRC48-50

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Dual Vee - Tracks with Mounting Holes

Part Number	Track Size	Overall Length (L) mm	Overall Width (F) mm	Height (E / MDT) mm	Type	Hole Spacing (C) mm	Number of Holes	End Hole Spacing (B) mm	Material	Condition
		<i>inches</i>	<i>inches</i>	<i>inches</i>		<i>inches</i>		<i>inches</i>		
# DVT3-1543-HSU	3	1543.1 <i>60.752</i>	8.71 <i>0.343</i>	22.22 / 6.35	Single Edged	76.2 <i>3.000</i>	21	9.65 <i>0.380</i>	420 Stainless Steel	Unhardened
# DVT3-1543-HCH	3	1543.1 <i>60.752</i>	8.71 <i>0.343</i>	22.22 / 6.35	Single Edged	76.2 <i>3.000</i>	21	9.65 <i>0.380</i>	1045 Carbon Steel	Hardened to HRC 58-60
DVT3-1543-HCU	3	1543.1 <i>60.752</i>	8.71 <i>0.343</i>	22.22 / 6.35	Single Edged	76.2 <i>3.000</i>	21	9.65 <i>0.380</i>	1045 Carbon Steel	Unhardened
# DVT3-1543-HSH	3	1543.1 <i>60.752</i>	8.71 <i>0.343</i>	22.22 / 6.35	Single Edged	76.2 <i>3.000</i>	21	9.65 <i>0.380</i>	420 Stainless Steel	Hardened to HRC48-50
# DVT3-1848-HSU	3	1847.9 <i>72.752</i>	8.71 <i>0.343</i>	22.22 / 6.35	Single Edged	76.2 <i>3.000</i>	25	9.65 <i>0.380</i>	420 Stainless Steel	Unhardened
# DVT3-1848-HCH	3	1847.9 <i>72.752</i>	8.71 <i>0.343</i>	22.22 / 6.35	Single Edged	76.2 <i>3.000</i>	25	9.65 <i>0.380</i>	1045 Carbon Steel	Hardened to HRC 58-60
# DVT3-1848-HCU	3	1847.9 <i>72.752</i>	8.71 <i>0.343</i>	22.22 / 6.35	Single Edged	76.2 <i>3.000</i>	25	9.65 <i>0.380</i>	1045 Carbon Steel	Unhardened
# DVT3-1848-HSH	3	1847.9 <i>72.752</i>	8.71 <i>0.343</i>	22.22 / 6.35	Single Edged	76.2 <i>3.000</i>	25	9.65 <i>0.380</i>	420 Stainless Steel	Hardened to HRC48-50

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Dual Vee - Tracks with Mounting Holes

Part Number	Track Size	Overall Length (L) mm	Overall Width (F) mm	Height (E / MDT) mm	Type	Hole Spacing (C) mm	Number of Holes	End Hole Spacing (B) mm	Material	Condition
		<i>inches</i>	<i>inches</i>	<i>inches</i>		<i>inches</i>		<i>inches</i>		
# DVT4-0040-HCH	4	39.6 <i>1.559</i>	11.1 <i>0.437</i>	27.00 / 3.18	Single Edged	101.6 <i>4.000</i>	4	12.7 <i>0.500</i>	1045 Carbon Steel	Hardened to RC53
# DVT4-0040-HCU	4	39.6 <i>1.559</i>	11.1 <i>0.437</i>	27.00 / 3.18	Single Edged	101.6 <i>4.000</i>	4	12.7 <i>0.500</i>	1045 Carbon Steel	Unhardened
# DVT4-0076-HCU	4	76.2 <i>3.000</i>	11.1 <i>0.437</i>	27.00 / 3.18	Single Edged	101.6 <i>4.000</i>	7	12.7 <i>0.500</i>	1045 Carbon Steel	Unhardened
# DVT4-0076-HCH	4	76.2 <i>3.000</i>	11.1 <i>0.437</i>	27.00 / 3.18	Single Edged	101.6 <i>4.000</i>	7	12.7 <i>0.500</i>	1045 Carbon Steel	Hardened to RC53
# DVT4-0113-HCH	4	112.8 <i>4.441</i>	11.1 <i>0.437</i>	27.00 / 3.18	Single Edged	101.6 <i>4.000</i>	10	12.7 <i>0.500</i>	1045 Carbon Steel	Hardened to RC53
# DVT4-0113-HCU	4	112.8 <i>4.441</i>	11.1 <i>0.437</i>	27.00 / 3.18	Single Edged	101.6 <i>4.000</i>	10	12.7 <i>0.500</i>	1045 Carbon Steel	Unhardened
# DVT4-0149-HCH	4	149.4 <i>5.882</i>	11.1 <i>0.437</i>	27.00 / 3.18	Single Edged	101.6 <i>4.000</i>	13	12.7 <i>0.500</i>	1045 Carbon Steel	Hardened to RC53
# DVT4-0149-HCU	4	149.4 <i>5.882</i>	11.1 <i>0.437</i>	27.00 / 3.18	Single Edged	101.6 <i>4.000</i>	13	12.7 <i>0.500</i>	1045 Carbon Steel	Unhardened

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Dual Vee - Tracks with Mounting Holes

Part Number	Track Size	Overall Length (L) mm	Overall Width (F) mm	Height (E / MDT) mm	Type	Hole Spacing (C) mm	Number of Holes	End Hole Spacing (B) mm	Material	Condition
		<i>inches</i>	<i>inches</i>	<i>inches</i>		<i>inches</i>		<i>inches</i>		
# DVT4-0186-HCH	4	185.9 <i>7.319</i>	11.1 <i>0.437</i>	27.00 / 3.18	Single Edged	101.6 <i>4.000</i>	16	12.7 <i>0.500</i>	1045 Carbon Steel	Hardened to RC53
# DVT4-0186-HCU	4	185.9 <i>7.319</i>	11.1 <i>0.437</i>	27.00 / 3.18	Single Edged	101.6 <i>4.000</i>	16	12.7 <i>0.500</i>	1045 Carbon Steel	Unhardened
# DVT4-0223-HCH	4	222.5 <i>8.760</i>	11.1 <i>0.437</i>	27.00 / 3.18	Single Edged	101.6 <i>4.000</i>	19	12.7 <i>0.500</i>	1045 Carbon Steel	Hardened to RC53
# DVT4-0223-HCU	4	222.5 <i>8.760</i>	11.1 <i>0.437</i>	27.00 / 3.18	Single Edged	101.6 <i>4.000</i>	19	12.7 <i>0.500</i>	1045 Carbon Steel	Unhardened
# DVT4-0330-HCU	4	330.2 <i>13.000</i>	11.1 <i>0.437</i>	27.00 / 3.18	Single Edged	101.6 <i>4.000</i>	4	12.7 <i>0.500</i>	1045 Carbon Steel	Unhardened
# DVT4-0330-HSH	4	330.2 <i>13.000</i>	11.1 <i>0.437</i>	27.00 / 3.18	Single Edged	101.6 <i>4.000</i>	4	12.7 <i>0.500</i>	420 Stainless Steel	Hardened to HRC48-50
# DVT4-0330-HCH	4	330.2 <i>13.000</i>	11.1 <i>0.437</i>	27.00 / 3.18	Single Edged	101.6 <i>4.000</i>	4	12.7 <i>0.500</i>	1045 Carbon Steel	Hardened to HRC 58-60
# DVT4-0330-HSU	4	330.2 <i>13.000</i>	11.1 <i>0.437</i>	27.00 / 3.18	Single Edged	101.6 <i>4.000</i>	4	12.7 <i>0.500</i>	420 Stainless Steel	Unhardened

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Dual Vee - Tracks with Mounting Holes

Part Number	Track Size	Overall Length (L) mm	Overall Width (F) mm	Height (E / MDT) mm	Type	Hole Spacing (C) mm	Number of Holes	End Hole Spacing (B) mm	Material	Condition
		<i>inches</i>	<i>inches</i>	<i>inches</i>		<i>inches</i>		<i>inches</i>		
# DVT4-0635-HCH	4	635.0 <i>25.000</i>	11.1 <i>0.437</i>	27.00 / 3.18	Single Edged	101.6 <i>4.000</i>	7	12.7 <i>0.500</i>	1045 Carbon Steel	Hardened to HRC 58-60
# DVT4-0635-HCU	4	635.0 <i>25.000</i>	11.1 <i>0.437</i>	27.00 / 3.18	Single Edged	101.6 <i>4.000</i>	7	12.7 <i>0.500</i>	1045 Carbon Steel	Unhardened
# DVT4-0635-HSH	4	635.0 <i>25.000</i>	11.1 <i>0.437</i>	27.00 / 3.18	Single Edged	101.6 <i>4.000</i>	7	12.7 <i>0.500</i>	420 Stainless Steel	Hardened to HRC48-50
# DVT4-0635-HSU	4	635.0 <i>25.000</i>	11.1 <i>0.437</i>	27.00 / 3.18	Single Edged	101.6 <i>4.000</i>	7	12.7 <i>0.500</i>	420 Stainless Steel	Unhardened
# DVT4-0940-HCH	4	939.8 <i>37.000</i>	11.1 <i>0.437</i>	27.00 / 3.18	Single Edged	101.6 <i>4.000</i>	10	12.7 <i>0.500</i>	1045 Carbon Steel	Hardened to HRC 58-60
# DVT4-0940-HCU	4	939.8 <i>37.000</i>	11.1 <i>0.437</i>	27.00 / 3.18	Single Edged	101.6 <i>4.000</i>	10	12.7 <i>0.500</i>	1045 Carbon Steel	Unhardened
# DVT4-0940-HSH	4	939.8 <i>37.000</i>	11.1 <i>0.437</i>	27.00 / 3.18	Single Edged	101.6 <i>4.000</i>	10	12.7 <i>0.500</i>	420 Stainless Steel	Hardened to HRC48-50
# DVT4-0940-HSU	4	939.8 <i>37.000</i>	11.1 <i>0.437</i>	27.00 / 3.18	Single Edged	101.6 <i>4.000</i>	10	12.7 <i>0.500</i>	420 Stainless Steel	Unhardened

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Dual Vee - Tracks with Mounting Holes

Part Number	Track Size	Overall Length (L) mm	Overall Width (F) mm	Height (E / MDT) mm	Type	Hole Spacing (C) mm	Number of Holes	End Hole Spacing (B) mm	Material	Condition
		<i>inches</i>	<i>inches</i>	<i>inches</i>		<i>inches</i>		<i>inches</i>		
# DVT4-1245-HCH	4	1244.6 <i>49.000</i>	11.1 <i>0.437</i>	27.00 / 3.18	Single Edged	101.6 <i>4.000</i>	13	12.7 <i>0.500</i>	1045 Carbon Steel	Hardened to HRC 58-60
# DVT4-1245-HSU	4	1244.6 <i>49.000</i>	11.1 <i>0.437</i>	27.00 / 3.18	Single Edged	101.6 <i>4.000</i>	13	12.7 <i>0.500</i>	420 Stainless Steel	Unhardened
# DVT4-1245-HCU	4	1244.6 <i>49.000</i>	11.1 <i>0.437</i>	27.00 / 3.18	Single Edged	101.6 <i>4.000</i>	13	12.7 <i>0.500</i>	1045 Carbon Steel	Unhardened
# DVT4-1245-HSH	4	1244.6 <i>49.000</i>	11.1 <i>0.437</i>	27.00 / 3.18	Single Edged	101.6 <i>4.000</i>	13	12.7 <i>0.500</i>	420 Stainless Steel	Hardened to HRC48-50
# DVT4-1549-HCH	4	1549.4 <i>61.000</i>	11.1 <i>0.437</i>	27.00 / 3.18	Single Edged	101.6 <i>4.000</i>	16	12.7 <i>0.500</i>	1045 Carbon Steel	Hardened to HRC 58-60
# DVT4-1549-HCU	4	1549.4 <i>61.000</i>	11.1 <i>0.437</i>	27.00 / 3.18	Single Edged	101.6 <i>4.000</i>	16	12.7 <i>0.500</i>	1045 Carbon Steel	Unhardened
# DVT4-1549-HSH	4	1549.4 <i>61.000</i>	11.1 <i>0.437</i>	27.00 / 3.18	Single Edged	101.6 <i>4.000</i>	16	12.7 <i>0.500</i>	420 Stainless Steel	Hardened to HRC48-50
# DVT4-1549-HSU	4	1549.4 <i>61.000</i>	11.1 <i>0.437</i>	27.00 / 3.18	Single Edged	101.6 <i>4.000</i>	16	12.7 <i>0.500</i>	420 Stainless Steel	Unhardened

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Dual Vee - Tracks with Mounting Holes

Part Number	Track Size	Overall Length (L) mm	Overall Width (F) mm	Height (E / MDT) mm	Type	Hole Spacing (C) mm	Number of Holes	End Hole Spacing (B) mm	Material	Condition
		<i>inches</i>	<i>inches</i>	<i>inches</i>		<i>inches</i>		<i>inches</i>		
# DVT4-1854-HSH	4	1854.2 <i>73.000</i>	11.1 <i>0.437</i>	27.00 / 3.18	Single Edged	101.6 <i>4.000</i>	19	12.7 <i>0.500</i>	420 Stainless Steel	Hardened to HRC48-50
# DVT4-1854-HCU	4	1854.2 <i>73.000</i>	11.1 <i>0.437</i>	27.00 / 3.18	Single Edged	101.6 <i>4.000</i>	19	12.7 <i>0.500</i>	1045 Carbon Steel	Unhardened
# DVT4-1854-HCH	4	1854.2 <i>73.000</i>	11.1 <i>0.437</i>	27.00 / 3.18	Single Edged	101.6 <i>4.000</i>	19	12.7 <i>0.500</i>	1045 Carbon Steel	Hardened to HRC 58-60
# DVT4-1854-HSU	4	1854.2 <i>73.000</i>	11.1 <i>0.437</i>	27.00 / 3.18	Single Edged	101.6 <i>4.000</i>	19	12.7 <i>0.500</i>	420 Stainless Steel	Unhardened
# DVT0-0165-HCH	0	165.1 <i>6.500</i>	3.51 <i>0.138</i>	13.11 / 4.01	Double Edged	50.8 <i>2.000</i>	4	6.35 <i>0.250</i>	1045 Carbon Steel	Hardened to HRC 58-60
# DVT0-0165-HCU	0	165.1 <i>6.500</i>	3.51 <i>0.138</i>	13.11 / 4.01	Double Edged	50.8 <i>2.000</i>	4	6.35 <i>0.250</i>	1045 Carbon Steel	Unhardened
# DVT0-0318-HCH	0	317.5 <i>12.500</i>	3.51 <i>0.138</i>	13.11 / 4.01	Double Edged	50.8 <i>2.000</i>	7	6.35 <i>0.250</i>	1045 Carbon Steel	Hardened to HRC 58-60
# DVT0-0318-HCU	0	317.5 <i>12.500</i>	3.51 <i>0.138</i>	13.11 / 4.01	Double Edged	50.8 <i>2.000</i>	7	6.35 <i>0.250</i>	1045 Carbon Steel	Unhardened

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Dual Vee - Tracks with Mounting Holes

Part Number	Track Size	Overall Length (L) mm	Overall Width (F) mm	Height (E / MDT) mm	Type	Hole Spacing (C) mm	Number of Holes	End Hole Spacing (B) mm	Material	Condition
		<i>inches</i>	<i>inches</i>	<i>inches</i>		<i>inches</i>		<i>inches</i>		
# DVT0-0470-HCU	0	469.9 <i>18.500</i>	3.51 <i>0.138</i>	13.11 / 4.01	Double Edged	50.8 <i>2.000</i>	10	6.35 <i>0.250</i>	1045 Carbon Steel	Unhardened
# DVT0-0470-HCH	0	469.9 <i>18.500</i>	3.51 <i>0.138</i>	13.11 / 4.01	Double Edged	50.8 <i>2.000</i>	10	6.35 <i>0.250</i>	1045 Carbon Steel	Hardened to HRC 58-60
# DVT0-0622-HCU	0	622.3 <i>24.500</i>	3.51 <i>0.138</i>	13.11 / 4.01	Double Edged	50.8 <i>2.000</i>	13	6.35 <i>0.250</i>	1045 Carbon Steel	Unhardened
# DVT0-0622-HCH	0	622.3 <i>24.500</i>	3.51 <i>0.138</i>	13.11 / 4.01	Double Edged	50.8 <i>2.000</i>	13	6.35 <i>0.250</i>	1045 Carbon Steel	Hardened to HRC 58-60
# DVT0-0775-HCU	0	774.7 <i>30.500</i>	3.51 <i>0.138</i>	13.11 / 4.01	Double Edged	50.8 <i>2.000</i>	16	6.35 <i>0.250</i>	1045 Carbon Steel	Unhardened
# DVT0-0775-HCH	0	774.7 <i>30.500</i>	3.51 <i>0.138</i>	13.11 / 4.01	Double Edged	50.8 <i>2.000</i>	16	6.35 <i>0.250</i>	1045 Carbon Steel	Hardened to HRC 58-60
# DVT0-0927-HCU	0	927.1 <i>36.500</i>	3.51 <i>0.138</i>	13.11 / 4.01	Double Edged	50.8 <i>2.000</i>	19	6.35 <i>0.250</i>	1045 Carbon Steel	Unhardened
# DVT0-0927-HCH	0	927.1 <i>36.500</i>	3.51 <i>0.138</i>	13.11 / 4.01	Double Edged	50.8 <i>2.000</i>	19	6.35 <i>0.250</i>	1045 Carbon Steel	Hardened to HRC 58-60

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.



DISTRIBUTED BY

Ask us to put your name and address here

<http://www.minibearings.com.au/product>

Ph +61 7 3245 7977

Fax +61 7 3245 1017

Catalogue requests to catalogues@minibearings.com.au

