




# MBA

## Dual Vee - Tracks without Mounting Holes



Vee tracks for vee grooved track roller guide wheels.

Match Track Size with same size Guide Wheel.

This catalogue to be read in conjunction with information at [http://www.minibearings.com.au/ogue/tech/dualvee/Dual\\_Vee\\_1.pdf](http://www.minibearings.com.au/ogue/tech/dualvee/Dual_Vee_1.pdf)

[http://www.minibearings.com.au/ogue/tech/dualvee/Dual\\_Vee\\_2.pdf](http://www.minibearings.com.au/ogue/tech/dualvee/Dual_Vee_2.pdf)

### Dual Vee - Tracks without Mounting Holes

Part Number	Track Size	Overall Length (L) mm	Overall Width (F) mm	Height (H) mm	Type	Base Width mm	Top Height (MDT) mm	Overhang (J)	Material	Condition
		<i>inches</i>	<i>inches</i>	<i>inches</i>		<i>inches</i>	<i>inches</i>			
# DVT1-1981-PCH	1	1981.2	4.78	11.125	Single Edged	3.18	3.18	1.59	AISI 1045 Carbon Steel	Hardened to RC53
		<i>78.000</i>	<i>0.188</i>	<i>0.438</i>		<i>0.125</i>	<i>0.125</i>			
# DVT1-1981-PCU	1	1981.2	4.78	11.125	Single Edged	3.18	3.18	1.59	AISI 1045 Carbon Steel	Unhardened
		<i>78.000</i>	<i>0.188</i>	<i>0.438</i>		<i>0.125</i>	<i>0.125</i>			
# DVT1-1981-PSH	1	1981.2	4.78	11.125	Single Edged	3.18	3.18	1.59	AISI 420 Stainless Steel	Hardened to RC40
		<i>78.000</i>	<i>0.188</i>	<i>0.438</i>		<i>0.125</i>	<i>0.125</i>			

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Dual Vee - Tracks without Mounting Holes

Part Number	Track Size	Overall Length (L) mm	Overall Width (F) mm	Height (H) mm	Type	Base Width mm	Top Height (MDT) mm	Overhang (J)	Material	Condition
		<i>inches</i>	<i>inches</i>	<i>inches</i>		<i>inches</i>	<i>inches</i>			
# DVT1-1981-PSU	1	1981.2	4.78	11.125	Single Edged	3.18	3.18	1.59	AISI 420 Stainless Steel	Unhardened
		<i>78.000</i>	<i>0.188</i>	<i>0.438</i>		<i>0.125</i>	<i>0.125</i>			
# DVT1-2000-PCU	1	2000.0	4.75	11.100	Single Edged	0.79	3.18	1.57	AISI 1045 Carbon Steel	Unhardened
		<i>78.740</i>	<i>0.187</i>	<i>0.437</i>		<i>0.031</i>	<i>0.125</i>			
# DVT1-2000-PFH	1	2000.0	4.75	11.100	Single Edged	0.79	3.18	1.57	AISI 1045 Cold Formed Steel	Hardened
		<i>78.740</i>	<i>0.187</i>	<i>0.437</i>		<i>0.031</i>	<i>0.125</i>			
# DVT1-2000-PSH	1	2000.0	4.75	11.100	Single Edged	0.79	3.18	1.57	AISI 420 Stainless Steel	Hardened / Polished
		<i>78.740</i>	<i>0.187</i>	<i>0.437</i>		<i>0.031</i>	<i>0.125</i>			
# DVT1-2000-PSU	1	2000.0	4.75	11.100	Single Edged	0.79	3.18	1.57	AISI 420 Stainless Steel	Unhardened
		<i>78.740</i>	<i>0.187</i>	<i>0.437</i>		<i>0.031</i>	<i>0.125</i>			
# DVT2-0365-PCH	2	365.7	6.35	15.875	Single Edged	3.97	4.76	2.38	AISI 1045 Carbon Steel	Hardened to RC53
		<i>14.398</i>	<i>0.250</i>	<i>0.625</i>		<i>0.156</i>	<i>0.187</i>			
# DVT2-0609-PCH	2	609.6	6.35	15.875	Single Edged	3.97	4.76	2.38	AISI 1045 Carbon Steel	Hardened to RC53
		<i>24.000</i>	<i>0.250</i>	<i>0.625</i>		<i>0.156</i>	<i>0.187</i>			
# DVT2-1981-PSU	2	1981.2	6.35	15.875	Single Edged	3.97	4.76	2.38	AISI 420 Stainless Steel	Unhardened
		<i>78.000</i>	<i>0.250</i>	<i>0.625</i>		<i>0.156</i>	<i>0.187</i>			

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Dual Vee - Tracks without Mounting Holes

Part Number	Track Size	Overall Length (L) mm	Overall Width (F) mm	Height (H) mm	Type	Base Width mm	Top Height (MDT) mm	Overhang (J)	Material	Condition
		<i>inches</i>	<i>inches</i>	<i>inches</i>		<i>inches</i>	<i>inches</i>			
# DVT2-1981-PCH	2	1981.2	6.35	15.875	Single Edged	3.97	4.76	2.38	AISI 1045 Carbon Steel	Hardened to RC53
		<i>78.000</i>	<i>0.250</i>	<i>0.625</i>		<i>0.156</i>	<i>0.187</i>			
# DVT2-1981-PSH	2	1981.2	6.35	15.875	Single Edged	3.97	4.76	2.38	AISI 420 Stainless Steel	Hardened to RC40
		<i>78.000</i>	<i>0.250</i>	<i>0.625</i>		<i>0.156</i>	<i>0.187</i>			
# DVT2-1981-PCU	2	1981.2	6.35	15.875	Single Edged	3.97	4.76	2.38	AISI 1045 Carbon Steel	Unhardened
		<i>78.000</i>	<i>0.250</i>	<i>0.625</i>		<i>0.156</i>	<i>0.187</i>			
# DVT2-2000-PSU	2	2000.0	6.35	15.900	Single Edged	0.79	4.76	2.38	AISI 420 Stainless Steel	Unhardened
		<i>78.740</i>	<i>0.250</i>	<i>0.626</i>		<i>0.031</i>	<i>0.187</i>			
# DVT2-2000-PSH	2	2000.0	6.35	15.900	Single Edged	0.79	4.76	2.38	AISI 420 Stainless Steel	Hardened / Polished
		<i>78.740</i>	<i>0.250</i>	<i>0.626</i>		<i>0.031</i>	<i>0.187</i>			
# DVT2-2000-PFH	2	2000.0	6.35	15.900	Single Edged	0.79	4.76	2.38	AISI 1045 Cold Formed Steel	Hardened
		<i>78.740</i>	<i>0.250</i>	<i>0.626</i>		<i>0.031</i>	<i>0.187</i>			
# DVT2-2000-PCU	2	2000.0	6.35	15.900	Single Edged	0.79	4.76	2.38	AISI 1045 Carbon Steel	Unhardened
		<i>78.740</i>	<i>0.250</i>	<i>0.626</i>		<i>0.031</i>	<i>0.187</i>			
# DVT3-1981-PCU	3	1981.2	8.74	22.225	Single Edged	5.95	6.35	2.78	AISI 1045 Carbon Steel	Unhardened
		<i>78.000</i>	<i>0.344</i>	<i>0.875</i>		<i>0.234</i>	<i>0.250</i>			

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Dual Vee - Tracks without Mounting Holes

Part Number	Track Size	Overall Length (L) mm	Overall Width (F) mm	Height (H) mm	Type	Base Width mm	Top Height (MDT) mm	Overhang (J)	Material	Condition
		<i>inches</i>	<i>inches</i>	<i>inches</i>		<i>inches</i>	<i>inches</i>			
# DVT3-1981-PCH	3	1981.2	8.74	22.225	Single Edged	5.95	6.35	2.78	AISI 1045 Carbon Steel	Hardened to RC53
		<i>78.000</i>	<i>0.344</i>	<i>0.875</i>		<i>0.234</i>	<i>0.250</i>			
# DVT3-1981-PSU	3	1981.2	8.74	22.225	Single Edged	5.95	6.35	2.78	AISI 420 Stainless Steel	Unhardened
		<i>78.000</i>	<i>0.344</i>	<i>0.875</i>		<i>0.234</i>	<i>0.250</i>			
# DVT3-1981-PSH	3	1981.2	8.74	22.225	Single Edged	5.95	6.35	2.78	AISI 420 Stainless Steel	Hardened to RC40
		<i>78.000</i>	<i>0.344</i>	<i>0.875</i>		<i>0.234</i>	<i>0.250</i>			
# DVT3-2000-PSU	3	2000.0	8.71	22.200	Single Edged	1.57	6.35	2.78	AISI 420 Stainless Steel	Unhardened
		<i>78.740</i>	<i>0.343</i>	<i>0.874</i>		<i>0.062</i>	<i>0.250</i>			
# DVT3-2000-PCU	3	2000.0	8.71	22.200	Single Edged	1.57	6.35	2.78	AISI 1045 Carbon Steel	Unhardened
		<i>78.740</i>	<i>0.343</i>	<i>0.874</i>		<i>0.062</i>	<i>0.250</i>			
# DVT3-2000-PFH	3	2000.0	8.71	22.200	Single Edged	1.57	6.35	2.78	AISI 1045 Cold Formed Steel	Hardened
		<i>78.740</i>	<i>0.343</i>	<i>0.874</i>		<i>0.062</i>	<i>0.250</i>			
# DVT3-2000-PSH	3	2000.0	8.71	22.200	Single Edged	1.57	6.35	2.78	AISI 420 Stainless Steel	Hardened / Polished
		<i>78.740</i>	<i>0.343</i>	<i>0.874</i>		<i>0.062</i>	<i>0.250</i>			
# DVT4-1981-PSU	4	1981.2	11.13	27.000	Single Edged	7.93	7.93	3.18	AISI 420 Stainless Steel	Unhardened
		<i>78.000</i>	<i>0.438</i>	<i>1.063</i>		<i>0.312</i>	<i>0.312</i>			

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Dual Vee - Tracks without Mounting Holes

Part Number	Track Size	Overall Length (L) mm	Overall Width (F) mm	Height (H) mm	Type	Base Width mm	Top Height (MDT) mm	Overhang (J)	Material	Condition
		<i>inches</i>	<i>inches</i>	<i>inches</i>		<i>inches</i>	<i>inches</i>			
# DVT4-1981-PSH	4	1981.2	11.13	27.000	Single Edged	7.93	7.93	3.18	AISI 420 Stainless Steel	Hardened to RC40
		<i>78.000</i>	<i>0.438</i>	<i>1.063</i>		<i>0.312</i>	<i>0.312</i>			
# DVT4-1981-PCH	4	1981.2	11.13	27.000	Single Edged	7.93	7.93	3.18	AISI 1045 Carbon Steel	Hardened to RC53
		<i>78.000</i>	<i>0.438</i>	<i>1.063</i>		<i>0.312</i>	<i>0.312</i>			
# DVT4-1981-PCU	4	1981.2	11.13	27.000	Single Edged	7.93	7.93	3.18	AISI 1045 Carbon Steel	Unhardened
		<i>78.000</i>	<i>0.438</i>	<i>1.063</i>		<i>0.312</i>	<i>0.312</i>			
# DVT4-2000-PSU	4	2000.0	11.10	27.000	Single Edged	2.36	7.93	3.18	AISI 420 Stainless Steel	Unhardened
		<i>78.740</i>	<i>0.437</i>	<i>1.063</i>		<i>0.093</i>	<i>0.312</i>			
# DVT4-2000-PCU	4	2000.0	11.10	27.000	Single Edged	2.36	7.93	3.18	AISI 1045 Carbon Steel	Unhardened
		<i>78.740</i>	<i>0.437</i>	<i>1.063</i>		<i>0.093</i>	<i>0.312</i>			
# DVT4-2000-PFH	4	2000.0	11.10	27.000	Single Edged	2.36	7.93	3.18	AISI 1045 Cold Formed Steel	Hardened
		<i>78.740</i>	<i>0.437</i>	<i>1.063</i>		<i>0.093</i>	<i>0.312</i>			
# DVT4-2000-PSH	4	2000.0	11.10	27.000	Single Edged	2.36	7.93	3.18	AISI 420 Stainless Steel	Hardened / Polished
		<i>78.740</i>	<i>0.437</i>	<i>1.063</i>		<i>0.093</i>	<i>0.312</i>			
# DVT0-0305-PCH	0	305.0	3.89	13.110	Double Edged	1.52	4.01	0.84	AISI 1045 Carbon Steel	Hardened / Polished & Oiled
		<i>12.008</i>	<i>0.153</i>	<i>0.516</i>		<i>0.060</i>	<i>0.158</i>			

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Dual Vee - Tracks without Mounting Holes

Part Number	Track Size	Overall Length (L) mm	Overall Width (F) mm	Height (H) mm	Type	Base Width mm	Top Height (MDT) mm	Overhang (J)	Material	Condition
		<i>inches</i>	<i>inches</i>	<i>inches</i>		<i>inches</i>	<i>inches</i>			
# DVT0-0305-PCU	0	305.0	3.89	13.110	Double Edged	1.52	4.01	0.84	AISI 1045 Carbon Steel	Unhardened / Formed & Oiled
		<i>12.008</i>	<i>0.153</i>	<i>0.516</i>		<i>0.060</i>	<i>0.158</i>			
# DVT0-0610-PCU	0	610.0	3.89	13.110	Double Edged	1.52	4.01	0.84	AISI 1045 Carbon Steel	Unhardened / Formed & Oiled
		<i>24.016</i>	<i>0.153</i>	<i>0.516</i>		<i>0.060</i>	<i>0.158</i>			
# DVT0-0610-PCH	0	610.0	3.89	13.110	Double Edged	1.52	4.01	0.84	AISI 1045 Carbon Steel	Hardened / Polished & Oiled
		<i>24.016</i>	<i>0.153</i>	<i>0.516</i>		<i>0.060</i>	<i>0.158</i>			
# DVT0-1220-PCU	0	1220.0	3.89	13.110	Double Edged	1.52	4.01	0.84	AISI 1045 Carbon Steel	Unhardened / Formed & Oiled
		<i>48.031</i>	<i>0.153</i>	<i>0.516</i>		<i>0.060</i>	<i>0.158</i>			
# DVT0-1220-PCH	0	1220.0	3.89	13.110	Double Edged	1.52	4.01	0.84	AISI 1045 Carbon Steel	Hardened / Polished & Oiled
		<i>48.031</i>	<i>0.153</i>	<i>0.516</i>		<i>0.060</i>	<i>0.158</i>			
# DVT0-1830-PCU	0	1830.0	3.89	13.110	Double Edged	1.52	4.01	0.84	AISI 1045 Carbon Steel	Unhardened / Formed & Oiled
		<i>72.047</i>	<i>0.153</i>	<i>0.516</i>		<i>0.060</i>	<i>0.158</i>			
# DVT0-1830-PCH	0	1830.0	3.89	13.110	Double Edged	1.52	4.01	0.84	AISI 1045 Carbon Steel	Hardened / Polished & Oiled
		<i>72.047</i>	<i>0.153</i>	<i>0.516</i>		<i>0.060</i>	<i>0.158</i>			

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.



DISTRIBUTED BY

Ask us to put your name and address here

<http://www.minibearings.com.au/product>

Ph +61 7 3245 7977

Fax +61 7 3245 1017

Catalogue requests to [catalogues@minibearings.com.au](mailto:catalogues@minibearings.com.au)

