




# MBA

## Dual Vee - Wheel Plate - Rail



Use with wheel plate assemblies.

Use with wheel plate assemblies.

Match with correct Rail Size.

This catalogue to be read in conjunction with information at [http://www.minibearings.com.au/ogue/tech/dualvee/Dual\\_Vee\\_1.pdf](http://www.minibearings.com.au/ogue/tech/dualvee/Dual_Vee_1.pdf)

[http://www.minibearings.com.au/ogue/tech/dualvee/Dual\\_Vee\\_2.pdf](http://www.minibearings.com.au/ogue/tech/dualvee/Dual_Vee_2.pdf)

### Dual Vee - Wheel Plate - Rail

Part Number	Track Size	Length (L) mm	Width (A) mm	Height (H) mm	Top Width (Q) mm	End Hole Distance (D) mm	Distance between two holes (C) mm	Hole Diameter (E) mm	Top Hole Diameter (F) mm
		<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>
# WPTR-1x0500	1	500 <i>19.685</i>	50.000 <i>1.969</i>	15.900 <i>0.626</i>	37.4 <i>1.472</i>	22.0 <i>0.866</i>	76 <i>2.992</i>	3.58 <i>0.141</i>	6.35 <i>0.250</i>
# WPTR-1x1000	1	1000 <i>39.370</i>	50.000 <i>1.969</i>	15.900 <i>0.626</i>	37.4 <i>1.472</i>	25.0 <i>0.984</i>	76 <i>2.992</i>	3.58 <i>0.141</i>	6.35 <i>0.250</i>
# WPTR-1x2000	1	2000 <i>78.740</i>	50.000 <i>1.969</i>	15.900 <i>0.626</i>	37.4 <i>1.472</i>	12.0 <i>0.472</i>	76 <i>2.992</i>	3.58 <i>0.141</i>	6.35 <i>0.250</i>
# WPTR-1x3000	1	3000 <i>118.110</i>	50.000 <i>1.969</i>	15.900 <i>0.626</i>	37.4 <i>1.472</i>	18.0 <i>0.709</i>	76 <i>2.992</i>	3.58 <i>0.141</i>	6.35 <i>0.250</i>

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Dual Vee - Wheel Plate - Rail

Part Number	Track Size	Length (L) mm	Width (A) mm	Height (H) mm	Top Width (Q) mm	End Hole Distance (D) mm	Distance between two holes (C) mm	Hole Diameter (E) mm	Top Hole Diameter (F) mm
		<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>
# WPTR-2x0500	2	500 <i>19.685</i>	72.000 <i>2.835</i>	22.200 <i>0.874</i>	54.6 <i>2.150</i>	29.5 <i>1.161</i>	126 <i>4.961</i>	5.94 <i>0.234</i>	10.31 <i>0.406</i>
# WPTR-2x1000	2	1000 <i>39.370</i>	72.000 <i>2.835</i>	22.200 <i>0.874</i>	54.6 <i>2.150</i>	27.5 <i>1.083</i>	126 <i>4.961</i>	5.94 <i>0.234</i>	10.31 <i>0.406</i>
# WPTR-2x2000	2	2000 <i>78.740</i>	72.000 <i>2.835</i>	22.200 <i>0.874</i>	54.6 <i>2.150</i>	23.5 <i>0.925</i>	126 <i>4.961</i>	5.94 <i>0.234</i>	10.31 <i>0.406</i>
# WPTR-2x3000	2	3000 <i>118.110</i>	72.000 <i>2.835</i>	22.200 <i>0.874</i>	54.6 <i>2.150</i>	19.5 <i>0.768</i>	126 <i>4.961</i>	5.94 <i>0.234</i>	10.31 <i>0.406</i>
# WPTR-3x0500	3	500 <i>19.685</i>	102.000 <i>4.016</i>	29.400 <i>1.157</i>	71.1 <i>2.799</i>	22.0 <i>0.866</i>	152 <i>5.984</i>	6.73 <i>0.265</i>	11.51 <i>0.453</i>
# WPTR-3x1000	3	1000 <i>39.370</i>	102.000 <i>4.016</i>	29.400 <i>1.157</i>	71.1 <i>2.799</i>	44.0 <i>1.732</i>	152 <i>5.984</i>	6.73 <i>0.265</i>	11.51 <i>0.453</i>
# WPTR-3x2000	3	2000 <i>78.740</i>	102.000 <i>4.016</i>	29.400 <i>1.157</i>	71.1 <i>2.799</i>	50.0 <i>1.969</i>	152 <i>5.984</i>	6.73 <i>0.265</i>	11.51 <i>0.453</i>
# WPTR-3x3000	3	3000 <i>118.110</i>	102.000 <i>4.016</i>	29.400 <i>1.157</i>	71.1 <i>2.799</i>	18.0 <i>0.709</i>	152 <i>5.984</i>	6.73 <i>0.265</i>	11.51 <i>0.453</i>
# WPTR-4x0500	4	500 <i>19.685</i>	140.000 <i>5.512</i>	36.600 <i>1.441</i>	95.8 <i>3.772</i>	27.5 <i>1.083</i>	178 <i>7.008</i>	8.74 <i>0.344</i>	14.68 <i>0.578</i>
# WPTR-4x1000	4	1000 <i>39.370</i>	140.000 <i>5.512</i>	36.600 <i>1.441</i>	95.8 <i>3.772</i>	55.0 <i>2.165</i>	178 <i>7.008</i>	8.74 <i>0.344</i>	14.68 <i>0.578</i>

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Dual Vee - Wheel Plate - Rail

Part Number	Track Size	Length (L) mm	Width (A) mm	Height (H) mm	Top Width (Q) mm	End Hole Distance (D) mm	Distance between two holes (C) mm	Hole Diameter (E) mm	Top Hole Diameter (F) mm
		<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>
# WPTR-4x2000	4	2000 <i>78.740</i>	140.000 <i>5.512</i>	36.600 <i>1.441</i>	95.8 <i>3.772</i>	21.0 <i>0.827</i>	178 <i>7.008</i>	8.74 <i>0.344</i>	14.68 <i>0.578</i>
# WPTR-4x3000	4	3000 <i>118.110</i>	140.000 <i>5.512</i>	36.600 <i>1.441</i>	95.8 <i>3.772</i>	31.5 <i>1.240</i>	178 <i>7.008</i>	8.74 <i>0.344</i>	14.68 <i>0.578</i>

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.



DISTRIBUTED BY

Ask us to put your name and address here

<http://www.minibearings.com.au/product>

Ph +61 7 3245 7977

Fax +61 7 3245 1017

Catalogue requests to [catalogues@minibearings.com.au](mailto:catalogues@minibearings.com.au)

