




MBA

Flanges - Timing Pulley - Suit MXL and 40DP Series



Use with timing pulley stock to custom make your own pulleys

Flanges - Timing Pulley - Suit MXL and 40DP Series

Part Number	Inside Diameter (d) mm <i>inches</i>	Outside Diameter (D) mm <i>inches</i>	Suits Pulley Grooves No.	Material	Width (H) mm <i>inches</i>	Thickness (S) mm <i>inches</i>
# PFL-MX-010-AL	4.770 <i>0.188</i>	10.800 <i>0.425</i>	10	Aluminum alloy	1.14 <i>0.045</i>	0.64 <i>0.025</i>
# PFL-40-010-AL	4.775 <i>0.188</i>	10.795 <i>0.425</i>	10	Aluminum Alloy	1.143 <i>0.045</i>	0.635 <i>0.025</i>
# PFL-40-011-AL	5.436 <i>0.214</i>	11.430 <i>0.450</i>	11	Aluminum Alloy	1.143 <i>0.045</i>	0.635 <i>0.025</i>
# PFL-MX-011-AL	5.440 <i>0.214</i>	11.400 <i>0.449</i>	11	Aluminum alloy	1.14 <i>0.045</i>	0.64 <i>0.025</i>
# PFL-40-012-AL	5.537 <i>0.218</i>	12.192 <i>0.480</i>	12	Aluminum Alloy	1.143 <i>0.045</i>	0.635 <i>0.025</i>

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Flanges - Timing Pulley - Suit MXL and 40DP Series

Part Number	Inside Diameter (d) mm <i>inches</i>	Outside Diameter (D) mm <i>inches</i>	Suits Pulley Grooves No.	Material	Width (H) mm <i>inches</i>	Thickness (S) mm <i>inches</i>
# PFL-MX-012-AL	5.540 <i>0.218</i>	12.200 <i>0.480</i>	12	Aluminum alloy	1.14 <i>0.045</i>	0.64 <i>0.025</i>
# PFL-40-013-AL	6.198 <i>0.244</i>	12.827 <i>0.505</i>	13	Aluminum Alloy	1.143 <i>0.045</i>	0.635 <i>0.025</i>
# PFL-MX-013-AL	6.200 <i>0.244</i>	12.800 <i>0.504</i>	13	Aluminum alloy	1.14 <i>0.045</i>	0.64 <i>0.025</i>
# PFL-40-014-AL	6.858 <i>0.270</i>	13.462 <i>0.530</i>	14	Aluminum Alloy	1.143 <i>0.045</i>	0.635 <i>0.025</i>
# PFL-MX-014-AL	6.860 <i>0.270</i>	13.500 <i>0.531</i>	14	Aluminum alloy	1.14 <i>0.045</i>	0.64 <i>0.025</i>
# PFL-40-015-AL	7.518 <i>0.296</i>	14.097 <i>0.555</i>	15	Aluminum Alloy	1.143 <i>0.045</i>	0.635 <i>0.025</i>
# PFL-MX-015-AL	7.520 <i>0.296</i>	14.100 <i>0.555</i>	15	Aluminum alloy	1.14 <i>0.045</i>	0.64 <i>0.025</i>
# PFL-40-016-AL	8.179 <i>0.322</i>	14.732 <i>0.580</i>	16	Aluminum Alloy	1.143 <i>0.045</i>	0.635 <i>0.025</i>
# PFL-MX-016-AL	8.180 <i>0.322</i>	14.700 <i>0.579</i>	16	Aluminum alloy	1.14 <i>0.045</i>	0.64 <i>0.025</i>
# PFL-MX-018-AL	9.500 <i>0.374</i>	16.100 <i>0.634</i>	18	Aluminum alloy	1.32 <i>0.052</i>	0.81 <i>0.032</i>

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Flanges - Timing Pulley - Suit MXL and 40DP Series

Part Number	Inside Diameter (d) mm <i>inches</i>	Outside Diameter (D) mm <i>inches</i>	Suits Pulley Grooves No.	Material	Width (H) mm <i>inches</i>	Thickness (S) mm <i>inches</i>
# PFL-40-018-AL	9.500 <i>0.374</i>	16.129 <i>0.635</i>	18	Aluminum Alloy	1.321 <i>0.052</i>	0.813 <i>0.032</i>
# PFL-40-020-AL	10.820 <i>0.426</i>	17.399 <i>0.685</i>	20	Aluminum Alloy	1.321 <i>0.052</i>	0.813 <i>0.032</i>
# PFL-MX-020-AL	10.820 <i>0.426</i>	17.400 <i>0.685</i>	20	Aluminum alloy	1.32 <i>0.052</i>	0.81 <i>0.032</i>
# PFL-MX-021-AL	11.480 <i>0.452</i>	18.000 <i>0.709</i>	21	Aluminum alloy	1.32 <i>0.052</i>	0.81 <i>0.032</i>
# PFL-MX-022-AL	11.480 <i>0.452</i>	18.800 <i>0.740</i>	22	Aluminum alloy	1.32 <i>0.052</i>	0.81 <i>0.032</i>
# PFL-40-021-AL	11.481 <i>0.452</i>	18.034 <i>0.710</i>	21	Aluminum Alloy	1.321 <i>0.052</i>	0.813 <i>0.032</i>
# PFL-40-022-AL	11.481 <i>0.452</i>	18.796 <i>0.740</i>	22	Aluminum Alloy	1.321 <i>0.052</i>	0.813 <i>0.032</i>
# PFL-MX-024-AL	12.800 <i>0.504</i>	20.100 <i>0.791</i>	24	Aluminum alloy	1.32 <i>0.052</i>	0.81 <i>0.032</i>
# PFL-40-024-AL	12.802 <i>0.504</i>	20.066 <i>0.790</i>	24	Aluminum Alloy	1.321 <i>0.052</i>	0.813 <i>0.032</i>
# PFL-MX-025-AL	13.460 <i>0.530</i>	20.700 <i>0.815</i>	25	Aluminum alloy	1.32 <i>0.052</i>	0.81 <i>0.032</i>

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Flanges - Timing Pulley - Suit MXL and 40DP Series

Part Number	Inside Diameter (d) mm <i>inches</i>	Outside Diameter (D) mm <i>inches</i>	Suits Pulley Grooves No.	Material	Width (H) mm <i>inches</i>	Thickness (S) mm <i>inches</i>
# PFL-40-025-AL	13.462 <i>0.530</i>	20.701 <i>0.815</i>	25	Aluminum Alloy	1.321 <i>0.052</i>	0.813 <i>0.032</i>
# PFL-MX-026-AL	14.120 <i>0.556</i>	21.300 <i>0.839</i>	26	Aluminum alloy	1.32 <i>0.052</i>	0.81 <i>0.032</i>
# PFL-40-026-AL	14.122 <i>0.556</i>	21.336 <i>0.840</i>	26	Aluminum Alloy	1.321 <i>0.052</i>	0.813 <i>0.032</i>
# PFL-MX-028-AL	14.580 <i>0.574</i>	22.700 <i>0.894</i>	28	Aluminum alloy	1.32 <i>0.052</i>	0.81 <i>0.032</i>
# PFL-40-028-AL	14.580 <i>0.574</i>	22.733 <i>0.895</i>	28	Aluminum Alloy	1.321 <i>0.052</i>	0.813 <i>0.032</i>
# PFL-MX-030-AL	15.900 <i>0.626</i>	24.000 <i>0.945</i>	30	Aluminum alloy	1.32 <i>0.052</i>	0.81 <i>0.032</i>
# PFL-40-030-AL	15.900 <i>0.626</i>	24.003 <i>0.945</i>	30	Aluminum Alloy	1.321 <i>0.052</i>	0.813 <i>0.032</i>
# PFL-MX-032-AL	17.220 <i>0.678</i>	25.400 <i>1.000</i>	32	Aluminum alloy	1.32 <i>0.052</i>	0.81 <i>0.032</i>
# PFL-40-032-AL	17.221 <i>0.678</i>	25.400 <i>1.000</i>	32	Aluminum Alloy	1.321 <i>0.052</i>	0.813 <i>0.032</i>
# PFL-MX-033-AL	17.880 <i>0.704</i>	26.000 <i>1.024</i>	33	Aluminum alloy	1.32 <i>0.052</i>	0.81 <i>0.032</i>

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Flanges - Timing Pulley - Suit MXL and 40DP Series

Part Number	Inside Diameter (d) mm <i>inches</i>	Outside Diameter (D) mm <i>inches</i>	Suits Pulley Grooves No.	Material	Width (H) mm <i>inches</i>	Thickness (S) mm <i>inches</i>
# PFL-40-033-AL	17.882 <i>0.704</i>	26.035 <i>1.025</i>	33	Aluminum Alloy	1.321 <i>0.052</i>	0.813 <i>0.032</i>
# PFL-40-034-AL	18.339 <i>0.722</i>	26.670 <i>1.050</i>	34	Aluminum Alloy	1.321 <i>0.052</i>	0.813 <i>0.032</i>
# PFL-MX-034-AL	18.340 <i>0.722</i>	26.700 <i>1.051</i>	34	Aluminum alloy	1.32 <i>0.052</i>	0.81 <i>0.032</i>
# PFL-40-035-AL	18.999 <i>0.748</i>	27.432 <i>1.080</i>	35	Aluminum Alloy	1.321 <i>0.052</i>	0.813 <i>0.032</i>
# PFL-MX-035-AL	19.000 <i>0.748</i>	27.400 <i>1.079</i>	35	Aluminum alloy	1.32 <i>0.052</i>	0.81 <i>0.032</i>
# PFL-40-036-AL	19.660 <i>0.774</i>	28.067 <i>1.105</i>	36	Aluminum Alloy	1.321 <i>0.052</i>	0.813 <i>0.032</i>
# PFL-MX-036-AL	19.660 <i>0.774</i>	28.100 <i>1.106</i>	36	Aluminum alloy	1.32 <i>0.052</i>	0.81 <i>0.032</i>
# PFL-MX-038-AL	20.980 <i>0.826</i>	29.300 <i>1.154</i>	38	Aluminum alloy	1.32 <i>0.052</i>	0.81 <i>0.032</i>
# PFL-40-038-AL	20.980 <i>0.826</i>	29.337 <i>1.155</i>	38	Aluminum Alloy	1.321 <i>0.052</i>	0.813 <i>0.032</i>
# PFL-MX-040-AL	22.200 <i>0.874</i>	30.700 <i>1.209</i>	40	Aluminum alloy	1.52 <i>0.060</i>	1.02 <i>0.040</i>

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Flanges - Timing Pulley - Suit MXL and 40DP Series

Part Number	Inside Diameter (d) mm <i>inches</i>	Outside Diameter (D) mm <i>inches</i>	Suits Pulley Grooves No.	Material	Width (H) mm <i>inches</i>	Thickness (S) mm <i>inches</i>
# PFL-40-040-AL	22.200 <i>0.874</i>	30.734 <i>1.210</i>	40	Aluminum Alloy	1.524 <i>0.060</i>	1.016 <i>0.040</i>
# PFL-MX-042-AL	23.520 <i>0.926</i>	32.000 <i>1.260</i>	42	Aluminum alloy	1.52 <i>0.060</i>	1.02 <i>0.040</i>
# PFL-40-042-AL	23.520 <i>0.926</i>	32.004 <i>1.260</i>	42	Aluminum Alloy	1.524 <i>0.060</i>	1.016 <i>0.040</i>
# PFL-MX-044-AL	24.840 <i>0.978</i>	33.400 <i>1.315</i>	44	Aluminum alloy	1.52 <i>0.060</i>	1.02 <i>0.040</i>
# PFL-40-044-AL	24.841 <i>0.978</i>	33.401 <i>1.315</i>	44	Aluminum Alloy	1.524 <i>0.060</i>	1.016 <i>0.040</i>
# PFL-40-045-AL	26.518 <i>1.044</i>	34.036 <i>1.340</i>	45	Aluminum Alloy	1.524 <i>0.060</i>	1.016 <i>0.040</i>
# PFL-MX-045-AL	26.520 <i>1.044</i>	34.000 <i>1.339</i>	45	Aluminum alloy	1.52 <i>0.060</i>	1.02 <i>0.040</i>
# PFL-MX-048-AL	26.870 <i>1.058</i>	36.100 <i>1.421</i>	48	Aluminum alloy	1.52 <i>0.060</i>	1.02 <i>0.040</i>
# PFL-40-048-AL	26.873 <i>1.058</i>	36.068 <i>1.420</i>	48	Aluminum Alloy	1.524 <i>0.060</i>	1.016 <i>0.040</i>
# PFL-MX-050-AL	28.190 <i>1.110</i>	37.300 <i>1.469</i>	50	Aluminum alloy	1.52 <i>0.060</i>	1.02 <i>0.040</i>

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Flanges - Timing Pulley - Suit MXL and 40DP Series

Part Number	Inside Diameter (d) mm <i>inches</i>	Outside Diameter (D) mm <i>inches</i>	Suits Pulley Grooves No.	Material	Width (H) mm <i>inches</i>	Thickness (S) mm <i>inches</i>
# PFL-40-050-AL	28.194 <i>1.110</i>	37.338 <i>1.470</i>	50	Aluminum Alloy	1.524 <i>0.060</i>	1.016 <i>0.040</i>
# PFL-MX-054-AL	30.480 <i>1.200</i>	40.000 <i>1.575</i>	54	Aluminum alloy	1.52 <i>0.060</i>	1.02 <i>0.040</i>
# PFL-40-054-AL	30.480 <i>1.200</i>	40.005 <i>1.575</i>	54	Aluminum Alloy	1.524 <i>0.060</i>	1.016 <i>0.040</i>
# PFL-MX-060-AL	34.440 <i>1.356</i>	43.900 <i>1.728</i>	60	Aluminum alloy	1.52 <i>0.060</i>	1.02 <i>0.040</i>
# PFL-40-060-AL	34.442 <i>1.356</i>	43.942 <i>1.730</i>	60	Aluminum Alloy	1.524 <i>0.060</i>	1.016 <i>0.040</i>


Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

MBA

MINIATURE BEARINGS AUSTRALIA PTY LTD



ABN 94 069 113 800



DISTRIBUTED BY

Ask us to put your name and address here

<http://www.minibearings.com.au/product>

Ph +61 7 3245 7977

Fax +61 7 3245 1017

Catalogue requests to catalogues@minibearings.com.au

SDPSI
Stock Drive Products / Spring Instrument

JK

ANOTHER QUALITY PRODUCT BY
MOLYTEC
Australia

Origin
BEARING

WIB

THOMSON

EZO



 **myonic**
solutions in microspace

rino



inox
Quality Products

GRW

DualVee^x
Bishop-Wisecarver Corp.

ondrives
Precision Manufacturing

RMB

SOLARBOTICS^{INTL}

KSK
BALL BEARING