




MBA

Flanges - Timing Pulley - Suit XL Series



Use with timing pulley stock to custom make your own pulleys

Flanges - Timing Pulley - Suit XL Series

| Part Number | Inside Diameter (d) mm <i>inches</i> | Outside Diameter (D) mm <i>inches</i> | Suits Pulley Grooves No. | Material | Width (H) mm <i>inches</i> | Thickness (S) mm <i>inches</i> |
|-----------------|---|--|--------------------------|----------------|-------------------------------|-----------------------------------|
| # PFL-XL-010-CS | 12.780 <i>0.503</i> | 22.200 <i>0.874</i> | 10 | Carbon steel | 1.65 <i>0.065</i> | 1.02 <i>0.040</i> |
| # PFL-XL-010-AL | 12.780 <i>0.503</i> | 22.200 <i>0.874</i> | 10 | Aluminum alloy | 1.65 <i>0.065</i> | 1.02 <i>0.040</i> |
| # PFL-XL-011-AL | 14.270 <i>0.562</i> | 23.800 <i>0.937</i> | 11 | Aluminum alloy | 1.65 <i>0.065</i> | 1.02 <i>0.040</i> |
| # PFL-XL-011-CS | 14.270 <i>0.562</i> | 23.800 <i>0.937</i> | 11 | Carbon steel | 1.65 <i>0.065</i> | 1.02 <i>0.040</i> |
| # PFL-XL-012-AL | 14.270 <i>0.562</i> | 25.400 <i>1.000</i> | 12 | Aluminum alloy | 1.65 <i>0.065</i> | 1.02 <i>0.040</i> |

Indicates item not stocked at time of printing - Please enquire for lead time
 E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd
 MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Flanges - Timing Pulley - Suit XL Series

| Part Number | Inside Diameter (d) mm <i>inches</i> | Outside Diameter (D) mm <i>inches</i> | Suits Pulley Grooves No. | Material | Width (H) mm <i>inches</i> | Thickness (S) mm <i>inches</i> |
|------------------|---|---|-----------------------------|----------------|-------------------------------|-----------------------------------|
| # PFL-XL-012-CS | 14.270 <i>0.562</i> | 25.400 <i>1.000</i> | 12 | Carbon steel | 1.65 <i>0.065</i> | 1.02 <i>0.040</i> |
| # PFL-XL-013-AL | 15.880 <i>0.625</i> | 27.000 <i>1.063</i> | 13 | Aluminum alloy | 1.65 <i>0.065</i> | 1.02 <i>0.040</i> |
| # PFL-XL-013-CS | 15.880 <i>0.625</i> | 27.000 <i>1.063</i> | 13 | Carbon steel | 1.65 <i>0.065</i> | 1.02 <i>0.040</i> |
| # PFL-XL-014-CS | 17.370 <i>0.684</i> | 27.800 <i>1.094</i> | 14 | Carbon steel | 1.65 <i>0.065</i> | 1.02 <i>0.040</i> |
| # PFL-XL-014-AL | 17.370 <i>0.684</i> | 27.800 <i>1.094</i> | 14 | Aluminum alloy | 1.65 <i>0.065</i> | 1.02 <i>0.040</i> |
| # PFL-XL-015S-AL | 19.000 <i>0.748</i> | 30.200 <i>1.189</i> | 15 | Aluminum alloy | 1.65 <i>0.065</i> | 1.02 <i>0.040</i> |
| # PFL-XL-015S-CS | 19.000 <i>0.748</i> | 30.200 <i>1.189</i> | 15 | Carbon steel | 1.65 <i>0.065</i> | 1.02 <i>0.040</i> |
| # PFL-XL-016-CS | 20.580 <i>0.810</i> | 31.800 <i>1.252</i> | 16 | Carbon steel | 1.65 <i>0.065</i> | 1.02 <i>0.040</i> |
| # PFL-XL-016-AL | 20.580 <i>0.810</i> | 31.800 <i>1.252</i> | 16 | Aluminum alloy | 1.65 <i>0.065</i> | 1.02 <i>0.040</i> |
| # PFL-XL-015-AL | 20.670 <i>0.814</i> | 30.200 <i>1.189</i> | 15 | Aluminum alloy | 1.65 <i>0.065</i> | 1.02 <i>0.040</i> |

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Flanges - Timing Pulley - Suit XL Series

| Part Number | Inside Diameter (d) mm <i>inches</i> | Outside Diameter (D) mm <i>inches</i> | Suits Pulley Grooves No. | Material | Width (H) mm <i>inches</i> | Thickness (S) mm <i>inches</i> |
|-----------------|---|---|-----------------------------|----------------|-------------------------------|-----------------------------------|
| # PFL-XL-015-CS | 20.670 <i>0.814</i> | 30.200 <i>1.189</i> | 15 | Carbon steel | 1.65 <i>0.065</i> | 1.02 <i>0.040</i> |
| # PFL-XL-017-AL | 22.530 <i>0.887</i> | 33.300 <i>1.311</i> | 17 | Aluminum alloy | 1.65 <i>0.065</i> | 1.02 <i>0.040</i> |
| # PFL-XL-017-CS | 22.530 <i>0.887</i> | 33.300 <i>1.311</i> | 17 | Carbon steel | 1.65 <i>0.065</i> | 1.02 <i>0.040</i> |
| # PFL-XL-018-AL | 23.770 <i>0.936</i> | 34.900 <i>1.374</i> | 18 | Aluminum alloy | 1.65 <i>0.065</i> | 1.02 <i>0.040</i> |
| # PFL-XL-018-CS | 23.770 <i>0.936</i> | 34.900 <i>1.374</i> | 18 | Carbon steel | 1.65 <i>0.065</i> | 1.02 <i>0.040</i> |
| # PFL-XL-019-CS | 25.400 <i>1.000</i> | 36.500 <i>1.437</i> | 19 | Carbon steel | 1.65 <i>0.065</i> | 1.02 <i>0.040</i> |
| # PFL-XL-019-AL | 25.400 <i>1.000</i> | 36.500 <i>1.437</i> | 19 | Aluminum alloy | 1.65 <i>0.065</i> | 1.02 <i>0.040</i> |
| # PFL-XL-020-AL | 26.970 <i>1.062</i> | 38.100 <i>1.500</i> | 20 | Aluminum alloy | 1.65 <i>0.065</i> | 1.02 <i>0.040</i> |
| # PFL-XL-020-CS | 26.970 <i>1.062</i> | 38.100 <i>1.500</i> | 20 | Carbon steel | 1.65 <i>0.065</i> | 1.02 <i>0.040</i> |
| # PFL-XL-021-AL | 28.580 <i>1.125</i> | 39.700 <i>1.563</i> | 21 | Aluminum alloy | 1.65 <i>0.065</i> | 1.02 <i>0.040</i> |

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Flanges - Timing Pulley - Suit XL Series

| Part Number | Inside Diameter (d) mm | Outside Diameter (D) mm | Suits Pulley Grooves No. | Material | Width (H) mm | Thickness (S) mm |
|-----------------|------------------------|-------------------------|--------------------------|----------------|----------------------|----------------------|
| | <i>inches</i> | <i>inches</i> | | | <i>inches</i> | <i>inches</i> |
| # PFL-XL-021-CS | 28.580 <i>1.125</i> | 39.700 <i>1.563</i> | 21 | Carbon steel | 1.65 <i>0.065</i> | 1.02 <i>0.040</i> |
| # PFL-XL-022-AL | 29.460 <i>1.160</i> | 41.300 <i>1.626</i> | 22 | Aluminum alloy | 1.65 <i>0.065</i> | 1.02 <i>0.040</i> |
| # PFL-XL-022-CS | 29.460 <i>1.160</i> | 41.300 <i>1.626</i> | 22 | Carbon steel | 1.65 <i>0.065</i> | 1.02 <i>0.040</i> |
| # PFL-XL-023-AL | 31.040 <i>1.222</i> | 42.800 <i>1.685</i> | 23 | Aluminum alloy | 1.65 <i>0.065</i> | 1.02 <i>0.040</i> |
| # PFL-XL-023-CS | 31.040 <i>1.222</i> | 42.800 <i>1.685</i> | 23 | Carbon steel | 1.65 <i>0.065</i> | 1.02 <i>0.040</i> |
| # PFL-XL-024-AL | 31.040 <i>1.222</i> | 44.500 <i>1.752</i> | 24 | Aluminum alloy | 1.65 <i>0.065</i> | 1.02 <i>0.040</i> |
| # PFL-XL-024-CS | 31.040 <i>1.222</i> | 44.500 <i>1.752</i> | 24 | Carbon steel | 1.65 <i>0.065</i> | 1.02 <i>0.040</i> |
| # PFL-XL-025-CS | 31.750 <i>1.250</i> | 46.000 <i>1.811</i> | 25 | Carbon steel | 1.65 <i>0.065</i> | 1.02 <i>0.040</i> |
| # PFL-XL-025-AL | 31.750 <i>1.250</i> | 46.000 <i>1.811</i> | 25 | Aluminum alloy | 1.65 <i>0.065</i> | 1.02 <i>0.040</i> |
| # PFL-XL-026-AL | 34.210 <i>1.347</i> | 47.600 <i>1.874</i> | 26 | Aluminum alloy | 1.65 <i>0.065</i> | 1.02 <i>0.040</i> |

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Flanges - Timing Pulley - Suit XL Series

| Part Number | Inside Diameter (d) mm <i>inches</i> | Outside Diameter (D) mm <i>inches</i> | Suits Pulley Grooves No. | Material | Width (H) mm <i>inches</i> | Thickness (S) mm <i>inches</i> |
|-----------------|---|---|-----------------------------|----------------|-------------------------------|-----------------------------------|
| # PFL-XL-026-CS | 34.210 <i>1.347</i> | 47.600 <i>1.874</i> | 26 | Carbon steel | 1.65 <i>0.065</i> | 1.02 <i>0.040</i> |
| # PFL-XL-028-AL | 36.200 <i>1.425</i> | 50.800 <i>2.000</i> | 28 | Aluminum alloy | 1.65 <i>0.065</i> | 1.02 <i>0.040</i> |
| PFL-XL-028-CS | 36.200 <i>1.425</i> | 50.800 <i>2.000</i> | 28 | Carbon steel | 1.65 <i>0.065</i> | 1.02 <i>0.040</i> |
| # PFL-XL-030-AL | 39.370 <i>1.550</i> | 54.000 <i>2.126</i> | 30 | Aluminum alloy | 1.65 <i>0.065</i> | 1.02 <i>0.040</i> |
| # PFL-XL-030-CS | 39.370 <i>1.550</i> | 54.000 <i>2.126</i> | 30 | Carbon steel | 1.65 <i>0.065</i> | 1.02 <i>0.040</i> |
| # PFL-XL-032-CS | 42.550 <i>1.675</i> | 57.200 <i>2.252</i> | 32 | Carbon steel | 1.65 <i>0.065</i> | 1.02 <i>0.040</i> |
| # PFL-XL-032-AL | 42.550 <i>1.675</i> | 57.200 <i>2.252</i> | 32 | Aluminum alloy | 1.65 <i>0.065</i> | 1.02 <i>0.040</i> |

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.



DISTRIBUTED BY

Ask us to put your name and address here

<http://www.minibearings.com.au/product>

Ph +61 7 3245 7977

Fax +61 7 3245 1017

Catalogue requests to catalogues@minibearings.com.au

| | | | | | |
|--|--|--|--|--|--|
| | | | | | |
| | | | | | |
| | | | | | |