




MBA

Gearboxes - Cross Axis - 52 x 34 x 34



Helical or Wormwheel Gears. 6mm Bores. E20 Series.

Case: AA15 Red Anodised Aluminum (6082-T6).

Helical Gears and Worms: Hardened Alloy Steel 655M13 (14NiCr14) or 805M20 (21NiCrMo2) (8620).

Worm Wheel: Aluminium Bronze (CA104 / AB2).

Circlips: Steel (not plated).

Bearing: Steel 2RS (Rubber seals fitted).

Gearboxes - Cross Axis - 52 x 34 x 34

Part Number	Ratio	Gear Type	Nm Output at 1000 Rpm Nm	Input Face	Efficiency at 1000 Rpm %	Max. Input Speed RPM	Max. Output Speed RPM
# E20-2	2 : 1	Helical	1.00	A	86	4000	2000
# E20-3	3 : 1	Helical	1.00	A	85	4000	1333
# E20-4	4 : 1	Helical	1.00	A	84	4000	1000
# E20-5	5 : 1	Wormwheel	1.00	A	80	4000	800
# E20-8	8 : 1	Wormwheel	1.30	A	80	2000	250

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Gearboxes - Cross Axis - 52 x 34 x 34

Part Number	Ratio	Gear Type	Nm Output at 1000 Rpm Nm	Input Face	Efficiency at 1000 Rpm %	Max. Input Speed RPM	Max. Output Speed RPM
# E20-10	10 : 1	Wormwheel	1.47	A	73	2000	200
# E20-20	20 : 1	Wormwheel	1.63	A	67	2000	100
# E20-40	40 : 1	Wormwheel	1.80	A	60	2000	50
# E20-1	1 : 1	Helical	1.00	A	88	4000	4000

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.



DISTRIBUTED BY

Ask us to put your name and address here

<http://www.minibearings.com.au/product>

Ph +61 7 3245 7977

Fax +61 7 3245 1017

Catalogue requests to catalogues@minibearings.com.au
