




MBA

Gearboxes - Tee - 62.5 x 50.8 x 30.0mm



Bevel Gears - Plastic Housing. GDLBP Series.

Max Backlash 5 Degrees.

Gearboxes - Tee - 62.5 x 50.8 x 30.0mm

Part Number	Ratio	Shafts Diameter (d) mm <i>inches</i>	Shaft Positions	Max Output Torque at 1800 RPM N.m	Bearing (Input / Output)	Max Output Power at 1800rpm Watts (hp)	Bevel Gear Material
# GDLBP-2-4T-0.29	2 : 1	4.00 <i>0.157</i>	Top / Left and Right	0.290	Sintered/Sintered	22.4 (0.03)	Nylon
# GDLBP-2-4T-0.52	2 : 1	4.00 <i>0.157</i>	Top / Left and Right	0.520	Ball/Sintered	44.7 (0.06)	Steel
# GDLBP-2-4.8T-0.51	2 : 1	4.76 <i>0.187</i>	Top / Left and Right	0.508	Ball / Sintered	44.7 (0.06)	Steel
# GDLBP-2-4.8T-0.28	2 : 1	4.76 <i>0.187</i>	Top / Left and Right	0.282	Sintered / Sintered	22.4 (0.03)	Nylon

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Gearboxes - Tee - 62.5 x 50.8 x 30.0mm

Part Number	Ratio	Shafts Diameter (d) mm <i>inches</i>	Shaft Positions	Max Output Torque at 1800 RPM N.m	Bearing (Input / Output)	Max Output Power at 1800rpm Watts (hp)	Bevel Gear Material
# GDLBP-2-6T-0.52	2 : 1	6.00 <i>0.236</i>	Top / Left and Right	0.520	Ball/Sintered	44.7 (0.06)	Steel
# GDLBP-2-6.3T-0.51	2 : 1	6.35 <i>0.250</i>	Top / Left and Right	0.508	Ball / Sintered	44.7 (0.06)	Steel
# GDLBP-3-4T-0.46	3 : 1	4.00 <i>0.157</i>	Top / Left and Right	0.460	Ball/Sintered	22.4 (0.03)	Steel
# GDLBP-3-4.8T-0.45	3 : 1	4.76 <i>0.187</i>	Top / Left and Right	0.452	Ball / Sintered	22.4 (0.03)	Steel
# GDLBP-3-6T-0.46	3 : 1	6.00 <i>0.236</i>	Top / Left and Right	0.460	Ball/Sintered	22.4 (0.03)	Steel
# GDLBP-3-6.3T-0.45	3 : 1	6.35 <i>0.250</i>	Top / Left and Right	0.452	Ball / Sintered	22.4 (0.03)	Steel
# GDLBP-1-4T-0.35	1 : 1	4.00 <i>0.157</i>	Top / Left and Right	0.350	Ball/Sintered	60.0 (0.08)	Steel
# GDLBP-1-4T-0.12	1 : 1	4.00 <i>0.157</i>	Top / Left and Right	0.120	Sintered/Sintered	22.4 (0.03)	Nylon
# GDLBP-1-4.8T-0.11	1 : 1	4.76 <i>0.187</i>	Top / Left and Right	0.113	Sintered / Sintered	22.4 (0.03)	Nylon
# GDLBP-1-4.8T-0.34	1 : 1	4.76 <i>0.187</i>	Top / Left and Right	0.339	Ball / Sintered	60.0 (0.08)	Steel

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Gearboxes - Tee - 62.5 x 50.8 x 30.0mm

Part Number	Ratio	Shafts Diameter (d) mm <i>inches</i>	Shaft Positions	Max Output Torque at 1800 RPM N.m	Bearing (Input / Output)	Max Output Power at 1800rpm Watts (hp)	Bevel Gear Material
# GDLBP-1-6T-0.35	1 : 1	6.00 <i>0.236</i>	Top / Left and Right	0.350	Ball/Sintered	60.0 (0.08)	Steel
# GDLBP-1-6.3T-0.34	1 : 1	6.35 <i>0.250</i>	Top / Left and Right	0.339	Ball / Sintered	60.0 (0.08)	Steel

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.



DISTRIBUTED BY

Ask us to put your name and address here

<http://www.minibearings.com.au/product>

Ph +61 7 3245 7977

Fax +61 7 3245 1017

Catalogue requests to catalogues@minibearings.com.au
