



## Gearheads - Bu-Ord Size 18 - Heavy Duty

Part Number	Ratio	Input Motor Pinion Size	Output Torque g.cm	Output Shaft Rotation	Output Shaft Configuration	Shaft Diameter mm <i>inches</i>	Shaft Length mm <i>inches</i>	Max. Starting Torque g.cm	Backlash minutes
# GH18H-028.17-15	28.17 : 1	15 Teeth - 96 Pitch	See Chart at top of page	Opposite To Input	Inline	6.35 <i>0.250</i>	12.700 <i>0.500</i>	1.44 (0.02 oz.in)	30
# GH18H-031.30-15	31.3 : 1	15 Teeth - 96 Pitch	See Chart at top of page	Opposite To Input	Inline	6.35 <i>0.250</i>	12.700 <i>0.500</i>	1.44 (0.02 oz.in)	30
# GH18H-036.86-15	36.86 : 1	15 Teeth - 96 Pitch	See Chart at top of page	Opposite To Input	Inline	6.35 <i>0.250</i>	12.700 <i>0.500</i>	1.44 (0.02 oz.in)	30
# GH18H-041.31-15	41.31 : 1	15 Teeth - 96 Pitch	See Chart at top of page	Opposite To Input	Inline	6.35 <i>0.250</i>	12.700 <i>0.500</i>	1.44 (0.02 oz.in)	30
# GH18H-046.54-15	46.54 : 1	15 Teeth - 96 Pitch	See Chart at top of page	Opposite To Input	Inline	6.35 <i>0.250</i>	12.700 <i>0.500</i>	1.44 (0.02 oz.in)	30
# GH18H-052.76-15	52.76 : 1	15 Teeth - 96 Pitch	See Chart at top of page	Opposite To Input	Inline	6.35 <i>0.250</i>	12.700 <i>0.500</i>	1.44 (0.02 oz.in)	30
# GH18H-060.29-15	60.29 : 1	15 Teeth - 96 Pitch	See Chart at top of page	Opposite To Input	Inline	6.35 <i>0.250</i>	12.700 <i>0.500</i>	1.44 (0.02 oz.in)	30
# GH18H-070.06-15	70.06 : 1	15 Teeth - 96 Pitch	See Chart at top of page	Same As Input	Inline	6.35 <i>0.250</i>	12.700 <i>0.500</i>	1.44 (0.02 oz.in)	30

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Gearheads - Bu-Ord Size 18 - Heavy Duty

Part Number	Ratio	Input Motor Pinion Size	Output Torque g.cm	Output Shaft Rotation	Output Shaft Configuration	Shaft Diameter mm <i>inches</i>	Shaft Length mm <i>inches</i>	Max. Starting Torque g.cm	Backlash minutes
# GH18H-077.51-15	77.51 : 1	15 Teeth - 96 Pitch	See Chart at top of page	Same As Input	Inline	6.35 <i>0.250</i>	12.700 <i>0.500</i>	1.44 (0.02 oz.in)	30
# GH18H-090.42-15	90.42 : 1	15 Teeth - 96 Pitch	See Chart at top of page	Same As Input	Inline	6.35 <i>0.250</i>	12.700 <i>0.500</i>	1.44 (0.02 oz.in)	30
# GH18H-100.47-15	100.47 : 1	15 Teeth - 96 Pitch	See Chart at top of page	Same As Input	Inline	6.35 <i>0.250</i>	12.700 <i>0.500</i>	1.44 (0.02 oz.in)	30
# GH18H-118.34-15	118.34 : 1	15 Teeth - 96 Pitch	See Chart at top of page	Same As Input	Inline	6.35 <i>0.250</i>	12.700 <i>0.500</i>	1.44 (0.02 oz.in)	30
# GH18H-132.63-15	132.63 : 1	15 Teeth - 96 Pitch	See Chart at top of page	Same As Input	Inline	6.35 <i>0.250</i>	12.700 <i>0.500</i>	1.44 (0.02 oz.in)	30
# GH18H-149.41-15	149.41 : 1	15 Teeth - 96 Pitch	See Chart at top of page	Same As Input	Inline	6.35 <i>0.250</i>	12.700 <i>0.500</i>	1.44 (0.02 oz.in)	30
# GH18H-181.72-15	181.72 : 1	15 Teeth - 96 Pitch	See Chart at top of page	Same As Input	Inline	6.35 <i>0.250</i>	12.700 <i>0.500</i>	1.44 (0.02 oz.in)	30
# GH18H-207.65-15	207.65 : 1	15 Teeth - 96 Pitch	See Chart at top of page	Same As Input	Inline	6.35 <i>0.250</i>	12.700 <i>0.500</i>	1.44 (0.02 oz.in)	30

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Gearheads - Bu-Ord Size 18 - Heavy Duty

Part Number	Ratio	Input Motor Pinion Size	Output Torque g.cm	Output Shaft Rotation	Output Shaft Configuration	Shaft Diameter mm <i>inches</i>	Shaft Length mm <i>inches</i>	Max. Starting Torque g.cm	Backlash minutes
# GH18H-222.78-15	222.78 : 1	15 Teeth - 96 Pitch	See Chart at top of page	Same As Input	Inline	6.35 <i>0.250</i>	12.700 <i>0.500</i>	1.44 (0.02 oz.in)	30
# GH18H-258.91-15	258.91 : 1	15 Teeth - 96 Pitch	See Chart at top of page	Opposite To Input	Inline	6.35 <i>0.250</i>	12.700 <i>0.500</i>	1.44 (0.02 oz.in)	30
# GH18H-290.33-15	290.33 : 1	15 Teeth - 96 Pitch	See Chart at top of page	Opposite To Input	Inline	6.35 <i>0.250</i>	12.700 <i>0.500</i>	1.44 (0.02 oz.in)	30
# GH18H-334.17-15	334.17 : 1	15 Teeth - 96 Pitch	See Chart at top of page	Opposite To Input	Inline	6.35 <i>0.250</i>	12.700 <i>0.500</i>	1.44 (0.02 oz.in)	30
# GH18H-379.93-15	379.93 : 1	15 Teeth - 96 Pitch	See Chart at top of page	Opposite To Input	Inline	6.35 <i>0.250</i>	12.700 <i>0.500</i>	1.44 (0.02 oz.in)	30
# GH18H-437.32-15	437.32 : 1	15 Teeth - 96 Pitch	See Chart at top of page	Opposite To Input	Inline	6.35 <i>0.250</i>	12.700 <i>0.500</i>	1.44 (0.02 oz.in)	30
# GH18H-514.62-15	514.62 : 1	15 Teeth - 96 Pitch	See Chart at top of page	Opposite To Input	Inline	6.35 <i>0.250</i>	12.700 <i>0.500</i>	1.44 (0.02 oz.in)	30
# GH18H-583.41-15	583.41 : 1	15 Teeth - 96 Pitch	See Chart at top of page	Opposite To Input	Inline	6.35 <i>0.250</i>	12.700 <i>0.500</i>	1.44 (0.02 oz.in)	30

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Gearheads - Bu-Ord Size 18 - Heavy Duty

Part Number	Ratio	Input Motor Pinion Size	Output Torque g.cm	Output Shaft Rotation	Output Shaft Configuration	Shaft Diameter mm <i>inches</i>	Shaft Length mm <i>inches</i>	Max. Starting Torque g.cm	Backlash minutes
# GH18H-666.68-15	666.68 : 1	15 Teeth - 96 Pitch	See Chart at top of page	Opposite To Input	Inline	6.35 <i>0.250</i>	12.700 <i>0.500</i>	1.44 (0.02 oz.in)	30
# GH18H-767.36-15	767.36 : 1	15 Teeth - 96 Pitch	See Chart at top of page	Opposite To Input	Inline	6.35 <i>0.250</i>	12.700 <i>0.500</i>	1.44 (0.02 oz.in)	30
# GH18H-857.16-15	857.16 : 1	15 Teeth - 96 Pitch	See Chart at top of page	Same As Input	Inline	6.35 <i>0.250</i>	12.700 <i>0.500</i>	1.44 (0.02 oz.in)	30
# GH18H-986.61-15	986.61 : 1	15 Teeth - 96 Pitch	See Chart at top of page	Same As Input	Inline	6.35 <i>0.250</i>	12.700 <i>0.500</i>	1.44 (0.02 oz.in)	30
# GH18H-1111.13-15	1111.13 : 1	15 Teeth - 96 Pitch	See Chart at top of page	Same As Input	Inline	6.35 <i>0.250</i>	12.700 <i>0.500</i>	1.44 (0.02 oz.in)	30
# GH18H-1278.94-15	1278.94 : 1	15 Teeth - 96 Pitch	See Chart at top of page	Same As Input	Inline	6.35 <i>0.250</i>	12.700 <i>0.500</i>	1.44 (0.02 oz.in)	30
# GH18H-1404.01-15	1404.01 : 1	15 Teeth - 96 Pitch	See Chart at top of page	Same As Input	Inline	6.35 <i>0.250</i>	12.700 <i>0.500</i>	1.44 (0.02 oz.in)	30
# GH18H-1688.20-15	1688.2 : 1	15 Teeth - 96 Pitch	See Chart at top of page	Same As Input	Inline	6.35 <i>0.250</i>	12.700 <i>0.500</i>	1.44 (0.02 oz.in)	30

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Gearheads - Bu-Ord Size 18 - Heavy Duty

Part Number	Ratio	Input Motor Pinion Size	Output Torque g.cm	Output Shaft Rotation	Output Shaft Configuration	Shaft Diameter mm <i>inches</i>	Shaft Length mm <i>inches</i>	Max. Starting Torque g.cm	Backlash minutes
# GH18H-1907.73-15	1907.73 : 1	15 Teeth - 96 Pitch	See Chart at top of page	Same As Input	Inline	6.35 <i>0.250</i>	12.700 <i>0.500</i>	1.44 (0.02 oz.in)	30
# GH18H-2155.93-15	2155.93 : 1	15 Teeth - 96 Pitch	See Chart at top of page	Same As Input	Inline	6.35 <i>0.250</i>	12.700 <i>0.500</i>	1.44 (0.02 oz.in)	30
# GH18H-2463.64-15	2463.64 : 1	15 Teeth - 96 Pitch	See Chart at top of page	Same As Input	Inline	6.35 <i>0.250</i>	12.700 <i>0.500</i>	1.44 (0.02 oz.in)	30
# GH18H-2643.14-15	2643.14 : 1	15 Teeth - 96 Pitch	See Chart at top of page	Same As Input	Inline	6.35 <i>0.250</i>	12.700 <i>0.500</i>	1.44 (0.02 oz.in)	30
# GH18H-3167.54-15	3167.54 : 1	15 Teeth - 96 Pitch	See Chart at top of page	Opposite To Input	Inline	6.35 <i>0.250</i>	12.700 <i>0.500</i>	1.44 (0.02 oz.in)	30
# GH18H-3695.47-15	3695.47 : 1	15 Teeth - 96 Pitch	See Chart at top of page	Opposite To Input	Inline	6.35 <i>0.250</i>	12.700 <i>0.500</i>	1.44 (0.02 oz.in)	30
# GH18H-4106.07-15	4106.07 : 1	15 Teeth - 96 Pitch	See Chart at top of page	Opposite To Input	Inline	6.35 <i>0.250</i>	12.700 <i>0.500</i>	1.44 (0.02 oz.in)	30
# GH18H-4708.85-15	4708.85 : 1	15 Teeth - 96 Pitch	See Chart at top of page	Opposite To Input	Inline	6.35 <i>0.250</i>	12.700 <i>0.500</i>	1.44 (0.02 oz.in)	30

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Gearheads - Bu-Ord Size 18 - Heavy Duty

Part Number	Ratio	Input Motor Pinion Size	Output Torque g.cm	Output Shaft Rotation	Output Shaft Configuration	Shaft Diameter mm <i>inches</i>	Shaft Length mm <i>inches</i>	Max. Starting Torque g.cm	Backlash minutes
# GH18H-5420.02-15	5420.02 : 1	15 Teeth - 96 Pitch	See Chart at top of page	Opposite To Input	Inline	6.35 <i>0.250</i>	12.700 <i>0.500</i>	1.44 (0.02 oz.in)	30
# GH18H-6105.55-15	6105.55 : 1	15 Teeth - 96 Pitch	See Chart at top of page	Opposite To Input	Inline	6.35 <i>0.250</i>	12.700 <i>0.500</i>	1.44 (0.02 oz.in)	30
# GH18H-6921.67-15	6921.67 : 1	15 Teeth - 96 Pitch	See Chart at top of page	Opposite To Input	Inline	6.35 <i>0.250</i>	12.700 <i>0.500</i>	1.44 (0.02 oz.in)	30
# GH18H-7909.59-15	7909.59 : 1	15 Teeth - 96 Pitch	See Chart at top of page	Opposite To Input	Inline	6.35 <i>0.250</i>	12.700 <i>0.500</i>	1.44 (0.02 oz.in)	30
# GH18H-9104.16-15	9104.16 : 1	15 Teeth - 96 Pitch	See Chart at top of page	Opposite To Input	Inline	6.35 <i>0.250</i>	12.700 <i>0.500</i>	1.44 (0.02 oz.in)	30

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.



DISTRIBUTED BY

Ask us to put your name and address here

<http://www.minibearings.com.au/product>

Ph +61 7 3245 7977

Fax +61 7 3245 1017

Catalogue requests to [catalogues@minibearings.com.au](mailto:catalogues@minibearings.com.au)

