




MBA

Gearheads - Inline - Planetary - Size 34 - Precision



Use with NEMA Size 34 Motors.

Stainless Steel housing - Heat Treated Steel Gears - Sealed ball bearings - Aluminium mounting flange.

Shaft loading 388kg (875 lbs) radial and 376kg (849 lbs) axial / Maximum input speed 6500 rpm.

Min. Efficiency ---- Single Stage : 90%, Double Stage : 85%.

Max Backlash ---- Single Stage : 6 arc min, Double Stage : 10 arc min.

Operating Temperature : -54 to 121 Deg C (-65 to 250 Deg F).

This catalogue to be read in conjunction with information at http://www.minibearings.com.au/ogue/tech/gearheads/Nema_Sizes.pdf

http://www.minibearings.com.au/ogue/tech/gearheads/Gear_Types.pdf

Gearheads - Inline - Planetary - Size 34 - Precision

Part Number	Ratio	Motor Shaft Diameter mm	Config. / Output Shaft	Bolt Circle (A) mm	Motor Shaft Length mm	Max Rated Cont. Torque N.m	Unit Width / Pilot Dia. (A/E) mm	Length (L) mm
		<i>inches</i>		<i>inches</i>	<i>inches</i>		<i>inches</i>	<i>inches</i>
# GHIP34-003-19.05x098P	3 : 1	19.050	Single Stage / 19.05	98.42	Max 31.75	145	82.55 / 73.15	114.3
		<i>0.750</i>		<i>3.875</i>				<i>4.500</i>
# GHIP34-004-19.05x098P	4 : 1	19.050	Single Stage / 19.05	98.42	Max 31.75	138	82.55 / 73.15	114.3
		<i>0.750</i>		<i>3.875</i>				<i>4.500</i>

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Gearheads - Inline - Planetary - Size 34 - Precision

Part Number	Ratio	Motor Shaft Diameter mm	Config. / Output Shaft	Bolt Circle (A) mm	Motor Shaft Length mm	Max Rated Cont. Torque N.m	Unit Width / Pilot Dia. (A/E) mm	Length (L) mm
		<i>inches</i>		<i>inches</i>	<i>inches</i>		<i>inches</i>	<i>inches</i>
# GHIP34-005-19.55x098P	5.5 : 1	19.050	Single Stage / 19.05	98.42	Max 31.75	126	82.55 / 73.15	114.3
		<i>0.750</i>		<i>3.875</i>				<i>4.500</i>
# GHIP34-007-19.05x098P	7 : 1	19.050	Single Stage / 19.05	98.42	Max 31.75	106	82.55 / 73.15	114.3
		<i>0.750</i>		<i>3.875</i>				<i>4.500</i>
# GHIP34-010-19.05x098P	10 : 1	19.050	Single Stage / 19.05	98.42	Max 31.75	62	82.55 / 73.15	114.3
		<i>0.750</i>		<i>3.875</i>				<i>4.500</i>
# GHIP34-016-19.05x098P	16 : 1	19.050	Double Stage / 19.05	98.42	Max 31.75	149	82.55 / 73.15	137.2
		<i>0.750</i>		<i>3.875</i>				<i>5.402</i>
# GHIP34-022-19.05x098P	22 : 1	19.050	Double Stage / 19.05	98.42	Max 31.75	151	82.55 / 73.15	137.2
		<i>0.750</i>		<i>3.875</i>				<i>5.402</i>
# GHIP34-028-19.05x098P	28 : 1	19.050	Double Stage / 19.05	98.42	Max 31.75	152	82.55 / 73.15	137.2
		<i>0.750</i>		<i>3.875</i>				<i>5.402</i>
# GHIP34-040-19.05x098P	40 : 1	19.050	Double Stage / 19.05	98.42	Max 31.75	154	82.55 / 73.15	137.2
		<i>0.750</i>		<i>3.875</i>				<i>5.402</i>
# GHIP34-049-19.05x098P	49 : 1	19.050	Double Stage / 19.05	98.42	Max 31.75	115	82.55 / 73.15	137.2
		<i>0.750</i>		<i>3.875</i>				<i>5.402</i>

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Gearheads - Inline - Planetary - Size 34 - Precision

Part Number	Ratio	Motor Shaft Diameter mm	Config. / Output Shaft	Bolt Circle (A) mm	Motor Shaft Length mm	Max Rated Cont. Torque N.m	Unit Width / Pilot Dia. (A/E) mm	Length (L) mm
		<i>inches</i>		<i>inches</i>	<i>inches</i>		<i>inches</i>	<i>inches</i>
# GHIP34-055-19.05x098P	55 : 1	19.050	Double Stage / 19.05	98.42	Max 31.75	139	82.55 / 73.15	137.2
		<i>0.750</i>		<i>3.875</i>				<i>5.402</i>
# GHIP34-070-19.05x098P	70 : 1	19.050	Double Stage / 19.05	98.42	Max 31.75	116	82.55 / 73.15	137.2
		<i>0.750</i>		<i>3.875</i>				<i>5.402</i>
# GHIP34-100-19.05x098P	100 : 1	19.050	Double Stage / 19.05	98.42	Max 31.75	57	82.55 / 73.15	137.2
		<i>0.750</i>		<i>3.875</i>				<i>5.402</i>

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.



DISTRIBUTED BY

Ask us to put your name and address here

<http://www.minibearings.com.au/product>

Ph +61 7 3245 7977

Fax +61 7 3245 1017

Catalogue requests to catalogues@minibearings.com.au

