





MBA

Gearmotors - DC - Size 43 Light Duty



43.1mm Gearhead Body Diameter.

Gearmotors - DC - Size 43 Light Duty

Part Number	Rated Output Speed RPM	Rated Torque N.mm (oz.in)	Overall Length mm <i>inches</i>	Gear Ratio	Rated Voltage V	Output Shaft Diameter mm <i>inches</i>	Dimension L1 / L2 mm <i>inches</i>	Material (Housing / Shaft)	Material (Gears / Bearing)
# MG-A3Z15M30000D	0.07	98.1 (13.9)	57.3 <i>2.256</i>	30000 : 1	12	4.0 Offset	14.4 / 42.9	Stamped Steel / Steel	Acetal / Acetal
# MG-A3Z15M30000E	0.1	98.1 (13.9)	57.3 <i>2.256</i>	30000 : 1	24	4.0 Offset	14.4 / 42.9	Stamped Steel / Steel	Acetal / Acetal
# MG-A3Z15M15000D	0.13	98.1 (13.9)	57.3 <i>2.256</i>	15000 : 1	12	4.0 Offset	14.4 / 42.9	Stamped Steel / Steel	Acetal / Acetal
# MG-A3Z15M15000C	0.13	98.1 (13.9)	57.3 <i>2.256</i>	15000 : 1	6	4.0 With Flat	14.4 / 42.9	Stamped Steel / Steel	Acetal / Acetal

Gearmotors - DC - Size 43 Light Duty

Part Number	Rated Output Speed RPM	Rated Torque N.mm (oz.in)	Overall Length mm <i>inches</i>	Gear Ratio	Rated Voltage V	Output Shaft Diameter mm <i>inches</i>	Dimension L1 / L2 mm <i>inches</i>	Material (Housing / Shaft)	Material (Gears / Bearing)
# MG-A3Z15M15000E	0.2	98.1 (13.9)	57.3 <i>2.256</i>	15000 : 1	24	4.0 Offset	14.4 / 42.9	Stamped Steel / Steel	Acetal / Acetal
# MG-A3Z15M07500C	0.25	98.1 (13.9)	57.3 <i>2.256</i>	7500 : 1	6	4.0 With Flat	14.4 / 42.9	Stamped Steel / Steel	Acetal / Acetal
# MG-A3Z15M07500D	0.27	98.1 (13.9)	57.3 <i>2.256</i>	7500 : 1	12	4.0 Offset	14.4 / 42.9	Stamped Steel / Steel	Acetal / Acetal
# MG-A3Z15M07500E	0.4	98.1 (13.9)	57.3 <i>2.256</i>	7500 : 1	24	4.0 Offset	14.4 / 42.9	Stamped Steel / Steel	Acetal / Acetal
# MG-A3Z15M03000C	0.65	98.1 (13.9)	51.1 <i>2.012</i>	3000 : 1	6	4.0 With Flat	11.3 / 39.8	Stamped Steel / Steel	Acetal / Acetal
# MG-A3Z15M03000D	0.67	98.1 (13.9)	51.3 <i>2.020</i>	3000 : 1	12	4.0 Offset	11.3 / 39.8	Stamped Steel / Steel	Acetal / Acetal
# MG-A3Z15M02000C	1	98.1 (13.9)	51.1 <i>2.012</i>	2000 : 1	6	4.0 With Flat	11.3 / 39.8	Stamped Steel / Steel	Acetal / Acetal
# MG-A3Z15M02000D	1	98.1 (13.9)	51.3 <i>2.020</i>	2000 : 1	12	4.0 Offset	11.3 / 39.8	Stamped Steel / Steel	Acetal / Acetal

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Gearmotors - DC - Size 43 Light Duty

Part Number	Rated Output Speed RPM	Rated Torque N.mm (oz.in)	Overall Length mm <i>inches</i>	Gear Ratio	Rated Voltage V	Output Shaft Diameter mm <i>inches</i>	Dimension L1 / L2 mm <i>inches</i>	Material (Housing / Shaft)	Material (Gears / Bearing)
# MG-A3Z15M03000E	1	98.1 (13.9)	51.3 <i>2.020</i>	3000 : 1	24	4.0 Offset	11.3 / 39.8	Stamped Steel / Steel	Acetal / Acetal
# MG-A3Z15M01500C	1.2	98.1 (13.9)	51.1 <i>2.012</i>	1500 : 1	6	4.0 With Flat	11.3 / 39.8	Stamped Steel / Steel	Acetal / Acetal
# MG-A3Z15M01500D	1.3	98.1 (13.9)	51.3 <i>2.020</i>	1500 : 1	12	4.0 Offset	11.3 / 39.8	Stamped Steel / Steel	Acetal / Acetal
# MG-A3Z15M02000E	1.5	98.1 (13.9)	51.3 <i>2.020</i>	2000 : 1	24	4.0 Offset	11.3 / 39.8	Stamped Steel / Steel	Acetal / Acetal
# MG-A3Z15M01000C	1.9	98.1 (13.9)	51.1 <i>2.012</i>	1000 : 1	6	4.0 With Flat	11.3 / 39.8	Stamped Steel / Steel	Acetal / Acetal
# MG-A3Z15M01000D	2	98.1 (13.9)	51.3 <i>2.020</i>	1000 : 1	12	4.0 Offset	11.3 / 39.8	Stamped Steel / Steel	Acetal / Acetal
# MG-A3Z15M01500E	2	98.1 (13.9)	51.3 <i>2.020</i>	1500 : 1	24	4.0 Offset	11.3 / 39.8	Stamped Steel / Steel	Acetal / Acetal
# MG-A3Z15M00750C	2.5	98.1 (13.9)	51.1 <i>2.012</i>	750 : 1	6	4.0 With Flat	11.3 / 39.8	Stamped Steel / Steel	Acetal / Acetal

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Gearmotors - DC - Size 43 Light Duty

Part Number	Rated Output Speed RPM	Rated Torque N.mm (oz.in)	Overall Length mm <i>inches</i>	Gear Ratio	Rated Voltage V	Output Shaft Diameter mm <i>inches</i>	Dimension L1 / L2 mm <i>inches</i>	Material (Housing / Shaft)	Material (Gears / Bearing)
# MG-A3Z15M00750D	2.7	98.1 (13.9)	51.3 <i>2.020</i>	750 : 1	12	4.0 Offset	11.3 / 39.8	Stamped Steel / Steel	Acetal / Acetal
# MG-A3Z15M01000E	3	98.1 (13.9)	51.3 <i>2.020</i>	1000 : 1	24	4.0 Offset	11.3 / 39.8	Stamped Steel / Steel	Acetal / Acetal
# MG-A3Z15M00500C	3.5	98.1 (13.9)	51.1 <i>2.012</i>	500 : 1	6	4.0 With Flat	11.3 / 39.8	Stamped Steel / Steel	Acetal / Acetal
# MG-A3Z15M00750E	4	98.1 (13.9)	51.3 <i>2.020</i>	750 : 1	24	4.0 Offset	11.3 / 39.8	Stamped Steel / Steel	Acetal / Acetal
# MG-A3Z15M00500D	4	98.1 (13.9)	51.3 <i>2.020</i>	500 : 1	12	4.0 Offset	11.3 / 39.8	Stamped Steel / Steel	Acetal / Acetal
# MG-A3Z15M00400C	4.4	78.5 (11.1)	51.1 <i>2.012</i>	400 : 1	6	4.0 With Flat	11.3 / 39.8	Stamped Steel / Steel	Acetal / Acetal
# MG-A3Z15M00400D	5	78.5 (11.1)	51.3 <i>2.020</i>	400 : 1	12	4.0 Offset	11.3 / 39.8	Stamped Steel / Steel	Acetal / Acetal
# MG-A3Z15M00300C	5.7	78.5 (11.1)	51.1 <i>2.012</i>	300 : 1	6	4.0 With Flat	11.3 / 39.8	Stamped Steel / Steel	Acetal / Acetal

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Gearmotors - DC - Size 43 Light Duty

Part Number	Rated Output Speed RPM	Rated Torque N.mm (oz.in)	Overall Length mm <i>inches</i>	Gear Ratio	Rated Voltage V	Output Shaft Diameter mm <i>inches</i>	Dimension L1 / L2 mm <i>inches</i>	Material (Housing / Shaft)	Material (Gears / Bearing)
# MG-A3Z15M00500E	6	98.1 (13.9)	51.3 <i>2.020</i>	500 : 1	24	4.0 Offset	11.3 / 39.8	Stamped Steel / Steel	Acetal / Acetal
# MG-A3Z15M00250C	6.4	78.5 (11.1)	51.1 <i>2.012</i>	250 : 1	6	4.0 With Flat	11.3 / 39.8	Stamped Steel / Steel	Acetal / Acetal
# MG-A3Z15M00300D	6.7	78.5 (11.1)	51.3 <i>2.020</i>	300 : 1	12	4.0 Offset	11.3 / 39.8	Stamped Steel / Steel	Acetal / Acetal
# MG-A3Z15M00400E	7.5	78.5 (11.1)	51.3 <i>2.020</i>	400 : 1	24	4.0 Offset	11.3 / 39.8	Stamped Steel / Steel	Acetal / Acetal
# MG-A3Z15M00200C	7.7	78.5 (11.1)	51.1 <i>2.012</i>	200 : 1	6	4.0 With Flat	11.3 / 39.8	Stamped Steel / Steel	Acetal / Acetal
# MG-A3Z15M00250D	8	78.5 (11.1)	51.3 <i>2.020</i>	250 : 1	12	4.0 Offset	11.3 / 39.8	Stamped Steel / Steel	Acetal / Acetal
# MG-A3Z15M00150C	10	58.8 (8.3)	51.1 <i>2.012</i>	150 : 1	6	4.0 With Flat	11.3 / 39.8	Stamped Steel / Steel	Acetal / Acetal
# MG-A3Z15M00200D	10	78.5 (11.1)	51.3 <i>2.020</i>	200 : 1	12	4.0 Offset	11.3 / 39.8	Stamped Steel / Steel	Acetal / Acetal

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Gearmotors - DC - Size 43 Light Duty

Part Number	Rated Output Speed RPM	Rated Torque N.mm (oz.in)	Overall Length mm <i>inches</i>	Gear Ratio	Rated Voltage V	Output Shaft Diameter mm <i>inches</i>	Dimension L1 / L2 mm <i>inches</i>	Material (Housing / Shaft)	Material (Gears / Bearing)
# MG-A3Z15M00250E	12	78.5 (11.1)	51.3 <i>2.020</i>	250 : 1	12	4.0 Offset	11.3 / 39.8	Stamped Steel / Steel	Acetal / Acetal
# MG-A3Z15M00150D	13.3	58.8 (8.3)	51.3 <i>2.020</i>	150 : 1	12	4.0 Offset	11.3 / 39.8	Stamped Steel / Steel	Acetal / Acetal
# MG-A3Z15M00100C	14	58.8 (8.3)	51.1 <i>2.012</i>	100 : 1	6	4.0 With Flat	11.3 / 39.8	Stamped Steel / Steel	Acetal / Acetal
# MG-A3Z15M00200E	15	78.5 (11.1)	51.3 <i>2.020</i>	200 : 1	12	4.0 Offset	11.3 / 39.8	Stamped Steel / Steel	Acetal / Acetal
# MG-A3Z15M00100D	20	58.8 (8.3)	51.3 <i>2.020</i>	100 : 1	12	4.0 Offset	11.3 / 39.8	Stamped Steel / Steel	Acetal / Acetal
# MG-A3Z15M00150E	20	58.8 (8.3)	51.3 <i>2.020</i>	150 : 1	12	4.0 Offset	11.3 / 39.8	Stamped Steel / Steel	Acetal / Acetal
# MG-A3Z15M00060C	22	39.2 (5.5)	51.1 <i>2.012</i>	60 : 1	6	4.0 With Flat	11.3 / 39.8	Stamped Steel / Steel	Acetal / Acetal
# MG-A3Z15M00050C	26	34.3 (4.9)	51.1 <i>2.012</i>	50 : 1	6	4.0 With Flat	11.3 / 39.8	Stamped Steel / Steel	Acetal / Acetal

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Gearmotors - DC - Size 43 Light Duty

Part Number	Rated Output Speed RPM	Rated Torque N.mm (oz.in)	Overall Length mm <i>inches</i>	Gear Ratio	Rated Voltage V	Output Shaft Diameter mm <i>inches</i>	Dimension L1 / L2 mm <i>inches</i>	Material (Housing / Shaft)	Material (Gears / Bearing)
# MG-A3Z15M00100E	30	58.8 (8.3)	51.3 <i>2.020</i>	100 : 1	12	4.0 Offset	11.3 / 39.8	Stamped Steel / Steel	Acetal / Acetal
# MG-A3Z15M00060D	33	39.2 (5.5)	51.3 <i>2.020</i>	60 : 1	12	4.0 Offset	11.3 / 39.8	Stamped Steel / Steel	Acetal / Acetal
# MG-A3Z15M00050D	40	34.3 (4.9)	51.3 <i>2.020</i>	50 : 1	12	4.0 Offset	11.3 / 39.8	Stamped Steel / Steel	Acetal / Acetal
# MG-A3Z15M00030C	46	19.6 (2.8)	51.1 <i>2.012</i>	30 : 1	6	4.0 With Flat	11.3 / 39.8	Stamped Steel / Steel	Acetal / Acetal
# MG-A3Z15M00060E	50	39.2 (5.5)	51.3 <i>2.020</i>	60 : 1	12	4.0 Offset	11.3 / 39.8	Stamped Steel / Steel	Acetal / Acetal
# MG-A3Z15M00050E	60	34.3 (4.9)	51.3 <i>2.020</i>	50 : 1	12	4.0 Offset	11.3 / 39.8	Stamped Steel / Steel	Acetal / Acetal
# MG-A3Z15M00030D	67	19.6 (2.8)	51.3 <i>2.020</i>	30 : 1	12	4.0 Offset	11.3 / 39.8	Stamped Steel / Steel	Acetal / Acetal
# MG-A3Z15M00020C	77	9.8 (1.4)	51.1 <i>2.012</i>	20 : 1	6	4.0 With Flat	11.3 / 39.8	Stamped Steel / Steel	Acetal / Acetal

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Gearmotors - DC - Size 43 Light Duty

Part Number	Rated Output Speed RPM	Rated Torque N.mm (oz.in)	Overall Length mm <i>inches</i>	Gear Ratio	Rated Voltage V	Output Shaft Diameter mm <i>inches</i>	Dimension L1 / L2 mm <i>inches</i>	Material (Housing / Shaft)	Material (Gears / Bearing)
# MG-A3Z15M00020D	100	9.8 (1.4)	51.3 <i>2.020</i>	20 : 1	12	4.0 Offset	11.3 / 39.8	Stamped Steel / Steel	Acetal / Acetal
# MG-A3Z15M00010C	126	7.8 (1.1)	51.1 <i>2.012</i>	10 : 1	6	4.0 With Flat	11.3 / 39.8	Stamped Steel / Steel	Acetal / Acetal
# MG-A3Z15M00020E	150	9.8 (1.4)	51.3 <i>2.020</i>	20 : 1	12	4.0 Offset	11.3 / 39.8	Stamped Steel / Steel	Acetal / Acetal
# MG-A3Z15M00010D	200	7.8 (1.1)	51.3 <i>2.020</i>	10 : 1	12	4.0 Offset	11.3 / 39.8	Stamped Steel / Steel	Acetal / Acetal
# MG-A3Z15M00010E	300	7.8 (1.1)	51.3 <i>2.020</i>	10 : 1	12	4.0 Offset	11.3 / 39.8	Stamped Steel / Steel	Acetal / Acetal

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.



DISTRIBUTED BY

Ask us to put your name and address here

<http://www.minibearings.com.au/product>

Ph +61 7 3245 7977

Fax +61 7 3245 1017

Catalogue requests to catalogues@minibearings.com.au

