




# MBA

## Gears - Cluster - 80 Pitch



Have a mounting area for a second gear - see diagram.

All have a 20 deg. Pressure Angle.

Mounting diameter 9.525 (+0.008 / -0.000) mm (3/8 in.).

Mounting area width 3.175 mm (1/8 in.).

See diagram for mounting position of second gear.

Combine with a gear from the listings under Gears - Spur .... - Hub Mounting.

### Gears - Cluster - 80 Pitch

Part Number	Teeth (No.)	Pitch Diameter mm	Outside Diameter mm	Bore mm	Face Width mm	Overall Width mm	Hub Diameter mm	Hub Projection mm	Mounting Style	Material / Quality
		<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>		
# GCL80-35-A-0476-303	35	11.11	11.75	4.762	3.97	12.70	9.53	Centre	A	303 Stainless Steel
		<i>0.437</i>	<i>0.463</i>	<i>0.187</i>	<i>0.156</i>	<i>0.500</i>	<i>0.375</i>			
# GCL80-40-B-0476-303	40	12.70	13.34	4.762	3.97	12.70	9.53	3.97	B	303 Stainless Steel
		<i>0.500</i>	<i>0.525</i>	<i>0.187</i>	<i>0.156</i>	<i>0.500</i>	<i>0.375</i>	<i>0.156</i>		

## Gears - Cluster - 80 Pitch

Part Number	Teeth (No.)	Pitch Diameter mm	Outside Diameter mm	Bore mm	Face Width mm	Overall Width mm	Hub Diameter mm	Hub Projection mm	Mounting Style	Material / Quality
		<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>		
# GCL80-40-A-0476-303	40	12.70	13.34	4.762	3.97	12.70	9.53	Centre	A	303 Stainless Steel
		<i>0.500</i>	<i>0.525</i>	<i>0.187</i>	<i>0.156</i>	<i>0.500</i>	<i>0.375</i>			
# GCL80-40-C-0476-303	40	12.70	13.34	4.762	3.97	12.70	9.40	5.56	C	303 Stainless Steel
		<i>0.500</i>	<i>0.525</i>	<i>0.187</i>	<i>0.156</i>	<i>0.500</i>	<i>0.370</i>	<i>0.219</i>		
# GCL80-50-A-0476-303	50	15.88	16.51	4.762	3.97	12.70	9.53	Centre	A	303 Stainless Steel
		<i>0.625</i>	<i>0.650</i>	<i>0.187</i>	<i>0.156</i>	<i>0.500</i>	<i>0.375</i>			
# GCL80-50-B-0476-303	50	15.88	16.51	4.762	3.97	12.70	9.53	3.97	B	303 Stainless Steel
		<i>0.625</i>	<i>0.650</i>	<i>0.187</i>	<i>0.156</i>	<i>0.500</i>	<i>0.375</i>	<i>0.156</i>		
# GCL80-50-C-0476-303	50	15.88	16.51	4.762	3.97	12.70	9.40	5.56	C	303 Stainless Steel
		<i>0.625</i>	<i>0.650</i>	<i>0.187</i>	<i>0.156</i>	<i>0.500</i>	<i>0.370</i>	<i>0.219</i>		
# GCL80-60-A-0476-303	60	19.05	19.69	4.762	3.97	12.70	9.53	Centre	A	303 Stainless Steel
		<i>0.750</i>	<i>0.775</i>	<i>0.187</i>	<i>0.156</i>	<i>0.500</i>	<i>0.375</i>			

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.



DISTRIBUTED BY

Ask us to put your name and address here

<http://www.minibearings.com.au/product>

Ph +61 7 3245 7977

Fax +61 7 3245 1017

Catalogue requests to [catalogues@minibearings.com.au](mailto:catalogues@minibearings.com.au)

