




MBA

Gears - Mitre - 32 Pitch



1:1 Ratio. 20 Degree Pressure Angle - Nylon, brass and carbon steel.

Mitre gears are used with a matching gear of the same pitch and number of teeth.

This provides a 1:1 ratio on a 90 degree angle.

See Gears - Bevel for other ratios.

Gears - Mitre - 32 Pitch

Part Number	Teeth (No.)	Pitch Diameter (pd) mm	Bore (d) mm	Overall Length (L) mm	Sold Per	Hub Diameter (hd) mm	Precision / Material	Hub Projection (hp) mm	Mounting Distance (md) mm	Face Width (fw) mm
		<i>inches</i>	<i>inches</i>	<i>inches</i>		<i>inches</i>		<i>inches</i>	<i>inches</i>	<i>inches</i>
GM32-16-0475-NY	16	12.700	4.750	8.733	Set of 2	10.319 / No Set Screw	Commercial / Nylon	4.76	12.700	6.350
		<i>0.500</i>	<i>0.187</i>	<i>0.344</i>				<i>0.187</i>	<i>0.500</i>	<i>0.250</i>
GM32-16-0476-CS	16	12.700	4.762	8.733	Each	10.319 / No Set Screw	Commercial / Carbon Steel	4.76	12.700	3.048
		<i>0.500</i>	<i>0.187</i>	<i>0.344</i>				<i>0.187</i>	<i>0.500</i>	<i>0.120</i>
GM32-16-0476-BR	16	12.700	4.762	8.733	Each	10.319 / No Set Screw	Commercial / Brass	4.76	12.700	3.175
		<i>0.500</i>	<i>0.187</i>	<i>0.344</i>				<i>0.187</i>	<i>0.500</i>	<i>0.125</i>

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Gears - Mitre - 32 Pitch

Part Number	Teeth (No.)	Pitch Diameter (pd) mm	Bore (d) mm	Overall Length (L) mm	Sold Per	Hub Diameter (hd) mm	Precision / Material	Hub Projection (hp) mm	Mounting Distance (md) mm	Face Width (fw) mm
		<i>inches</i>	<i>inches</i>	<i>inches</i>		<i>inches</i>		<i>inches</i>	<i>inches</i>	<i>inches</i>
# GM32-16-0635-CS	16	12.700	6.350	8.733	Each	10.319 / No Set Screw	Commercial / Carbon Steel	4.76	12.700	3.048
		<i>0.500</i>	<i>0.250</i>	<i>0.344</i>				<i>0.187</i>	<i>0.500</i>	<i>0.120</i>
GM32-24-0475-NY	24	19.050	4.750	10.320	Set of 2	12.700 / No Set Screw	Commercial / Nylon	4.76	17.462	6.350
		<i>0.750</i>	<i>0.187</i>	<i>0.406</i>				<i>0.187</i>	<i>0.687</i>	<i>0.250</i>
GM32-24-0476-CS	24	19.050	4.762	10.716	Each	12.700 / No Set Screw	Commercial / Carbon Steel	6.35	17.475	3.556
		<i>0.750</i>	<i>0.187</i>	<i>0.422</i>				<i>0.250</i>	<i>0.688</i>	<i>0.140</i>
# GM32-24-0476-BR	24	19.050	4.762	10.716	Each	12.700 / No Set Screw	Commercial / Brass	6.35	17.475	3.970
		<i>0.750</i>	<i>0.187</i>	<i>0.422</i>				<i>0.250</i>	<i>0.688</i>	<i>0.156</i>

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.



DISTRIBUTED BY

Ask us to put your name and address here

<http://www.minibearings.com.au/product>

Ph +61 7 3245 7977

Fax +61 7 3245 1017

Catalogue requests to catalogues@minibearings.com.au
