




MBA

Gears - Mitre - Module 2



1:1 Ratio. 20 Degree Pressure Angle - Steel, stainless steel, brass, aluminium, acetal and zinc die cast.

Mitre gears are used with a matching gear of the same pitch and number of teeth.

This provides a 1:1 ratio on a 90 degree angle.

See Gears - Bevel for other ratios.

Gears - Mitre - Module 2

Part Number	Teeth (No.)	Pitch Diameter (pd) mm	Bore (d) mm	Overall Length (L) mm	Sold Per	Hub Diameter (hd) mm	Precision / Material	Hub Projection (hp) mm	Mounting Distance (md) mm	Face Width (fw) mm
		<i>inches</i>	<i>inches</i>	<i>inches</i>		<i>inches</i>		<i>inches</i>	<i>inches</i>	<i>inches</i>
# GM200-16-0800-ACE	16	32.000	8.000	21.200	Each	21.900 / No Set Screw	Commercial / Acetal	9.60	30.400	10.000
		<i>1.260</i>	<i>0.315</i>	<i>0.835</i>				<i>0.378</i>	<i>1.197</i>	<i>0.394</i>
GM200-16-1000-DCZ	16	32.000	10.000	21.300	Each	23.000 / No Set Screw	Commercial / Die Cast Zinc	10.00	30.000	9.600
		<i>1.260</i>	<i>0.394</i>	<i>0.839</i>				<i>0.394</i>	<i>1.181</i>	<i>0.378</i>
GM200-16-1000-ACE	16	32.000	10.000	21.200	Each	21.900 / No Set Screw	Commercial / Acetal	9.60	30.400	10.000
		<i>1.260</i>	<i>0.394</i>	<i>0.835</i>				<i>0.378</i>	<i>1.197</i>	<i>0.394</i>

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Gears - Mitre - Module 2

Part Number	Teeth (No.)	Pitch Diameter (pd) mm	Bore (d) mm	Overall Length (L) mm	Sold Per	Hub Diameter (hd) mm	Precision / Material	Hub Projection (hp) mm	Mounting Distance (md) mm	Face Width (fw) mm
		<i>inches</i>	<i>inches</i>	<i>inches</i>		<i>inches</i>		<i>inches</i>	<i>inches</i>	<i>inches</i>
# GM200-20-1200-ST-B	20	40.000	12.000	24.000	Each	42.000 / No Set Screw	ISO 8 / Steel	14.00	37.000	8.500
		<i>1.575</i>	<i>0.472</i>	<i>0.945</i>				<i>0.551</i>	<i>1.457</i>	<i>0.335</i>
# GM200-20-1200-ST-A	20	40.000	12.000	15.000	Each	34.000 / No Set Screw	ISO 8 / Steel	5.00	28.000	8.500
		<i>1.575</i>	<i>0.472</i>	<i>0.591</i>				<i>0.197</i>	<i>1.102</i>	<i>0.335</i>
# GM200-30-1600-ST-B	30	60.000	16.000	30.790	Each	42.000 / No Set Screw	ISO 8 / Steel	16.79	51.000	12.400
		<i>2.362</i>	<i>0.630</i>	<i>1.212</i>				<i>0.661</i>	<i>2.008</i>	<i>0.488</i>
# GM200-30-1600-ST-A	30	60.000	16.000	19.790	Each	44.000 / No Set Screw	ISO 8 / Steel	5.79	40.000	12.400
		<i>2.362</i>	<i>0.630</i>	<i>0.779</i>				<i>0.228</i>	<i>1.575</i>	<i>0.488</i>

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.



DISTRIBUTED BY

Ask us to put your name and address here

<http://www.minibearings.com.au/product>

Ph +61 7 3245 7977

Fax +61 7 3245 1017

Catalogue requests to catalogues@minibearings.com.au

