




# MBA

## Gears - Racks - Flexible - Guide Rails



For mounting flexirack. Flexible nylon or rigid aluminium guide rails.

Longer lengths in Nylon available on special order.

### Gears - Racks - Flexible - Guide Rails

Part Number	To Suit Module	Length (L) mm	Internal Width (S4) mm	Overall Width (S) mm	Gap Width (S1) mm	Height (H) mm	Internal Height (S3) mm	Base Height (S2) mm	Material
		<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>	
# GRF-GUIDE-08X1000-NY	0.8	1000	8.000	11.000	4.000	5.10	2.10	1.50	Extruded Flexible Nylon
		<i>39.370</i>	<i>0.315</i>	<i>0.433</i>	<i>0.157</i>	<i>0.201</i>	<i>0.083</i>	<i>0.059</i>	
# GRF-GUIDE-08X1000-AL	0.8	1000	8.400	10.300	4.500	4.80	1.80	1.80	Extruded Aluminum
		<i>39.370</i>	<i>0.331</i>	<i>0.406</i>	<i>0.177</i>	<i>0.189</i>	<i>0.071</i>	<i>0.071</i>	
# GRF-GUIDE-10X1000-NY	1	1000	9.800	13.100	5.300	5.30	2.30	1.50	Extruded Flexible Nylon
		<i>39.370</i>	<i>0.386</i>	<i>0.516</i>	<i>0.209</i>	<i>0.209</i>	<i>0.091</i>	<i>0.059</i>	

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Gears - Racks - Flexible - Guide Rails

Part Number	To Suit Module	Length (L) mm <i>inches</i>	Internal Width (S4) mm <i>inches</i>	Overall Width (S) mm <i>inches</i>	Gap Width (S1) mm <i>inches</i>	Height (H) mm <i>inches</i>	Internal Height (S3) mm <i>inches</i>	Base Height (S2) mm <i>inches</i>	Material
# GRF-GUIDE-10X1000-AL	1	1000 <i>39.370</i>	10.400 <i>0.409</i>	12.300 <i>0.484</i>	5.700 <i>0.224</i>	5.20 <i>0.205</i>	2.40 <i>0.094</i>	1.80 <i>0.071</i>	Extruded Aluminum
GRF-GUIDE-15X1000-NY	1.5	1000 <i>39.370</i>	12.300 <i>0.484</i>	16.100 <i>0.634</i>	7.000 <i>0.276</i>	7.10 <i>0.280</i>	3.20 <i>0.126</i>	1.90 <i>0.075</i>	Extruded Flexible Nylon
# GRF-GUIDE-15X1000-AL	1.5	1000 <i>39.370</i>	12.400 <i>0.488</i>	14.300 <i>0.563</i>	7.200 <i>0.283</i>	5.40 <i>0.213</i>	2.70 <i>0.106</i>	1.80 <i>0.071</i>	Extruded Aluminum
# GRF-GUIDE-20X1000-AL	2	1000 <i>39.370</i>	15.400 <i>0.606</i>	17.300 <i>0.681</i>	8.900 <i>0.350</i>	6.10 <i>0.240</i>	2.90 <i>0.114</i>	2.30 <i>0.091</i>	Extruded Aluminum
# GRF-GUIDE-20X1000-NY	2	1000 <i>39.370</i>	16.800 <i>0.661</i>	20.600 <i>0.811</i>	8.000 <i>0.315</i>	7.10 <i>0.280</i>	3.60 <i>0.142</i>	1.90 <i>0.075</i>	Extruded Flexible Nylon

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.



DISTRIBUTED BY

Ask us to put your name and address here

<http://www.minibearings.com.au/product>

Ph +61 7 3245 7977

Fax +61 7 3245 1017

Catalogue requests to [catalogues@minibearings.com.au](mailto:catalogues@minibearings.com.au)

