


MBA

Gears - Racks - Flexible



Blue acetal. Ideal for curved or irregular surfaces. Can fit a bent radius as small as 75mm.

20 Degree Pressure Angle.

Resistant to weak acids and alkalis, oil, grease, petrol, alcohol, ketones.

Working temperature 100 Deg. C, Intermittent to 149 Deg. C.

See optional rack clamps and guide rails.

Longer lengths available on special order.

Gears - Racks - Flexible

Part Number	Module	Length (L) mm	Width (S) mm	Gap Width (S1) mm	Gap Height (h2) mm	Height (H) mm	Width of tooth base (S3) mm	Width of tooth top (S2) mm	Pitch Height (P) mm	Min Bend Radius (Int / Ext) mm
		<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>
GRF080-2000-0800-0330-AC	0.8	2000 <i>78.740</i>	8.000 <i>0.315</i>	3.700 <i>0.146</i>	0.700 <i>0.028</i>	3.30 <i>0.130</i>	3.80 <i>0.150</i>	3.00 <i>0.118</i>	2.500 <i>0.098</i>	75 / 75
GRF100-2000-1000-0430-AC	1	2000 <i>78.740</i>	10.000 <i>0.394</i>	4.900 <i>0.193</i>	0.900 <i>0.035</i>	4.30 <i>0.169</i>	5.00 <i>0.197</i>	4.00 <i>0.157</i>	3.300 <i>0.130</i>	85 / 125
GRF150-2000-1200-0570-AC	1.5	2000 <i>78.740</i>	12.000 <i>0.472</i>	8.000 <i>0.315</i>	1.000 <i>0.039</i>	5.70 <i>0.224</i>	6.50 <i>0.256</i>	5.00 <i>0.197</i>	4.200 <i>0.165</i>	100 / 150

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Gears - Racks - Flexible

Part Number	Module	Length (L) mm	Width (S) mm	Gap Width (S1) mm	Gap Height (h2) mm	Height (H) mm	Width of tooth base (S3) mm	Width of tooth top (S2) mm	Pitch Height (P) mm	Min Bend Radius (Int / Ext) mm
		<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>
# GRF200-2000-1500-0700-AC	2	2000	15.000	10.100	1.100	7.00	8.00	6.00	5.000	125 / 175
		<i>78.740</i>	<i>0.591</i>	<i>0.398</i>	<i>0.043</i>	<i>0.276</i>	<i>0.315</i>	<i>0.236</i>	<i>0.197</i>	

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.



DISTRIBUTED BY

Ask us to put your name and address here

<http://www.minibearings.com.au/product>

Ph +61 7 3245 7977

Fax +61 7 3245 1017

Catalogue requests to catalogues@minibearings.com.au

