




# MBA

## Gears - Racks - Module 0.8



20 Degree Pressure Angle. Brass, carbon steel, stainless steel, acetal and nylon.  
Plastic and metallic.

### Gears - Racks - Module 0.8

Part Number	Length (L) mm <i>inches</i>	Face Width (fw) mm <i>inches</i>	Height (h) mm <i>inches</i>	Pitch Height (ph) mm <i>inches</i>	Pressure Angle Deg.	Material	Precision	Mounting Holes	Shape	Pitch
# GR080-0075-0630-0630-CS	75 <i>2.953</i>	6.300 <i>0.248</i>	6.300 <i>0.248</i>	5.560 <i>0.219</i>	20	Carbon Steel	ISO 8 (AGMA Q9)	None	Square	Mod 0.8
GR080-0075-0630-0630-NY	75 <i>2.953</i>	6.300 <i>0.248</i>	6.300 <i>0.248</i>	5.560 <i>0.219</i>	20	Nylon	ISO 8 (AGMA Q9)	None	Square	Mod 0.8
# GR080-0075-0630-0630-BR	75 <i>2.953</i>	6.300 <i>0.248</i>	6.300 <i>0.248</i>	5.560 <i>0.219</i>	20	Brass	ISO 8 (AGMA Q9)	None	Square	Mod 0.8

# Indicates item not stocked at time of printing - Please enquire for lead time  
E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd  
MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Gears - Racks - Module 0.8

Part Number	Length (L) mm <i>inches</i>	Face Width (fw) mm <i>inches</i>	Height (h) mm <i>inches</i>	Pitch Height (ph) mm <i>inches</i>	Pressure Angle Deg.	Material	Precision	Mounting Holes	Shape	Pitch
# GR080-0075-0630-1270-BR	75 <i>2.953</i>	6.300 <i>0.248</i>	12.700 <i>0.500</i>	11.900 <i>0.469</i>	20	Brass	ISO 8 (AGMA Q9)	None	Rectangular	Mod 0.8
# GR080-0075-0630-1270-CS	75 <i>2.953</i>	6.300 <i>0.248</i>	12.700 <i>0.500</i>	11.900 <i>0.469</i>	20	Carbon Steel	ISO 8 (AGMA Q9)	None	Rectangular	Mod 0.8
# GRR080-0148-0620-0800-4	200mm Total / 148mm of teeth	6.200 <i>0.244</i>	8.000 <i>0.315</i>	7.200 <i>0.283</i>	20	304 Stainless Steel	ISO 9 (AGMA 8)	None	Round - Diameter: 8.000	Mod 0.8
# GR080-0150-0630-0630-BR	150 <i>5.906</i>	6.300 <i>0.248</i>	6.300 <i>0.248</i>	5.560 <i>0.219</i>	20	Brass	ISO 8 (AGMA Q9)	None	Square	Mod 0.8
GR080-0150-0630-0630-CS	150 <i>5.906</i>	6.300 <i>0.248</i>	6.300 <i>0.248</i>	5.560 <i>0.219</i>	20	Carbon Steel	ISO 8 (AGMA Q9)	None	Square	Mod 0.8
# GR080-0150-0630-0630-NY	150 <i>5.906</i>	6.300 <i>0.248</i>	6.300 <i>0.248</i>	5.560 <i>0.219</i>	20	Nylon	ISO 8 (AGMA Q9)	None	Square	Mod 0.8
GR080-0150-0630-1270-BR	150 <i>5.906</i>	6.300 <i>0.248</i>	12.700 <i>0.500</i>	11.900 <i>0.469</i>	20	Brass	ISO 8 (AGMA Q9)	None	Rectangular	Mod 0.8
# GR080-0150-0630-1270-CS	150 <i>5.906</i>	6.300 <i>0.248</i>	12.700 <i>0.500</i>	11.900 <i>0.469</i>	20	Carbon Steel	ISO 8 (AGMA Q9)	None	Rectangular	Mod 0.8

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Gears - Racks - Module 0.8

Part Number	Length (L) mm <i>inches</i>	Face Width (fw) mm <i>inches</i>	Height (h) mm <i>inches</i>	Pitch Height (ph) mm <i>inches</i>	Pressure Angle Deg.	Material	Precision	Mounting Holes	Shape	Pitch
# GR080-0200-0700-0700-S4	200 <i>7.874</i>	7.000 <i>0.276</i>	7.000 <i>0.276</i>	6.200 <i>0.244</i>	20	416 Stainless Steel	ISO 8 (AGMA Q9)	None	Square	Mod 0.8
# GR080-0200-0700-0700-BR	200 <i>7.874</i>	7.000 <i>0.276</i>	7.000 <i>0.276</i>	6.200 <i>0.244</i>	20	Brass	ISO 8 (AGMA Q9)	None	Square	Mod 0.8
# GR080-0201-0800-1200-1045	201.06 <i>7.916</i>	8.000 <i>0.315</i>	12.000 <i>0.472</i>	11.200 <i>0.441</i>	20	AISI 1045 Steel	ISO 5 (Ground)	None	Rectangular	Mod 0.8
# GR080-0300-0630-0630-BR	300 <i>11.811</i>	6.300 <i>0.248</i>	6.300 <i>0.248</i>	5.560 <i>0.219</i>	20	Brass	ISO 8 (AGMA Q9)	None	Square	Mod 0.8
# GR080-0300-0630-0630-CS	300 <i>11.811</i>	6.300 <i>0.248</i>	6.300 <i>0.248</i>	5.560 <i>0.219</i>	20	Carbon Steel	ISO 8 (AGMA Q9)	None	Square	Mod 0.8
# GR080-0300-0630-0630-NY	300 <i>11.811</i>	6.300 <i>0.248</i>	6.300 <i>0.248</i>	5.560 <i>0.219</i>	20	Nylon	ISO 8 (AGMA Q9)	None	Square	Mod 0.8
GR080-0300-0630-1270-BR	300 <i>11.811</i>	6.300 <i>0.248</i>	12.700 <i>0.500</i>	11.900 <i>0.469</i>	20	Brass	ISO 8 (AGMA Q9)	None	Rectangular	Mod 0.8
# GR080-0300-0630-1270-CS	300 <i>11.811</i>	6.300 <i>0.248</i>	12.700 <i>0.500</i>	11.900 <i>0.469</i>	20	Carbon Steel	ISO 8 (AGMA Q9)	None	Rectangular	Mod 0.8

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Gears - Racks - Module 0.8

Part Number	Length (L) mm	Face Width (fw) mm	Height (h) mm	Pitch Height (ph) mm	Pressure Angle Deg.	Material	Precision	Mounting Holes	Shape	Pitch
	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>						
# GR080-0505-0500-1000-BR	505	5.000	10.000	9.200	20	Brass	ISO 8 (AGMA Q9)	None	Rectangular	Mod 0.8
	<i>19.882</i>	<i>0.197</i>	<i>0.394</i>	<i>0.362</i>						
# GR080-0505-0500-1000-S4	505	5.000	10.000	9.200	20	416 Stainless Steel	ISO 8 (AGMA Q9)	None	Rectangular	Mod 0.8
	<i>19.882</i>	<i>0.197</i>	<i>0.394</i>	<i>0.362</i>						
# GR080-0505-0700-1000-BR	505	7.000	10.000	9.200	20	Brass	ISO 8 (AGMA Q9)	None	Rectangular	Mod 0.8
	<i>19.882</i>	<i>0.276</i>	<i>0.394</i>	<i>0.362</i>						
# GR080-0505-0700-1000-S4	505	7.000	10.000	9.200	20	416 Stainless Steel	ISO 8 (AGMA Q9)	None	Rectangular	Mod 0.8
	<i>19.882</i>	<i>0.276</i>	<i>0.394</i>	<i>0.362</i>						

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.



DISTRIBUTED BY

Ask us to put your name and address here

<http://www.minibearings.com.au/product>

Ph +61 7 3245 7977

Fax +61 7 3245 1017

Catalogue requests to [catalogues@minibearings.com.au](mailto:catalogues@minibearings.com.au)

