




MBA

Gears - Spur - 24 Pitch - Hub Mounting



Suits hub and cluster gears 9.525mm (3/8) mounting diameter as listed on this site. Aluminium, stainless steel and acetal. Plastic and metallic.

Gears - Spur - 24 Pitch - Hub Mounting

Part Number	Teeth (No.)	Pitch Circle Diameter (PD) mm	Bore (d) mm	Outside Diameter (OD) mm	Face Width (FW) mm	Overall Width (FW+HL) mm	Hub Diameter (D1) mm	Hub Proj / Locking Method (HL) mm	Pressure Angle Deg.	Material / Quality
# GS24-15-0318B0953-A2-N	15	15.88	9.525	17.983	3.18	3.18	Hubless	0.00 / None	20	2024 Aluminum Alloy / AGMA Q10
		<i>0.625</i>	<i>0.375</i>	<i>0.708</i>	<i>0.125</i>	<i>0.125</i>				
# GS24-15-0318B0953-3-N	15	15.88	9.525	17.983	3.18	3.18	Hubless	0.00 / None	20	303 Stainless Steel / AGMA Q10
		<i>0.625</i>	<i>0.375</i>	<i>0.708</i>	<i>0.125</i>	<i>0.125</i>				

Gears - Spur - 24 Pitch - Hub Mounting

Part Number	Teeth (No.)	Pitch Circle Diameter (PD) mm	Bore (d) mm	Outside Diameter (OD) mm	Face Width (FW) mm	Overall Width (FW+HL) mm	Hub Diameter (D1) mm	Hub Proj / Locking Method (HL) mm	Pressure Angle Deg.	Material / Quality
# GS24-16-0318B0953-A2-N	16	16.93	9.525	19.042	3.18	3.18	Hubless	0.00 / None	20	2024 Aluminum Alloy / AGMA Q10
		<i>0.667</i>	<i>0.375</i>	<i>0.750</i>	<i>0.125</i>	<i>0.125</i>				
# GS24-16-0318B0953-3-N	16	16.93	9.525	19.042	3.18	3.18	Hubless	0.00 / None	20	303 Stainless Steel / AGMA Q10
		<i>0.667</i>	<i>0.375</i>	<i>0.750</i>	<i>0.125</i>	<i>0.125</i>				
# GS24-18-0318B0953-3-N	18	19.05	9.525	21.158	3.18	3.18	Hubless	0.00 / None	20	303 Stainless Steel / AGMA Q10
		<i>0.750</i>	<i>0.375</i>	<i>0.833</i>	<i>0.125</i>	<i>0.125</i>				
# GS24-18-0318B0953-A2-N	18	19.05	9.525	21.158	3.18	3.18	Hubless	0.00 / None	20	2024 Aluminum Alloy / AGMA Q10
		<i>0.750</i>	<i>0.375</i>	<i>0.833</i>	<i>0.125</i>	<i>0.125</i>				
# GS24-20-0318B0953-A2-N	20	21.17	9.525	23.274	3.18	3.18	Hubless	0.00 / None	20	2024 Aluminum Alloy / AGMA Q10
		<i>0.833</i>	<i>0.375</i>	<i>0.916</i>	<i>0.125</i>	<i>0.125</i>				
# GS24-20-0318B0953-3-N	20	21.17	9.525	23.274	3.18	3.18	Hubless	0.00 / None	20	303 Stainless Steel / AGMA Q10
		<i>0.833</i>	<i>0.375</i>	<i>0.916</i>	<i>0.125</i>	<i>0.125</i>				

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Gears - Spur - 24 Pitch - Hub Mounting

Part Number	Teeth (No.)	Pitch Circle Diameter (PD) mm	Bore (d) mm	Outside Diameter (OD) mm	Face Width (FW) mm	Overall Width (FW+HL) mm	Hub Diameter (D1) mm	Hub Proj / Locking Method (HL) mm	Pressure Angle Deg.	Material / Quality
# GS24-21-0318B0953-ACA-N	21	22.23	9.525	24.333	3.18	3.18	Hubless	0.00 / None	20	Acetal Rim - Alum. Core / AGMA Q10
		<i>0.875</i>	<i>0.375</i>	<i>0.958</i>	<i>0.125</i>	<i>0.125</i>				
# GS24-21-0318B0953-3-N	21	22.23	9.525	24.333	3.18	3.18	Hubless	0.00 / None	20	303 Stainless Steel / AGMA Q10
		<i>0.875</i>	<i>0.375</i>	<i>0.958</i>	<i>0.125</i>	<i>0.125</i>				
# GS24-21-0318B0953-A2-N	21	22.23	9.525	24.333	3.18	3.18	Hubless	0.00 / None	20	2024 Aluminum Alloy / AGMA Q10
		<i>0.875</i>	<i>0.375</i>	<i>0.958</i>	<i>0.125</i>	<i>0.125</i>				
# GS24-24-0318B0953-3-N	24	25.40	9.525	27.508	3.18	3.18	Hubless	0.00 / None	20	303 Stainless Steel / AGMA Q10
		<i>1.000</i>	<i>0.375</i>	<i>1.083</i>	<i>0.125</i>	<i>0.125</i>				
# GS24-24-0318B0953-A2-N	24	25.40	9.525	27.508	3.18	3.18	Hubless	0.00 / None	20	2024 Aluminum Alloy / AGMA Q10
		<i>1.000</i>	<i>0.375</i>	<i>1.083</i>	<i>0.125</i>	<i>0.125</i>				
# GS24-24-0318B0953-ACA-N	24	25.40	9.525	27.508	3.18	3.18	Hubless	0.00 / None	20	Acetal Rim - Alum. Core / AGMA Q10
		<i>1.000</i>	<i>0.375</i>	<i>1.083</i>	<i>0.125</i>	<i>0.125</i>				

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Gears - Spur - 24 Pitch - Hub Mounting

Part Number	Teeth (No.)	Pitch Circle Diameter (PD) mm	Bore (d) mm	Outside Diameter (OD) mm	Face Width (FW) mm	Overall Width (FW+HL) mm	Hub Diameter (D1) mm	Hub Proj / Locking Method (HL) mm	Pressure Angle Deg.	Material / Quality
# GS24-25-0318B0953-3-N	25	26.46	9.525	28.567	3.18	3.18	Hubless	0.00 / None	20	303 Stainless Steel / AGMA Q10
		<i>1.042</i>	<i>0.375</i>	<i>1.125</i>	<i>0.125</i>	<i>0.125</i>				
# GS24-25-0318B0953-A2-N	25	26.46	9.525	28.567	3.18	3.18	Hubless	0.00 / None	20	2024 Aluminum Alloy / AGMA Q10
		<i>1.042</i>	<i>0.375</i>	<i>1.125</i>	<i>0.125</i>	<i>0.125</i>				
# GS24-25-0318B0953-ACA-N	25	26.46	9.525	28.567	3.18	3.18	Hubless	0.00 / None	20	Acetal Rim - Alum. Core / AGMA Q10
		<i>1.042</i>	<i>0.375</i>	<i>1.125</i>	<i>0.125</i>	<i>0.125</i>				
# GS24-26-0318B0953-A2-N	26	27.52	9.525	29.624	3.18	3.18	Hubless	0.00 / None	20	2024 Aluminum Alloy / AGMA Q10
		<i>1.083</i>	<i>0.375</i>	<i>1.166</i>	<i>0.125</i>	<i>0.125</i>				
# GS24-26-0318B0953-3-N	26	27.52	9.525	29.624	3.18	3.18	Hubless	0.00 / None	20	303 Stainless Steel / AGMA Q10
		<i>1.083</i>	<i>0.375</i>	<i>1.166</i>	<i>0.125</i>	<i>0.125</i>				
# GS24-28-0318B0953-3-N	28	29.63	9.525	31.742	3.18	3.18	Hubless	0.00 / None	20	303 Stainless Steel / AGMA Q10
		<i>1.167</i>	<i>0.375</i>	<i>1.250</i>	<i>0.125</i>	<i>0.125</i>				

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Gears - Spur - 24 Pitch - Hub Mounting

Part Number	Teeth (No.)	Pitch Circle Diameter (PD) mm	Bore (d) mm	Outside Diameter (OD) mm	Face Width (FW) mm	Overall Width (FW+HL) mm	Hub Diameter (D1) mm	Hub Proj / Locking Method (HL) mm	Pressure Angle Deg.	Material / Quality
# GS24-28-0318B0953-A2-N	28	29.63	9.525	31.742	3.18	3.18	Hubless	0.00 / None	20	2024 Aluminum Alloy / AGMA Q10
		<i>1.167</i>	<i>0.375</i>	<i>1.250</i>	<i>0.125</i>	<i>0.125</i>				
# GS24-30-0318B0953-ACA-N	30	31.75	9.525	33.858	3.18	3.18	Hubless	0.00 / None	20	Acetal Rim - Alum. Core / AGMA Q10
		<i>1.250</i>	<i>0.375</i>	<i>1.333</i>	<i>0.125</i>	<i>0.125</i>				
# GS24-30-0318B0953-3-N	30	31.75	9.525	33.858	3.18	3.18	Hubless	0.00 / None	20	303 Stainless Steel / AGMA Q10
		<i>1.250</i>	<i>0.375</i>	<i>1.333</i>	<i>0.125</i>	<i>0.125</i>				
# GS24-30-0318B0953-A2-N	30	31.75	9.525	33.858	3.18	3.18	Hubless	0.00 / None	20	2024 Aluminum Alloy / AGMA Q10
		<i>1.250</i>	<i>0.375</i>	<i>1.333</i>	<i>0.125</i>	<i>0.125</i>				
# GS24-32-0318B0953-A2-N	32	33.87	9.525	35.974	3.18	3.18	Hubless	0.00 / None	20	2024 Aluminum Alloy / AGMA Q10
		<i>1.333</i>	<i>0.375</i>	<i>1.416</i>	<i>0.125</i>	<i>0.125</i>				
# GS24-32-0318B0953-3-N	32	33.87	9.525	35.974	3.18	3.18	Hubless	0.00 / None	20	303 Stainless Steel / AGMA Q10
		<i>1.333</i>	<i>0.375</i>	<i>1.416</i>	<i>0.125</i>	<i>0.125</i>				

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Gears - Spur - 24 Pitch - Hub Mounting

Part Number	Teeth (No.)	Pitch Circle Diameter (PD) mm	Bore (d) mm	Outside Diameter (OD) mm	Face Width (FW) mm	Overall Width (FW+HL) mm	Hub Diameter (D1) mm	Hub Proj / Locking Method (HL) mm	Pressure Angle Deg.	Material / Quality
# GS24-32-0318B0953-ACA-N	32	33.87	9.525	35.974	3.18	3.18	Hubless	0.00 / None	20	Acetal Rim - Alum. Core / AGMA Q10
		<i>1.333</i>	<i>0.375</i>	<i>1.416</i>	<i>0.125</i>	<i>0.125</i>				
# GS24-35-0318B0953-ACA-N	35	37.04	9.525	39.149	3.18	3.18	Hubless	0.00 / None	20	Acetal Rim - Alum. Core / AGMA Q10
		<i>1.458</i>	<i>0.375</i>	<i>1.541</i>	<i>0.125</i>	<i>0.125</i>				
# GS24-36-0318B0953-A2-N	36	38.10	9.525	40.208	3.18	3.18	Hubless	0.00 / None	20	2024 Aluminum Alloy / AGMA Q10
		<i>1.500</i>	<i>0.375</i>	<i>1.583</i>	<i>0.125</i>	<i>0.125</i>				
# GS24-36-0318B0953-ACA-N	36	38.10	9.525	40.208	3.18	3.18	Hubless	0.00 / None	20	Acetal Rim - Alum. Core / AGMA Q10
		<i>1.500</i>	<i>0.375</i>	<i>1.583</i>	<i>0.125</i>	<i>0.125</i>				
# GS24-36-0318B0953-3-N	36	38.10	9.525	40.208	3.18	3.18	Hubless	0.00 / None	20	303 Stainless Steel / AGMA Q10
		<i>1.500</i>	<i>0.375</i>	<i>1.583</i>	<i>0.125</i>	<i>0.125</i>				
# GS24-40-0318B0953-ACA-N	40	42.33	9.525	44.442	3.18	3.18	Hubless	0.00 / None	20	Acetal Rim - Alum. Core / AGMA Q10
		<i>1.667</i>	<i>0.375</i>	<i>1.750</i>	<i>0.125</i>	<i>0.125</i>				
# GS24-40-0318B0953-3-N	40	42.33	9.525	44.442	3.18	3.18	Hubless	0.00 / None	20	303 Stainless Steel / AGMA Q10
		<i>1.667</i>	<i>0.375</i>	<i>1.750</i>	<i>0.125</i>	<i>0.125</i>				

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Gears - Spur - 24 Pitch - Hub Mounting

Part Number	Teeth (No.)	Pitch Circle Diameter (PD) mm	Bore (d) mm	Outside Diameter (OD) mm	Face Width (FW) mm	Overall Width (FW+HL) mm	Hub Diameter (D1) mm	Hub Proj / Locking Method (HL) mm	Pressure Angle Deg.	Material / Quality
# GS24-40-0318B0953-A2-N	40	42.33	9.525	44.442	3.18	3.18	Hubless	0.00 / None	20	2024 Aluminum Alloy / AGMA Q10
		<i>1.667</i>	<i>0.375</i>	<i>1.750</i>	<i>0.125</i>	<i>0.125</i>				
# GS24-42-0318B0953-A2-N	42	44.45	9.525	46.558	3.18	3.18	Hubless	0.00 / None	20	2024 Aluminum Alloy / AGMA Q10
		<i>1.750</i>	<i>0.375</i>	<i>1.833</i>	<i>0.125</i>	<i>0.125</i>				
# GS24-42-0318B0953-3-N	42	44.45	9.525	46.558	3.18	3.18	Hubless	0.00 / None	20	303 Stainless Steel / AGMA Q10
		<i>1.750</i>	<i>0.375</i>	<i>1.833</i>	<i>0.125</i>	<i>0.125</i>				
# GS24-42-0318B0953-ACA-N	42	44.45	9.525	46.558	3.18	3.18	Hubless	0.00 / None	20	Acetal Rim - Alum. Core / AGMA Q10
		<i>1.750</i>	<i>0.375</i>	<i>1.833</i>	<i>0.125</i>	<i>0.125</i>				
# GS24-45-0318B0953-A2-N	45	47.63	9.525	49.733	3.18	3.18	Hubless	0.00 / None	20	2024 Aluminum Alloy / AGMA Q10
		<i>1.875</i>	<i>0.375</i>	<i>1.958</i>	<i>0.125</i>	<i>0.125</i>				
# GS24-45-0318B0953-3-N	45	47.63	9.525	49.733	3.18	3.18	Hubless	0.00 / None	20	303 Stainless Steel / AGMA Q10
		<i>1.875</i>	<i>0.375</i>	<i>1.958</i>	<i>0.125</i>	<i>0.125</i>				

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Gears - Spur - 24 Pitch - Hub Mounting

Part Number	Teeth (No.)	Pitch Circle Diameter (PD) mm	Bore (d) mm	Outside Diameter (OD) mm	Face Width (FW) mm	Overall Width (FW+HL) mm	Hub Diameter (D1) mm	Hub Proj / Locking Method (HL) mm	Pressure Angle Deg.	Material / Quality
# GS24-45-0318B0953-ACA-N	45	47.63	9.525	49.733	3.18	3.18	Hubless	0.00 / None	20	Acetal Rim - Alum. Core / AGMA Q10
		<i>1.875</i>	<i>0.375</i>	<i>1.958</i>	<i>0.125</i>	<i>0.125</i>				
# GS24-46-0318B0953-3-N	46	48.68	9.525	50.792	3.18	3.18	Hubless	0.00 / None	20	303 Stainless Steel / AGMA Q10
		<i>1.917</i>	<i>0.375</i>	<i>2.000</i>	<i>0.125</i>	<i>0.125</i>				
# GS24-46-0318B0953-A2-N	46	48.68	9.525	50.792	3.18	3.18	Hubless	0.00 / None	20	2024 Aluminum Alloy / AGMA Q10
		<i>1.917</i>	<i>0.375</i>	<i>2.000</i>	<i>0.125</i>	<i>0.125</i>				
# GS24-46-0318B0953-ACA-N	46	48.68	9.525	50.792	3.18	3.18	Hubless	0.00 / None	20	Acetal Rim - Alum. Core / AGMA Q10
		<i>1.917</i>	<i>0.375</i>	<i>2.000</i>	<i>0.125</i>	<i>0.125</i>				
# GS24-48-0318B0953-ACA-N	48	50.80	9.525	52.908	3.18	3.18	Hubless	0.00 / None	20	Acetal Rim - Alum. Core / AGMA Q10
		<i>2.000</i>	<i>0.375</i>	<i>2.083</i>	<i>0.125</i>	<i>0.125</i>				
# GS24-48-0318B0953-3-N	48	50.80	9.525	52.908	3.18	3.18	Hubless	0.00 / None	20	303 Stainless Steel / AGMA Q10
		<i>2.000</i>	<i>0.375</i>	<i>2.083</i>	<i>0.125</i>	<i>0.125</i>				

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Gears - Spur - 24 Pitch - Hub Mounting

Part Number	Teeth (No.)	Pitch Circle Diameter (PD) mm	Bore (d) mm	Outside Diameter (OD) mm	Face Width (FW) mm	Overall Width (FW+HL) mm	Hub Diameter (D1) mm	Hub Proj / Locking Method (HL) mm	Pressure Angle Deg.	Material / Quality
# GS24-48-0318B0953-A2-N	48	50.80	9.525	52.908	3.18	3.18	Hubless	0.00 / None	20	2024 Aluminum Alloy / AGMA Q10
		<i>2.000</i>	<i>0.375</i>	<i>2.083</i>	<i>0.125</i>	<i>0.125</i>				
# GS24-50-0318B0953-ACA-N	50	52.92	9.525	55.024	3.18	3.18	Hubless	0.00 / None	20	Acetal Rim - Alum. Core / AGMA Q10
		<i>2.083</i>	<i>0.375</i>	<i>2.166</i>	<i>0.125</i>	<i>0.125</i>				
# GS24-50-0318B0953-A2-N	50	52.92	9.525	55.024	3.18	3.18	Hubless	0.00 / None	20	2024 Aluminum Alloy / AGMA Q10
		<i>2.083</i>	<i>0.375</i>	<i>2.166</i>	<i>0.125</i>	<i>0.125</i>				
# GS24-50-0318B0953-3-N	50	52.92	9.525	55.024	3.18	3.18	Hubless	0.00 / None	20	303 Stainless Steel / AGMA Q10
		<i>2.083</i>	<i>0.375</i>	<i>2.166</i>	<i>0.125</i>	<i>0.125</i>				
# GS24-52-0318B0953-3-N	52	55.03	9.525	57.142	3.18	3.18	Hubless	0.00 / None	20	303 Stainless Steel / AGMA Q10
		<i>2.167</i>	<i>0.375</i>	<i>2.250</i>	<i>0.125</i>	<i>0.125</i>				
# GS24-52-0318B0953-A2-N	52	55.03	9.525	57.142	3.18	3.18	Hubless	0.00 / None	20	2024 Aluminum Alloy / AGMA Q10
		<i>2.167</i>	<i>0.375</i>	<i>2.250</i>	<i>0.125</i>	<i>0.125</i>				

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Gears - Spur - 24 Pitch - Hub Mounting

Part Number	Teeth (No.)	Pitch Circle Diameter (PD) mm	Bore (d) mm	Outside Diameter (OD) mm	Face Width (FW) mm	Overall Width (FW+HL) mm	Hub Diameter (D1) mm	Hub Proj / Locking Method (HL) mm	Pressure Angle Deg.	Material / Quality
# GS24-55-0318B0953-ACA-N	55	58.21	9.525	60.317	3.18	3.18	Hubless	0.00 / None	20	Acetal Rim - Alum. Core / AGMA Q10
		<i>2.292</i>	<i>0.375</i>	<i>2.375</i>	<i>0.125</i>	<i>0.125</i>				
# GS24-56-0318B0953-3-N	56	59.27	9.525	61.374	3.18	3.18	Hubless	0.00 / None	20	303 Stainless Steel / AGMA Q10
		<i>2.333</i>	<i>0.375</i>	<i>2.416</i>	<i>0.125</i>	<i>0.125</i>				
# GS24-56-0318B0953-ACA-N	56	59.27	9.525	61.374	3.18	3.18	Hubless	0.00 / None	20	Acetal Rim - Alum. Core / AGMA Q10
		<i>2.333</i>	<i>0.375</i>	<i>2.416</i>	<i>0.125</i>	<i>0.125</i>				
# GS24-56-0318B0953-A2-N	56	59.27	9.525	61.374	3.18	3.18	Hubless	0.00 / None	20	2024 Aluminum Alloy / AGMA Q10
		<i>2.333</i>	<i>0.375</i>	<i>2.416</i>	<i>0.125</i>	<i>0.125</i>				
# GS24-60-0318B0953-ACA-N	60	63.50	9.525	65.608	3.18	3.18	Hubless	0.00 / None	20	Acetal Rim - Alum. Core / AGMA Q10
		<i>2.500</i>	<i>0.375</i>	<i>2.583</i>	<i>0.125</i>	<i>0.125</i>				
# GS24-60-0318B0953-3-N	60	63.50	9.525	65.608	3.18	3.18	Hubless	0.00 / None	20	303 Stainless Steel / AGMA Q10
		<i>2.500</i>	<i>0.375</i>	<i>2.583</i>	<i>0.125</i>	<i>0.125</i>				

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Gears - Spur - 24 Pitch - Hub Mounting

Part Number	Teeth (No.)	Pitch Circle Diameter (PD) mm	Bore (d) mm	Outside Diameter (OD) mm	Face Width (FW) mm	Overall Width (FW+HL) mm	Hub Diameter (D1) mm	Hub Proj / Locking Method (HL) mm	Pressure Angle Deg.	Material / Quality
# GS24-60-0318B0953-A2-N	60	63.50	9.525	65.608	3.18	3.18	Hubless	0.00 / None	20	2024 Aluminum Alloy / AGMA Q10
		<i>2.500</i>	<i>0.375</i>	<i>2.583</i>	<i>0.125</i>	<i>0.125</i>				
# GS24-64-0318B0953-3-N	64	67.73	9.525	69.842	3.18	3.18	Hubless	0.00 / None	20	303 Stainless Steel / AGMA Q10
		<i>2.667</i>	<i>0.375</i>	<i>2.750</i>	<i>0.125</i>	<i>0.125</i>				
# GS24-64-0318B0953-ACA-N	64	67.73	9.525	69.842	3.18	3.18	Hubless	0.00 / None	20	Acetal Rim - Alum. Core / AGMA Q10
		<i>2.667</i>	<i>0.375</i>	<i>2.750</i>	<i>0.125</i>	<i>0.125</i>				
# GS24-64-0318B0953-A2-N	64	67.73	9.525	69.842	3.18	3.18	Hubless	0.00 / None	20	2024 Aluminum Alloy / AGMA Q10
		<i>2.667</i>	<i>0.375</i>	<i>2.750</i>	<i>0.125</i>	<i>0.125</i>				
# GS24-65-0318B0953-ACA-N	65	68.79	9.525	70.899	3.18	3.18	Hubless	0.00 / None	20	Acetal Rim - Alum. Core / AGMA Q10
		<i>2.708</i>	<i>0.375</i>	<i>2.791</i>	<i>0.125</i>	<i>0.125</i>				
# GS24-66-0318B0953-A2-N	66	69.85	9.525	71.958	3.18	3.18	Hubless	0.00 / None	20	2024 Aluminum Alloy / AGMA Q10
		<i>2.750</i>	<i>0.375</i>	<i>2.833</i>	<i>0.125</i>	<i>0.125</i>				

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Gears - Spur - 24 Pitch - Hub Mounting

Part Number	Teeth (No.)	Pitch Circle Diameter (PD) mm	Bore (d) mm	Outside Diameter (OD) mm	Face Width (FW) mm	Overall Width (FW+HL) mm	Hub Diameter (D1) mm	Hub Proj / Locking Method (HL) mm	Pressure Angle Deg.	Material / Quality
# GS24-66-0318B0953-3-N	66	69.85	9.525	71.958	3.18	3.18	Hubless	0.00 / None	20	303 Stainless Steel / AGMA Q10
		<i>2.750</i>	<i>0.375</i>	<i>2.833</i>	<i>0.125</i>	<i>0.125</i>				
# GS24-70-0318B0953-ACA-N	70	74.08	9.525	76.192	3.18	3.18	Hubless	0.00 / None	20	Acetal Rim - Alum. Core / AGMA Q10
		<i>2.917</i>	<i>0.375</i>	<i>3.000</i>	<i>0.125</i>	<i>0.125</i>				
# GS24-70-0318B0953-3-N	70	74.08	9.525	76.192	3.18	3.18	Hubless	0.00 / None	20	303 Stainless Steel / AGMA Q10
		<i>2.917</i>	<i>0.375</i>	<i>3.000</i>	<i>0.125</i>	<i>0.125</i>				
# GS24-70-0318B0953-A2-N	70	74.08	9.525	76.192	3.18	3.18	Hubless	0.00 / None	20	2024 Aluminum Alloy / AGMA Q10
		<i>2.917</i>	<i>0.375</i>	<i>3.000</i>	<i>0.125</i>	<i>0.125</i>				
# GS24-72-0318B0953-ACA-N	72	76.20	9.525	78.308	3.18	3.18	Hubless	0.00 / None	20	Acetal Rim - Alum. Core / AGMA Q10
		<i>3.000</i>	<i>0.375</i>	<i>3.083</i>	<i>0.125</i>	<i>0.125</i>				
# GS24-72-0318B0953-A2-N	72	76.20	9.525	78.308	3.18	3.18	Hubless	0.00 / None	20	2024 Aluminum Alloy / AGMA Q10
		<i>3.000</i>	<i>0.375</i>	<i>3.083</i>	<i>0.125</i>	<i>0.125</i>				

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Gears - Spur - 24 Pitch - Hub Mounting

Part Number	Teeth (No.)	Pitch Circle Diameter (PD) mm	Bore (d) mm	Outside Diameter (OD) mm	Face Width (FW) mm	Overall Width (FW+HL) mm	Hub Diameter (D1) mm	Hub Proj / Locking Method (HL) mm	Pressure Angle Deg.	Material / Quality
# GS24-72-0318B0953-3-N	72	76.20	9.525	78.308	3.18	3.18	Hubless	0.00 / None	20	303 Stainless Steel / AGMA Q10
		<i>3.000</i>	<i>0.375</i>	<i>3.083</i>	<i>0.125</i>	<i>0.125</i>				
# GS24-78-0318B0953-A2-N	78	82.55	9.525	84.658	3.18	3.18	Hubless	0.00 / None	20	2024 Aluminum Alloy / AGMA Q10
		<i>3.250</i>	<i>0.375</i>	<i>3.333</i>	<i>0.125</i>	<i>0.125</i>				
# GS24-78-0318B0953-3-N	78	82.55	9.525	84.658	3.18	3.18	Hubless	0.00 / None	20	303 Stainless Steel / AGMA Q10
		<i>3.250</i>	<i>0.375</i>	<i>3.333</i>	<i>0.125</i>	<i>0.125</i>				
# GS24-84-0318B0953-3-N	84	88.90	9.525	91.008	3.18	3.18	Hubless	0.00 / None	20	303 Stainless Steel / AGMA Q10
		<i>3.500</i>	<i>0.375</i>	<i>3.583</i>	<i>0.125</i>	<i>0.125</i>				
# GS24-84-0318B0953-ACA-N	84	88.90	9.525	91.008	3.18	3.18	Hubless	0.00 / None	20	Acetal Rim - Alum. Core / AGMA Q10
		<i>3.500</i>	<i>0.375</i>	<i>3.583</i>	<i>0.125</i>	<i>0.125</i>				
# GS24-84-0318B0953-A2-N	84	88.90	9.525	91.008	3.18	3.18	Hubless	0.00 / None	20	2024 Aluminum Alloy / AGMA Q10
		<i>3.500</i>	<i>0.375</i>	<i>3.583</i>	<i>0.125</i>	<i>0.125</i>				

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Gears - Spur - 24 Pitch - Hub Mounting

Part Number	Teeth (No.)	Pitch Circle Diameter (PD) mm	Bore (d) mm	Outside Diameter (OD) mm	Face Width (FW) mm	Overall Width (FW+HL) mm	Hub Diameter (D1) mm	Hub Proj / Locking Method (HL) mm	Pressure Angle Deg.	Material / Quality
# GS24-90-0318B0953-A2-N	90	95.25	9.525	97.358	3.18	3.18	Hubless	0.00 / None	20	2024 Aluminum Alloy / AGMA Q10
		<i>3.750</i>	<i>0.375</i>	<i>3.833</i>	<i>0.125</i>	<i>0.125</i>				
# GS24-90-0318B0953-3-N	90	95.25	9.525	97.358	3.18	3.18	Hubless	0.00 / None	20	303 Stainless Steel / AGMA Q10
		<i>3.750</i>	<i>0.375</i>	<i>3.833</i>	<i>0.125</i>	<i>0.125</i>				
# GS24-96-0318B0953-ACA-N	96	101.60	9.525	103.708	3.18	3.18	Hubless	0.00 / None	20	Acetal Rim - Alum. Core / AGMA Q10
		<i>4.000</i>	<i>0.375</i>	<i>4.083</i>	<i>0.125</i>	<i>0.125</i>				
# GS24-96-0318B0953-A2-N	96	101.60	9.525	103.708	3.18	3.18	Hubless	0.00 / None	20	2024 Aluminum Alloy / AGMA Q10
		<i>4.000</i>	<i>0.375</i>	<i>4.083</i>	<i>0.125</i>	<i>0.125</i>				
# GS24-96-0318B0953-3-N	96	101.60	9.525	103.708	3.18	3.18	Hubless	0.00 / None	20	303 Stainless Steel / AGMA Q10
		<i>4.000</i>	<i>0.375</i>	<i>4.083</i>	<i>0.125</i>	<i>0.125</i>				
# GS24-99-0318B0953-3-N	99	104.78	9.525	106.883	3.18	3.18	Hubless	0.00 / None	20	303 Stainless Steel / AGMA Q10
		<i>4.125</i>	<i>0.375</i>	<i>4.208</i>	<i>0.125</i>	<i>0.125</i>				

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Gears - Spur - 24 Pitch - Hub Mounting

Part Number	Teeth (No.)	Pitch Circle Diameter (PD) mm	Bore (d) mm	Outside Diameter (OD) mm	Face Width (FW) mm	Overall Width (FW+HL) mm	Hub Diameter (D1) mm	Hub Proj / Locking Method (HL) mm	Pressure Angle Deg.	Material / Quality
# GS24-99-0318B0953-A2-N	99	104.78	9.525	106.883	3.18	3.18	Hubless	0.00 / None	20	2024 Aluminum Alloy / AGMA Q10
		<i>4.125</i>	<i>0.375</i>	<i>4.208</i>	<i>0.125</i>	<i>0.125</i>				

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.



DISTRIBUTED BY

Ask us to put your name and address here

<http://www.minibearings.com.au/product>

Ph +61 7 3245 7977

Fax +61 7 3245 1017

Catalogue requests to catalogues@minibearings.com.au

