




# MBA

## Gears - Spur - 32 Pitch - Hub Mounting



Suits hub and cluster gears 9.525mm (3/8) mounting diameter as listed on this site. Aluminium, stainless steel and acetal. Plastic and metallic.

### Gears - Spur - 32 Pitch - Hub Mounting

Part Number	Teeth (No.)	Pitch Circle Diameter (PD) mm	Bore (d) mm	Outside Diameter (OD) mm	Face Width (FW) mm	Overall Width (FW+HL) mm	Hub Diameter (D1) mm	Hub Proj / Locking Method (HL) mm	Pressure Angle Deg.	Material / Quality
# GS32-19-0318B0953-3-N	19	15.08	9.525	16.683	3.18	3.18	Hubless	0.00 / None	20	303 Stainless Steel / AGMA Q10
		0.594	0.375	0.657	0.125	0.125				
# GS32-19-0318B0953-A2-N	19	15.08	9.525	16.683	3.18	3.18	Hubless	0.00 / None	20	2024 Aluminum Alloy / AGMA Q10
		0.594	0.375	0.657	0.125	0.125				

## Gears - Spur - 32 Pitch - Hub Mounting

Part Number	Teeth (No.)	Pitch Circle Diameter (PD) mm	Bore (d) mm	Outside Diameter (OD) mm	Face Width (FW) mm	Overall Width (FW+HL) mm	Hub Diameter (D1) mm	Hub Proj / Locking Method (HL) mm	Pressure Angle Deg.	Material / Quality
# GS32-20-0318B0953-A2-N	20	15.88	9.525	17.475	3.18	3.18	Hubless	0.00 / None	20	2024 Aluminum Alloy / AGMA Q10
		<i>0.625</i>	<i>0.375</i>	<i>0.688</i>	<i>0.125</i>	<i>0.125</i>				
# GS32-20-0318B0953-3-N	20	15.88	9.525	17.475	3.18	3.18	Hubless	0.00 / None	20	303 Stainless Steel / AGMA Q10
		<i>0.625</i>	<i>0.375</i>	<i>0.688</i>	<i>0.125</i>	<i>0.125</i>				
# GS32-24-0318B0953-A2-N	24	19.05	9.525	20.650	3.18	3.18	Hubless	0.00 / None	20	2024 Aluminum Alloy / AGMA Q10
		<i>0.750</i>	<i>0.375</i>	<i>0.813</i>	<i>0.125</i>	<i>0.125</i>				
# GS32-24-0318B0953-3-N	24	19.05	9.525	20.650	3.18	3.18	Hubless	0.00 / None	20	303 Stainless Steel / AGMA Q10
		<i>0.750</i>	<i>0.375</i>	<i>0.813</i>	<i>0.125</i>	<i>0.125</i>				
# GS32-26-0318B0953-A2-N	26	20.64	9.525	22.238	3.18	3.18	Hubless	0.00 / None	20	2024 Aluminum Alloy / AGMA Q10
		<i>0.813</i>	<i>0.375</i>	<i>0.876</i>	<i>0.125</i>	<i>0.125</i>				
# GS32-26-0318B0953-3-N	26	20.64	9.525	22.238	3.18	3.18	Hubless	0.00 / None	20	303 Stainless Steel / AGMA Q10
		<i>0.813</i>	<i>0.375</i>	<i>0.876</i>	<i>0.125</i>	<i>0.125</i>				

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Gears - Spur - 32 Pitch - Hub Mounting

Part Number	Teeth (No.)	Pitch Circle Diameter (PD) mm	Bore (d) mm	Outside Diameter (OD) mm	Face Width (FW) mm	Overall Width (FW+HL) mm	Hub Diameter (D1) mm	Hub Proj / Locking Method (HL) mm	Pressure Angle Deg.	Material / Quality
# GS32-28-0318B0953-A2-N	28	22.23	9.525	23.825	3.18	3.18	Hubless	0.00 / None	20	2024 Aluminum Alloy / AGMA Q10
		<i>0.875</i>	<i>0.375</i>	<i>0.938</i>	<i>0.125</i>	<i>0.125</i>				
# GS32-28-0318B0953-3-N	28	22.23	9.525	23.825	3.18	3.18	Hubless	0.00 / None	20	303 Stainless Steel / AGMA Q10
		<i>0.875</i>	<i>0.375</i>	<i>0.938</i>	<i>0.125</i>	<i>0.125</i>				
# GS32-28-0318B0953-ACA-N	28	22.23	9.525	23.825	3.18	3.18	Hubless	0.00 / None	20	Acetal Rim - Alum. Core / AGMA Q10
		<i>0.875</i>	<i>0.375</i>	<i>0.938</i>	<i>0.125</i>	<i>0.125</i>				
# GS32-30-0318B0953-3-N	30	23.81	9.525	25.412	3.18	3.18	Hubless	0.00 / None	20	303 Stainless Steel / AGMA Q10
		<i>0.937</i>	<i>0.375</i>	<i>1.000</i>	<i>0.125</i>	<i>0.125</i>				
# GS32-30-0318B0953-A2-N	30	23.81	9.525	25.412	3.18	3.18	Hubless	0.00 / None	20	2024 Aluminum Alloy / AGMA Q10
		<i>0.937</i>	<i>0.375</i>	<i>1.000</i>	<i>0.125</i>	<i>0.125</i>				
# GS32-32-0318B0953-3-N	32	25.40	9.525	27.000	3.18	3.18	Hubless	0.00 / None	20	303 Stainless Steel / AGMA Q10
		<i>1.000</i>	<i>0.375</i>	<i>1.063</i>	<i>0.125</i>	<i>0.125</i>				

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Gears - Spur - 32 Pitch - Hub Mounting

Part Number	Teeth (No.)	Pitch Circle Diameter (PD) mm	Bore (d) mm	Outside Diameter (OD) mm	Face Width (FW) mm	Overall Width (FW+HL) mm	Hub Diameter (D1) mm	Hub Proj / Locking Method (HL) mm	Pressure Angle Deg.	Material / Quality
# GS32-32-0318B0953-ACA-N	32	25.40	9.525	27.000	3.18	3.18	Hubless	0.00 / None	20	Acetal Rim - Alum. Core / AGMA Q10
		<i>1.000</i>	<i>0.375</i>	<i>1.063</i>	<i>0.125</i>	<i>0.125</i>				
# GS32-32-0318B0953-A2-N	32	25.40	9.525	27.000	3.18	3.18	Hubless	0.00 / None	20	2024 Aluminum Alloy / AGMA Q10
		<i>1.000</i>	<i>0.375</i>	<i>1.063</i>	<i>0.125</i>	<i>0.125</i>				
# GS32-35-0318B0953-ACA-N	35	27.78	9.525	29.383	3.18	3.18	Hubless	0.00 / None	20	Acetal Rim - Alum. Core / AGMA Q10
		<i>1.094</i>	<i>0.375</i>	<i>1.157</i>	<i>0.125</i>	<i>0.125</i>				
# GS32-36-0318B0953-3-N	36	28.58	9.525	30.175	3.18	3.18	Hubless	0.00 / None	20	303 Stainless Steel / AGMA Q10
		<i>1.125</i>	<i>0.375</i>	<i>1.188</i>	<i>0.125</i>	<i>0.125</i>				
# GS32-36-0318B0953-ACA-N	36	28.58	9.525	30.175	3.18	3.18	Hubless	0.00 / None	20	Acetal Rim - Alum. Core / AGMA Q10
		<i>1.125</i>	<i>0.375</i>	<i>1.188</i>	<i>0.125</i>	<i>0.125</i>				
# GS32-36-0318B0953-A2-N	36	28.58	9.525	30.175	3.18	3.18	Hubless	0.00 / None	20	2024 Aluminum Alloy / AGMA Q10
		<i>1.125</i>	<i>0.375</i>	<i>1.188</i>	<i>0.125</i>	<i>0.125</i>				

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Gears - Spur - 32 Pitch - Hub Mounting

Part Number	Teeth (No.)	Pitch Circle Diameter (PD) mm	Bore (d) mm	Outside Diameter (OD) mm	Face Width (FW) mm	Overall Width (FW+HL) mm	Hub Diameter (D1) mm	Hub Proj / Locking Method (HL) mm	Pressure Angle Deg.	Material / Quality
# GS32-40-0318B0953-ACA-N	40	31.75	9.525	33.350	3.18	3.18	Hubless	0.00 / None	20	Acetal Rim - Alum. Core / AGMA Q10
		<i>1.250</i>	<i>0.375</i>	<i>1.313</i>	<i>0.125</i>	<i>0.125</i>				
# GS32-40-0318B0953-A2-N	40	31.75	9.525	33.350	3.18	3.18	Hubless	0.00 / None	20	2024 Aluminum Alloy / AGMA Q10
		<i>1.250</i>	<i>0.375</i>	<i>1.313</i>	<i>0.125</i>	<i>0.125</i>				
# GS32-40-0318B0953-3-N	40	31.75	9.525	33.350	3.18	3.18	Hubless	0.00 / None	20	303 Stainless Steel / AGMA Q10
		<i>1.250</i>	<i>0.375</i>	<i>1.313</i>	<i>0.125</i>	<i>0.125</i>				
# GS32-42-0318B0953-3-N	42	33.34	9.525	34.938	3.18	3.18	Hubless	0.00 / None	20	303 Stainless Steel / AGMA Q10
		<i>1.313</i>	<i>0.375</i>	<i>1.376</i>	<i>0.125</i>	<i>0.125</i>				
# GS32-42-0318B0953-A2-N	42	33.34	9.525	34.938	3.18	3.18	Hubless	0.00 / None	20	2024 Aluminum Alloy / AGMA Q10
		<i>1.313</i>	<i>0.375</i>	<i>1.376</i>	<i>0.125</i>	<i>0.125</i>				
# GS32-42-0318B0953-ACA-N	42	33.34	9.525	34.938	3.18	3.18	Hubless	0.00 / None	20	Acetal Rim - Alum. Core / AGMA Q10
		<i>1.313</i>	<i>0.375</i>	<i>1.376</i>	<i>0.125</i>	<i>0.125</i>				

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Gears - Spur - 32 Pitch - Hub Mounting

Part Number	Teeth (No.)	Pitch Circle Diameter (PD) mm	Bore (d) mm	Outside Diameter (OD) mm	Face Width (FW) mm	Overall Width (FW+HL) mm	Hub Diameter (D1) mm	Hub Proj / Locking Method (HL) mm	Pressure Angle Deg.	Material / Quality
# GS32-44-0318B0953-A2-N	44	34.93	9.525	36.525	3.18	3.18	Hubless	0.00 / None	20	2024 Aluminum Alloy / AGMA Q10
		<i>1.375</i>	<i>0.375</i>	<i>1.438</i>	<i>0.125</i>	<i>0.125</i>				
# GS32-44-0318B0953-3-N	44	34.93	9.525	36.525	3.18	3.18	Hubless	0.00 / None	20	303 Stainless Steel / AGMA Q10
		<i>1.375</i>	<i>0.375</i>	<i>1.438</i>	<i>0.125</i>	<i>0.125</i>				
# GS32-45-0318B0953-ACA-N	45	35.72	9.525	37.320	3.18	3.18	Hubless	0.00 / None	20	Acetal Rim - Alum. Core / AGMA Q10
		<i>1.406</i>	<i>0.375</i>	<i>1.469</i>	<i>0.125</i>	<i>0.125</i>				
# GS32-48-0318B0953-ACA-N	48	38.10	9.525	39.700	3.18	3.18	Hubless	0.00 / None	20	Acetal Rim - Alum. Core / AGMA Q10
		<i>1.500</i>	<i>0.375</i>	<i>1.563</i>	<i>0.125</i>	<i>0.125</i>				
# GS32-48-0318B0953-3-N	48	38.10	9.525	39.700	3.18	3.18	Hubless	0.00 / None	20	303 Stainless Steel / AGMA Q10
		<i>1.500</i>	<i>0.375</i>	<i>1.563</i>	<i>0.125</i>	<i>0.125</i>				
# GS32-48-0318B0953-A2-N	48	38.10	9.525	39.700	3.18	3.18	Hubless	0.00 / None	20	2024 Aluminum Alloy / AGMA Q10
		<i>1.500</i>	<i>0.375</i>	<i>1.563</i>	<i>0.125</i>	<i>0.125</i>				

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Gears - Spur - 32 Pitch - Hub Mounting

Part Number	Teeth (No.)	Pitch Circle Diameter (PD) mm	Bore (d) mm	Outside Diameter (OD) mm	Face Width (FW) mm	Overall Width (FW+HL) mm	Hub Diameter (D1) mm	Hub Proj / Locking Method (HL) mm	Pressure Angle Deg.	Material / Quality
# GS32-50-0318B0953-3-N	50	39.69	9.525	41.288	3.18	3.18	Hubless	0.00 / None	20	303 Stainless Steel / AGMA Q10
		<i>1.563</i>	<i>0.375</i>	<i>1.626</i>	<i>0.125</i>	<i>0.125</i>				
# GS32-50-0318B0953-A2-N	50	39.69	9.525	41.288	3.18	3.18	Hubless	0.00 / None	20	2024 Aluminum Alloy / AGMA Q10
		<i>1.563</i>	<i>0.375</i>	<i>1.626</i>	<i>0.125</i>	<i>0.125</i>				
# GS32-50-0318B0953-ACA-N	50	39.69	9.525	41.288	3.18	3.18	Hubless	0.00 / None	20	Acetal Rim - Alum. Core / AGMA Q10
		<i>1.563</i>	<i>0.375</i>	<i>1.626</i>	<i>0.125</i>	<i>0.125</i>				
# GS32-52-0318B0953-A2-N	52	41.28	9.525	42.875	3.18	3.18	Hubless	0.00 / None	20	2024 Aluminum Alloy / AGMA Q10
		<i>1.625</i>	<i>0.375</i>	<i>1.688</i>	<i>0.125</i>	<i>0.125</i>				
# GS32-52-0318B0953-3-N	52	41.28	9.525	42.875	3.18	3.18	Hubless	0.00 / None	20	303 Stainless Steel / AGMA Q10
		<i>1.625</i>	<i>0.375</i>	<i>1.688</i>	<i>0.125</i>	<i>0.125</i>				
# GS32-54-0318B0953-3-N	54	42.86	9.525	44.462	3.18	3.18	Hubless	0.00 / None	20	303 Stainless Steel / AGMA Q10
		<i>1.687</i>	<i>0.375</i>	<i>1.750</i>	<i>0.125</i>	<i>0.125</i>				

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Gears - Spur - 32 Pitch - Hub Mounting

Part Number	Teeth (No.)	Pitch Circle Diameter (PD) mm	Bore (d) mm	Outside Diameter (OD) mm	Face Width (FW) mm	Overall Width (FW+HL) mm	Hub Diameter (D1) mm	Hub Proj / Locking Method (HL) mm	Pressure Angle Deg.	Material / Quality
# GS32-54-0318B0953-A2-N	54	42.86	9.525	44.462	3.18	3.18	Hubless	0.00 / None	20	2024 Aluminum Alloy / AGMA Q10
		<i>1.687</i>	<i>0.375</i>	<i>1.750</i>	<i>0.125</i>	<i>0.125</i>				
# GS32-55-0318B0953-ACA-N	55	43.66	9.525	45.258	3.18	3.18	Hubless	0.00 / None	20	Acetal Rim - Alum. Core / AGMA Q10
		<i>1.719</i>	<i>0.375</i>	<i>1.782</i>	<i>0.125</i>	<i>0.125</i>				
# GS32-56-0318B0953-A2-N	56	44.45	9.525	46.050	3.18	3.18	Hubless	0.00 / None	20	2024 Aluminum Alloy / AGMA Q10
		<i>1.750</i>	<i>0.375</i>	<i>1.813</i>	<i>0.125</i>	<i>0.125</i>				
# GS32-56-0318B0953-3-N	56	44.45	9.525	46.050	3.18	3.18	Hubless	0.00 / None	20	303 Stainless Steel / AGMA Q10
		<i>1.750</i>	<i>0.375</i>	<i>1.813</i>	<i>0.125</i>	<i>0.125</i>				
# GS32-60-0318B0556-ACA-N	60	47.63	5.558	49.225	3.18	3.18	Hubless	0.00 / None	20	Acetal Rim - Alum. Core / AGMA Q10
		<i>1.875</i>	<i>0.219</i>	<i>1.938</i>	<i>0.125</i>	<i>0.125</i>				
# GS32-60-0318B0953-3-N	60	47.63	9.525	49.225	3.18	3.18	Hubless	0.00 / None	20	303 Stainless Steel / AGMA Q10
		<i>1.875</i>	<i>0.375</i>	<i>1.938</i>	<i>0.125</i>	<i>0.125</i>				

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Gears - Spur - 32 Pitch - Hub Mounting

Part Number	Teeth (No.)	Pitch Circle Diameter (PD) mm	Bore (d) mm	Outside Diameter (OD) mm	Face Width (FW) mm	Overall Width (FW+HL) mm	Hub Diameter (D1) mm	Hub Proj / Locking Method (HL) mm	Pressure Angle Deg.	Material / Quality
# GS32-60-0318B0953-A2-N	60	47.63	9.525	49.225	3.18	3.18	Hubless	0.00 / None	20	2024 Aluminum Alloy / AGMA Q10
		<i>1.875</i>	<i>0.375</i>	<i>1.938</i>	<i>0.125</i>	<i>0.125</i>				
# GS32-64-0318B0556-ACA-N	64	50.80	5.558	52.400	3.18	3.18	Hubless	0.00 / None	20	Acetal Rim - Alum. Core / AGMA Q10
		<i>2.000</i>	<i>0.219</i>	<i>2.063</i>	<i>0.125</i>	<i>0.125</i>				
# GS32-64-0318B0953-A2-N	64	50.80	9.525	52.400	3.18	3.18	Hubless	0.00 / None	20	2024 Aluminum Alloy / AGMA Q10
		<i>2.000</i>	<i>0.375</i>	<i>2.063</i>	<i>0.125</i>	<i>0.125</i>				
# GS32-64-0318B0953-3-N	64	50.80	9.525	52.400	3.18	3.18	Hubless	0.00 / None	20	303 Stainless Steel / AGMA Q10
		<i>2.000</i>	<i>0.375</i>	<i>2.063</i>	<i>0.125</i>	<i>0.125</i>				
# GS32-65-0318B0556-ACA-N	65	51.60	5.558	53.195	3.18	3.18	Hubless	0.00 / None	20	Acetal Rim - Alum. Core / AGMA Q10
		<i>2.031</i>	<i>0.219</i>	<i>2.094</i>	<i>0.125</i>	<i>0.125</i>				
# GS32-66-0318B0953-A2-N	66	52.39	9.525	53.988	3.18	3.18	Hubless	0.00 / None	20	2024 Aluminum Alloy / AGMA Q10
		<i>2.063</i>	<i>0.375</i>	<i>2.126</i>	<i>0.125</i>	<i>0.125</i>				

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Gears - Spur - 32 Pitch - Hub Mounting

Part Number	Teeth (No.)	Pitch Circle Diameter (PD) mm	Bore (d) mm	Outside Diameter (OD) mm	Face Width (FW) mm	Overall Width (FW+HL) mm	Hub Diameter (D1) mm	Hub Proj / Locking Method (HL) mm	Pressure Angle Deg.	Material / Quality
# GS32-66-0318B0953-3-N	66	52.39	9.525	53.988	3.18	3.18	Hubless	0.00 / None	20	303 Stainless Steel / AGMA Q10
		<i>2.063</i>	<i>0.375</i>	<i>2.126</i>	<i>0.125</i>	<i>0.125</i>				
# GS32-70-0318B0794-ACA-N	70	55.56	7.938	57.162	3.18	3.18	Hubless	0.00 / None	20	Acetal Rim - Alum. Core / AGMA Q10
		<i>2.187</i>	<i>0.313</i>	<i>2.250</i>	<i>0.125</i>	<i>0.125</i>				
# GS32-70-0318B0953-A2-N	70	55.56	9.525	57.162	3.18	3.18	Hubless	0.00 / None	20	2024 Aluminum Alloy / AGMA Q10
		<i>2.187</i>	<i>0.375</i>	<i>2.250</i>	<i>0.125</i>	<i>0.125</i>				
# GS32-70-0318B0953-3-N	70	55.56	9.525	57.162	3.18	3.18	Hubless	0.00 / None	20	303 Stainless Steel / AGMA Q10
		<i>2.187</i>	<i>0.375</i>	<i>2.250</i>	<i>0.125</i>	<i>0.125</i>				
# GS32-72-0318B0794-ACA-N	72	57.15	7.938	58.750	3.18	3.18	Hubless	0.00 / None	20	Acetal Rim - Alum. Core / AGMA Q10
		<i>2.250</i>	<i>0.313</i>	<i>2.313</i>	<i>0.125</i>	<i>0.125</i>				
# GS32-72-0318B0953-A2-N	72	57.15	9.525	58.750	3.18	3.18	Hubless	0.00 / None	20	2024 Aluminum Alloy / AGMA Q10
		<i>2.250</i>	<i>0.375</i>	<i>2.313</i>	<i>0.125</i>	<i>0.125</i>				

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Gears - Spur - 32 Pitch - Hub Mounting

Part Number	Teeth (No.)	Pitch Circle Diameter (PD) mm	Bore (d) mm	Outside Diameter (OD) mm	Face Width (FW) mm	Overall Width (FW+HL) mm	Hub Diameter (D1) mm	Hub Proj / Locking Method (HL) mm	Pressure Angle Deg.	Material / Quality
# GS32-72-0318B0953-3-N	72	57.15	9.525	58.750	3.18	3.18	Hubless	0.00 / None	20	303 Stainless Steel / AGMA Q10
		<i>2.250</i>	<i>0.375</i>	<i>2.313</i>	<i>0.125</i>	<i>0.125</i>				
# GS32-75-0318B0953-ACA-N	75	59.53	9.525	61.133	3.18	3.18	Hubless	0.00 / None	20	Acetal Rim - Alum. Core / AGMA Q10
		<i>2.344</i>	<i>0.375</i>	<i>2.407</i>	<i>0.125</i>	<i>0.125</i>				
# GS32-80-0318B0953-3-N	80	63.50	9.525	65.100	3.18	3.18	Hubless	0.00 / None	20	303 Stainless Steel / AGMA Q10
		<i>2.500</i>	<i>0.375</i>	<i>2.563</i>	<i>0.125</i>	<i>0.125</i>				
# GS32-80-0318B0953-A2-N	80	63.50	9.525	65.100	3.18	3.18	Hubless	0.00 / None	20	2024 Aluminum Alloy / AGMA Q10
		<i>2.500</i>	<i>0.375</i>	<i>2.563</i>	<i>0.125</i>	<i>0.125</i>				
# GS32-80-0318B0953-ACA-N	80	63.50	9.525	65.100	3.18	3.18	Hubless	0.00 / None	20	Acetal Rim - Alum. Core / AGMA Q10
		<i>2.500</i>	<i>0.375</i>	<i>2.563</i>	<i>0.125</i>	<i>0.125</i>				
# GS32-84-0318B0953-A2-N	84	66.68	9.525	68.275	3.18	3.18	Hubless	0.00 / None	20	2024 Aluminum Alloy / AGMA Q10
		<i>2.625</i>	<i>0.375</i>	<i>2.688</i>	<i>0.125</i>	<i>0.125</i>				

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Gears - Spur - 32 Pitch - Hub Mounting

Part Number	Teeth (No.)	Pitch Circle Diameter (PD) mm	Bore (d) mm	Outside Diameter (OD) mm	Face Width (FW) mm	Overall Width (FW+HL) mm	Hub Diameter (D1) mm	Hub Proj / Locking Method (HL) mm	Pressure Angle Deg.	Material / Quality
# GS32-84-0318B0953-3-N	84	66.68	9.525	68.275	3.18	3.18	Hubless	0.00 / None	20	303 Stainless Steel / AGMA Q10
		<i>2.625</i>	<i>0.375</i>	<i>2.688</i>	<i>0.125</i>	<i>0.125</i>				
# GS32-85-0318B0953-ACA-N	85	67.47	9.525	69.070	3.18	3.18	Hubless	0.00 / None	20	Acetal Rim - Alum. Core / AGMA Q10
		<i>2.656</i>	<i>0.375</i>	<i>2.719</i>	<i>0.125</i>	<i>0.125</i>				
# GS32-86-0318B0953-A2-N	86	68.26	9.525	69.862	3.18	3.18	Hubless	0.00 / None	20	2024 Aluminum Alloy / AGMA Q10
		<i>2.687</i>	<i>0.375</i>	<i>2.750</i>	<i>0.125</i>	<i>0.125</i>				
# GS32-86-0318B0953-3-N	86	68.26	9.525	69.862	3.18	3.18	Hubless	0.00 / None	20	303 Stainless Steel / AGMA Q10
		<i>2.687</i>	<i>0.375</i>	<i>2.750</i>	<i>0.125</i>	<i>0.125</i>				
# GS32-88-0318B0953-A2-N	88	69.85	9.525	71.450	3.18	3.18	Hubless	0.00 / None	20	2024 Aluminum Alloy / AGMA Q10
		<i>2.750</i>	<i>0.375</i>	<i>2.813</i>	<i>0.125</i>	<i>0.125</i>				
# GS32-88-0318B0953-3-N	88	69.85	9.525	71.450	3.18	3.18	Hubless	0.00 / None	20	303 Stainless Steel / AGMA Q10
		<i>2.750</i>	<i>0.375</i>	<i>2.813</i>	<i>0.125</i>	<i>0.125</i>				

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Gears - Spur - 32 Pitch - Hub Mounting

Part Number	Teeth (No.)	Pitch Circle Diameter (PD) mm	Bore (d) mm	Outside Diameter (OD) mm	Face Width (FW) mm	Overall Width (FW+HL) mm	Hub Diameter (D1) mm	Hub Proj / Locking Method (HL) mm	Pressure Angle Deg.	Material / Quality
# GS32-90-0318B0953-ACA-N	90	71.44	9.525	73.038	3.18	3.18	Hubless	0.00 / None	20	Acetal Rim - Alum. Core / AGMA Q10
		<i>2.813</i>	<i>0.375</i>	<i>2.876</i>	<i>0.125</i>	<i>0.125</i>				
# GS32-92-0318B0953-A2-N	92	73.03	9.525	74.625	3.18	3.18	Hubless	0.00 / None	20	2024 Aluminum Alloy / AGMA Q10
		<i>2.875</i>	<i>0.375</i>	<i>2.938</i>	<i>0.125</i>	<i>0.125</i>				
# GS32-92-0318B0953-3-N	92	73.03	9.525	74.625	3.18	3.18	Hubless	0.00 / None	20	303 Stainless Steel / AGMA Q10
		<i>2.875</i>	<i>0.375</i>	<i>2.938</i>	<i>0.125</i>	<i>0.125</i>				
# GS32-96-0318B0953-ACA-N	96	76.20	9.525	77.800	3.18	3.18	Hubless	0.00 / None	20	Acetal Rim - Alum. Core / AGMA Q10
		<i>3.000</i>	<i>0.375</i>	<i>3.063</i>	<i>0.125</i>	<i>0.125</i>				
# GS32-96-0318B0953-3-N	96	76.20	9.525	77.800	3.18	3.18	Hubless	0.00 / None	20	303 Stainless Steel / AGMA Q10
		<i>3.000</i>	<i>0.375</i>	<i>3.063</i>	<i>0.125</i>	<i>0.125</i>				
# GS32-96-0318B0953-A2-N	96	76.20	9.525	77.800	3.18	3.18	Hubless	0.00 / None	20	2024 Aluminum Alloy / AGMA Q10
		<i>3.000</i>	<i>0.375</i>	<i>3.063</i>	<i>0.125</i>	<i>0.125</i>				

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Gears - Spur - 32 Pitch - Hub Mounting

Part Number	Teeth (No.)	Pitch Circle Diameter (PD) mm	Bore (d) mm	Outside Diameter (OD) mm	Face Width (FW) mm	Overall Width (FW+HL) mm	Hub Diameter (D1) mm	Hub Proj / Locking Method (HL) mm	Pressure Angle Deg.	Material / Quality
# GS32-112-0318B0953-ACA-N	112	88.90	9.525	90.500	3.18	3.18	Hubless	0.00 / None	20	Acetal Rim - Alum. Core / AGMA Q10
		<i>3.500</i>	<i>0.375</i>	<i>3.563</i>	<i>0.125</i>	<i>0.125</i>				
# GS32-120-0318B0953-3-N	120	95.25	9.525	96.850	3.18	3.18	Hubless	0.00 / None	20	303 Stainless Steel / AGMA Q10
		<i>3.750</i>	<i>0.375</i>	<i>3.813</i>	<i>0.125</i>	<i>0.125</i>				
# GS32-120-0318B0953-A2-N	120	95.25	9.525	96.850	3.18	3.18	Hubless	0.00 / None	20	2024 Aluminum Alloy / AGMA Q10
		<i>3.750</i>	<i>0.375</i>	<i>3.813</i>	<i>0.125</i>	<i>0.125</i>				
# GS32-128-0318B0953-3-N	128	101.60	9.525	103.200	3.18	3.18	Hubless	0.00 / None	20	303 Stainless Steel / AGMA Q10
		<i>4.000</i>	<i>0.375</i>	<i>4.063</i>	<i>0.125</i>	<i>0.125</i>				
# GS32-128-0318B0953-ACA-N	128	101.60	9.525	103.200	3.18	3.18	Hubless	0.00 / None	20	Acetal Rim - Alum. Core / AGMA Q10
		<i>4.000</i>	<i>0.375</i>	<i>4.063</i>	<i>0.125</i>	<i>0.125</i>				
# GS32-128-0318B0953-A2-N	128	101.60	9.525	103.200	3.18	3.18	Hubless	0.00 / None	20	2024 Aluminum Alloy / AGMA Q10
		<i>4.000</i>	<i>0.375</i>	<i>4.063</i>	<i>0.125</i>	<i>0.125</i>				

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Gears - Spur - 32 Pitch - Hub Mounting

Part Number	Teeth (No.)	Pitch Circle Diameter (PD) mm	Bore (d) mm	Outside Diameter (OD) mm	Face Width (FW) mm	Overall Width (FW+HL) mm	Hub Diameter (D1) mm	Hub Proj / Locking Method (HL) mm	Pressure Angle Deg.	Material / Quality
# GS32-132-0318B0953-3-N	132	104.78	9.525	106.375	3.18	3.18	Hubless	0.00 / None	20	303 Stainless Steel / AGMA Q10
		<i>4.125</i>	<i>0.375</i>	<i>4.188</i>	<i>0.125</i>	<i>0.125</i>				
# GS32-132-0318B0953-A2-N	132	104.78	9.525	106.375	3.18	3.18	Hubless	0.00 / None	20	2024 Aluminum Alloy / AGMA Q10
		<i>4.125</i>	<i>0.375</i>	<i>4.188</i>	<i>0.125</i>	<i>0.125</i>				

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.



DISTRIBUTED BY

Ask us to put your name and address here

<http://www.minibearings.com.au/product>

Ph +61 7 3245 7977

Fax +61 7 3245 1017

Catalogue requests to [catalogues@minibearings.com.au](mailto:catalogues@minibearings.com.au)
