




MBA

Gears - Spur - 48 Pitch - Hub Mounting



Suits hub and cluster gears 9.525mm (3/8) mounting diameter as listed on this site. Aluminium, stainless steel and acetal. Plastic and metallic.

Gears - Spur - 48 Pitch - Hub Mounting

Part Number	Teeth (No.)	Pitch Circle Diameter (PD) mm	Bore (d) mm	Outside Diameter (OD) mm	Face Width (FW) mm	Overall Width (FW+HL) mm	Hub Diameter (D1) mm	Hub Proj / Locking Method (HL) mm	Pressure Angle Deg.	Material / Quality
# GS48-29-0318B0953-A2-N	29	15.35	9.525	16.396	3.18	3.18	Hubless	0.00 / None	20	2024 Aluminum Alloy / AGMA Q10
		<i>0.604</i>	<i>0.375</i>	<i>0.646</i>	<i>0.125</i>	<i>0.125</i>				
# GS48-29-0318B0953-3-N	29	15.35	9.525	16.396	3.18	3.18	Hubless	0.00 / None	20	303 Stainless Steel / AGMA Q10
		<i>0.604</i>	<i>0.375</i>	<i>0.646</i>	<i>0.125</i>	<i>0.125</i>				

Gears - Spur - 48 Pitch - Hub Mounting

Part Number	Teeth (No.)	Pitch Circle Diameter (PD) mm	Bore (d) mm	Outside Diameter (OD) mm	Face Width (FW) mm	Overall Width (FW+HL) mm	Hub Diameter (D1) mm	Hub Proj / Locking Method (HL) mm	Pressure Angle Deg.	Material / Quality
# GS48-30-0318B0953-A2-N	30	15.88	9.525	16.924	3.18	3.18	Hubless	0.00 / None	20	2024 Aluminum Alloy / AGMA Q10
		<i>0.625</i>	<i>0.375</i>	<i>0.666</i>	<i>0.125</i>	<i>0.125</i>				
GS48-30-0318B0953-3-N	30	15.88	9.525	16.924	3.18	3.18	Hubless	0.00 / None	20	303 Stainless Steel / AGMA Q10
		<i>0.625</i>	<i>0.375</i>	<i>0.666</i>	<i>0.125</i>	<i>0.125</i>				
# GS48-32-0318B0953-3-N	32	16.93	9.525	17.983	3.18	3.18	Hubless	0.00 / None	20	303 Stainless Steel / AGMA Q10
		<i>0.667</i>	<i>0.375</i>	<i>0.708</i>	<i>0.125</i>	<i>0.125</i>				
# GS48-32-0318B0953-A2-N	32	16.93	9.525	17.983	3.18	3.18	Hubless	0.00 / None	20	2024 Aluminum Alloy / AGMA Q10
		<i>0.667</i>	<i>0.375</i>	<i>0.708</i>	<i>0.125</i>	<i>0.125</i>				
# GS48-40-0318B0953-3-N	40	21.17	9.525	22.215	3.18	3.18	Hubless	0.00 / None	20	303 Stainless Steel / AGMA Q10
		<i>0.833</i>	<i>0.375</i>	<i>0.875</i>	<i>0.125</i>	<i>0.125</i>				
# GS48-40-0318B0953-A2-N	40	21.17	9.525	22.215	3.18	3.18	Hubless	0.00 / None	20	2024 Aluminum Alloy / AGMA Q10
		<i>0.833</i>	<i>0.375</i>	<i>0.875</i>	<i>0.125</i>	<i>0.125</i>				

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Gears - Spur - 48 Pitch - Hub Mounting

Part Number	Teeth (No.)	Pitch Circle Diameter (PD) mm	Bore (d) mm	Outside Diameter (OD) mm	Face Width (FW) mm	Overall Width (FW+HL) mm	Hub Diameter (D1) mm	Hub Proj / Locking Method (HL) mm	Pressure Angle Deg.	Material / Quality
# GS48-44-0318B0953-3-N	44	23.28	9.525	24.333	3.18	3.18	Hubless	0.00 / None	20	303 Stainless Steel / AGMA Q10
		<i>0.917</i>	<i>0.375</i>	<i>0.958</i>	<i>0.125</i>	<i>0.125</i>				
# GS48-44-0318B0953-A2-N	44	23.28	9.525	24.333	3.18	3.18	Hubless	0.00 / None	20	2024 Aluminum Alloy / AGMA Q10
		<i>0.917</i>	<i>0.375</i>	<i>0.958</i>	<i>0.125</i>	<i>0.125</i>				
# GS48-48-0318B0953-3-N	48	25.40	9.525	26.449	3.18	3.18	Hubless	0.00 / None	20	303 Stainless Steel / AGMA Q10
		<i>1.000</i>	<i>0.375</i>	<i>1.041</i>	<i>0.125</i>	<i>0.125</i>				
# GS48-48-0318B0953-ACA-N	48	25.40	9.525	26.449	3.18	3.18	Hubless	0.00 / None	20	Acetal Rim - Alum. Core / AGMA Q10
		<i>1.000</i>	<i>0.375</i>	<i>1.041</i>	<i>0.125</i>	<i>0.125</i>				
# GS48-48-0318B0953-A2-N	48	25.40	9.525	26.449	3.18	3.18	Hubless	0.00 / None	20	2024 Aluminum Alloy / AGMA Q10
		<i>1.000</i>	<i>0.375</i>	<i>1.041</i>	<i>0.125</i>	<i>0.125</i>				
# GS48-50-0318B0953-3-N	50	26.46	9.525	27.508	3.18	3.18	Hubless	0.00 / None	20	303 Stainless Steel / AGMA Q10
		<i>1.042</i>	<i>0.375</i>	<i>1.083</i>	<i>0.125</i>	<i>0.125</i>				

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Gears - Spur - 48 Pitch - Hub Mounting

Part Number	Teeth (No.)	Pitch Circle Diameter (PD) mm	Bore (d) mm	Outside Diameter (OD) mm	Face Width (FW) mm	Overall Width (FW+HL) mm	Hub Diameter (D1) mm	Hub Proj / Locking Method (HL) mm	Pressure Angle Deg.	Material / Quality
# GS48-50-0318B0953-A2-N	50	26.46	9.525	27.508	3.18	3.18	Hubless	0.00 / None	20	2024 Aluminum Alloy / AGMA Q10
		<i>1.042</i>	<i>0.375</i>	<i>1.083</i>	<i>0.125</i>	<i>0.125</i>				
# GS48-54-0318B0953-ACA-N	54	28.58	9.525	29.624	3.18	3.18	Hubless	0.00 / None	20	Acetal Rim - Alum. Core / AGMA Q10
		<i>1.125</i>	<i>0.375</i>	<i>1.166</i>	<i>0.125</i>	<i>0.125</i>				
# GS48-54-0318B0953-A2-N	54	28.58	9.525	29.624	3.18	3.18	Hubless	0.00 / None	20	2024 Aluminum Alloy / AGMA Q10
		<i>1.125</i>	<i>0.375</i>	<i>1.166</i>	<i>0.125</i>	<i>0.125</i>				
# GS48-54-0318B0953-3-N	54	28.58	9.525	29.624	3.18	3.18	Hubless	0.00 / None	20	303 Stainless Steel / AGMA Q10
		<i>1.125</i>	<i>0.375</i>	<i>1.166</i>	<i>0.125</i>	<i>0.125</i>				
# GS48-60-0318B0953-3-N	60	31.75	9.525	32.799	3.18	3.18	Hubless	0.00 / None	20	303 Stainless Steel / AGMA Q10
		<i>1.250</i>	<i>0.375</i>	<i>1.291</i>	<i>0.125</i>	<i>0.125</i>				
# GS48-60-0318B0953-ACA-N	60	31.75	9.525	32.799	3.18	3.18	Hubless	0.00 / None	20	Acetal Rim - Alum. Core / AGMA Q10
		<i>1.250</i>	<i>0.375</i>	<i>1.291</i>	<i>0.125</i>	<i>0.125</i>				

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Gears - Spur - 48 Pitch - Hub Mounting

Part Number	Teeth (No.)	Pitch Circle Diameter (PD) mm	Bore (d) mm	Outside Diameter (OD) mm	Face Width (FW) mm	Overall Width (FW+HL) mm	Hub Diameter (D1) mm	Hub Proj / Locking Method (HL) mm	Pressure Angle Deg.	Material / Quality
# GS48-60-0318B0953-A2-N	60	31.75	9.525	32.799	3.18	3.18	Hubless	0.00 / None	20	2024 Aluminum Alloy / AGMA Q10
		<i>1.250</i>	<i>0.375</i>	<i>1.291</i>	<i>0.125</i>	<i>0.125</i>				
# GS48-64-0318B0953-A2-N	64	33.87	9.525	34.915	3.18	3.18	Hubless	0.00 / None	20	2024 Aluminum Alloy / AGMA Q10
		<i>1.333</i>	<i>0.375</i>	<i>1.375</i>	<i>0.125</i>	<i>0.125</i>				
# GS48-64-0318B0953-3-N	64	33.87	9.525	34.915	3.18	3.18	Hubless	0.00 / None	20	303 Stainless Steel / AGMA Q10
		<i>1.333</i>	<i>0.375</i>	<i>1.375</i>	<i>0.125</i>	<i>0.125</i>				
# GS48-64-0318B0953-ACA-N	64	33.87	9.525	34.915	3.18	3.18	Hubless	0.00 / None	20	Acetal Rim - Alum. Core / AGMA Q10
		<i>1.333</i>	<i>0.375</i>	<i>1.375</i>	<i>0.125</i>	<i>0.125</i>				
# GS48-65-0318B0953-3-N	65	34.40	9.525	35.446	3.18	3.18	Hubless	0.00 / None	20	303 Stainless Steel / AGMA Q10
		<i>1.354</i>	<i>0.375</i>	<i>1.396</i>	<i>0.125</i>	<i>0.125</i>				
# GS48-65-0318B0953-ACA-N	65	34.40	9.525	35.446	3.18	3.18	Hubless	0.00 / None	20	Acetal Rim - Alum. Core / AGMA Q10
		<i>1.354</i>	<i>0.375</i>	<i>1.396</i>	<i>0.125</i>	<i>0.125</i>				

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Gears - Spur - 48 Pitch - Hub Mounting

Part Number	Teeth (No.)	Pitch Circle Diameter (PD) mm	Bore (d) mm	Outside Diameter (OD) mm	Face Width (FW) mm	Overall Width (FW+HL) mm	Hub Diameter (D1) mm	Hub Proj / Locking Method (HL) mm	Pressure Angle Deg.	Material / Quality
# GS48-65-0318B0953-A2-N	65	34.40	9.525	35.446	3.18	3.18	Hubless	0.00 / None	20	2024 Aluminum Alloy / AGMA Q10
		<i>1.354</i>	<i>0.375</i>	<i>1.396</i>	<i>0.125</i>	<i>0.125</i>				
# GS48-70-0318B0953-3-N	70	37.04	9.525	38.090	3.18	3.18	Hubless	0.00 / None	20	303 Stainless Steel / AGMA Q10
		<i>1.458</i>	<i>0.375</i>	<i>1.500</i>	<i>0.125</i>	<i>0.125</i>				
# GS48-70-0318B0953-A2-N	70	37.04	9.525	38.090	3.18	3.18	Hubless	0.00 / None	20	2024 Aluminum Alloy / AGMA Q10
		<i>1.458</i>	<i>0.375</i>	<i>1.500</i>	<i>0.125</i>	<i>0.125</i>				
# GS48-70-0318B0953-ACA-N	70	37.04	9.525	38.090	3.18	3.18	Hubless	0.00 / None	20	Acetal Rim - Alum. Core / AGMA Q10
		<i>1.458</i>	<i>0.375</i>	<i>1.500</i>	<i>0.125</i>	<i>0.125</i>				
# GS48-72-0318B0953-A2-N	72	38.10	9.525	39.149	3.18	3.18	Hubless	0.00 / None	20	2024 Aluminum Alloy / AGMA Q10
		<i>1.500</i>	<i>0.375</i>	<i>1.541</i>	<i>0.125</i>	<i>0.125</i>				
# GS48-72-0318B0953-ACA-N	72	38.10	9.525	39.149	3.18	3.18	Hubless	0.00 / None	20	Acetal Rim - Alum. Core / AGMA Q10
		<i>1.500</i>	<i>0.375</i>	<i>1.541</i>	<i>0.125</i>	<i>0.125</i>				

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Gears - Spur - 48 Pitch - Hub Mounting

Part Number	Teeth (No.)	Pitch Circle Diameter (PD) mm	Bore (d) mm	Outside Diameter (OD) mm	Face Width (FW) mm	Overall Width (FW+HL) mm	Hub Diameter (D1) mm	Hub Proj / Locking Method (HL) mm	Pressure Angle Deg.	Material / Quality
# GS48-72-0318B0953-3-N	72	38.10	9.525	39.149	3.18	3.18	Hubless	0.00 / None	20	303 Stainless Steel / AGMA Q10
		<i>1.500</i>	<i>0.375</i>	<i>1.541</i>	<i>0.125</i>	<i>0.125</i>				
# GS48-75-0318B0953-3-N	75	39.69	9.525	40.737	3.18	3.18	Hubless	0.00 / None	20	303 Stainless Steel / AGMA Q10
		<i>1.563</i>	<i>0.375</i>	<i>1.604</i>	<i>0.125</i>	<i>0.125</i>				
# GS48-75-0318B0953-ACA-N	75	39.69	9.525	40.737	3.18	3.18	Hubless	0.00 / None	20	Acetal Rim - Alum. Core / AGMA Q10
		<i>1.563</i>	<i>0.375</i>	<i>1.604</i>	<i>0.125</i>	<i>0.125</i>				
# GS48-75-0318B0953-A2-N	75	39.69	9.525	40.737	3.18	3.18	Hubless	0.00 / None	20	2024 Aluminum Alloy / AGMA Q10
		<i>1.563</i>	<i>0.375</i>	<i>1.604</i>	<i>0.125</i>	<i>0.125</i>				
# GS48-80-0318B0953-ACA-N	80	42.33	9.525	43.383	3.18	3.18	Hubless	0.00 / None	20	Acetal Rim - Alum. Core / AGMA Q10
		<i>1.667</i>	<i>0.375</i>	<i>1.708</i>	<i>0.125</i>	<i>0.125</i>				
# GS48-80-0318B0953-3-N	80	42.33	9.525	43.383	3.18	3.18	Hubless	0.00 / None	20	303 Stainless Steel / AGMA Q10
		<i>1.667</i>	<i>0.375</i>	<i>1.708</i>	<i>0.125</i>	<i>0.125</i>				

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Gears - Spur - 48 Pitch - Hub Mounting

Part Number	Teeth (No.)	Pitch Circle Diameter (PD) mm	Bore (d) mm	Outside Diameter (OD) mm	Face Width (FW) mm	Overall Width (FW+HL) mm	Hub Diameter (D1) mm	Hub Proj / Locking Method (HL) mm	Pressure Angle Deg.	Material / Quality
# GS48-80-0318B0953-A2-N	80	42.33	9.525	43.383	3.18	3.18	Hubless	0.00 / None	20	2024 Aluminum Alloy / AGMA Q10
		<i>1.667</i>	<i>0.375</i>	<i>1.708</i>	<i>0.125</i>	<i>0.125</i>				
# GS48-84-0318B0953-A2-N	84	44.45	9.525	45.499	3.18	3.18	Hubless	0.00 / None	20	2024 Aluminum Alloy / AGMA Q10
		<i>1.750</i>	<i>0.375</i>	<i>1.791</i>	<i>0.125</i>	<i>0.125</i>				
# GS48-84-0318B0953-ACA-N	84	44.45	9.525	45.499	3.18	3.18	Hubless	0.00 / None	20	Acetal Rim - Alum. Core / AGMA Q10
		<i>1.750</i>	<i>0.375</i>	<i>1.791</i>	<i>0.125</i>	<i>0.125</i>				
# GS48-84-0318B0953-3-N	84	44.45	9.525	45.499	3.18	3.18	Hubless	0.00 / None	20	303 Stainless Steel / AGMA Q10
		<i>1.750</i>	<i>0.375</i>	<i>1.791</i>	<i>0.125</i>	<i>0.125</i>				
# GS48-85-0318B0953-ACA-N	85	44.98	9.525	46.027	3.18	3.18	Hubless	0.00 / None	20	Acetal Rim - Alum. Core / AGMA Q10
		<i>1.771</i>	<i>0.375</i>	<i>1.812</i>	<i>0.125</i>	<i>0.125</i>				
# GS48-90-0318B0953-3-N	90	47.63	9.525	48.674	3.18	3.18	Hubless	0.00 / None	20	303 Stainless Steel / AGMA Q10
		<i>1.875</i>	<i>0.375</i>	<i>1.916</i>	<i>0.125</i>	<i>0.125</i>				

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Gears - Spur - 48 Pitch - Hub Mounting

Part Number	Teeth (No.)	Pitch Circle Diameter (PD) mm	Bore (d) mm	Outside Diameter (OD) mm	Face Width (FW) mm	Overall Width (FW+HL) mm	Hub Diameter (D1) mm	Hub Proj / Locking Method (HL) mm	Pressure Angle Deg.	Material / Quality
# GS48-90-0318B0953-A2-N	90	47.63	9.525	48.674	3.18	3.18	Hubless	0.00 / None	20	2024 Aluminum Alloy / AGMA Q10
		<i>1.875</i>	<i>0.375</i>	<i>1.916</i>	<i>0.125</i>	<i>0.125</i>				
# GS48-90-0318B0953-ACA-N	90	47.63	9.525	48.674	3.18	3.18	Hubless	0.00 / None	20	Acetal Rim - Alum. Core / AGMA Q10
		<i>1.875</i>	<i>0.375</i>	<i>1.916</i>	<i>0.125</i>	<i>0.125</i>				
# GS48-92-0318B0953-ACA-N	92	48.68	9.525	49.733	3.18	3.18	Hubless	0.00 / None	20	Acetal Rim - Alum. Core / AGMA Q10
		<i>1.917</i>	<i>0.375</i>	<i>1.958</i>	<i>0.125</i>	<i>0.125</i>				
# GS48-95-0318B0953-ACA-N	95	50.27	9.525	51.321	3.18	3.18	Hubless	0.00 / None	20	Acetal Rim - Alum. Core / AGMA Q10
		<i>1.979</i>	<i>0.375</i>	<i>2.021</i>	<i>0.125</i>	<i>0.125</i>				
# GS48-96-0318B0953-3-N	96	50.80	9.525	51.849	3.18	3.18	Hubless	0.00 / None	20	303 Stainless Steel / AGMA Q10
		<i>2.000</i>	<i>0.375</i>	<i>2.041</i>	<i>0.125</i>	<i>0.125</i>				
# GS48-96-0318B0953-A2-N	96	50.80	9.525	51.849	3.18	3.18	Hubless	0.00 / None	20	2024 Aluminum Alloy / AGMA Q10
		<i>2.000</i>	<i>0.375</i>	<i>2.041</i>	<i>0.125</i>	<i>0.125</i>				

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Gears - Spur - 48 Pitch - Hub Mounting

Part Number	Teeth (No.)	Pitch Circle Diameter (PD) mm	Bore (d) mm	Outside Diameter (OD) mm	Face Width (FW) mm	Overall Width (FW+HL) mm	Hub Diameter (D1) mm	Hub Proj / Locking Method (HL) mm	Pressure Angle Deg.	Material / Quality
# GS48-96-0318B0953-ACA-N	96	50.80	9.525	51.849	3.18	3.18	Hubless	0.00 / None	20	Acetal Rim - Alum. Core / AGMA Q10
		<i>2.000</i>	<i>0.375</i>	<i>2.041</i>	<i>0.125</i>	<i>0.125</i>				
# GS48-100-0318B0953-A2-N	100	52.92	9.525	53.965	3.18	3.18	Hubless	0.00 / None	20	2024 Aluminum Alloy / AGMA Q10
		<i>2.083</i>	<i>0.375</i>	<i>2.125</i>	<i>0.125</i>	<i>0.125</i>				
# GS48-100-0318B0953-3-N	100	52.92	9.525	53.965	3.18	3.18	Hubless	0.00 / None	20	303 Stainless Steel / AGMA Q10
		<i>2.083</i>	<i>0.375</i>	<i>2.125</i>	<i>0.125</i>	<i>0.125</i>				
# GS48-100-0318B0953-ACA-N	100	52.92	9.525	53.965	3.18	3.18	Hubless	0.00 / None	20	Acetal Rim - Alum. Core / AGMA Q10
		<i>2.083</i>	<i>0.375</i>	<i>2.125</i>	<i>0.125</i>	<i>0.125</i>				
# GS48-105-0318B0953-3-N	105	55.56	9.525	56.611	3.18	3.18	Hubless	0.00 / None	20	303 Stainless Steel / AGMA Q10
		<i>2.187</i>	<i>0.375</i>	<i>2.229</i>	<i>0.125</i>	<i>0.125</i>				
# GS48-105-0318B0953-A2-N	105	55.56	9.525	56.611	3.18	3.18	Hubless	0.00 / None	20	2024 Aluminum Alloy / AGMA Q10
		<i>2.187</i>	<i>0.375</i>	<i>2.229</i>	<i>0.125</i>	<i>0.125</i>				

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Gears - Spur - 48 Pitch - Hub Mounting

Part Number	Teeth (No.)	Pitch Circle Diameter (PD) mm	Bore (d) mm	Outside Diameter (OD) mm	Face Width (FW) mm	Overall Width (FW+HL) mm	Hub Diameter (D1) mm	Hub Proj / Locking Method (HL) mm	Pressure Angle Deg.	Material / Quality
# GS48-105-0318B0953-ACA-N	105	55.56	9.525	56.611	3.18	3.18	Hubless	0.00 / None	20	Acetal Rim - Alum. Core / AGMA Q10
		<i>2.187</i>	<i>0.375</i>	<i>2.229</i>	<i>0.125</i>	<i>0.125</i>				
# GS48-110-0318B0953-ACA-N	110	58.21	9.525	59.258	3.18	3.18	Hubless	0.00 / None	20	Acetal Rim - Alum. Core / AGMA Q10
		<i>2.292</i>	<i>0.375</i>	<i>2.333</i>	<i>0.125</i>	<i>0.125</i>				
# GS48-110-0318B0953-A2-N	110	58.21	9.525	59.258	3.18	3.18	Hubless	0.00 / None	20	2024 Aluminum Alloy / AGMA Q10
		<i>2.292</i>	<i>0.375</i>	<i>2.333</i>	<i>0.125</i>	<i>0.125</i>				
# GS48-110-0318B0953-3-N	110	58.21	9.525	59.258	3.18	3.18	Hubless	0.00 / None	20	303 Stainless Steel / AGMA Q10
		<i>2.292</i>	<i>0.375</i>	<i>2.333</i>	<i>0.125</i>	<i>0.125</i>				
# GS48-115-0318B0953-ACA-N	115	60.85	9.525	61.902	3.18	3.18	Hubless	0.00 / None	20	Acetal Rim - Alum. Core / AGMA Q10
		<i>2.396</i>	<i>0.375</i>	<i>2.437</i>	<i>0.125</i>	<i>0.125</i>				
# GS48-120-0318B0953-ACA-N	120	63.50	9.525	64.549	3.18	3.18	Hubless	0.00 / None	20	Acetal Rim - Alum. Core / AGMA Q10
		<i>2.500</i>	<i>0.375</i>	<i>2.541</i>	<i>0.125</i>	<i>0.125</i>				
# GS48-120-0318B0953-3-N	120	63.50	9.525	64.549	3.18	3.18	Hubless	0.00 / None	20	303 Stainless Steel / AGMA Q10
		<i>2.500</i>	<i>0.375</i>	<i>2.541</i>	<i>0.125</i>	<i>0.125</i>				

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Gears - Spur - 48 Pitch - Hub Mounting

Part Number	Teeth (No.)	Pitch Circle Diameter (PD) mm	Bore (d) mm	Outside Diameter (OD) mm	Face Width (FW) mm	Overall Width (FW+HL) mm	Hub Diameter (D1) mm	Hub Proj / Locking Method (HL) mm	Pressure Angle Deg.	Material / Quality
# GS48-120-0318B0953-A2-N	120	63.50	9.525	64.549	3.18	3.18	Hubless	0.00 / None	20	2024 Aluminum Alloy / AGMA Q10
		<i>2.500</i>	<i>0.375</i>	<i>2.541</i>	<i>0.125</i>	<i>0.125</i>				
# GS48-130-0318B0953-A2-N	130	68.79	9.525	69.840	3.18	3.18	Hubless	0.00 / None	20	2024 Aluminum Alloy / AGMA Q10
		<i>2.708</i>	<i>0.375</i>	<i>2.750</i>	<i>0.125</i>	<i>0.125</i>				
# GS48-130-0318B0953-3-N	130	68.79	9.525	69.840	3.18	3.18	Hubless	0.00 / None	20	303 Stainless Steel / AGMA Q10
		<i>2.708</i>	<i>0.375</i>	<i>2.750</i>	<i>0.125</i>	<i>0.125</i>				
# GS48-130-0318B0953-ACA-N	130	68.79	9.525	69.840	3.18	3.18	Hubless	0.00 / None	20	Acetal Rim - Alum. Core / AGMA Q10
		<i>2.708</i>	<i>0.375</i>	<i>2.750</i>	<i>0.125</i>	<i>0.125</i>				
# GS48-140-0318B0953-ACA-N	140	74.08	9.525	75.133	3.18	3.18	Hubless	0.00 / None	20	Acetal Rim - Alum. Core / AGMA Q10
		<i>2.917</i>	<i>0.375</i>	<i>2.958</i>	<i>0.125</i>	<i>0.125</i>				
# GS48-140-0318B0953-3-N	140	74.08	9.525	75.133	3.18	3.18	Hubless	0.00 / None	20	303 Stainless Steel / AGMA Q10
		<i>2.917</i>	<i>0.375</i>	<i>2.958</i>	<i>0.125</i>	<i>0.125</i>				

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Gears - Spur - 48 Pitch - Hub Mounting

Part Number	Teeth (No.)	Pitch Circle Diameter (PD) mm	Bore (d) mm	Outside Diameter (OD) mm	Face Width (FW) mm	Overall Width (FW+HL) mm	Hub Diameter (D1) mm	Hub Proj / Locking Method (HL) mm	Pressure Angle Deg.	Material / Quality
GS48-140-0318B0953-A2-N	140	74.08	9.525	75.133	3.18	3.18	Hubless	0.00 / None	20	2024 Aluminum Alloy / AGMA Q10
		<i>2.917</i>	<i>0.375</i>	<i>2.958</i>	<i>0.125</i>	<i>0.125</i>				
# GS48-144-0318B0953-ACA-N	144	76.20	9.525	77.249	3.18	3.18	Hubless	0.00 / None	20	Acetal Rim - Alum. Core / AGMA Q10
		<i>3.000</i>	<i>0.375</i>	<i>3.041</i>	<i>0.125</i>	<i>0.125</i>				
# GS48-144-0318B0953-3-N	144	76.20	9.525	77.249	3.18	3.18	Hubless	0.00 / None	20	303 Stainless Steel / AGMA Q10
		<i>3.000</i>	<i>0.375</i>	<i>3.041</i>	<i>0.125</i>	<i>0.125</i>				
# GS48-144-0318B0953-A2-N	144	76.20	9.525	77.249	3.18	3.18	Hubless	0.00 / None	20	2024 Aluminum Alloy / AGMA Q10
		<i>3.000</i>	<i>0.375</i>	<i>3.041</i>	<i>0.125</i>	<i>0.125</i>				
# GS48-150-0318B0953-ACA-N	150	79.38	9.525	80.424	3.18	3.18	Hubless	0.00 / None	20	Acetal Rim - Alum. Core / AGMA Q10
		<i>3.125</i>	<i>0.375</i>	<i>3.166</i>	<i>0.125</i>	<i>0.125</i>				
# GS48-150-0318B0953-A2-N	150	79.38	9.525	80.424	3.18	3.18	Hubless	0.00 / None	20	2024 Aluminum Alloy / AGMA Q10
		<i>3.125</i>	<i>0.375</i>	<i>3.166</i>	<i>0.125</i>	<i>0.125</i>				

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Gears - Spur - 48 Pitch - Hub Mounting

Part Number	Teeth (No.)	Pitch Circle Diameter (PD) mm	Bore (d) mm	Outside Diameter (OD) mm	Face Width (FW) mm	Overall Width (FW+HL) mm	Hub Diameter (D1) mm	Hub Proj / Locking Method (HL) mm	Pressure Angle Deg.	Material / Quality
# GS48-150-0318B0953-3-N	150	79.38	9.525	80.424	3.18	3.18	Hubless	0.00 / None	20	303 Stainless Steel / AGMA Q10
		<i>3.125</i>	<i>0.375</i>	<i>3.166</i>	<i>0.125</i>	<i>0.125</i>				
# GS48-180-0318B0953-3-N	180	95.25	9.525	96.299	3.18	3.18	Hubless	0.00 / None	20	303 Stainless Steel / AGMA Q10
		<i>3.750</i>	<i>0.375</i>	<i>3.791</i>	<i>0.125</i>	<i>0.125</i>				
# GS48-180-0318B0953-A2-N	180	95.25	9.525	96.299	3.18	3.18	Hubless	0.00 / None	20	2024 Aluminum Alloy / AGMA Q10
		<i>3.750</i>	<i>0.375</i>	<i>3.791</i>	<i>0.125</i>	<i>0.125</i>				
# GS48-186-0318B0953-3-N	186	98.43	9.525	99.474	3.18	3.18	Hubless	0.00 / None	20	303 Stainless Steel / AGMA Q10
		<i>3.875</i>	<i>0.375</i>	<i>3.916</i>	<i>0.125</i>	<i>0.125</i>				
# GS48-186-0318B0953-A2-N	186	98.43	9.525	99.474	3.18	3.18	Hubless	0.00 / None	20	2024 Aluminum Alloy / AGMA Q10
		<i>3.875</i>	<i>0.375</i>	<i>3.916</i>	<i>0.125</i>	<i>0.125</i>				
# GS48-192-0318B0953-A2-N	192	101.60	9.525	102.649	3.18	3.18	Hubless	0.00 / None	20	2024 Aluminum Alloy / AGMA Q10
		<i>4.000</i>	<i>0.375</i>	<i>4.041</i>	<i>0.125</i>	<i>0.125</i>				

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Gears - Spur - 48 Pitch - Hub Mounting

Part Number	Teeth (No.)	Pitch Circle Diameter (PD) mm	Bore (d) mm	Outside Diameter (OD) mm	Face Width (FW) mm	Overall Width (FW+HL) mm	Hub Diameter (D1) mm	Hub Proj / Locking Method (HL) mm	Pressure Angle Deg.	Material / Quality
# GS48-192-0318B0953-3-N	192	101.60	9.525	102.649	3.18	3.18	Hubless	0.00 / None	20	303 Stainless Steel / AGMA Q10
		<i>4.000</i>	<i>0.375</i>	<i>4.041</i>	<i>0.125</i>	<i>0.125</i>				
# GS48-198-0318B0953-3-N	198	104.78	9.525	105.824	3.18	3.18	Hubless	0.00 / None	20	303 Stainless Steel / AGMA Q10
		<i>4.125</i>	<i>0.375</i>	<i>4.166</i>	<i>0.125</i>	<i>0.125</i>				
# GS48-198-0318B0953-A2-N	198	104.78	9.525	105.824	3.18	3.18	Hubless	0.00 / None	20	2024 Aluminum Alloy / AGMA Q10
		<i>4.125</i>	<i>0.375</i>	<i>4.166</i>	<i>0.125</i>	<i>0.125</i>				

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.



DISTRIBUTED BY

Ask us to put your name and address here

<http://www.minibearings.com.au/product>

Ph +61 7 3245 7977

Fax +61 7 3245 1017

Catalogue requests to catalogues@minibearings.com.au
