




MBA

Gears - Spur - 64 Pitch - Stem



303 stainless steel.

Metallic.

Gears - Spur - 64 Pitch - Stem

Part Number	Teeth (No.)	Pitch Circle Diameter (PD) mm <i>inches</i>	Stem Diameter (D1) mm <i>inches</i>	Outside Diameter (OD) mm <i>inches</i>	Face Width (FW) mm <i>inches</i>	Left Stem Length (LS) mm <i>inches</i>	Right Stem Length (RS) mm <i>inches</i>	Pressure Angle Deg.	Material	Quality
# GS64-12-0476S7000-3	12	4.76 <i>0.187</i>	6.342 <i>0.250</i>	5.563 <i>0.219</i>	4.762 <i>0.187</i>	0.00 <i>0.000</i>	69.85 <i>2.750</i>	20.00	20	303 Stainless Steel / AGMA Q10
# GS64-14-0476S7000-3	14	5.56 <i>0.219</i>	6.342 <i>0.250</i>	6.350 <i>0.250</i>	4.762 <i>0.187</i>	0.00 <i>0.000</i>	69.85 <i>2.750</i>	20.00	20	303 Stainless Steel / AGMA Q10
# GS64-16-0476S7000-3	16	6.35 <i>0.250</i>	3.167 <i>0.125</i>	7.137 <i>0.281</i>	4.762 <i>0.187</i>	0.00 <i>0.000</i>	69.85 <i>2.750</i>	20.00	20	303 Stainless Steel / AGMA Q10

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Gears - Spur - 64 Pitch - Stem

Part Number	Teeth (No.)	Pitch Circle Diameter (PD) mm <i>inches</i>	Stem Diameter (D1) mm <i>inches</i>	Outside Diameter (OD) mm <i>inches</i>	Face Width (FW) mm <i>inches</i>	Left Stem Length (LS) mm <i>inches</i>	Right Stem Length (RS) mm <i>inches</i>	Pressure Angle Deg.	Material	Quality
# GS64-16-0476SA7600-3	16	6.35 <i>0.250</i>	4.755 <i>0.187</i>	7.137 <i>0.281</i>	4.762 <i>0.187</i>	0.00 <i>0.000</i>	76.20 <i>3.000</i>	20.00	20	303 Stainless Steel / AGMA Q10
# GS64-16-0476SB7600-3	16	6.35 <i>0.250</i>	6.342 <i>0.250</i>	7.137 <i>0.281</i>	4.762 <i>0.187</i>	0.00 <i>0.000</i>	76.20 <i>3.000</i>	20.00	20	303 Stainless Steel / AGMA Q10
# GS64-20-0476SA7600-3	20	7.94 <i>0.313</i>	3.167 <i>0.125</i>	8.738 <i>0.344</i>	4.762 <i>0.187</i>	0.00 <i>0.000</i>	76.20 <i>3.000</i>	20.00	20	303 Stainless Steel / AGMA Q10
# GS64-20-0476SB7600-3	20	7.94 <i>0.313</i>	4.755 <i>0.187</i>	8.738 <i>0.344</i>	4.762 <i>0.187</i>	0.00 <i>0.000</i>	76.20 <i>3.000</i>	20.00	20	303 Stainless Steel / AGMA Q10
# GS64-20-0476SC7600-3	20	7.94 <i>0.313</i>	6.342 <i>0.250</i>	8.738 <i>0.344</i>	4.762 <i>0.187</i>	0.00 <i>0.000</i>	76.20 <i>3.000</i>	20.00	20	303 Stainless Steel / AGMA Q10
# GS64-24-0476S7600-3	24	9.53 <i>0.375</i>	6.342 <i>0.250</i>	10.312 <i>0.406</i>	4.762 <i>0.187</i>	0.00 <i>0.000</i>	76.20 <i>3.000</i>	20.00	20	303 Stainless Steel / AGMA Q10

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.



DISTRIBUTED BY

Ask us to put your name and address here

<http://www.minibearings.com.au/product>

Ph +61 7 3245 7977

Fax +61 7 3245 1017

Catalogue requests to catalogues@minibearings.com.au

