




MBA

Gears - Spur - 72 Pitch - Differential End



To suit the precision diffs listed on this site. 2024 aluminium and 303 stainless steel.

Metallic.

Gears - Spur - 72 Pitch - Differential End

Part Number	Teeth (No.)	Pitch Circle Diameter (PD) mm	Bore (d) mm	Outside Diameter (OD) mm	Face Width (FW) mm	Overall Width (FW+HL) mm	Hub Diameter (D1) mm	Hub Proj / Locking Method (HL) mm	Pressure Angle Deg.	Material / Quality
# GS72-70-0318B1746-A2-N	70	24.69	17.463	25.395	3.18	3.18	Hubless	0.00 / None	20	2024 Anodised Aluminum Alloy / AGMA Q12
		<i>0.972</i>	<i>0.688</i>	<i>1.000</i>	<i>0.125</i>	<i>0.125</i>				
# GS72-70-0318B1746-3-N	70	24.69	17.463	25.395	3.18	3.18	Hubless	0.00 / None	20	303 Stainless Steel / AGMA Q12
		<i>0.972</i>	<i>0.688</i>	<i>1.000</i>	<i>0.125</i>	<i>0.125</i>				

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Gears - Spur - 72 Pitch - Differential End

Part Number	Teeth (No.)	Pitch Circle Diameter (PD) mm	Bore (d) mm	Outside Diameter (OD) mm	Face Width (FW) mm	Overall Width (FW+HL) mm	Hub Diameter (D1) mm	Hub Proj / Locking Method (HL) mm	Pressure Angle Deg.	Material / Quality
# GS72-72-0318B1746-A2-N	72	25.40	17.463	26.101	3.18	3.18	Hubless	0.00 / None	20	2024 Anodised Aluminum Alloy / AGMA Q12
		<i>1.000</i>	<i>0.688</i>	<i>1.028</i>	<i>0.125</i>	<i>0.125</i>				
# GS72-72-0318B1746-3-N	72	25.40	17.463	26.101	3.18	3.18	Hubless	0.00 / None	20	303 Stainless Steel / AGMA Q12
		<i>1.000</i>	<i>0.688</i>	<i>1.028</i>	<i>0.125</i>	<i>0.125</i>				
# GS72-80-0318B1746-A2-N	80	28.22	17.463	28.923	3.18	3.18	Hubless	0.00 / None	20	2024 Anodised Aluminum Alloy / AGMA Q12
		<i>1.111</i>	<i>0.688</i>	<i>1.139</i>	<i>0.125</i>	<i>0.125</i>				
# GS72-80-0318B1746-3-N	80	28.22	17.463	28.923	3.18	3.18	Hubless	0.00 / None	20	303 Stainless Steel / AGMA Q12
		<i>1.111</i>	<i>0.688</i>	<i>1.139</i>	<i>0.125</i>	<i>0.125</i>				
# GS72-82-0318B1746-A2-N	82	28.93	17.463	29.629	3.18	3.18	Hubless	0.00 / None	20	2024 Anodised Aluminum Alloy / AGMA Q12
		<i>1.139</i>	<i>0.688</i>	<i>1.166</i>	<i>0.125</i>	<i>0.125</i>				
# GS72-82-0318B1746-3-N	82	28.93	17.463	29.629	3.18	3.18	Hubless	0.00 / None	20	303 Stainless Steel / AGMA Q12
		<i>1.139</i>	<i>0.688</i>	<i>1.166</i>	<i>0.125</i>	<i>0.125</i>				

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Gears - Spur - 72 Pitch - Differential End

Part Number	Teeth (No.)	Pitch Circle Diameter (PD) mm	Bore (d) mm	Outside Diameter (OD) mm	Face Width (FW) mm	Overall Width (FW+HL) mm	Hub Diameter (D1) mm	Hub Proj / Locking Method (HL) mm	Pressure Angle Deg.	Material / Quality
# GS72-90-0318B1746-A2-N	90	31.75	17.463	32.451	3.18	3.18	Hubless	0.00 / None	20	2024 Anodised Aluminum Alloy / AGMA Q12
		<i>1.250</i>	<i>0.688</i>	<i>1.278</i>	<i>0.125</i>	<i>0.125</i>				
# GS72-90-0318B1746-3-N	90	31.75	17.463	32.451	3.18	3.18	Hubless	0.00 / None	20	303 Stainless Steel / AGMA Q12
		<i>1.250</i>	<i>0.688</i>	<i>1.278</i>	<i>0.125</i>	<i>0.125</i>				
# GS72-96-0318B1746-A2-N	96	33.87	17.463	34.567	3.18	3.18	Hubless	0.00 / None	20	2024 Anodised Aluminum Alloy / AGMA Q12
		<i>1.333</i>	<i>0.688</i>	<i>1.361</i>	<i>0.125</i>	<i>0.125</i>				
# GS72-96-0318B1746-3-N	96	33.87	17.463	34.567	3.18	3.18	Hubless	0.00 / None	20	303 Stainless Steel / AGMA Q12
		<i>1.333</i>	<i>0.688</i>	<i>1.361</i>	<i>0.125</i>	<i>0.125</i>				
# GS72-100-0318B1746-3-N	100	35.28	17.463	35.979	3.18	3.18	Hubless	0.00 / None	20	303 Stainless Steel / AGMA Q12
		<i>1.389</i>	<i>0.688</i>	<i>1.416</i>	<i>0.125</i>	<i>0.125</i>				
# GS72-100-0318B1746-A2-N	100	35.28	17.463	35.979	3.18	3.18	Hubless	0.00 / None	20	2024 Anodised Aluminum Alloy / AGMA Q12
		<i>1.389</i>	<i>0.688</i>	<i>1.416</i>	<i>0.125</i>	<i>0.125</i>				

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Gears - Spur - 72 Pitch - Differential End

Part Number	Teeth (No.)	Pitch Circle Diameter (PD) mm	Bore (d) mm	Outside Diameter (OD) mm	Face Width (FW) mm	Overall Width (FW+HL) mm	Hub Diameter (D1) mm	Hub Proj / Locking Method (HL) mm	Pressure Angle Deg.	Material / Quality
# GS72-110-0318B1746-3-N	110	38.81	17.463	39.507	3.18	3.18	Hubless	0.00 / None	20	303 Stainless Steel / AGMA Q12
		<i>1.528</i>	<i>0.688</i>	<i>1.555</i>	<i>0.125</i>	<i>0.125</i>				
# GS72-110-0318B1746-A2-N	110	38.81	17.463	39.507	3.18	3.18	Hubless	0.00 / None	20	2024 Anodised Aluminum Alloy / AGMA Q12
		<i>1.528</i>	<i>0.688</i>	<i>1.555</i>	<i>0.125</i>	<i>0.125</i>				
# GS72-120-0318B1746-A2-N	120	42.33	17.463	43.035	3.18	3.18	Hubless	0.00 / None	20	2024 Anodised Aluminum Alloy / AGMA Q12
		<i>1.667</i>	<i>0.688</i>	<i>1.694</i>	<i>0.125</i>	<i>0.125</i>				
# GS72-120-0318B1746-3-N	120	42.33	17.463	43.035	3.18	3.18	Hubless	0.00 / None	20	303 Stainless Steel / AGMA Q12
		<i>1.667</i>	<i>0.688</i>	<i>1.694</i>	<i>0.125</i>	<i>0.125</i>				
# GS72-130-0318B1746-A2-N	130	45.86	17.463	46.563	3.18	3.18	Hubless	0.00 / None	20	2024 Anodised Aluminum Alloy / AGMA Q12
		<i>1.806</i>	<i>0.688</i>	<i>1.833</i>	<i>0.125</i>	<i>0.125</i>				
# GS72-130-0318B1746-3-N	130	45.86	17.463	46.563	3.18	3.18	Hubless	0.00 / None	20	303 Stainless Steel / AGMA Q12
		<i>1.806</i>	<i>0.688</i>	<i>1.833</i>	<i>0.125</i>	<i>0.125</i>				

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Gears - Spur - 72 Pitch - Differential End

Part Number	Teeth (No.)	Pitch Circle Diameter (PD) mm	Bore (d) mm	Outside Diameter (OD) mm	Face Width (FW) mm	Overall Width (FW+HL) mm	Hub Diameter (D1) mm	Hub Proj / Locking Method (HL) mm	Pressure Angle Deg.	Material / Quality
# GS72-140-0318B1746-A2-N	140	49.39	17.463	50.089	3.18	3.18	Hubless	0.00 / None	20	2024 Anodised Aluminum Alloy / AGMA Q12
		<i>1.944</i>	<i>0.688</i>	<i>1.972</i>	<i>0.125</i>	<i>0.125</i>				
# GS72-140-0318B1746-3-N	140	49.39	17.463	50.089	3.18	3.18	Hubless	0.00 / None	20	303 Stainless Steel / AGMA Q12
		<i>1.944</i>	<i>0.688</i>	<i>1.972</i>	<i>0.125</i>	<i>0.125</i>				
GS72-144-0318B1746-A2-N	144	50.80	17.463	51.501	3.18	3.18	Hubless	0.00 / None	20	2024 Anodised Aluminum Alloy / AGMA Q12
		<i>2.000</i>	<i>0.688</i>	<i>2.028</i>	<i>0.125</i>	<i>0.125</i>				
# GS72-144-0318B1746-3-N	144	50.80	17.463	51.501	3.18	3.18	Hubless	0.00 / None	20	303 Stainless Steel / AGMA Q12
		<i>2.000</i>	<i>0.688</i>	<i>2.028</i>	<i>0.125</i>	<i>0.125</i>				

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.



DISTRIBUTED BY

Ask us to put your name and address here

<http://www.minibearings.com.au/product>

Ph +61 7 3245 7977

Fax +61 7 3245 1017

Catalogue requests to catalogues@minibearings.com.au

