




MBA

Gears - Spur - 72 Pitch - Hub Mounting



Suits hub and cluster gears 9.525mm (3/8) mounting diameter as listed on this site. Aluminium, stainless steel and acetal. Plastic and metallic.

Gears - Spur - 72 Pitch - Hub Mounting

Part Number	Teeth (No.)	Pitch Circle Diameter (PD) mm	Bore (d) mm	Outside Diameter (OD) mm	Face Width (FW) mm	Overall Width (FW+HL) mm	Hub Diameter (D1) mm	Hub Proj / Locking Method (HL) mm	Pressure Angle Deg.	Material / Quality
# GS72-43-0318B0953-A2-N	43	15.17	9.525	15.870	3.18	3.18	Hubless	0.00 / None	20	2024 Aluminum Alloy / AGMA Q10
		<i>0.597</i>	<i>0.375</i>	<i>0.625</i>	<i>0.125</i>	<i>0.125</i>				
# GS72-43-0318B0953-3-N	43	15.17	9.525	15.870	3.18	3.18	Hubless	0.00 / None	20	303 Stainless Steel / AGMA Q10
		<i>0.597</i>	<i>0.375</i>	<i>0.625</i>	<i>0.125</i>	<i>0.125</i>				

Gears - Spur - 72 Pitch - Hub Mounting

Part Number	Teeth (No.)	Pitch Circle Diameter (PD) mm	Bore (d) mm	Outside Diameter (OD) mm	Face Width (FW) mm	Overall Width (FW+HL) mm	Hub Diameter (D1) mm	Hub Proj / Locking Method (HL) mm	Pressure Angle Deg.	Material / Quality
# GS72-46-0318B0953-A2-N	46	16.23	9.525	16.929	3.18	3.18	Hubless	0.00 / None	20	2024 Aluminum Alloy / AGMA Q10
		<i>0.639</i>	<i>0.375</i>	<i>0.666</i>	<i>0.125</i>	<i>0.125</i>				
# GS72-46-0318B0953-3-N	46	16.23	9.525	16.929	3.18	3.18	Hubless	0.00 / None	20	303 Stainless Steel / AGMA Q10
		<i>0.639</i>	<i>0.375</i>	<i>0.666</i>	<i>0.125</i>	<i>0.125</i>				
# GS72-48-0318B0953-3-N	48	16.93	9.525	17.635	3.18	3.18	Hubless	0.00 / None	20	303 Stainless Steel / AGMA Q10
		<i>0.667</i>	<i>0.375</i>	<i>0.694</i>	<i>0.125</i>	<i>0.125</i>				
# GS72-48-0318B0953-A2-N	48	16.93	9.525	17.635	3.18	3.18	Hubless	0.00 / None	20	2024 Aluminum Alloy / AGMA Q10
		<i>0.667</i>	<i>0.375</i>	<i>0.694</i>	<i>0.125</i>	<i>0.125</i>				
# GS72-54-0318B0953-3-N	54	19.05	9.525	19.751	3.18	3.18	Hubless	0.00 / None	20	303 Stainless Steel / AGMA Q10
		<i>0.750</i>	<i>0.375</i>	<i>0.778</i>	<i>0.125</i>	<i>0.125</i>				
# GS72-54-0318B0953-A2-N	54	19.05	9.525	19.751	3.18	3.18	Hubless	0.00 / None	20	2024 Aluminum Alloy / AGMA Q10
		<i>0.750</i>	<i>0.375</i>	<i>0.778</i>	<i>0.125</i>	<i>0.125</i>				

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Gears - Spur - 72 Pitch - Hub Mounting

Part Number	Teeth (No.)	Pitch Circle Diameter (PD) mm	Bore (d) mm	Outside Diameter (OD) mm	Face Width (FW) mm	Overall Width (FW+HL) mm	Hub Diameter (D1) mm	Hub Proj / Locking Method (HL) mm	Pressure Angle Deg.	Material / Quality
# GS72-60-0318B0953-3-N	60	21.17	9.525	21.867	3.18	3.18	Hubless	0.00 / None	20	303 Stainless Steel / AGMA Q10
		<i>0.833</i>	<i>0.375</i>	<i>0.861</i>	<i>0.125</i>	<i>0.125</i>				
# GS72-60-0318B0953-A2-N	60	21.17	9.525	21.867	3.18	3.18	Hubless	0.00 / None	20	2024 Aluminum Alloy / AGMA Q10
		<i>0.833</i>	<i>0.375</i>	<i>0.861</i>	<i>0.125</i>	<i>0.125</i>				
# GS72-64-0318B0953-3-N	64	22.58	9.525	23.279	3.18	3.18	Hubless	0.00 / None	20	303 Stainless Steel / AGMA Q10
		<i>0.889</i>	<i>0.375</i>	<i>0.916</i>	<i>0.125</i>	<i>0.125</i>				
# GS72-64-0318B0953-A2-N	64	22.58	9.525	23.279	3.18	3.18	Hubless	0.00 / None	20	2024 Aluminum Alloy / AGMA Q10
		<i>0.889</i>	<i>0.375</i>	<i>0.916</i>	<i>0.125</i>	<i>0.125</i>				
# GS72-72-0318B0953-A2-N	72	25.40	9.525	26.101	3.18	3.18	Hubless	0.00 / None	20	2024 Aluminum Alloy / AGMA Q10
		<i>1.000</i>	<i>0.375</i>	<i>1.028</i>	<i>0.125</i>	<i>0.125</i>				
# GS72-72-0318B0953-ACA-N	72	25.40	9.525	26.101	3.18	3.18	Hubless	0.00 / None	20	Acetal Rim - Alum. Core / AGMA Q10
		<i>1.000</i>	<i>0.375</i>	<i>1.028</i>	<i>0.125</i>	<i>0.125</i>				

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Gears - Spur - 72 Pitch - Hub Mounting

Part Number	Teeth (No.)	Pitch Circle Diameter (PD) mm	Bore (d) mm	Outside Diameter (OD) mm	Face Width (FW) mm	Overall Width (FW+HL) mm	Hub Diameter (D1) mm	Hub Proj / Locking Method (HL) mm	Pressure Angle Deg.	Material / Quality
# GS72-72-0318B0953-3-N	72	25.40	9.525	26.101	3.18	3.18	Hubless	0.00 / None	20	303 Stainless Steel / AGMA Q10
		<i>1.000</i>	<i>0.375</i>	<i>1.028</i>	<i>0.125</i>	<i>0.125</i>				
# GS72-80-0318B0953-3-N	80	28.22	9.525	28.923	3.18	3.18	Hubless	0.00 / None	20	303 Stainless Steel / AGMA Q10
		<i>1.111</i>	<i>0.375</i>	<i>1.139</i>	<i>0.125</i>	<i>0.125</i>				
# GS72-80-0318B0953-A2-N	80	28.22	9.525	28.923	3.18	3.18	Hubless	0.00 / None	20	2024 Aluminum Alloy / AGMA Q10
		<i>1.111</i>	<i>0.375</i>	<i>1.139</i>	<i>0.125</i>	<i>0.125</i>				
# GS72-81-0318B0953-ACA-N	81	28.58	9.525	29.276	3.18	3.18	Hubless	0.00 / None	20	Acetal Rim - Alum. Core / AGMA Q10
		<i>1.125</i>	<i>0.375</i>	<i>1.153</i>	<i>0.125</i>	<i>0.125</i>				
# GS72-84-0318B0953-3-N	84	29.63	9.525	30.335	3.18	3.18	Hubless	0.00 / None	20	303 Stainless Steel / AGMA Q10
		<i>1.167</i>	<i>0.375</i>	<i>1.194</i>	<i>0.125</i>	<i>0.125</i>				
# GS72-84-0318B0953-A2-N	84	29.63	9.525	30.335	3.18	3.18	Hubless	0.00 / None	20	2024 Aluminum Alloy / AGMA Q10
		<i>1.167</i>	<i>0.375</i>	<i>1.194</i>	<i>0.125</i>	<i>0.125</i>				

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Gears - Spur - 72 Pitch - Hub Mounting

Part Number	Teeth (No.)	Pitch Circle Diameter (PD) mm	Bore (d) mm	Outside Diameter (OD) mm	Face Width (FW) mm	Overall Width (FW+HL) mm	Hub Diameter (D1) mm	Hub Proj / Locking Method (HL) mm	Pressure Angle Deg.	Material / Quality
# GS72-90-0318B0953-3-N	90	31.75	9.525	32.451	3.18	3.18	Hubless	0.00 / None	20	303 Stainless Steel / AGMA Q10
		<i>1.250</i>	<i>0.375</i>	<i>1.278</i>	<i>0.125</i>	<i>0.125</i>				
# GS72-90-0318B0953-ACA-N	90	31.75	9.525	32.451	3.18	3.18	Hubless	0.00 / None	20	Acetal Rim - Alum. Core / AGMA Q10
		<i>1.250</i>	<i>0.375</i>	<i>1.278</i>	<i>0.125</i>	<i>0.125</i>				
# GS72-90-0318B0953-A2-N	90	31.75	9.525	32.451	3.18	3.18	Hubless	0.00 / None	20	2024 Aluminum Alloy / AGMA Q10
		<i>1.250</i>	<i>0.375</i>	<i>1.278</i>	<i>0.125</i>	<i>0.125</i>				
# GS72-95-0318B0953-ACA-N	95	33.51	9.525	34.214	3.18	3.18	Hubless	0.00 / None	20	Acetal Rim - Alum. Core / AGMA Q10
		<i>1.319</i>	<i>0.375</i>	<i>1.347</i>	<i>0.125</i>	<i>0.125</i>				
# GS72-96-0318B0953-3-N	96	33.87	9.525	34.567	3.18	3.18	Hubless	0.00 / None	20	303 Stainless Steel / AGMA Q10
		<i>1.333</i>	<i>0.375</i>	<i>1.361</i>	<i>0.125</i>	<i>0.125</i>				
# GS72-96-0318B0953-A2-N	96	33.87	9.525	34.567	3.18	3.18	Hubless	0.00 / None	20	2024 Aluminum Alloy / AGMA Q10
		<i>1.333</i>	<i>0.375</i>	<i>1.361</i>	<i>0.125</i>	<i>0.125</i>				

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Gears - Spur - 72 Pitch - Hub Mounting

Part Number	Teeth (No.)	Pitch Circle Diameter (PD) mm	Bore (d) mm	Outside Diameter (OD) mm	Face Width (FW) mm	Overall Width (FW+HL) mm	Hub Diameter (D1) mm	Hub Proj / Locking Method (HL) mm	Pressure Angle Deg.	Material / Quality
# GS72-96-0318B0953-ACA-N	96	33.87	9.525	34.567	3.18	3.18	Hubless	0.00 / None	20	Acetal Rim - Alum. Core / AGMA Q10
		<i>1.333</i>	<i>0.375</i>	<i>1.361</i>	<i>0.125</i>	<i>0.125</i>				
# GS72-100-0318B0953-3-N	100	35.28	9.525	35.979	3.18	3.18	Hubless	0.00 / None	20	303 Stainless Steel / AGMA Q10
		<i>1.389</i>	<i>0.375</i>	<i>1.416</i>	<i>0.125</i>	<i>0.125</i>				
# GS72-100-0318B0953-A2-N	100	35.28	9.525	35.979	3.18	3.18	Hubless	0.00 / None	20	2024 Aluminum Alloy / AGMA Q10
		<i>1.389</i>	<i>0.375</i>	<i>1.416</i>	<i>0.125</i>	<i>0.125</i>				
# GS72-100-0318B0953-ACA-N	100	35.28	9.525	35.979	3.18	3.18	Hubless	0.00 / None	20	Acetal Rim - Alum. Core / AGMA Q10
		<i>1.389</i>	<i>0.375</i>	<i>1.416</i>	<i>0.125</i>	<i>0.125</i>				
# GS72-105-0318B0953-3-N	105	37.04	9.525	37.742	3.18	3.18	Hubless	0.00 / None	20	303 Stainless Steel / AGMA Q10
		<i>1.458</i>	<i>0.375</i>	<i>1.486</i>	<i>0.125</i>	<i>0.125</i>				
# GS72-105-0318B0953-A2-N	105	37.04	9.525	37.742	3.18	3.18	Hubless	0.00 / None	20	2024 Aluminum Alloy / AGMA Q10
		<i>1.458</i>	<i>0.375</i>	<i>1.486</i>	<i>0.125</i>	<i>0.125</i>				

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Gears - Spur - 72 Pitch - Hub Mounting

Part Number	Teeth (No.)	Pitch Circle Diameter (PD) mm	Bore (d) mm	Outside Diameter (OD) mm	Face Width (FW) mm	Overall Width (FW+HL) mm	Hub Diameter (D1) mm	Hub Proj / Locking Method (HL) mm	Pressure Angle Deg.	Material / Quality
# GS72-108-0318B0953-3-N	108	38.10	9.525	38.801	3.18	3.18	Hubless	0.00 / None	20	303 Stainless Steel / AGMA Q10
		<i>1.500</i>	<i>0.375</i>	<i>1.528</i>	<i>0.125</i>	<i>0.125</i>				
# GS72-108-0318B0953-A2-N	108	38.10	9.525	38.801	3.18	3.18	Hubless	0.00 / None	20	2024 Aluminum Alloy / AGMA Q10
		<i>1.500</i>	<i>0.375</i>	<i>1.528</i>	<i>0.125</i>	<i>0.125</i>				
# GS72-110-0318B0953-A2-N	110	38.81	9.525	39.507	3.18	3.18	Hubless	0.00 / None	20	2024 Aluminum Alloy / AGMA Q10
		<i>1.528</i>	<i>0.375</i>	<i>1.555</i>	<i>0.125</i>	<i>0.125</i>				
# GS72-110-0318B0953-3-N	110	38.81	9.525	39.507	3.18	3.18	Hubless	0.00 / None	20	303 Stainless Steel / AGMA Q10
		<i>1.528</i>	<i>0.375</i>	<i>1.555</i>	<i>0.125</i>	<i>0.125</i>				
# GS72-110-0318B0953-ACA-N	110	38.81	9.525	39.507	3.18	3.18	Hubless	0.00 / None	20	Acetal Rim - Alum. Core / AGMA Q10
		<i>1.528</i>	<i>0.375</i>	<i>1.555</i>	<i>0.125</i>	<i>0.125</i>				
# GS72-120-0318B0953-A2-N	120	42.33	9.525	43.035	3.18	3.18	Hubless	0.00 / None	20	2024 Aluminum Alloy / AGMA Q10
		<i>1.667</i>	<i>0.375</i>	<i>1.694</i>	<i>0.125</i>	<i>0.125</i>				

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Gears - Spur - 72 Pitch - Hub Mounting

Part Number	Teeth (No.)	Pitch Circle Diameter (PD) mm	Bore (d) mm	Outside Diameter (OD) mm	Face Width (FW) mm	Overall Width (FW+HL) mm	Hub Diameter (D1) mm	Hub Proj / Locking Method (HL) mm	Pressure Angle Deg.	Material / Quality
# GS72-120-0318B0953-ACA-N	120	42.33	9.525	43.035	3.18	3.18	Hubless	0.00 / None	20	Acetal Rim - Alum. Core / AGMA Q10
		<i>1.667</i>	<i>0.375</i>	<i>1.694</i>	<i>0.125</i>	<i>0.125</i>				
# GS72-120-0318B0953-3-N	120	42.33	9.525	43.035	3.18	3.18	Hubless	0.00 / None	20	303 Stainless Steel / AGMA Q10
		<i>1.667</i>	<i>0.375</i>	<i>1.694</i>	<i>0.125</i>	<i>0.125</i>				
# GS72-130-0318B0953-ACA-N	130	45.86	9.525	46.563	3.18	3.18	Hubless	0.00 / None	20	Acetal Rim - Alum. Core / AGMA Q10
		<i>1.806</i>	<i>0.375</i>	<i>1.833</i>	<i>0.125</i>	<i>0.125</i>				
# GS72-130-0318B0953-A2-N	130	45.86	9.525	46.563	3.18	3.18	Hubless	0.00 / None	20	2024 Aluminum Alloy / AGMA Q10
		<i>1.806</i>	<i>0.375</i>	<i>1.833</i>	<i>0.125</i>	<i>0.125</i>				
# GS72-130-0318B0953-3-N	130	45.86	9.525	46.563	3.18	3.18	Hubless	0.00 / None	20	303 Stainless Steel / AGMA Q10
		<i>1.806</i>	<i>0.375</i>	<i>1.833</i>	<i>0.125</i>	<i>0.125</i>				
# GS72-135-0318B0953-A2-N	135	47.63	9.525	48.326	3.18	3.18	Hubless	0.00 / None	20	2024 Aluminum Alloy / AGMA Q10
		<i>1.875</i>	<i>0.375</i>	<i>1.903</i>	<i>0.125</i>	<i>0.125</i>				

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Gears - Spur - 72 Pitch - Hub Mounting

Part Number	Teeth (No.)	Pitch Circle Diameter (PD) mm	Bore (d) mm	Outside Diameter (OD) mm	Face Width (FW) mm	Overall Width (FW+HL) mm	Hub Diameter (D1) mm	Hub Proj / Locking Method (HL) mm	Pressure Angle Deg.	Material / Quality
# GS72-135-0318B0953-3-N	135	47.63	9.525	48.326	3.18	3.18	Hubless	0.00 / None	20	303 Stainless Steel / AGMA Q10
		<i>1.875</i>	<i>0.375</i>	<i>1.903</i>	<i>0.125</i>	<i>0.125</i>				
# GS72-140-0318B0953-ACA-N	140	49.39	9.525	50.089	3.18	3.18	Hubless	0.00 / None	20	Acetal Rim - Alum. Core / AGMA Q10
		<i>1.944</i>	<i>0.375</i>	<i>1.972</i>	<i>0.125</i>	<i>0.125</i>				
# GS72-140-0318B0953-3-N	140	49.39	9.525	50.089	3.18	3.18	Hubless	0.00 / None	20	303 Stainless Steel / AGMA Q10
		<i>1.944</i>	<i>0.375</i>	<i>1.972</i>	<i>0.125</i>	<i>0.125</i>				
# GS72-140-0318B0953-A2-N	140	49.39	9.525	50.089	3.18	3.18	Hubless	0.00 / None	20	2024 Aluminum Alloy / AGMA Q10
		<i>1.944</i>	<i>0.375</i>	<i>1.972</i>	<i>0.125</i>	<i>0.125</i>				
# GS72-144-0318B0953-A2-N	144	50.80	9.525	51.501	3.18	3.18	Hubless	0.00 / None	20	2024 Aluminum Alloy / AGMA Q10
		<i>2.000</i>	<i>0.375</i>	<i>2.028</i>	<i>0.125</i>	<i>0.125</i>				
# GS72-144-0318B0953-3-N	144	50.80	9.525	51.501	3.18	3.18	Hubless	0.00 / None	20	303 Stainless Steel / AGMA Q10
		<i>2.000</i>	<i>0.375</i>	<i>2.028</i>	<i>0.125</i>	<i>0.125</i>				

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Gears - Spur - 72 Pitch - Hub Mounting

Part Number	Teeth (No.)	Pitch Circle Diameter (PD) mm	Bore (d) mm	Outside Diameter (OD) mm	Face Width (FW) mm	Overall Width (FW+HL) mm	Hub Diameter (D1) mm	Hub Proj / Locking Method (HL) mm	Pressure Angle Deg.	Material / Quality
# GS72-150-0318B0953-A2-N	150	52.92	9.525	53.617	3.18	3.18	Hubless	0.00 / None	20	2024 Aluminum Alloy / AGMA Q10
		<i>2.083</i>	<i>0.375</i>	<i>2.111</i>	<i>0.125</i>	<i>0.125</i>				
# GS72-150-0318B0953-ACA-N	150	52.92	9.525	53.617	3.18	3.18	Hubless	0.00 / None	20	Acetal Rim - Alum. Core / AGMA Q10
		<i>2.083</i>	<i>0.375</i>	<i>2.111</i>	<i>0.125</i>	<i>0.125</i>				
# GS72-150-0318B0953-3-N	150	52.92	9.525	53.617	3.18	3.18	Hubless	0.00 / None	20	303 Stainless Steel / AGMA Q10
		<i>2.083</i>	<i>0.375</i>	<i>2.111</i>	<i>0.125</i>	<i>0.125</i>				
# GS72-160-0318B0953-3-N	160	56.44	9.525	57.145	3.18	3.18	Hubless	0.00 / None	20	303 Stainless Steel / AGMA Q10
		<i>2.222</i>	<i>0.375</i>	<i>2.250</i>	<i>0.125</i>	<i>0.125</i>				
# GS72-160-0318B0953-A2-N	160	56.44	9.525	57.145	3.18	3.18	Hubless	0.00 / None	20	2024 Aluminum Alloy / AGMA Q10
		<i>2.222</i>	<i>0.375</i>	<i>2.250</i>	<i>0.125</i>	<i>0.125</i>				
# GS72-160-0318B0953-ACA-N	160	56.44	9.525	57.145	3.18	3.18	Hubless	0.00 / None	20	Acetal Rim - Alum. Core / AGMA Q10
		<i>2.222</i>	<i>0.375</i>	<i>2.250</i>	<i>0.125</i>	<i>0.125</i>				

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Gears - Spur - 72 Pitch - Hub Mounting

Part Number	Teeth (No.)	Pitch Circle Diameter (PD) mm	Bore (d) mm	Outside Diameter (OD) mm	Face Width (FW) mm	Overall Width (FW+HL) mm	Hub Diameter (D1) mm	Hub Proj / Locking Method (HL) mm	Pressure Angle Deg.	Material / Quality
# GS72-170-0318B0953-3-N	170	59.97	9.525	60.673	3.18	3.18	Hubless	0.00 / None	20	303 Stainless Steel / AGMA Q10
		<i>2.361</i>	<i>0.375</i>	<i>2.389</i>	<i>0.125</i>	<i>0.125</i>				
# GS72-170-0318B0953-ACA-N	170	59.97	9.525	60.673	3.18	3.18	Hubless	0.00 / None	20	Acetal Rim - Alum. Core / AGMA Q10
		<i>2.361</i>	<i>0.375</i>	<i>2.389</i>	<i>0.125</i>	<i>0.125</i>				
# GS72-170-0318B0953-A2-N	170	59.97	9.525	60.673	3.18	3.18	Hubless	0.00 / None	20	2024 Aluminum Alloy / AGMA Q10
		<i>2.361</i>	<i>0.375</i>	<i>2.389</i>	<i>0.125</i>	<i>0.125</i>				
# GS72-180-0318B0953-ACA-N	180	63.50	9.525	64.201	3.18	3.18	Hubless	0.00 / None	20	Acetal Rim - Alum. Core / AGMA Q10
		<i>2.500</i>	<i>0.375</i>	<i>2.528</i>	<i>0.125</i>	<i>0.125</i>				
# GS72-180-0318B0953-3-N	180	63.50	9.525	64.201	3.18	3.18	Hubless	0.00 / None	20	303 Stainless Steel / AGMA Q10
		<i>2.500</i>	<i>0.375</i>	<i>2.528</i>	<i>0.125</i>	<i>0.125</i>				
# GS72-180-0318B0953-A2-N	180	63.50	9.525	64.201	3.18	3.18	Hubless	0.00 / None	20	2024 Aluminum Alloy / AGMA Q10
		<i>2.500</i>	<i>0.375</i>	<i>2.528</i>	<i>0.125</i>	<i>0.125</i>				

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Gears - Spur - 72 Pitch - Hub Mounting

Part Number	Teeth (No.)	Pitch Circle Diameter (PD) mm	Bore (d) mm	Outside Diameter (OD) mm	Face Width (FW) mm	Overall Width (FW+HL) mm	Hub Diameter (D1) mm	Hub Proj / Locking Method (HL) mm	Pressure Angle Deg.	Material / Quality
# GS72-190-0318B0953-ACA-N	190	67.03	9.525	67.729	3.18	3.18	Hubless	0.00 / None	20	Acetal Rim - Alum. Core / AGMA Q10
		<i>2.639</i>	<i>0.375</i>	<i>2.666</i>	<i>0.125</i>	<i>0.125</i>				
# GS72-192-0318B0953-3-N	192	67.73	9.525	68.435	3.18	3.18	Hubless	0.00 / None	20	303 Stainless Steel / AGMA Q10
		<i>2.667</i>	<i>0.375</i>	<i>2.694</i>	<i>0.125</i>	<i>0.125</i>				
# GS72-192-0318B0953-A2-N	192	67.73	9.525	68.435	3.18	3.18	Hubless	0.00 / None	20	2024 Aluminum Alloy / AGMA Q10
		<i>2.667</i>	<i>0.375</i>	<i>2.694</i>	<i>0.125</i>	<i>0.125</i>				
# GS72-200-0318B0953-3-N	200	70.56	9.525	71.257	3.18	3.18	Hubless	0.00 / None	20	303 Stainless Steel / AGMA Q10
		<i>2.778</i>	<i>0.375</i>	<i>2.805</i>	<i>0.125</i>	<i>0.125</i>				
# GS72-200-0318B0953-ACA-N	200	70.56	9.525	71.257	3.18	3.18	Hubless	0.00 / None	20	Acetal Rim - Alum. Core / AGMA Q10
		<i>2.778</i>	<i>0.375</i>	<i>2.805</i>	<i>0.125</i>	<i>0.125</i>				
# GS72-200-0318B0953-A2-N	200	70.56	9.525	71.257	3.18	3.18	Hubless	0.00 / None	20	2024 Aluminum Alloy / AGMA Q10
		<i>2.778</i>	<i>0.375</i>	<i>2.805</i>	<i>0.125</i>	<i>0.125</i>				

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Gears - Spur - 72 Pitch - Hub Mounting

Part Number	Teeth (No.)	Pitch Circle Diameter (PD) mm	Bore (d) mm	Outside Diameter (OD) mm	Face Width (FW) mm	Overall Width (FW+HL) mm	Hub Diameter (D1) mm	Hub Proj / Locking Method (HL) mm	Pressure Angle Deg.	Material / Quality
# GS72-210-0318B0953-ACA-N	210	74.08	9.525	74.785	3.18	3.18	Hubless	0.00 / None	20	Acetal Rim - Alum. Core / AGMA Q10
		<i>2.917</i>	<i>0.375</i>	<i>2.944</i>	<i>0.125</i>	<i>0.125</i>				
# GS72-210-0318B0953-A2-N	210	74.08	9.525	74.785	3.18	3.18	Hubless	0.00 / None	20	2024 Aluminum Alloy / AGMA Q10
		<i>2.917</i>	<i>0.375</i>	<i>2.944</i>	<i>0.125</i>	<i>0.125</i>				
# GS72-210-0318B0953-3-N	210	74.08	9.525	74.785	3.18	3.18	Hubless	0.00 / None	20	303 Stainless Steel / AGMA Q10
		<i>2.917</i>	<i>0.375</i>	<i>2.944</i>	<i>0.125</i>	<i>0.125</i>				
# GS72-216-0318B0953-3-N	216	76.20	9.525	76.901	3.18	3.18	Hubless	0.00 / None	20	303 Stainless Steel / AGMA Q10
		<i>3.000</i>	<i>0.375</i>	<i>3.028</i>	<i>0.125</i>	<i>0.125</i>				
# GS72-216-0318B0953-A2-N	216	76.20	9.525	76.901	3.18	3.18	Hubless	0.00 / None	20	2024 Aluminum Alloy / AGMA Q10
		<i>3.000</i>	<i>0.375</i>	<i>3.028</i>	<i>0.125</i>	<i>0.125</i>				
# GS72-288-0318B0953-A2-N	288	101.60	9.525	102.301	3.18	3.18	Hubless	0.00 / None	20	2024 Aluminum Alloy / AGMA Q10
		<i>4.000</i>	<i>0.375</i>	<i>4.028</i>	<i>0.125</i>	<i>0.125</i>				

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Gears - Spur - 72 Pitch - Hub Mounting

Part Number	Teeth (No.)	Pitch Circle Diameter (PD) mm	Bore (d) mm	Outside Diameter (OD) mm	Face Width (FW) mm	Overall Width (FW+HL) mm	Hub Diameter (D1) mm	Hub Proj / Locking Method (HL) mm	Pressure Angle Deg.	Material / Quality
# GS72-288-0318B0953-3-N	288	101.60	9.525	102.301	3.18	3.18	Hubless	0.00 / None	20	303 Stainless Steel / AGMA Q10
		<i>4.000</i>	<i>0.375</i>	<i>4.028</i>	<i>0.125</i>	<i>0.125</i>				
# GS72-297-0318B0953-A2-N	297	104.78	9.525	105.476	3.18	3.18	Hubless	0.00 / None	20	2024 Aluminum Alloy / AGMA Q10
		<i>4.125</i>	<i>0.375</i>	<i>4.153</i>	<i>0.125</i>	<i>0.125</i>				
# GS72-297-0318B0953-3-N	297	104.78	9.525	105.476	3.18	3.18	Hubless	0.00 / None	20	303 Stainless Steel / AGMA Q10
		<i>4.125</i>	<i>0.375</i>	<i>4.153</i>	<i>0.125</i>	<i>0.125</i>				

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.



DISTRIBUTED BY

Ask us to put your name and address here

<http://www.minibearings.com.au/product>

Ph +61 7 3245 7977

Fax +61 7 3245 1017

Catalogue requests to catalogues@minibearings.com.au

