




# MBA

## Gears - Spur - 80 Pitch - Stem



303 stainless steel.

Metallic.

## Gears - Spur - 80 Pitch - Stem

Part Number	Teeth (No.)	Pitch Circle Diameter (PD) mm <i>inches</i>	Stem Diameter (D1) mm <i>inches</i>	Outside Diameter (OD) mm <i>inches</i>	Face Width (FW) mm <i>inches</i>	Left Stem Length (LS) mm <i>inches</i>	Right Stem Length (RS) mm <i>inches</i>	Pressure Angle Deg.	Material	Quality
# GS80-10-0476SA7000-3	10	3.18 <i>0.125</i>	4.755 <i>0.187</i>	3.810 <i>0.150</i>	4.762 <i>0.187</i>	0.00 <i>0.000</i>	69.85 <i>2.750</i>	20.00	20	303 Stainless Steel / AGMA Q10
# GS80-10-0476SB7000-3	10	3.18 <i>0.125</i>	6.342 <i>0.250</i>	3.810 <i>0.150</i>	4.762 <i>0.187</i>	0.00 <i>0.000</i>	69.85 <i>2.750</i>	20.00	20	303 Stainless Steel / AGMA Q10
# GS80-12-0476SA7000-3	12	3.81 <i>0.150</i>	4.755 <i>0.187</i>	4.445 <i>0.175</i>	4.762 <i>0.187</i>	0.00 <i>0.000</i>	69.85 <i>2.750</i>	20.00	20	303 Stainless Steel / AGMA Q10

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Gears - Spur - 80 Pitch - Stem

Part Number	Teeth (No.)	Pitch Circle Diameter (PD) mm <i>inches</i>	Stem Diameter (D1) mm <i>inches</i>	Outside Diameter (OD) mm <i>inches</i>	Face Width (FW) mm <i>inches</i>	Left Stem Length (LS) mm <i>inches</i>	Right Stem Length (RS) mm <i>inches</i>	Pressure Angle Deg.	Material	Quality
# GS80-12-0476SB7000-3	12	3.81 <i>0.150</i>	6.342 <i>0.250</i>	4.445 <i>0.175</i>	4.762 <i>0.187</i>	0.00 <i>0.000</i>	69.85 <i>2.750</i>	20.00	20	303 Stainless Steel / AGMA Q10
# GS80-14-0476S7000-3	14	4.45 <i>0.175</i>	6.342 <i>0.250</i>	5.080 <i>0.200</i>	4.762 <i>0.187</i>	0.00 <i>0.000</i>	69.85 <i>2.750</i>	20.00	20	303 Stainless Steel / AGMA Q10
# GS80-16-0476S7000-3	16	5.08 <i>0.200</i>	6.342 <i>0.250</i>	5.715 <i>0.225</i>	4.762 <i>0.187</i>	0.00 <i>0.000</i>	69.85 <i>2.750</i>	20.00	20	303 Stainless Steel / AGMA Q10
# GS80-18-0476S7000-3	18	5.72 <i>0.225</i>	6.342 <i>0.250</i>	6.350 <i>0.250</i>	4.762 <i>0.187</i>	0.00 <i>0.000</i>	69.85 <i>2.750</i>	20.00	20	303 Stainless Steel / AGMA Q10
# GS80-20-0476SA7600-3	20	6.35 <i>0.250</i>	3.167 <i>0.125</i>	6.985 <i>0.275</i>	4.762 <i>0.187</i>	0.00 <i>0.000</i>	76.20 <i>3.000</i>	20.00	20	303 Stainless Steel / AGMA Q10
# GS80-20-0476SB7600-3	20	6.35 <i>0.250</i>	4.755 <i>0.187</i>	6.985 <i>0.275</i>	4.762 <i>0.187</i>	0.00 <i>0.000</i>	76.20 <i>3.000</i>	20.00	20	303 Stainless Steel / AGMA Q10

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.



DISTRIBUTED BY

Ask us to put your name and address here

<http://www.minibearings.com.au/product>

Ph +61 7 3245 7977

Fax +61 7 3245 1017

Catalogue requests to [catalogues@minibearings.com.au](mailto:catalogues@minibearings.com.au)

