




# MBA

## Gears - Spur - 96 Pitch - Hub Mounting



Suits hub and cluster gears 9.525mm (3/8) mounting diameter as listed on this site. Aluminium, stainless steel and acetal. Plastic and metallic.

### Gears - Spur - 96 Pitch - Hub Mounting

Part Number	Teeth (No.)	Pitch Circle Diameter (PD) mm	Bore (d) mm	Outside Diameter (OD) mm	Face Width (FW) mm	Overall Width (FW+HL) mm	Hub Diameter (D1) mm	Hub Proj / Locking Method (HL) mm	Pressure Angle Deg.	Material / Quality
# GS96-58-0318B0953-3-N	58	15.35	9.525	15.873	3.18	3.18	Hubless	0.00 / None	20	303 Stainless Steel / AGMA Q10
		<i>0.604</i>	<i>0.375</i>	<i>0.625</i>	<i>0.125</i>	<i>0.125</i>				
# GS96-58-0318B0953-A2-N	58	15.35	9.525	15.873	3.18	3.18	Hubless	0.00 / None	20	2024 Aluminum Alloy / AGMA Q10
		<i>0.604</i>	<i>0.375</i>	<i>0.625</i>	<i>0.125</i>	<i>0.125</i>				
# GS96-62-0318B0953-3-N	62	16.40	9.525	16.929	3.18	3.18	Hubless	0.00 / None	20	303 Stainless Steel / AGMA Q10
		<i>0.646</i>	<i>0.375</i>	<i>0.666</i>	<i>0.125</i>	<i>0.125</i>				

## Gears - Spur - 96 Pitch - Hub Mounting

Part Number	Teeth (No.)	Pitch Circle Diameter (PD) mm	Bore (d) mm	Outside Diameter (OD) mm	Face Width (FW) mm	Overall Width (FW+HL) mm	Hub Diameter (D1) mm	Hub Proj / Locking Method (HL) mm	Pressure Angle Deg.	Material / Quality
# GS96-62-0318B0953-A2-N	62	16.40	9.525	16.929	3.18	3.18	Hubless	0.00 / None	20	2024 Aluminum Alloy / AGMA Q10
		<i>0.646</i>	<i>0.375</i>	<i>0.666</i>	<i>0.125</i>	<i>0.125</i>				
# GS96-64-0318B0953-3-N	64	16.93	9.525	17.460	3.18	3.18	Hubless	0.00 / None	20	303 Stainless Steel / AGMA Q10
		<i>0.667</i>	<i>0.375</i>	<i>0.687</i>	<i>0.125</i>	<i>0.125</i>				
# GS96-64-0318B0953-A2-N	64	16.93	9.525	17.460	3.18	3.18	Hubless	0.00 / None	20	2024 Aluminum Alloy / AGMA Q10
		<i>0.667</i>	<i>0.375</i>	<i>0.687</i>	<i>0.125</i>	<i>0.125</i>				
# GS96-66-0318B0953-A2-N	66	17.46	9.525	17.988	3.18	3.18	Hubless	0.00 / None	20	2024 Aluminum Alloy / AGMA Q10
		<i>0.687</i>	<i>0.375</i>	<i>0.708</i>	<i>0.125</i>	<i>0.125</i>				
# GS96-66-0318B0953-3-N	66	17.46	9.525	17.988	3.18	3.18	Hubless	0.00 / None	20	303 Stainless Steel / AGMA Q10
		<i>0.687</i>	<i>0.375</i>	<i>0.708</i>	<i>0.125</i>	<i>0.125</i>				
# GS96-72-0318B0953-3-N	72	19.05	9.525	19.576	3.18	3.18	Hubless	0.00 / None	20	303 Stainless Steel / AGMA Q10
		<i>0.750</i>	<i>0.375</i>	<i>0.771</i>	<i>0.125</i>	<i>0.125</i>				

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Gears - Spur - 96 Pitch - Hub Mounting

Part Number	Teeth (No.)	Pitch Circle Diameter (PD) mm	Bore (d) mm	Outside Diameter (OD) mm	Face Width (FW) mm	Overall Width (FW+HL) mm	Hub Diameter (D1) mm	Hub Proj / Locking Method (HL) mm	Pressure Angle Deg.	Material / Quality
# GS96-72-0318B0953-A2-N	72	19.05	9.525	19.576	3.18	3.18	Hubless	0.00 / None	20	2024 Aluminum Alloy / AGMA Q10
		<i>0.750</i>	<i>0.375</i>	<i>0.771</i>	<i>0.125</i>	<i>0.125</i>				
# GS96-84-0318B0953-A2-N	84	22.23	9.525	22.751	3.18	3.18	Hubless	0.00 / None	20	2024 Aluminum Alloy / AGMA Q10
		<i>0.875</i>	<i>0.375</i>	<i>0.896</i>	<i>0.125</i>	<i>0.125</i>				
# GS96-84-0318B0953-3-N	84	22.23	9.525	22.751	3.18	3.18	Hubless	0.00 / None	20	303 Stainless Steel / AGMA Q10
		<i>0.875</i>	<i>0.375</i>	<i>0.896</i>	<i>0.125</i>	<i>0.125</i>				
# GS96-96-0318B0953-A2-N	96	25.40	9.525	25.926	3.18	3.18	Hubless	0.00 / None	20	2024 Aluminum Alloy / AGMA Q10
		<i>1.000</i>	<i>0.375</i>	<i>1.021</i>	<i>0.125</i>	<i>0.125</i>				
# GS96-96-0318B0953-3-N	96	25.40	9.525	25.926	3.18	3.18	Hubless	0.00 / None	20	303 Stainless Steel / AGMA Q10
		<i>1.000</i>	<i>0.375</i>	<i>1.021</i>	<i>0.125</i>	<i>0.125</i>				
# GS96-100-0318B0953-A2-N	100	26.46	9.525	26.985	3.18	3.18	Hubless	0.00 / None	20	2024 Aluminum Alloy / AGMA Q10
		<i>1.042</i>	<i>0.375</i>	<i>1.062</i>	<i>0.125</i>	<i>0.125</i>				

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Gears - Spur - 96 Pitch - Hub Mounting

Part Number	Teeth (No.)	Pitch Circle Diameter (PD) mm	Bore (d) mm	Outside Diameter (OD) mm	Face Width (FW) mm	Overall Width (FW+HL) mm	Hub Diameter (D1) mm	Hub Proj / Locking Method (HL) mm	Pressure Angle Deg.	Material / Quality
# GS96-100-0318B0953-3-N	100	26.46	9.525	26.985	3.18	3.18	Hubless	0.00 / None	20	303 Stainless Steel / AGMA Q10
		<i>1.042</i>	<i>0.375</i>	<i>1.062</i>	<i>0.125</i>	<i>0.125</i>				
# GS96-110-0318B0953-A2-N	110	29.10	9.525	29.629	3.18	3.18	Hubless	0.00 / None	20	2024 Aluminum Alloy / AGMA Q10
		<i>1.146</i>	<i>0.375</i>	<i>1.166</i>	<i>0.125</i>	<i>0.125</i>				
# GS96-110-0318B0953-3-N	110	29.10	9.525	29.629	3.18	3.18	Hubless	0.00 / None	20	303 Stainless Steel / AGMA Q10
		<i>1.146</i>	<i>0.375</i>	<i>1.166</i>	<i>0.125</i>	<i>0.125</i>				
# GS96-120-0318B0953-A2-N	120	31.75	9.525	32.276	3.18	3.18	Hubless	0.00 / None	20	2024 Aluminum Alloy / AGMA Q10
		<i>1.250</i>	<i>0.375</i>	<i>1.271</i>	<i>0.125</i>	<i>0.125</i>				
# GS96-120-0318B0953-3-N	120	31.75	9.525	32.276	3.18	3.18	Hubless	0.00 / None	20	303 Stainless Steel / AGMA Q10
		<i>1.250</i>	<i>0.375</i>	<i>1.271</i>	<i>0.125</i>	<i>0.125</i>				
# GS96-127-0318B0953-A2-N	127	33.60	9.525	34.128	3.18	3.18	Hubless	0.00 / None	20	2024 Aluminum Alloy / AGMA Q10
		<i>1.323</i>	<i>0.375</i>	<i>1.344</i>	<i>0.125</i>	<i>0.125</i>				

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Gears - Spur - 96 Pitch - Hub Mounting

Part Number	Teeth (No.)	Pitch Circle Diameter (PD) mm	Bore (d) mm	Outside Diameter (OD) mm	Face Width (FW) mm	Overall Width (FW+HL) mm	Hub Diameter (D1) mm	Hub Proj / Locking Method (HL) mm	Pressure Angle Deg.	Material / Quality
# GS96-127-0318B0953-3-N	127	33.60	9.525	34.128	3.18	3.18	Hubless	0.00 / None	20	303 Stainless Steel / AGMA Q10
		<i>1.323</i>	<i>0.375</i>	<i>1.344</i>	<i>0.125</i>	<i>0.125</i>				
# GS96-130-0318B0953-3-N	130	34.40	9.525	34.923	3.18	3.18	Hubless	0.00 / None	20	303 Stainless Steel / AGMA Q10
		<i>1.354</i>	<i>0.375</i>	<i>1.375</i>	<i>0.125</i>	<i>0.125</i>				
# GS96-130-0318B0953-A2-N	130	34.40	9.525	34.923	3.18	3.18	Hubless	0.00 / None	20	2024 Aluminum Alloy / AGMA Q10
		<i>1.354</i>	<i>0.375</i>	<i>1.375</i>	<i>0.125</i>	<i>0.125</i>				
# GS96-132-0318B0953-3-N	132	34.93	9.525	35.451	3.18	3.18	Hubless	0.00 / None	20	303 Stainless Steel / AGMA Q10
		<i>1.375</i>	<i>0.375</i>	<i>1.396</i>	<i>0.125</i>	<i>0.125</i>				
# GS96-132-0318B0953-A2-N	132	34.93	9.525	35.451	3.18	3.18	Hubless	0.00 / None	20	2024 Aluminum Alloy / AGMA Q10
		<i>1.375</i>	<i>0.375</i>	<i>1.396</i>	<i>0.125</i>	<i>0.125</i>				
# GS96-140-0318B0953-3-N	140	37.04	9.525	37.567	3.18	3.18	Hubless	0.00 / None	20	303 Stainless Steel / AGMA Q10
		<i>1.458</i>	<i>0.375</i>	<i>1.479</i>	<i>0.125</i>	<i>0.125</i>				

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Gears - Spur - 96 Pitch - Hub Mounting

Part Number	Teeth (No.)	Pitch Circle Diameter (PD) mm	Bore (d) mm	Outside Diameter (OD) mm	Face Width (FW) mm	Overall Width (FW+HL) mm	Hub Diameter (D1) mm	Hub Proj / Locking Method (HL) mm	Pressure Angle Deg.	Material / Quality
# GS96-140-0318B0953-A2-N	140	37.04	9.525	37.567	3.18	3.18	Hubless	0.00 / None	20	2024 Aluminum Alloy / AGMA Q10
		<i>1.458</i>	<i>0.375</i>	<i>1.479</i>	<i>0.125</i>	<i>0.125</i>				
# GS96-144-0318B0953-3-N	144	38.10	9.525	38.626	3.18	3.18	Hubless	0.00 / None	20	303 Stainless Steel / AGMA Q10
		<i>1.500</i>	<i>0.375</i>	<i>1.521</i>	<i>0.125</i>	<i>0.125</i>				
# GS96-144-0318B0953-A2-N	144	38.10	9.525	38.626	3.18	3.18	Hubless	0.00 / None	20	2024 Aluminum Alloy / AGMA Q10
		<i>1.500</i>	<i>0.375</i>	<i>1.521</i>	<i>0.125</i>	<i>0.125</i>				
# GS96-150-0318B0953-3-N	150	39.69	9.525	40.214	3.18	3.18	Hubless	0.00 / None	20	303 Stainless Steel / AGMA Q10
		<i>1.563</i>	<i>0.375</i>	<i>1.583</i>	<i>0.125</i>	<i>0.125</i>				
# GS96-150-0318B0953-A2-N	150	39.69	9.525	40.214	3.18	3.18	Hubless	0.00 / None	20	2024 Aluminum Alloy / AGMA Q10
		<i>1.563</i>	<i>0.375</i>	<i>1.583</i>	<i>0.125</i>	<i>0.125</i>				
# GS96-160-0318B0953-A2-N	160	42.33	9.525	42.860	3.18	3.18	Hubless	0.00 / None	20	2024 Aluminum Alloy / AGMA Q10
		<i>1.667</i>	<i>0.375</i>	<i>1.687</i>	<i>0.125</i>	<i>0.125</i>				

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Gears - Spur - 96 Pitch - Hub Mounting

Part Number	Teeth (No.)	Pitch Circle Diameter (PD) mm	Bore (d) mm	Outside Diameter (OD) mm	Face Width (FW) mm	Overall Width (FW+HL) mm	Hub Diameter (D1) mm	Hub Proj / Locking Method (HL) mm	Pressure Angle Deg.	Material / Quality
# GS96-160-0318B0953-3-N	160	42.33	9.525	42.860	3.18	3.18	Hubless	0.00 / None	20	303 Stainless Steel / AGMA Q10
		<i>1.667</i>	<i>0.375</i>	<i>1.687</i>	<i>0.125</i>	<i>0.125</i>				
# GS96-170-0318B0953-3-N	170	44.98	9.525	45.504	3.18	3.18	Hubless	0.00 / None	20	303 Stainless Steel / AGMA Q10
		<i>1.771</i>	<i>0.375</i>	<i>1.791</i>	<i>0.125</i>	<i>0.125</i>				
# GS96-170-0318B0953-A2-N	170	44.98	9.525	45.504	3.18	3.18	Hubless	0.00 / None	20	2024 Aluminum Alloy / AGMA Q10
		<i>1.771</i>	<i>0.375</i>	<i>1.791</i>	<i>0.125</i>	<i>0.125</i>				
# GS96-180-0318B0953-A2-N	180	47.63	9.525	48.151	3.18	3.18	Hubless	0.00 / None	20	2024 Aluminum Alloy / AGMA Q10
		<i>1.875</i>	<i>0.375</i>	<i>1.896</i>	<i>0.125</i>	<i>0.125</i>				
# GS96-180-0318B0953-3-N	180	47.63	9.525	48.151	3.18	3.18	Hubless	0.00 / None	20	303 Stainless Steel / AGMA Q10
		<i>1.875</i>	<i>0.375</i>	<i>1.896</i>	<i>0.125</i>	<i>0.125</i>				
# GS96-190-0318B0953-3-N	190	50.27	9.525	50.798	3.18	3.18	Hubless	0.00 / None	20	303 Stainless Steel / AGMA Q10
		<i>1.979</i>	<i>0.375</i>	<i>2.000</i>	<i>0.125</i>	<i>0.125</i>				

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Gears - Spur - 96 Pitch - Hub Mounting

Part Number	Teeth (No.)	Pitch Circle Diameter (PD) mm	Bore (d) mm	Outside Diameter (OD) mm	Face Width (FW) mm	Overall Width (FW+HL) mm	Hub Diameter (D1) mm	Hub Proj / Locking Method (HL) mm	Pressure Angle Deg.	Material / Quality
# GS96-190-0318B0953-A2-N	190	50.27	9.525	50.798	3.18	3.18	Hubless	0.00 / None	20	2024 Aluminum Alloy / AGMA Q10
		<i>1.979</i>	<i>0.375</i>	<i>2.000</i>	<i>0.125</i>	<i>0.125</i>				
# GS96-200-0318B0953-A2-N	200	52.92	9.525	53.442	3.18	3.18	Hubless	0.00 / None	20	2024 Aluminum Alloy / AGMA Q10
		<i>2.083</i>	<i>0.375</i>	<i>2.104</i>	<i>0.125</i>	<i>0.125</i>				
# GS96-200-0318B0953-3-N	200	52.92	9.525	53.442	3.18	3.18	Hubless	0.00 / None	20	303 Stainless Steel / AGMA Q10
		<i>2.083</i>	<i>0.375</i>	<i>2.104</i>	<i>0.125</i>	<i>0.125</i>				
# GS96-220-0318B0953-3-N	220	58.21	9.525	58.735	3.18	3.18	Hubless	0.00 / None	20	303 Stainless Steel / AGMA Q10
		<i>2.292</i>	<i>0.375</i>	<i>2.312</i>	<i>0.125</i>	<i>0.125</i>				
# GS96-220-0318B0953-A2-N	220	58.21	9.525	58.735	3.18	3.18	Hubless	0.00 / None	20	2024 Aluminum Alloy / AGMA Q10
		<i>2.292</i>	<i>0.375</i>	<i>2.312</i>	<i>0.125</i>	<i>0.125</i>				
# GS96-228-0318B0953-3-N	228	60.33	9.525	60.851	3.18	3.18	Hubless	0.00 / None	20	303 Stainless Steel / AGMA Q10
		<i>2.375</i>	<i>0.375</i>	<i>2.396</i>	<i>0.125</i>	<i>0.125</i>				

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Gears - Spur - 96 Pitch - Hub Mounting

Part Number	Teeth (No.)	Pitch Circle Diameter (PD) mm	Bore (d) mm	Outside Diameter (OD) mm	Face Width (FW) mm	Overall Width (FW+HL) mm	Hub Diameter (D1) mm	Hub Proj / Locking Method (HL) mm	Pressure Angle Deg.	Material / Quality
# GS96-228-0318B0953-A2-N	228	60.33	9.525	60.851	3.18	3.18	Hubless	0.00 / None	20	2024 Aluminum Alloy / AGMA Q10
		<i>2.375</i>	<i>0.375</i>	<i>2.396</i>	<i>0.125</i>	<i>0.125</i>				
# GS96-240-0318B0953-A2-N	240	63.50	9.525	64.026	3.18	3.18	Hubless	0.00 / None	20	2024 Aluminum Alloy / AGMA Q10
		<i>2.500</i>	<i>0.375</i>	<i>2.521</i>	<i>0.125</i>	<i>0.125</i>				
# GS96-240-0318B0953-3-N	240	63.50	9.525	64.026	3.18	3.18	Hubless	0.00 / None	20	303 Stainless Steel / AGMA Q10
		<i>2.500</i>	<i>0.375</i>	<i>2.521</i>	<i>0.125</i>	<i>0.125</i>				
# GS96-250-0318B0953-3-N	250	66.15	9.525	66.673	3.18	3.18	Hubless	0.00 / None	20	303 Stainless Steel / AGMA Q10
		<i>2.604</i>	<i>0.375</i>	<i>2.625</i>	<i>0.125</i>	<i>0.125</i>				
# GS96-250-0318B0953-A2-N	250	66.15	9.525	66.673	3.18	3.18	Hubless	0.00 / None	20	2024 Aluminum Alloy / AGMA Q10
		<i>2.604</i>	<i>0.375</i>	<i>2.625</i>	<i>0.125</i>	<i>0.125</i>				
# GS96-260-0318B0953-3-N	260	68.79	9.525	69.317	3.18	3.18	Hubless	0.00 / None	20	303 Stainless Steel / AGMA Q10
		<i>2.708</i>	<i>0.375</i>	<i>2.729</i>	<i>0.125</i>	<i>0.125</i>				

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Gears - Spur - 96 Pitch - Hub Mounting

Part Number	Teeth (No.)	Pitch Circle Diameter (PD) mm	Bore (d) mm	Outside Diameter (OD) mm	Face Width (FW) mm	Overall Width (FW+HL) mm	Hub Diameter (D1) mm	Hub Proj / Locking Method (HL) mm	Pressure Angle Deg.	Material / Quality
# GS96-260-0318B0953-A2-N	260	68.79	9.525	69.317	3.18	3.18	Hubless	0.00 / None	20	2024 Aluminum Alloy / AGMA Q10
		<i>2.708</i>	<i>0.375</i>	<i>2.729</i>	<i>0.125</i>	<i>0.125</i>				
# GS96-280-0318B0953-A2-N	280	74.08	9.525	74.610	3.18	3.18	Hubless	0.00 / None	20	2024 Aluminum Alloy / AGMA Q10
		<i>2.917</i>	<i>0.375</i>	<i>2.937</i>	<i>0.125</i>	<i>0.125</i>				
# GS96-280-0318B0953-3-N	280	74.08	9.525	74.610	3.18	3.18	Hubless	0.00 / None	20	303 Stainless Steel / AGMA Q10
		<i>2.917</i>	<i>0.375</i>	<i>2.937</i>	<i>0.125</i>	<i>0.125</i>				
# GS96-288-0318B0953-3-N	288	76.20	9.525	76.726	3.18	3.18	Hubless	0.00 / None	20	303 Stainless Steel / AGMA Q10
		<i>3.000</i>	<i>0.375</i>	<i>3.021</i>	<i>0.125</i>	<i>0.125</i>				
# GS96-288-0318B0953-A2-N	288	76.20	9.525	76.726	3.18	3.18	Hubless	0.00 / None	20	2024 Aluminum Alloy / AGMA Q10
		<i>3.000</i>	<i>0.375</i>	<i>3.021</i>	<i>0.125</i>	<i>0.125</i>				
# GS96-336-0318B0953-3-N	336	88.90	9.525	89.426	3.18	3.18	Hubless	0.00 / None	20	303 Stainless Steel / AGMA Q10
		<i>3.500</i>	<i>0.375</i>	<i>3.521</i>	<i>0.125</i>	<i>0.125</i>				

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Gears - Spur - 96 Pitch - Hub Mounting

Part Number	Teeth (No.)	Pitch Circle Diameter (PD) mm	Bore (d) mm	Outside Diameter (OD) mm	Face Width (FW) mm	Overall Width (FW+HL) mm	Hub Diameter (D1) mm	Hub Proj / Locking Method (HL) mm	Pressure Angle Deg.	Material / Quality
# GS96-336-0318B0953-A2-N	336	88.90	9.525	89.426	3.18	3.18	Hubless	0.00 / None	20	2024 Aluminum Alloy / AGMA Q10
		<i>3.500</i>	<i>0.375</i>	<i>3.521</i>	<i>0.125</i>	<i>0.125</i>				
# GS96-384-0318B0953-3-N	384	101.60	9.525	102.126	3.18	3.18	Hubless	0.00 / None	20	303 Stainless Steel / AGMA Q10
		<i>4.000</i>	<i>0.375</i>	<i>4.021</i>	<i>0.125</i>	<i>0.125</i>				
# GS96-384-0318B0953-A2-N	384	101.60	9.525	102.126	3.18	3.18	Hubless	0.00 / None	20	2024 Aluminum Alloy / AGMA Q10
		<i>4.000</i>	<i>0.375</i>	<i>4.021</i>	<i>0.125</i>	<i>0.125</i>				

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.



DISTRIBUTED BY

Ask us to put your name and address here

<http://www.minibearings.com.au/product>

Ph +61 7 3245 7977

Fax +61 7 3245 1017

Catalogue requests to [catalogues@minibearings.com.au](mailto:catalogues@minibearings.com.au)

