




MBA

Gears - Spur - 96 Pitch - Stem



303 stainless steel.

Metallic.

Gears - Spur - 96 Pitch - Stem

Part Number	Teeth (No.)	Pitch Circle Diameter (PD) mm <i>inches</i>	Stem Diameter (D1) mm <i>inches</i>	Outside Diameter (OD) mm <i>inches</i>	Face Width (FW) mm <i>inches</i>	Left Stem Length (LS) mm <i>inches</i>	Right Stem Length (RS) mm <i>inches</i>	Pressure Angle Deg.	Material	Quality
# GS96-10-0476SA7000-3	10	2.65 <i>0.104</i>	3.167 <i>0.125</i>	3.175 <i>0.125</i>	4.762 <i>0.187</i>	0.00 <i>0.000</i>	69.85 <i>2.750</i>	20.00	20	303 Stainless Steel / AGMA Q10
# GS96-10-0476SB7000-3	10	2.65 <i>0.104</i>	4.755 <i>0.187</i>	3.175 <i>0.125</i>	4.762 <i>0.187</i>	0.00 <i>0.000</i>	69.85 <i>2.750</i>	20.00	20	303 Stainless Steel / AGMA Q10
# GS96-11-0476S7000-3	11	2.91 <i>0.115</i>	4.755 <i>0.187</i>	3.429 <i>0.135</i>	4.762 <i>0.187</i>	0.00 <i>0.000</i>	69.85 <i>2.750</i>	20.00	20	303 Stainless Steel / AGMA Q10

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Gears - Spur - 96 Pitch - Stem

Part Number	Teeth (No.)	Pitch Circle Diameter (PD) mm <i>inches</i>	Stem Diameter (D1) mm <i>inches</i>	Outside Diameter (OD) mm <i>inches</i>	Face Width (FW) mm <i>inches</i>	Left Stem Length (LS) mm <i>inches</i>	Right Stem Length (RS) mm <i>inches</i>	Pressure Angle Deg.	Material	Quality
# GS96-12-0476S7000-3	12	3.18 <i>0.125</i>	4.755 <i>0.187</i>	3.708 <i>0.146</i>	4.762 <i>0.187</i>	0.00 <i>0.000</i>	69.85 <i>2.750</i>	20.00	20	303 Stainless Steel / AGMA Q10
# GS96-14-0476S7000-3	14	3.70 <i>0.146</i>	4.755 <i>0.187</i>	4.242 <i>0.167</i>	4.762 <i>0.187</i>	0.00 <i>0.000</i>	69.85 <i>2.750</i>	20.00	20	303 Stainless Steel / AGMA Q10
# GS96-16-0476S7000-3	16	4.23 <i>0.167</i>	6.342 <i>0.250</i>	4.775 <i>0.188</i>	4.762 <i>0.187</i>	0.00 <i>0.000</i>	69.85 <i>2.750</i>	20.00	20	303 Stainless Steel / AGMA Q10
# GS96-18-0476S7000-3	18	4.76 <i>0.187</i>	6.342 <i>0.250</i>	5.283 <i>0.208</i>	4.762 <i>0.187</i>	0.00 <i>0.000</i>	69.85 <i>2.750</i>	20.00	20	303 Stainless Steel / AGMA Q10
# GS96-24-0476S7600-3	24	6.35 <i>0.250</i>	3.167 <i>0.125</i>	6.883 <i>0.271</i>	4.762 <i>0.187</i>	0.00 <i>0.000</i>	76.20 <i>3.000</i>	20.00	20	303 Stainless Steel / AGMA Q10
# GS96-32-0476S7600-3	32	8.47 <i>0.333</i>	3.167 <i>0.125</i>	8.992 <i>0.354</i>	4.762 <i>0.187</i>	0.00 <i>0.000</i>	76.20 <i>3.000</i>	20.00	20	303 Stainless Steel / AGMA Q10

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.



DISTRIBUTED BY

Ask us to put your name and address here

<http://www.minibearings.com.au/product>

Ph +61 7 3245 7977

Fax +61 7 3245 1017

Catalogue requests to catalogues@minibearings.com.au
