




MBA

Gears - Spur - 120 Pitch - Hub Mounting



Suits hub and cluster gears 9.525mm (3/8) mounting diameter as listed on this site. Aluminium, stainless steel and acetal. Plastic and metallic.

Gears - Spur - 120 Pitch - Hub Mounting

Part Number	Teeth (No.)	Pitch Circle Diameter (PD) mm	Bore (d) mm	Outside Diameter (OD) mm	Face Width (FW) mm	Overall Width (FW+HL) mm	Hub Diameter (D1) mm	Hub Proj / Locking Method (HL) mm	Pressure Angle Deg.	Material / Quality
# GS120-75-0318B0953-A2-N	75	15.88	9.525	16.289	3.18	3.18	Hubless	0.00 / None	20	2024 Aluminum Alloy / AGMA Q10
		<i>0.625</i>	<i>0.375</i>	<i>0.641</i>	<i>0.125</i>	<i>0.125</i>				
# GS120-75-0318B0953-3-N	75	15.88	9.525	16.289	3.18	3.18	Hubless	0.00 / None	20	303 Stainless Steel / AGMA Q10
		<i>0.625</i>	<i>0.375</i>	<i>0.641</i>	<i>0.125</i>	<i>0.125</i>				

Gears - Spur - 120 Pitch - Hub Mounting

Part Number	Teeth (No.)	Pitch Circle Diameter (PD) mm	Bore (d) mm	Outside Diameter (OD) mm	Face Width (FW) mm	Overall Width (FW+HL) mm	Hub Diameter (D1) mm	Hub Proj / Locking Method (HL) mm	Pressure Angle Deg.	Material / Quality
# GS120-76-0318B0953-A2-N	76	16.09	9.525	16.500	3.18	3.18	Hubless	0.00 / None	20	2024 Aluminum Alloy / AGMA Q10
		<i>0.633</i>	<i>0.375</i>	<i>0.650</i>	<i>0.125</i>	<i>0.125</i>				
# GS120-76-0318B0953-3-N	76	16.09	9.525	16.500	3.18	3.18	Hubless	0.00 / None	20	303 Stainless Steel / AGMA Q10
		<i>0.633</i>	<i>0.375</i>	<i>0.650</i>	<i>0.125</i>	<i>0.125</i>				
# GS120-78-0318B0953-3-N	78	16.51	9.525	16.924	3.18	3.18	Hubless	0.00 / None	20	303 Stainless Steel / AGMA Q10
		<i>0.650</i>	<i>0.375</i>	<i>0.666</i>	<i>0.125</i>	<i>0.125</i>				
# GS120-78-0318B0953-A2-N	78	16.51	9.525	16.924	3.18	3.18	Hubless	0.00 / None	20	2024 Aluminum Alloy / AGMA Q10
		<i>0.650</i>	<i>0.375</i>	<i>0.666</i>	<i>0.125</i>	<i>0.125</i>				
# GS120-80-0318B0953-3-N	80	16.93	9.525	17.348	3.18	3.18	Hubless	0.00 / None	20	303 Stainless Steel / AGMA Q10
		<i>0.667</i>	<i>0.375</i>	<i>0.683</i>	<i>0.125</i>	<i>0.125</i>				
# GS120-80-0318B0953-A2-N	80	16.93	9.525	17.348	3.18	3.18	Hubless	0.00 / None	20	2024 Aluminum Alloy / AGMA Q10
		<i>0.667</i>	<i>0.375</i>	<i>0.683</i>	<i>0.125</i>	<i>0.125</i>				

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Gears - Spur - 120 Pitch - Hub Mounting

Part Number	Teeth (No.)	Pitch Circle Diameter (PD) mm	Bore (d) mm	Outside Diameter (OD) mm	Face Width (FW) mm	Overall Width (FW+HL) mm	Hub Diameter (D1) mm	Hub Proj / Locking Method (HL) mm	Pressure Angle Deg.	Material / Quality
# GS120-82-0318B0953-3-N	82	17.36	9.525	17.770	3.18	3.18	Hubless	0.00 / None	20	303 Stainless Steel / AGMA Q10
		<i>0.683</i>	<i>0.375</i>	<i>0.700</i>	<i>0.125</i>	<i>0.125</i>				
# GS120-82-0318B0953-A2-N	82	17.36	9.525	17.770	3.18	3.18	Hubless	0.00 / None	20	2024 Aluminum Alloy / AGMA Q10
		<i>0.683</i>	<i>0.375</i>	<i>0.700</i>	<i>0.125</i>	<i>0.125</i>				
# GS120-84-0318B0953-3-N	84	17.78	9.525	18.194	3.18	3.18	Hubless	0.00 / None	20	303 Stainless Steel / AGMA Q10
		<i>0.700</i>	<i>0.375</i>	<i>0.716</i>	<i>0.125</i>	<i>0.125</i>				
# GS120-84-0318B0953-A2-N	84	17.78	9.525	18.194	3.18	3.18	Hubless	0.00 / None	20	2024 Aluminum Alloy / AGMA Q10
		<i>0.700</i>	<i>0.375</i>	<i>0.716</i>	<i>0.125</i>	<i>0.125</i>				
# GS120-90-0318B0953-A2-N	90	19.05	9.525	19.464	3.18	3.18	Hubless	0.00 / None	20	2024 Aluminum Alloy / AGMA Q10
		<i>0.750</i>	<i>0.375</i>	<i>0.766</i>	<i>0.125</i>	<i>0.125</i>				
# GS120-90-0318B0953-3-N	90	19.05	9.525	19.464	3.18	3.18	Hubless	0.00 / None	20	303 Stainless Steel / AGMA Q10
		<i>0.750</i>	<i>0.375</i>	<i>0.766</i>	<i>0.125</i>	<i>0.125</i>				

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Gears - Spur - 120 Pitch - Hub Mounting

Part Number	Teeth (No.)	Pitch Circle Diameter (PD) mm	Bore (d) mm	Outside Diameter (OD) mm	Face Width (FW) mm	Overall Width (FW+HL) mm	Hub Diameter (D1) mm	Hub Proj / Locking Method (HL) mm	Pressure Angle Deg.	Material / Quality
# GS120-96-0318B0953-3-N	96	20.32	9.525	20.734	3.18	3.18	Hubless	0.00 / None	20	303 Stainless Steel / AGMA Q10
		<i>0.800</i>	<i>0.375</i>	<i>0.816</i>	<i>0.125</i>	<i>0.125</i>				
# GS120-96-0318B0953-A2-N	96	20.32	9.525	20.734	3.18	3.18	Hubless	0.00 / None	20	2024 Aluminum Alloy / AGMA Q10
		<i>0.800</i>	<i>0.375</i>	<i>0.816</i>	<i>0.125</i>	<i>0.125</i>				
# GS120-100-0318B0953-3-N	100	21.17	9.525	21.580	3.18	3.18	Hubless	0.00 / None	20	303 Stainless Steel / AGMA Q10
		<i>0.833</i>	<i>0.375</i>	<i>0.850</i>	<i>0.125</i>	<i>0.125</i>				
# GS120-100-0318B0953-A2-N	100	21.17	9.525	21.580	3.18	3.18	Hubless	0.00 / None	20	2024 Aluminum Alloy / AGMA Q10
		<i>0.833</i>	<i>0.375</i>	<i>0.850</i>	<i>0.125</i>	<i>0.125</i>				
# GS120-105-0318B0953-3-N	105	22.23	9.525	22.639	3.18	3.18	Hubless	0.00 / None	20	303 Stainless Steel / AGMA Q10
		<i>0.875</i>	<i>0.375</i>	<i>0.891</i>	<i>0.125</i>	<i>0.125</i>				
# GS120-105-0318B0953-A2-N	105	22.23	9.525	22.639	3.18	3.18	Hubless	0.00 / None	20	2024 Aluminum Alloy / AGMA Q10
		<i>0.875</i>	<i>0.375</i>	<i>0.891</i>	<i>0.125</i>	<i>0.125</i>				

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Gears - Spur - 120 Pitch - Hub Mounting

Part Number	Teeth (No.)	Pitch Circle Diameter (PD) mm	Bore (d) mm	Outside Diameter (OD) mm	Face Width (FW) mm	Overall Width (FW+HL) mm	Hub Diameter (D1) mm	Hub Proj / Locking Method (HL) mm	Pressure Angle Deg.	Material / Quality
# GS120-110-0318B0953-3-N	110	23.28	9.525	23.698	3.18	3.18	Hubless	0.00 / None	20	303 Stainless Steel / AGMA Q10
		<i>0.917</i>	<i>0.375</i>	<i>0.933</i>	<i>0.125</i>	<i>0.125</i>				
# GS120-110-0318B0953-A2-N	110	23.28	9.525	23.698	3.18	3.18	Hubless	0.00 / None	20	2024 Aluminum Alloy / AGMA Q10
		<i>0.917</i>	<i>0.375</i>	<i>0.933</i>	<i>0.125</i>	<i>0.125</i>				
# GS120-120-0318B0953-3-N	120	25.40	9.525	25.814	3.18	3.18	Hubless	0.00 / None	20	303 Stainless Steel / AGMA Q10
		<i>1.000</i>	<i>0.375</i>	<i>1.016</i>	<i>0.125</i>	<i>0.125</i>				
# GS120-120-0318B0953-A2-N	120	25.40	9.525	25.814	3.18	3.18	Hubless	0.00 / None	20	2024 Aluminum Alloy / AGMA Q10
		<i>1.000</i>	<i>0.375</i>	<i>1.016</i>	<i>0.125</i>	<i>0.125</i>				
# GS120-127-0318B0953-3-N	127	26.88	9.525	27.295	3.18	3.18	Hubless	0.00 / None	20	303 Stainless Steel / AGMA Q10
		<i>1.058</i>	<i>0.375</i>	<i>1.075</i>	<i>0.125</i>	<i>0.125</i>				
# GS120-127-0318B0953-A2-N	127	26.88	9.525	27.295	3.18	3.18	Hubless	0.00 / None	20	2024 Aluminum Alloy / AGMA Q10
		<i>1.058</i>	<i>0.375</i>	<i>1.075</i>	<i>0.125</i>	<i>0.125</i>				

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Gears - Spur - 120 Pitch - Hub Mounting

Part Number	Teeth (No.)	Pitch Circle Diameter (PD) mm	Bore (d) mm	Outside Diameter (OD) mm	Face Width (FW) mm	Overall Width (FW+HL) mm	Hub Diameter (D1) mm	Hub Proj / Locking Method (HL) mm	Pressure Angle Deg.	Material / Quality
# GS120-130-0318B0953-3-N	130	27.52	9.525	27.930	3.18	3.18	Hubless	0.00 / None	20	303 Stainless Steel / AGMA Q10
		<i>1.083</i>	<i>0.375</i>	<i>1.100</i>	<i>0.125</i>	<i>0.125</i>				
# GS120-130-0318B0953-A2-N	130	27.52	9.525	27.930	3.18	3.18	Hubless	0.00 / None	20	2024 Aluminum Alloy / AGMA Q10
		<i>1.083</i>	<i>0.375</i>	<i>1.100</i>	<i>0.125</i>	<i>0.125</i>				
# GS120-140-0318B0953-A2-N	140	29.63	9.525	30.048	3.18	3.18	Hubless	0.00 / None	20	2024 Aluminum Alloy / AGMA Q10
		<i>1.167</i>	<i>0.375</i>	<i>1.183</i>	<i>0.125</i>	<i>0.125</i>				
# GS120-140-0318B0953-3-N	140	29.63	9.525	30.048	3.18	3.18	Hubless	0.00 / None	20	303 Stainless Steel / AGMA Q10
		<i>1.167</i>	<i>0.375</i>	<i>1.183</i>	<i>0.125</i>	<i>0.125</i>				
# GS120-144-0318B0953-3-N	144	30.48	9.525	30.894	3.18	3.18	Hubless	0.00 / None	20	303 Stainless Steel / AGMA Q10
		<i>1.200</i>	<i>0.375</i>	<i>1.216</i>	<i>0.125</i>	<i>0.125</i>				
# GS120-144-0318B0953-A2-N	144	30.48	9.525	30.894	3.18	3.18	Hubless	0.00 / None	20	2024 Aluminum Alloy / AGMA Q10
		<i>1.200</i>	<i>0.375</i>	<i>1.216</i>	<i>0.125</i>	<i>0.125</i>				

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Gears - Spur - 120 Pitch - Hub Mounting

Part Number	Teeth (No.)	Pitch Circle Diameter (PD) mm	Bore (d) mm	Outside Diameter (OD) mm	Face Width (FW) mm	Overall Width (FW+HL) mm	Hub Diameter (D1) mm	Hub Proj / Locking Method (HL) mm	Pressure Angle Deg.	Material / Quality
# GS120-150-0318B0953-3-N	150	31.75	9.525	32.164	3.18	3.18	Hubless	0.00 / None	20	303 Stainless Steel / AGMA Q10
		<i>1.250</i>	<i>0.375</i>	<i>1.266</i>	<i>0.125</i>	<i>0.125</i>				
# GS120-150-0318B0953-A2-N	150	31.75	9.525	32.164	3.18	3.18	Hubless	0.00 / None	20	2024 Aluminum Alloy / AGMA Q10
		<i>1.250</i>	<i>0.375</i>	<i>1.266</i>	<i>0.125</i>	<i>0.125</i>				
# GS120-160-0318B0953-3-N	160	33.87	9.525	34.280	3.18	3.18	Hubless	0.00 / None	20	303 Stainless Steel / AGMA Q10
		<i>1.333</i>	<i>0.375</i>	<i>1.350</i>	<i>0.125</i>	<i>0.125</i>				
# GS120-160-0318B0953-A2-N	160	33.87	9.525	34.280	3.18	3.18	Hubless	0.00 / None	20	2024 Aluminum Alloy / AGMA Q10
		<i>1.333</i>	<i>0.375</i>	<i>1.350</i>	<i>0.125</i>	<i>0.125</i>				
# GS120-180-0318B0953-A2-N	180	38.10	9.525	38.514	3.18	3.18	Hubless	0.00 / None	20	2024 Aluminum Alloy / AGMA Q10
		<i>1.500</i>	<i>0.375</i>	<i>1.516</i>	<i>0.125</i>	<i>0.125</i>				
# GS120-180-0318B0953-3-N	180	38.10	9.525	38.514	3.18	3.18	Hubless	0.00 / None	20	303 Stainless Steel / AGMA Q10
		<i>1.500</i>	<i>0.375</i>	<i>1.516</i>	<i>0.125</i>	<i>0.125</i>				

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Gears - Spur - 120 Pitch - Hub Mounting

Part Number	Teeth (No.)	Pitch Circle Diameter (PD) mm	Bore (d) mm	Outside Diameter (OD) mm	Face Width (FW) mm	Overall Width (FW+HL) mm	Hub Diameter (D1) mm	Hub Proj / Locking Method (HL) mm	Pressure Angle Deg.	Material / Quality
# GS120-200-0318B0953-A2-N	200	42.33	9.525	42.748	3.18	3.18	Hubless	0.00 / None	20	2024 Aluminum Alloy / AGMA Q10
		<i>1.667</i>	<i>0.375</i>	<i>1.683</i>	<i>0.125</i>	<i>0.125</i>				
# GS120-200-0318B0953-3-N	200	42.33	9.525	42.748	3.18	3.18	Hubless	0.00 / None	20	303 Stainless Steel / AGMA Q10
		<i>1.667</i>	<i>0.375</i>	<i>1.683</i>	<i>0.125</i>	<i>0.125</i>				
# GS120-210-0318B0953-3-N	210	44.45	9.525	44.864	3.18	3.18	Hubless	0.00 / None	20	303 Stainless Steel / AGMA Q10
		<i>1.750</i>	<i>0.375</i>	<i>1.766</i>	<i>0.125</i>	<i>0.125</i>				
# GS120-210-0318B0953-A2-N	210	44.45	9.525	44.864	3.18	3.18	Hubless	0.00 / None	20	2024 Aluminum Alloy / AGMA Q10
		<i>1.750</i>	<i>0.375</i>	<i>1.766</i>	<i>0.125</i>	<i>0.125</i>				
# GS120-240-0318B0953-A2-N	240	50.80	9.525	51.214	3.18	3.18	Hubless	0.00 / None	20	2024 Aluminum Alloy / AGMA Q10
		<i>2.000</i>	<i>0.375</i>	<i>2.016</i>	<i>0.125</i>	<i>0.125</i>				
# GS120-240-0318B0953-3-N	240	50.80	9.525	51.214	3.18	3.18	Hubless	0.00 / None	20	303 Stainless Steel / AGMA Q10
		<i>2.000</i>	<i>0.375</i>	<i>2.016</i>	<i>0.125</i>	<i>0.125</i>				

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Gears - Spur - 120 Pitch - Hub Mounting

Part Number	Teeth (No.)	Pitch Circle Diameter (PD) mm	Bore (d) mm	Outside Diameter (OD) mm	Face Width (FW) mm	Overall Width (FW+HL) mm	Hub Diameter (D1) mm	Hub Proj / Locking Method (HL) mm	Pressure Angle Deg.	Material / Quality
# GS120-250-0318B0953-3-N	250	52.92	9.525	53.330	3.18	3.18	Hubless	0.00 / None	20	303 Stainless Steel / AGMA Q10
		<i>2.083</i>	<i>0.375</i>	<i>2.100</i>	<i>0.125</i>	<i>0.125</i>				
# GS120-250-0318B0953-A2-N	250	52.92	9.525	53.330	3.18	3.18	Hubless	0.00 / None	20	2024 Aluminum Alloy / AGMA Q10
		<i>2.083</i>	<i>0.375</i>	<i>2.100</i>	<i>0.125</i>	<i>0.125</i>				
# GS120-270-0318B0953-3-N	270	57.15	9.525	57.564	3.18	3.18	Hubless	0.00 / None	20	303 Stainless Steel / AGMA Q10
		<i>2.250</i>	<i>0.375</i>	<i>2.266</i>	<i>0.125</i>	<i>0.125</i>				
# GS120-270-0318B0953-A2-N	270	57.15	9.525	57.564	3.18	3.18	Hubless	0.00 / None	20	2024 Aluminum Alloy / AGMA Q10
		<i>2.250</i>	<i>0.375</i>	<i>2.266</i>	<i>0.125</i>	<i>0.125</i>				
# GS120-300-0318B0953-A2-N	300	63.50	9.525	63.914	3.18	3.18	Hubless	0.00 / None	20	2024 Aluminum Alloy / AGMA Q10
		<i>2.500</i>	<i>0.375</i>	<i>2.516</i>	<i>0.125</i>	<i>0.125</i>				
# GS120-300-0318B0953-3-N	300	63.50	9.525	63.914	3.18	3.18	Hubless	0.00 / None	20	303 Stainless Steel / AGMA Q10
		<i>2.500</i>	<i>0.375</i>	<i>2.516</i>	<i>0.125</i>	<i>0.125</i>				

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Gears - Spur - 120 Pitch - Hub Mounting

Part Number	Teeth (No.)	Pitch Circle Diameter (PD) mm	Bore (d) mm	Outside Diameter (OD) mm	Face Width (FW) mm	Overall Width (FW+HL) mm	Hub Diameter (D1) mm	Hub Proj / Locking Method (HL) mm	Pressure Angle Deg.	Material / Quality
# GS120-325-0318B0953-A2-N	325	68.79	9.525	69.205	3.18	3.18	Hubless	0.00 / None	20	2024 Aluminum Alloy / AGMA Q10
		<i>2.708</i>	<i>0.375</i>	<i>2.725</i>	<i>0.125</i>	<i>0.125</i>				
# GS120-325-0318B0953-3-N	325	68.79	9.525	69.205	3.18	3.18	Hubless	0.00 / None	20	303 Stainless Steel / AGMA Q10
		<i>2.708</i>	<i>0.375</i>	<i>2.725</i>	<i>0.125</i>	<i>0.125</i>				
# GS120-350-0318B0953-A2-N	350	74.08	9.525	74.498	3.18	3.18	Hubless	0.00 / None	20	2024 Aluminum Alloy / AGMA Q10
		<i>2.917</i>	<i>0.375</i>	<i>2.933</i>	<i>0.125</i>	<i>0.125</i>				
# GS120-350-0318B0953-3-N	350	74.08	9.525	74.498	3.18	3.18	Hubless	0.00 / None	20	303 Stainless Steel / AGMA Q10
		<i>2.917</i>	<i>0.375</i>	<i>2.933</i>	<i>0.125</i>	<i>0.125</i>				
# GS120-360-0318B0953-3-N	360	76.20	9.525	76.614	3.18	3.18	Hubless	0.00 / None	20	303 Stainless Steel / AGMA Q10
		<i>3.000</i>	<i>0.375</i>	<i>3.016</i>	<i>0.125</i>	<i>0.125</i>				
# GS120-360-0318B0953-A2-N	360	76.20	9.525	76.614	3.18	3.18	Hubless	0.00 / None	20	2024 Aluminum Alloy / AGMA Q10
		<i>3.000</i>	<i>0.375</i>	<i>3.016</i>	<i>0.125</i>	<i>0.125</i>				

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Gears - Spur - 120 Pitch - Hub Mounting

Part Number	Teeth (No.)	Pitch Circle Diameter (PD) mm	Bore (d) mm	Outside Diameter (OD) mm	Face Width (FW) mm	Overall Width (FW+HL) mm	Hub Diameter (D1) mm	Hub Proj / Locking Method (HL) mm	Pressure Angle Deg.	Material / Quality
# GS120-420-0318B0953-3-N	420	88.90	9.525	89.314	3.18	3.18	Hubless	0.00 / None	20	303 Stainless Steel / AGMA Q10
		<i>3.500</i>	<i>0.375</i>	<i>3.516</i>	<i>0.125</i>	<i>0.125</i>				
# GS120-420-0318B0953-A2-N	420	88.90	9.525	89.314	3.18	3.18	Hubless	0.00 / None	20	2024 Aluminum Alloy / AGMA Q10
		<i>3.500</i>	<i>0.375</i>	<i>3.516</i>	<i>0.125</i>	<i>0.125</i>				
# GS120-480-0318B0953-3-N	480	101.60	9.525	102.014	3.18	3.18	Hubless	0.00 / None	20	303 Stainless Steel / AGMA Q10
		<i>4.000</i>	<i>0.375</i>	<i>4.016</i>	<i>0.125</i>	<i>0.125</i>				
# GS120-480-0318B0953-A2-N	480	101.60	9.525	102.014	3.18	3.18	Hubless	0.00 / None	20	2024 Aluminum Alloy / AGMA Q10
		<i>4.000</i>	<i>0.375</i>	<i>4.016</i>	<i>0.125</i>	<i>0.125</i>				

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.



DISTRIBUTED BY

Ask us to put your name and address here

<http://www.minibearings.com.au/product>

Ph +61 7 3245 7977

Fax +61 7 3245 1017

Catalogue requests to catalogues@minibearings.com.au

