




# MBA

## Gears - Spur - Module 0.2

Examples shown for basic dimensions. Individual gears may vary in characteristics.



PCD = No. of Teeth x 0.200mm. 20 Degree Pressure Angle. Brass.

Metallic.

Fairloc Hub Type require controlled shaft tolerances between 0.0025 and 0.0203 mm Clearance.

### Gears - Spur - Module 0.2

Part Number	Teeth (No.)	Pitch Circle Diameter (PD) mm	Bore (d) mm	Outside Diameter (OD) mm	Face Width (FW) mm	Overall Width (FW+HL) mm	Hub Diameter (D1) mm	Hub Proj / Locking Method (HL) mm	Pressure Angle Deg.	Material / Quality
# GS020-10-0200B0120-BR-N	10	2.00	1.200	2.400	2.000	2.00	Hubless	0.00 / None	20	Brass / Commercial
		<i>0.079</i>	<i>0.047</i>	<i>0.094</i>	<i>0.079</i>	<i>0.079</i>				
# GS020-12-0170B0150-BR-N	12	2.40	1.500	2.800	1.700	1.70	Hubless	0.00 / None		Brass / Commercial
		<i>0.094</i>	<i>0.059</i>	<i>0.110</i>	<i>0.067</i>	<i>0.067</i>				
# GS020-14-0280B0200-BR-N	14	2.80	2.000	3.200	2.800	2.80	Hubless	0.00 / None	20	Brass / Commercial
		<i>0.110</i>	<i>0.079</i>	<i>0.126</i>	<i>0.110</i>	<i>0.110</i>				

# Indicates item not stocked at time of printing - Please enquire for lead time  
 E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd  
 MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Gears - Spur - Module 0.2

Part Number	Teeth (No.)	Pitch Circle Diameter (PD) mm	Bore (d) mm	Outside Diameter (OD) mm	Face Width (FW) mm	Overall Width (FW+HL) mm	Hub Diameter (D1) mm	Hub Proj / Locking Method (HL) mm	Pressure Angle Deg.	Material / Quality
# GS020-20-0280B0200-BR-N	20	4.00	2.000	4.400	2.800	2.80	Hubless	0.00 / None	20	Brass / Commercial
		<i>0.157</i>	<i>0.079</i>	<i>0.173</i>	<i>0.110</i>	<i>0.110</i>				

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.



DISTRIBUTED BY

Ask us to put your name and address here

<http://www.minibearings.com.au/product>

Ph +61 7 3245 7977

Fax +61 7 3245 1017

Catalogue requests to [catalogues@minibearings.com.au](mailto:catalogues@minibearings.com.au)

