




MBA

Gears - Spur - Module 0.4

Examples shown for basic dimensions. Individual gears may vary in characteristics.



PCD = No. of Teeth x 0.400mm. 20 Degree Pressure Angle. 416 stainless steel, acetal, brass and carbon steel.

Metallic and plastic.

Fairloc Hub Type require controlled shaft tolerances between 0.0025 and 0.0203 mm Clearance.

Gears - Spur - Module 0.4

Part Number	Teeth (No.)	Pitch Circle Diameter (PD) mm	Bore (d) mm	Outside Diameter (OD) mm	Face Width (FW) mm	Overall Width (FW+HL) mm	Hub Diameter (D1) mm	Hub Proj / Locking Method (HL) mm	Pressure Angle Deg.	Material / Quality
GS040-08-0400B0150-BR-N	8	3.20	1.500	4.000	4.000	4.00	Hubless	0.00 / None	20	Brass / Commercial
		<i>0.126</i>	<i>0.059</i>	<i>0.157</i>	<i>0.157</i>	<i>0.157</i>				
GS040-10-0400B0200-BR-N	10	4.00	2.000	4.800	4.000	4.00	Hubless	0.00 / None	20	Brass / Commercial
		<i>0.157</i>	<i>0.079</i>	<i>0.189</i>	<i>0.157</i>	<i>0.157</i>				
# GS040-12-0500B0300-BR-HP	12	4.80	3.000	5.600	5.000	12.00	4.50	7.00 / No Set Screw	20	Brass / ISO 8 - (AGMA 9)
		<i>0.189</i>	<i>0.118</i>	<i>0.220</i>	<i>0.197</i>	<i>0.472</i>	<i>0.177</i>			

Indicates item not stocked at time of printing - Please enquire for lead time
 E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd
 MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Gears - Spur - Module 0.4

Part Number	Teeth (No.)	Pitch Circle Diameter (PD) mm	Bore (d) mm	Outside Diameter (OD) mm	Face Width (FW) mm	Overall Width (FW+HL) mm	Hub Diameter (D1) mm	Hub Proj / Locking Method (HL) mm	Pressure Angle Deg.	Material / Quality
GS040-12-0500B0300-416-HP	12	4.80	3.000	5.600	5.000	12.00	4.50	7.00 / No Set Screw	20	416 Stainless Steel / ISO 8 - (AGMA 9)
		<i>0.189</i>	<i>0.118</i>	<i>0.220</i>	<i>0.197</i>	<i>0.472</i>	<i>0.177</i>			
GS040-12-0500B0300-AC-HP	12	4.80	3.000	5.600	5.000	12.00	4.50	7.00 / No Set Screw	20	Acetal - No Insert / ISO 8 (AGMA 9)
		<i>0.189</i>	<i>0.118</i>	<i>0.220</i>	<i>0.197</i>	<i>0.472</i>	<i>0.177</i>			
# GS040-12-0500B0300-C-HP	12	4.80	3.000	5.600	5.000	12.00	4.50	7.00 / No Set Screw	20	Carbon Steel / ISO 8 - (AGMA 9)
		<i>0.189</i>	<i>0.118</i>	<i>0.220</i>	<i>0.197</i>	<i>0.472</i>	<i>0.177</i>			
GS040-12-0400B0300-C-N	12	4.80	3.000	5.600	4.000	4.00	Hubless	0.00 / None	20	Carbon Steel / Commercial
		<i>0.189</i>	<i>0.118</i>	<i>0.220</i>	<i>0.157</i>	<i>0.157</i>				
GS040-12-0400B0300-BR-N	12	4.80	3.000	5.600	4.000	4.00	Hubless	0.00 / None	20	Brass / Commercial
		<i>0.189</i>	<i>0.118</i>	<i>0.220</i>	<i>0.157</i>	<i>0.157</i>				
GS040-14-0400B0300-BR-N	14	5.60	3.000	6.400	4.000	4.00	Hubless	0.00 / None	20	Brass / Commercial
		<i>0.220</i>	<i>0.118</i>	<i>0.252</i>	<i>0.157</i>	<i>0.157</i>				
# GS040-15-0500B0300-C-HP	15	6.00	3.000	6.800	5.000	12.00	5.50	7.00 / No Set Screw	20	Carbon Steel / ISO 8 - (AGMA 9)
		<i>0.236</i>	<i>0.118</i>	<i>0.268</i>	<i>0.197</i>	<i>0.472</i>	<i>0.217</i>			

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Gears - Spur - Module 0.4

Part Number	Teeth (No.)	Pitch Circle Diameter (PD) mm	Bore (d) mm	Outside Diameter (OD) mm	Face Width (FW) mm	Overall Width (FW+HL) mm	Hub Diameter (D1) mm	Hub Proj / Locking Method (HL) mm	Pressure Angle Deg.	Material / Quality
GS040-15-0500B0300-BR-HP	15	6.00 <i>0.236</i>	3.000 <i>0.118</i>	6.800 <i>0.268</i>	5.000 <i>0.197</i>	12.00 <i>0.472</i>	5.50 <i>0.217</i>	7.00 / No Set Screw	20	Brass / ISO 8 - (AGMA 9)
GS040-15-0500B0300-AC-HP	15	6.00 <i>0.236</i>	3.000 <i>0.118</i>	6.800 <i>0.268</i>	5.000 <i>0.197</i>	12.00 <i>0.472</i>	5.50 <i>0.217</i>	7.00 / No Set Screw	20	Acetal - No Insert / ISO 8 (AGMA 9)
# GS040-15-0500B0300-416-HP	15	6.00 <i>0.236</i>	3.000 <i>0.118</i>	6.800 <i>0.268</i>	5.000 <i>0.197</i>	12.00 <i>0.472</i>	5.50 <i>0.217</i>	7.00 / No Set Screw	20	416 Stainless Steel / ISO 8 - (AGMA 9)
GS040-16-0400B0300-BR-N	16	6.40 <i>0.252</i>	3.000 <i>0.118</i>	7.200 <i>0.283</i>	4.000 <i>0.157</i>	4.00 <i>0.157</i>	Hubless	0.00 / None	20	Brass / Commercial
# GS040-16-0500B0300-C-HP	16	6.40 <i>0.252</i>	3.000 <i>0.118</i>	7.200 <i>0.283</i>	5.000 <i>0.197</i>	12.00 <i>0.472</i>	5.50 <i>0.217</i>	7.00 / No Set Screw	20	Carbon Steel / ISO 8 - (AGMA 9)
# GS040-16-0500B0300-416-HP	16	6.40 <i>0.252</i>	3.000 <i>0.118</i>	7.200 <i>0.283</i>	5.000 <i>0.197</i>	12.00 <i>0.472</i>	5.50 <i>0.217</i>	7.00 / No Set Screw	20	416 Stainless Steel / ISO 8 - (AGMA 9)
# GS040-16-0500B0300-BR-HP	16	6.40 <i>0.252</i>	3.000 <i>0.118</i>	7.200 <i>0.283</i>	5.000 <i>0.197</i>	12.00 <i>0.472</i>	5.50 <i>0.217</i>	7.00 / No Set Screw	20	Brass / ISO 8 - (AGMA 9)

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Gears - Spur - Module 0.4

Part Number	Teeth (No.)	Pitch Circle Diameter (PD) mm	Bore (d) mm	Outside Diameter (OD) mm	Face Width (FW) mm	Overall Width (FW+HL) mm	Hub Diameter (D1) mm	Hub Proj / Locking Method (HL) mm	Pressure Angle Deg.	Material / Quality
# GS040-16-0500B0300-AC-HP	16	6.40	3.000	7.200	5.000	12.00	5.50	7.00 / No Set Screw	20	Acetal - No Insert / ISO 8 (AGMA 9)
		<i>0.252</i>	<i>0.118</i>	<i>0.283</i>	<i>0.197</i>	<i>0.472</i>	<i>0.217</i>			
GS040-18-0400B0300-BR-N	18	7.20	3.000	8.000	4.000	4.00	Hubless	0.00 / None	20	Brass / Commercial
		<i>0.283</i>	<i>0.118</i>	<i>0.315</i>	<i>0.157</i>	<i>0.157</i>				
# GS040-20-0500B0300-C-HP	20	8.00	3.000	8.800	5.000	12.00	6.00	7.00 / No Set Screw	20	Carbon Steel / ISO 8 - (AGMA 9)
		<i>0.315</i>	<i>0.118</i>	<i>0.346</i>	<i>0.197</i>	<i>0.472</i>	<i>0.236</i>			
GS040-20-0500B0300-416-HP	20	8.00	3.000	8.800	5.000	12.00	6.00	7.00 / No Set Screw	20	416 Stainless Steel / ISO 8 - (AGMA 9)
		<i>0.315</i>	<i>0.118</i>	<i>0.346</i>	<i>0.197</i>	<i>0.472</i>	<i>0.236</i>			
GS040-20-0500B0300-BR-HP	20	8.00	3.000	8.800	5.000	12.00	6.00	7.00 / No Set Screw	20	Brass / ISO 8 - (AGMA 9)
		<i>0.315</i>	<i>0.118</i>	<i>0.346</i>	<i>0.197</i>	<i>0.472</i>	<i>0.236</i>			
# GS040-20-0500B0300-AC-HP	20	8.00	3.000	8.800	5.000	12.00	6.00	7.00 / No Set Screw	20	Acetal - No Insert / ISO 8 (AGMA 9)
		<i>0.315</i>	<i>0.118</i>	<i>0.346</i>	<i>0.197</i>	<i>0.472</i>	<i>0.236</i>			
GS040-24-0400B0300-BR-N	24	9.60	3.000	10.400	4.000	4.00	Hubless	0.00 / None	20	Brass / Commercial
		<i>0.378</i>	<i>0.118</i>	<i>0.409</i>	<i>0.157</i>	<i>0.157</i>				

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Gears - Spur - Module 0.4

Part Number	Teeth (No.)	Pitch Circle Diameter (PD) mm	Bore (d) mm	Outside Diameter (OD) mm	Face Width (FW) mm	Overall Width (FW+HL) mm	Hub Diameter (D1) mm	Hub Proj / Locking Method (HL) mm	Pressure Angle Deg.	Material / Quality
GS040-24-0500B0400-BR-HP	24	9.60 <i>0.378</i>	4.000 <i>0.157</i>	10.400 <i>0.409</i>	5.000 <i>0.197</i>	12.00 <i>0.472</i>	8.00 <i>0.315</i>	7.00 / No Set Screw	20	Brass / ISO 8 - (AGMA 9)
GS040-24-0500B0400-AC-HP	24	9.60 <i>0.378</i>	4.000 <i>0.157</i>	10.400 <i>0.409</i>	5.000 <i>0.197</i>	12.00 <i>0.472</i>	8.00 <i>0.315</i>	7.00 / No Set Screw	20	Acetal - No Insert / ISO 8 (AGMA 9)
# GS040-24-0500B0400-416-HP	24	9.60 <i>0.378</i>	4.000 <i>0.157</i>	10.400 <i>0.409</i>	5.000 <i>0.197</i>	12.00 <i>0.472</i>	8.00 <i>0.315</i>	7.00 / No Set Screw	20	416 Stainless Steel / ISO 8 - (AGMA 9)
# GS040-24-0500B0400-C-HP	24	9.60 <i>0.378</i>	4.000 <i>0.157</i>	10.400 <i>0.409</i>	5.000 <i>0.197</i>	12.00 <i>0.472</i>	8.00 <i>0.315</i>	7.00 / No Set Screw	20	Carbon Steel / ISO 8 - (AGMA 9)
# GS040-25-0500B0400-416-HP	25	10.00 <i>0.394</i>	4.000 <i>0.157</i>	10.800 <i>0.425</i>	5.000 <i>0.197</i>	12.00 <i>0.472</i>	8.00 <i>0.315</i>	7.00 / No Set Screw	20	416 Stainless Steel / ISO 8 - (AGMA 9)
# GS040-25-0500B0400-C-HP	25	10.00 <i>0.394</i>	4.000 <i>0.157</i>	10.800 <i>0.425</i>	5.000 <i>0.197</i>	12.00 <i>0.472</i>	8.00 <i>0.315</i>	7.00 / No Set Screw	20	Carbon Steel / ISO 8 - (AGMA 9)
GS040-25-0500B0400-AC-HP	25	10.00 <i>0.394</i>	4.000 <i>0.157</i>	10.800 <i>0.425</i>	5.000 <i>0.197</i>	12.00 <i>0.472</i>	8.00 <i>0.315</i>	7.00 / No Set Screw	20	Acetal - No Insert / ISO 8 (AGMA 9)

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Gears - Spur - Module 0.4

Part Number	Teeth (No.)	Pitch Circle Diameter (PD) mm	Bore (d) mm	Outside Diameter (OD) mm	Face Width (FW) mm	Overall Width (FW+HL) mm	Hub Diameter (D1) mm	Hub Proj / Locking Method (HL) mm	Pressure Angle Deg.	Material / Quality
# GS040-25-0500B0400-BR-HP	25	10.00 <i>0.394</i>	4.000 <i>0.157</i>	10.800 <i>0.425</i>	5.000 <i>0.197</i>	12.00 <i>0.472</i>	8.00 <i>0.315</i>	7.00 / No Set Screw	20	Brass / ISO 8 - (AGMA 9)
# GS040-30-0500B0400-AC-HP	30	12.00 <i>0.472</i>	4.000 <i>0.157</i>	12.800 <i>0.504</i>	5.000 <i>0.197</i>	12.00 <i>0.472</i>	8.00 <i>0.315</i>	7.00 / No Set Screw	20	Acetal - No Insert / ISO 8 (AGMA 9)
GS040-30-0500B0400-BR-HP	30	12.00 <i>0.472</i>	4.000 <i>0.157</i>	12.800 <i>0.504</i>	5.000 <i>0.197</i>	12.00 <i>0.472</i>	8.00 <i>0.315</i>	7.00 / No Set Screw	20	Brass / ISO 8 - (AGMA 9)
# GS040-30-0500B0400-C-HP	30	12.00 <i>0.472</i>	4.000 <i>0.157</i>	12.800 <i>0.504</i>	5.000 <i>0.197</i>	12.00 <i>0.472</i>	8.00 <i>0.315</i>	7.00 / No Set Screw	20	Carbon Steel / ISO 8 - (AGMA 9)
# GS040-30-0500B0400-416-HP	30	12.00 <i>0.472</i>	4.000 <i>0.157</i>	12.800 <i>0.504</i>	5.000 <i>0.197</i>	12.00 <i>0.472</i>	8.00 <i>0.315</i>	7.00 / No Set Screw	20	416 Stainless Steel / ISO 8 - (AGMA 9)
# GS040-32-0500B0400-416-HP	32	12.80 <i>0.504</i>	4.000 <i>0.157</i>	13.600 <i>0.535</i>	5.000 <i>0.197</i>	12.00 <i>0.472</i>	10.00 <i>0.394</i>	7.00 / No Set Screw	20	416 Stainless Steel / ISO 8 - (AGMA 9)
# GS040-32-0500B0400-C-HP	32	12.80 <i>0.504</i>	4.000 <i>0.157</i>	13.600 <i>0.535</i>	5.000 <i>0.197</i>	12.00 <i>0.472</i>	10.00 <i>0.394</i>	7.00 / No Set Screw	20	Carbon Steel / ISO 8 - (AGMA 9)

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Gears - Spur - Module 0.4

Part Number	Teeth (No.)	Pitch Circle Diameter (PD) mm	Bore (d) mm	Outside Diameter (OD) mm	Face Width (FW) mm	Overall Width (FW+HL) mm	Hub Diameter (D1) mm	Hub Proj / Locking Method (HL) mm	Pressure Angle Deg.	Material / Quality
# GS040-32-0500B0400-BR-HP	32	12.80	4.000	13.600	5.000	12.00	10.00	7.00 / No Set Screw	20	Brass / ISO 8 - (AGMA 9)
		<i>0.504</i>	<i>0.157</i>	<i>0.535</i>	<i>0.197</i>	<i>0.472</i>	<i>0.394</i>			
GS040-32-0500B0400-AC-HP	32	12.80	4.000	13.600	5.000	12.00	10.00	7.00 / No Set Screw	20	Acetal - No Insert / ISO 8 (AGMA 9)
		<i>0.504</i>	<i>0.157</i>	<i>0.535</i>	<i>0.197</i>	<i>0.472</i>	<i>0.394</i>			
# GS040-35-0500B0400-416-HP	35	14.00	4.000	14.800	5.000	12.00	10.00	7.00 / No Set Screw	20	416 Stainless Steel / ISO 8 - (AGMA 9)
		<i>0.551</i>	<i>0.157</i>	<i>0.583</i>	<i>0.197</i>	<i>0.472</i>	<i>0.394</i>			
# GS040-35-0500B0400-AC-HP	35	14.00	4.000	14.800	5.000	12.00	10.00	7.00 / No Set Screw	20	Acetal - No Insert / ISO 8 (AGMA 9)
		<i>0.551</i>	<i>0.157</i>	<i>0.583</i>	<i>0.197</i>	<i>0.472</i>	<i>0.394</i>			
# GS040-35-0500B0400-BR-HP	35	14.00	4.000	14.800	5.000	12.00	10.00	7.00 / No Set Screw	20	Brass / ISO 8 - (AGMA 9)
		<i>0.551</i>	<i>0.157</i>	<i>0.583</i>	<i>0.197</i>	<i>0.472</i>	<i>0.394</i>			
# GS040-35-0500B0400-C-HP	35	14.00	4.000	14.800	5.000	12.00	10.00	7.00 / No Set Screw	20	Carbon Steel / ISO 8 - (AGMA 9)
		<i>0.551</i>	<i>0.157</i>	<i>0.583</i>	<i>0.197</i>	<i>0.472</i>	<i>0.394</i>			
# GS040-36-0300B0300-ACB-HS	36	14.40	3.000	15.200	3.000	9.50	13.00	6.50 / Set Screw	20	Acetal - Brass Insert / ISO 9 / Machined
		<i>0.567</i>	<i>0.118</i>	<i>0.598</i>	<i>0.118</i>	<i>0.374</i>	<i>0.512</i>			

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Gears - Spur - Module 0.4

Part Number	Teeth (No.)	Pitch Circle Diameter (PD) mm	Bore (d) mm	Outside Diameter (OD) mm	Face Width (FW) mm	Overall Width (FW+HL) mm	Hub Diameter (D1) mm	Hub Proj / Locking Method (HL) mm	Pressure Angle Deg.	Material / Quality
# GS040-36-0500B0400-416-HP	36	14.40	4.000	15.200	5.000	12.00	10.00	7.00 / No Set Screw	20	416 Stainless Steel / ISO 8 - (AGMA 9)
		<i>0.567</i>	<i>0.157</i>	<i>0.598</i>	<i>0.197</i>	<i>0.472</i>	<i>0.394</i>			
# GS040-36-0500B0400-C-HP	36	14.40	4.000	15.200	5.000	12.00	10.00	7.00 / No Set Screw	20	Carbon Steel / ISO 8 - (AGMA 9)
		<i>0.567</i>	<i>0.157</i>	<i>0.598</i>	<i>0.197</i>	<i>0.472</i>	<i>0.394</i>			
# GS040-36-0500B0400-BR-HP	36	14.40	4.000	15.200	5.000	12.00	10.00	7.00 / No Set Screw	20	Brass / ISO 8 - (AGMA 9)
		<i>0.567</i>	<i>0.157</i>	<i>0.598</i>	<i>0.197</i>	<i>0.472</i>	<i>0.394</i>			
# GS040-36-0500B0400-AC-HP	36	14.40	4.000	15.200	5.000	12.00	10.00	7.00 / No Set Screw	20	Acetal - No Insert / ISO 8 (AGMA 9)
		<i>0.567</i>	<i>0.157</i>	<i>0.598</i>	<i>0.197</i>	<i>0.472</i>	<i>0.394</i>			
# GS040-36-0300B0400-ACB-HS	36	14.40	4.000	15.200	3.000	9.50	13.00	6.50 / Set Screw	20	Acetal - Brass Insert / ISO 9 / Machined
		<i>0.567</i>	<i>0.157</i>	<i>0.598</i>	<i>0.118</i>	<i>0.374</i>	<i>0.512</i>			
GS040-36-0300B0500-ACB-HS	36	14.40	5.000	15.200	3.000	9.50	13.00	6.50 / Set Screw	20	Acetal - Brass Insert / ISO 9 / Machined
		<i>0.567</i>	<i>0.197</i>	<i>0.598</i>	<i>0.118</i>	<i>0.374</i>	<i>0.512</i>			
# GS040-36-0300B0600-ACB-HS	36	14.40	6.000	15.200	3.000	9.50	13.00	6.50 / Set Screw	20	Acetal - Brass Insert / ISO 9 / Machined
		<i>0.567</i>	<i>0.236</i>	<i>0.598</i>	<i>0.118</i>	<i>0.374</i>	<i>0.512</i>			

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Gears - Spur - Module 0.4

Part Number	Teeth (No.)	Pitch Circle Diameter (PD) mm	Bore (d) mm	Outside Diameter (OD) mm	Face Width (FW) mm	Overall Width (FW+HL) mm	Hub Diameter (D1) mm	Hub Proj / Locking Method (HL) mm	Pressure Angle Deg.	Material / Quality
# GS040-38-0300B0300-ACB-HS	38	15.20	3.000	16.000	3.000	9.50	13.00	6.50 / Set Screw	20	Acetal - Brass Insert / ISO 9 / Machined
		<i>0.598</i>	<i>0.118</i>	<i>0.630</i>	<i>0.118</i>	<i>0.374</i>	<i>0.512</i>			
# GS040-38-0300B0400-ACB-HS	38	15.20	4.000	16.000	3.000	9.50	13.00	6.50 / Set Screw	20	Acetal - Brass Insert / ISO 9 / Machined
		<i>0.598</i>	<i>0.157</i>	<i>0.630</i>	<i>0.118</i>	<i>0.374</i>	<i>0.512</i>			
# GS040-38-0300B0500-ACB-HS	38	15.20	5.000	16.000	3.000	9.50	13.00	6.50 / Set Screw	20	Acetal - Brass Insert / ISO 9 / Machined
		<i>0.598</i>	<i>0.197</i>	<i>0.630</i>	<i>0.118</i>	<i>0.374</i>	<i>0.512</i>			
# GS040-38-0300B0600-ACB-HS	38	15.20	6.000	16.000	3.000	9.50	13.00	6.50 / Set Screw	20	Acetal - Brass Insert / ISO 9 / Machined
		<i>0.598</i>	<i>0.236</i>	<i>0.630</i>	<i>0.118</i>	<i>0.374</i>	<i>0.512</i>			
GS040-40-0300B0300-ACB-HS	40	16.00	3.000	16.800	3.000	9.50	13.00	6.50 / Set Screw	20	Acetal - Brass Insert / ISO 9 / Machined
		<i>0.630</i>	<i>0.118</i>	<i>0.661</i>	<i>0.118</i>	<i>0.374</i>	<i>0.512</i>			
# GS040-40-0500B0400-C-HP	40	16.00	4.000	16.800	5.000	12.00	10.00	7.00 / No Set Screw	20	Carbon Steel / ISO 8 - (AGMA 9)
		<i>0.630</i>	<i>0.157</i>	<i>0.661</i>	<i>0.197</i>	<i>0.472</i>	<i>0.394</i>			
GS040-40-0500B0400-BR-HP	40	16.00	4.000	16.800	5.000	12.00	10.00	7.00 / No Set Screw	20	Brass / ISO 8 - (AGMA 9)
		<i>0.630</i>	<i>0.157</i>	<i>0.661</i>	<i>0.197</i>	<i>0.472</i>	<i>0.394</i>			

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Gears - Spur - Module 0.4

Part Number	Teeth (No.)	Pitch Circle Diameter (PD) mm	Bore (d) mm	Outside Diameter (OD) mm	Face Width (FW) mm	Overall Width (FW+HL) mm	Hub Diameter (D1) mm	Hub Proj / Locking Method (HL) mm	Pressure Angle Deg.	Material / Quality
# GS040-40-0500B0400-AC-HP	40	16.00	4.000	16.800	5.000	12.00	10.00	7.00 / No Set Screw	20	Acetal - No Insert / ISO 8 (AGMA 9)
		<i>0.630</i>	<i>0.157</i>	<i>0.661</i>	<i>0.197</i>	<i>0.472</i>	<i>0.394</i>			
GS040-40-0500B0400-416-HP	40	16.00	4.000	16.800	5.000	12.00	10.00	7.00 / No Set Screw	20	416 Stainless Steel / ISO 8 - (AGMA 9)
		<i>0.630</i>	<i>0.157</i>	<i>0.661</i>	<i>0.197</i>	<i>0.472</i>	<i>0.394</i>			
# GS040-40-0300B0400-ACB-HS	40	16.00	4.000	16.800	3.000	9.50	13.00	6.50 / Set Screw	20	Acetal - Brass Insert / ISO 9 / Machined
		<i>0.630</i>	<i>0.157</i>	<i>0.661</i>	<i>0.118</i>	<i>0.374</i>	<i>0.512</i>			
GS040-40-0300B0500-ACB-HS	40	16.00	5.000	16.800	3.000	9.50	13.00	6.50 / Set Screw	20	Acetal - Brass Insert / ISO 9 / Machined
		<i>0.630</i>	<i>0.197</i>	<i>0.661</i>	<i>0.118</i>	<i>0.374</i>	<i>0.512</i>			
# GS040-40-0300B0600-ACB-HS	40	16.00	6.000	16.800	3.000	9.50	13.00	6.50 / Set Screw	20	Acetal - Brass Insert / ISO 9 / Machined
		<i>0.630</i>	<i>0.236</i>	<i>0.661</i>	<i>0.118</i>	<i>0.374</i>	<i>0.512</i>			
# GS040-42-0300B0300-ACB-HS	42	16.80	3.000	17.600	3.000	9.50	13.00	6.50 / Set Screw	20	Acetal - Brass Insert / ISO 9 / Machined
		<i>0.661</i>	<i>0.118</i>	<i>0.693</i>	<i>0.118</i>	<i>0.374</i>	<i>0.512</i>			
# GS040-42-0300B0400-ACB-HS	42	16.80	4.000	17.600	3.000	9.50	13.00	6.50 / Set Screw	20	Acetal - Brass Insert / ISO 9 / Machined
		<i>0.661</i>	<i>0.157</i>	<i>0.693</i>	<i>0.118</i>	<i>0.374</i>	<i>0.512</i>			

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Gears - Spur - Module 0.4

Part Number	Teeth (No.)	Pitch Circle Diameter (PD) mm	Bore (d) mm	Outside Diameter (OD) mm	Face Width (FW) mm	Overall Width (FW+HL) mm	Hub Diameter (D1) mm	Hub Proj / Locking Method (HL) mm	Pressure Angle Deg.	Material / Quality
# GS040-42-0300B0500-ACB-HS	42	16.80	5.000	17.600	3.000	9.50	13.00	6.50 / Set Screw	20	Acetal - Brass Insert / ISO 9 / Machined
		<i>0.661</i>	<i>0.197</i>	<i>0.693</i>	<i>0.118</i>	<i>0.374</i>	<i>0.512</i>			
# GS040-42-0300B0600-ACB-HS	42	16.80	6.000	17.600	3.000	9.50	13.00	6.50 / Set Screw	20	Acetal - Brass Insert / ISO 9 / Machined
		<i>0.661</i>	<i>0.236</i>	<i>0.693</i>	<i>0.118</i>	<i>0.374</i>	<i>0.512</i>			
# GS040-44-0300B0300-ACB-HS	44	17.60	3.000	18.400	3.000	9.50	13.00	6.50 / Set Screw	20	Acetal - Brass Insert / ISO 9 / Machined
		<i>0.693</i>	<i>0.118</i>	<i>0.724</i>	<i>0.118</i>	<i>0.374</i>	<i>0.512</i>			
# GS040-44-0300B0400-ACB-HS	44	17.60	4.000	18.400	3.000	9.50	13.00	6.50 / Set Screw	20	Acetal - Brass Insert / ISO 9 / Machined
		<i>0.693</i>	<i>0.157</i>	<i>0.724</i>	<i>0.118</i>	<i>0.374</i>	<i>0.512</i>			
# GS040-44-0300B0500-ACB-HS	44	17.60	5.000	18.400	3.000	9.50	13.00	6.50 / Set Screw	20	Acetal - Brass Insert / ISO 9 / Machined
		<i>0.693</i>	<i>0.197</i>	<i>0.724</i>	<i>0.118</i>	<i>0.374</i>	<i>0.512</i>			
# GS040-44-0300B0600-ACB-HS	44	17.60	6.000	18.400	3.000	9.50	13.00	6.50 / Set Screw	20	Acetal - Brass Insert / ISO 9 / Machined
		<i>0.693</i>	<i>0.236</i>	<i>0.724</i>	<i>0.118</i>	<i>0.374</i>	<i>0.512</i>			
# GS040-45-0300B0300-ACB-HS	45	18.00	3.000	18.800	3.000	9.50	13.00	6.50 / Set Screw	20	Acetal - Brass Insert / ISO 9 / Machined
		<i>0.709</i>	<i>0.118</i>	<i>0.740</i>	<i>0.118</i>	<i>0.374</i>	<i>0.512</i>			

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Gears - Spur - Module 0.4

Part Number	Teeth (No.)	Pitch Circle Diameter (PD) mm	Bore (d) mm	Outside Diameter (OD) mm	Face Width (FW) mm	Overall Width (FW+HL) mm	Hub Diameter (D1) mm	Hub Proj / Locking Method (HL) mm	Pressure Angle Deg.	Material / Quality
GS040-45-0500B0400-BR-HP	45	18.00	4.000	18.800	5.000	12.00	10.00	7.00 / No Set Screw	20	Brass / ISO 8 - (AGMA 9)
		<i>0.709</i>	<i>0.157</i>	<i>0.740</i>	<i>0.197</i>	<i>0.472</i>	<i>0.394</i>			
# GS040-45-0500B0400-AC-HP	45	18.00	4.000	18.800	5.000	12.00	10.00	7.00 / No Set Screw	20	Acetal - No Insert / ISO 8 (AGMA 9)
		<i>0.709</i>	<i>0.157</i>	<i>0.740</i>	<i>0.197</i>	<i>0.472</i>	<i>0.394</i>			
# GS040-45-0500B0400-C-HP	45	18.00	4.000	18.800	5.000	12.00	10.00	7.00 / No Set Screw	20	Carbon Steel / ISO 8 - (AGMA 9)
		<i>0.709</i>	<i>0.157</i>	<i>0.740</i>	<i>0.197</i>	<i>0.472</i>	<i>0.394</i>			
# GS040-45-0500B0400-416-HP	45	18.00	4.000	18.800	5.000	12.00	10.00	7.00 / No Set Screw	20	416 Stainless Steel / ISO 8 - (AGMA 9)
		<i>0.709</i>	<i>0.157</i>	<i>0.740</i>	<i>0.197</i>	<i>0.472</i>	<i>0.394</i>			
# GS040-45-0300B0400-ACB-HS	45	18.00	4.000	18.800	3.000	9.50	13.00	6.50 / Set Screw	20	Acetal - Brass Insert / ISO 9 / Machined
		<i>0.709</i>	<i>0.157</i>	<i>0.740</i>	<i>0.118</i>	<i>0.374</i>	<i>0.512</i>			
# GS040-45-0300B0500-ACB-HS	45	18.00	5.000	18.800	3.000	9.50	13.00	6.50 / Set Screw	20	Acetal - Brass Insert / ISO 9 / Machined
		<i>0.709</i>	<i>0.197</i>	<i>0.740</i>	<i>0.118</i>	<i>0.374</i>	<i>0.512</i>			
# GS040-45-0300B0600-ACB-HS	45	18.00	6.000	18.800	3.000	9.50	13.00	6.50 / Set Screw	20	Acetal - Brass Insert / ISO 9 / Machined
		<i>0.709</i>	<i>0.236</i>	<i>0.740</i>	<i>0.118</i>	<i>0.374</i>	<i>0.512</i>			

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Gears - Spur - Module 0.4

Part Number	Teeth (No.)	Pitch Circle Diameter (PD) mm	Bore (d) mm	Outside Diameter (OD) mm	Face Width (FW) mm	Overall Width (FW+HL) mm	Hub Diameter (D1) mm	Hub Proj / Locking Method (HL) mm	Pressure Angle Deg.	Material / Quality
GS040-46-0300B0300-ACB-HS	46	18.40	3.000	19.200	3.000	9.50	13.00	6.50 / Set Screw	20	Acetal - Brass Insert / ISO 9 / Machined
		<i>0.724</i>	<i>0.118</i>	<i>0.756</i>	<i>0.118</i>	<i>0.374</i>	<i>0.512</i>			
# GS040-46-0300B0400-ACB-HS	46	18.40	4.000	19.200	3.000	9.50	13.00	6.50 / Set Screw	20	Acetal - Brass Insert / ISO 9 / Machined
		<i>0.724</i>	<i>0.157</i>	<i>0.756</i>	<i>0.118</i>	<i>0.374</i>	<i>0.512</i>			
# GS040-46-0300B0500-ACB-HS	46	18.40	5.000	19.200	3.000	9.50	13.00	6.50 / Set Screw	20	Acetal - Brass Insert / ISO 9 / Machined
		<i>0.724</i>	<i>0.197</i>	<i>0.756</i>	<i>0.118</i>	<i>0.374</i>	<i>0.512</i>			
# GS040-46-0300B0600-ACB-HS	46	18.40	6.000	19.200	3.000	9.50	13.00	6.50 / Set Screw	20	Acetal - Brass Insert / ISO 9 / Machined
		<i>0.724</i>	<i>0.236</i>	<i>0.756</i>	<i>0.118</i>	<i>0.374</i>	<i>0.512</i>			
# GS040-48-0300B0300-ACB-HS	48	19.20	3.000	20.000	3.000	9.50	13.00	6.50 / Set Screw	20	Acetal - Brass Insert / ISO 9 / Machined
		<i>0.756</i>	<i>0.118</i>	<i>0.787</i>	<i>0.118</i>	<i>0.374</i>	<i>0.512</i>			
# GS040-48-0300B0400-ACB-HS	48	19.20	4.000	20.000	3.000	9.50	13.00	6.50 / Set Screw	20	Acetal - Brass Insert / ISO 9 / Machined
		<i>0.756</i>	<i>0.157</i>	<i>0.787</i>	<i>0.118</i>	<i>0.374</i>	<i>0.512</i>			
GS040-48-0500B0400-416-HP	48	19.20	4.000	20.000	5.000	12.00	10.00	7.00 / No Set Screw	20	416 Stainless Steel / ISO 8 - (AGMA 9)
		<i>0.756</i>	<i>0.157</i>	<i>0.787</i>	<i>0.197</i>	<i>0.472</i>	<i>0.394</i>			

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Gears - Spur - Module 0.4

Part Number	Teeth (No.)	Pitch Circle Diameter (PD) mm	Bore (d) mm	Outside Diameter (OD) mm	Face Width (FW) mm	Overall Width (FW+HL) mm	Hub Diameter (D1) mm	Hub Proj / Locking Method (HL) mm	Pressure Angle Deg.	Material / Quality
# GS040-48-0500B0400-BR-HP	48	19.20 <i>0.756</i>	4.000 <i>0.157</i>	20.000 <i>0.787</i>	5.000 <i>0.197</i>	12.00 <i>0.472</i>	10.00 <i>0.394</i>	7.00 / No Set Screw	20	Brass / ISO 8 - (AGMA 9)
# GS040-48-0500B0400-C-HP	48	19.20 <i>0.756</i>	4.000 <i>0.157</i>	20.000 <i>0.787</i>	5.000 <i>0.197</i>	12.00 <i>0.472</i>	10.00 <i>0.394</i>	7.00 / No Set Screw	20	Carbon Steel / ISO 8 - (AGMA 9)
# GS040-48-0500B0400-AC-HP	48	19.20 <i>0.756</i>	4.000 <i>0.157</i>	20.000 <i>0.787</i>	5.000 <i>0.197</i>	12.00 <i>0.472</i>	10.00 <i>0.394</i>	7.00 / No Set Screw	20	Acetal - No Insert / ISO 8 (AGMA 9)
# GS040-48-0300B0500-ACB-HS	48	19.20 <i>0.756</i>	5.000 <i>0.197</i>	20.000 <i>0.787</i>	3.000 <i>0.118</i>	9.50 <i>0.374</i>	13.00 <i>0.512</i>	6.50 / Set Screw	20	Acetal - Brass Insert / ISO 9 / Machined
# GS040-48-0300B0600-ACB-HS	48	19.20 <i>0.756</i>	6.000 <i>0.236</i>	20.000 <i>0.787</i>	3.000 <i>0.118</i>	9.50 <i>0.374</i>	13.00 <i>0.512</i>	6.50 / Set Screw	20	Acetal - Brass Insert / ISO 9 / Machined
GS040-50-0300B0300-ACB-HS	50	20.00 <i>0.787</i>	3.000 <i>0.118</i>	20.800 <i>0.819</i>	3.000 <i>0.118</i>	9.50 <i>0.374</i>	13.00 <i>0.512</i>	6.50 / Set Screw	20	Acetal - Brass Insert / ISO 9 / Machined
# GS040-50-0500B0400-AC-HP	50	20.00 <i>0.787</i>	4.000 <i>0.157</i>	20.800 <i>0.819</i>	5.000 <i>0.197</i>	12.00 <i>0.472</i>	10.00 <i>0.394</i>	7.00 / No Set Screw	20	Acetal - No Insert / ISO 8 (AGMA 9)

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Gears - Spur - Module 0.4

Part Number	Teeth (No.)	Pitch Circle Diameter (PD) mm	Bore (d) mm	Outside Diameter (OD) mm	Face Width (FW) mm	Overall Width (FW+HL) mm	Hub Diameter (D1) mm	Hub Proj / Locking Method (HL) mm	Pressure Angle Deg.	Material / Quality
# GS040-50-0500B0400-416-HP	50	20.00	4.000	20.800	5.000	12.00	10.00	7.00 / No Set Screw	20	416 Stainless Steel / ISO 8 - (AGMA 9)
		<i>0.787</i>	<i>0.157</i>	<i>0.819</i>	<i>0.197</i>	<i>0.472</i>	<i>0.394</i>			
GS040-50-0300B0400-ACB-HS	50	20.00	4.000	20.800	3.000	9.50	13.00	6.50 / Set Screw	20	Acetal with Brass Insert
		<i>0.787</i>	<i>0.157</i>	<i>0.819</i>	<i>0.118</i>	<i>0.374</i>	<i>0.512</i>			
# GS040-50-0500B0400-C-HP	50	20.00	4.000	20.800	5.000	12.00	10.00	7.00 / No Set Screw	20	Carbon Steel / ISO 8 - (AGMA 9)
		<i>0.787</i>	<i>0.157</i>	<i>0.819</i>	<i>0.197</i>	<i>0.472</i>	<i>0.394</i>			
GS040-50-0500B0400-BR-HP	50	20.00	4.000	20.800	5.000	12.00	10.00	7.00 / No Set Screw	20	Brass / ISO 8 - (AGMA 9)
		<i>0.787</i>	<i>0.157</i>	<i>0.819</i>	<i>0.197</i>	<i>0.472</i>	<i>0.394</i>			
# GS040-50-0300B0500-ACB-HS	50	20.00	5.000	20.800	3.000	9.50	13.00	6.50 / Set Screw	20	Acetal - Brass Insert / ISO 9 / Machined
		<i>0.787</i>	<i>0.197</i>	<i>0.819</i>	<i>0.118</i>	<i>0.374</i>	<i>0.512</i>			
GS040-50-0300B0600-ACB-HS	50	20.00	6.000	20.800	3.000	9.50	13.00	6.50 / Set Screw	20	Acetal - Brass Insert / ISO 9 / Machined
		<i>0.787</i>	<i>0.236</i>	<i>0.819</i>	<i>0.118</i>	<i>0.374</i>	<i>0.512</i>			
# GS040-55-0300B0300-ACB-HS	55	22.00	3.000	22.800	3.000	9.50	13.00	6.50 / Set Screw	20	Acetal - Brass Insert / ISO 9 / Machined
		<i>0.866</i>	<i>0.118</i>	<i>0.898</i>	<i>0.118</i>	<i>0.374</i>	<i>0.512</i>			

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Gears - Spur - Module 0.4

Part Number	Teeth (No.)	Pitch Circle Diameter (PD) mm	Bore (d) mm	Outside Diameter (OD) mm	Face Width (FW) mm	Overall Width (FW+HL) mm	Hub Diameter (D1) mm	Hub Proj / Locking Method (HL) mm	Pressure Angle Deg.	Material / Quality
GS040-55-0500B0400-AC-HP	55	22.00	4.000	22.800	5.000	12.00	10.00	7.00 / No Set Screw	20	Acetal - No Insert / ISO 8 (AGMA 9)
		<i>0.866</i>	<i>0.157</i>	<i>0.898</i>	<i>0.197</i>	<i>0.472</i>	<i>0.394</i>			
# GS040-55-0500B0400-BR-HP	55	22.00	4.000	22.800	5.000	12.00	10.00	7.00 / No Set Screw	20	Brass / ISO 8 - (AGMA 9)
		<i>0.866</i>	<i>0.157</i>	<i>0.898</i>	<i>0.197</i>	<i>0.472</i>	<i>0.394</i>			
# GS040-55-0500B0400-416-HP	55	22.00	4.000	22.800	5.000	12.00	10.00	7.00 / No Set Screw	20	416 Stainless Steel / ISO 8 - (AGMA 9)
		<i>0.866</i>	<i>0.157</i>	<i>0.898</i>	<i>0.197</i>	<i>0.472</i>	<i>0.394</i>			
# GS040-55-0300B0400-ACB-HS	55	22.00	4.000	22.800	3.000	9.50	13.00	6.50 / Set Screw	20	Acetal - Brass Insert / ISO 9 / Machined
		<i>0.866</i>	<i>0.157</i>	<i>0.898</i>	<i>0.118</i>	<i>0.374</i>	<i>0.512</i>			
# GS040-55-0500B0400-C-HP	55	22.00	4.000	22.800	5.000	12.00	10.00	7.00 / No Set Screw	20	Carbon Steel / ISO 8 - (AGMA 9)
		<i>0.866</i>	<i>0.157</i>	<i>0.898</i>	<i>0.197</i>	<i>0.472</i>	<i>0.394</i>			
# GS040-55-0300B0500-ACB-HS	55	22.00	5.000	22.800	3.000	9.50	13.00	6.50 / Set Screw	20	Acetal - Brass Insert / ISO 9 / Machined
		<i>0.866</i>	<i>0.197</i>	<i>0.898</i>	<i>0.118</i>	<i>0.374</i>	<i>0.512</i>			
# GS040-55-0300B0600-ACB-HS	55	22.00	6.000	22.800	3.000	9.50	13.00	6.50 / Set Screw	20	Acetal - Brass Insert / ISO 9 / Machined
		<i>0.866</i>	<i>0.236</i>	<i>0.898</i>	<i>0.118</i>	<i>0.374</i>	<i>0.512</i>			

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Gears - Spur - Module 0.4

Part Number	Teeth (No.)	Pitch Circle Diameter (PD) mm	Bore (d) mm	Outside Diameter (OD) mm	Face Width (FW) mm	Overall Width (FW+HL) mm	Hub Diameter (D1) mm	Hub Proj / Locking Method (HL) mm	Pressure Angle Deg.	Material / Quality
# GS040-56-0300B0300-ACB-HS	56	22.40	3.000	23.200	3.000	9.50	13.00	6.50 / Set Screw	20	Acetal - Brass Insert / ISO 9 / Machined
		<i>0.882</i>	<i>0.118</i>	<i>0.913</i>	<i>0.118</i>	<i>0.374</i>	<i>0.512</i>			
# GS040-56-0300B0400-ACB-HS	56	22.40	4.000	23.200	3.000	9.50	13.00	6.50 / Set Screw	20	Acetal - Brass Insert / ISO 9 / Machined
		<i>0.882</i>	<i>0.157</i>	<i>0.913</i>	<i>0.118</i>	<i>0.374</i>	<i>0.512</i>			
# GS040-56-0300B0500-ACB-HS	56	22.40	5.000	23.200	3.000	9.50	13.00	6.50 / Set Screw	20	Acetal - Brass Insert / ISO 9 / Machined
		<i>0.882</i>	<i>0.197</i>	<i>0.913</i>	<i>0.118</i>	<i>0.374</i>	<i>0.512</i>			
# GS040-56-0300B0600-ACB-HS	56	22.40	6.000	23.200	3.000	9.50	13.00	6.50 / Set Screw	20	Acetal - Brass Insert / ISO 9 / Machined
		<i>0.882</i>	<i>0.236</i>	<i>0.913</i>	<i>0.118</i>	<i>0.374</i>	<i>0.512</i>			
# GS040-60-0300B0300-ACB-HS	60	24.00	3.000	24.800	3.000	9.50	13.00	6.50 / Set Screw	20	Acetal - Brass Insert / ISO 9 / Machined
		<i>0.945</i>	<i>0.118</i>	<i>0.976</i>	<i>0.118</i>	<i>0.374</i>	<i>0.512</i>			
GS040-60-0300B0400-ACB-HS	60	24.00	4.000	24.800	3.000	9.50	13.00	6.50 / Set Screw	20	Acetal - Brass Insert / ISO 9 / Machined
		<i>0.945</i>	<i>0.157</i>	<i>0.976</i>	<i>0.118</i>	<i>0.374</i>	<i>0.512</i>			
# GS040-60-0300B0500-ACB-HS	60	24.00	5.000	24.800	3.000	9.50	13.00	6.50 / Set Screw	20	Acetal - Brass Insert / ISO 9 / Machined
		<i>0.945</i>	<i>0.197</i>	<i>0.976</i>	<i>0.118</i>	<i>0.374</i>	<i>0.512</i>			

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Gears - Spur - Module 0.4

Part Number	Teeth (No.)	Pitch Circle Diameter (PD) mm	Bore (d) mm	Outside Diameter (OD) mm	Face Width (FW) mm	Overall Width (FW+HL) mm	Hub Diameter (D1) mm	Hub Proj / Locking Method (HL) mm	Pressure Angle Deg.	Material / Quality
GS040-60-0500B0600-AC-HP	60	24.00	6.000	24.800	5.000	12.00	15.00	7.00 / No Set Screw	20	Acetal - No Insert / ISO 8 (AGMA 9)
		<i>0.945</i>	<i>0.236</i>	<i>0.976</i>	<i>0.197</i>	<i>0.472</i>	<i>0.591</i>			
GS040-60-0500B0600-BR-HP	60	24.00	6.000	24.800	5.000	12.00	15.00	7.00 / No Set Screw	20	Brass / ISO 8 - (AGMA 9)
		<i>0.945</i>	<i>0.236</i>	<i>0.976</i>	<i>0.197</i>	<i>0.472</i>	<i>0.591</i>			
# GS040-60-0500B0600-C-HP	60	24.00	6.000	24.800	5.000	12.00	15.00	7.00 / No Set Screw	20	Carbon Steel / ISO 8 - (AGMA 9)
		<i>0.945</i>	<i>0.236</i>	<i>0.976</i>	<i>0.197</i>	<i>0.472</i>	<i>0.591</i>			
# GS040-60-0500B0600-416-HP	60	24.00	6.000	24.800	5.000	12.00	15.00	7.00 / No Set Screw	20	416 Stainless Steel / ISO 8 - (AGMA 9)
		<i>0.945</i>	<i>0.236</i>	<i>0.976</i>	<i>0.197</i>	<i>0.472</i>	<i>0.591</i>			
# GS040-60-0300B0600-ACB-HS	60	24.00	6.000	24.800	3.000	9.50	13.00	6.50 / Set Screw	20	Acetal - Brass Insert / ISO 9 / Machined
		<i>0.945</i>	<i>0.236</i>	<i>0.976</i>	<i>0.118</i>	<i>0.374</i>	<i>0.512</i>			
# GS040-64-0300B0300-ACB-HS	64	25.60	3.000	26.400	3.000	9.50	16.00	6.50 / Set Screw	20	Acetal - Brass Insert / ISO 9 / Machined
		<i>1.008</i>	<i>0.118</i>	<i>1.039</i>	<i>0.118</i>	<i>0.374</i>	<i>0.630</i>			
# GS040-64-0300B0400-ACB-HS	64	25.60	4.000	26.400	3.000	9.50	16.00	6.50 / Set Screw	20	Acetal - Brass Insert / ISO 9 / Machined
		<i>1.008</i>	<i>0.157</i>	<i>1.039</i>	<i>0.118</i>	<i>0.374</i>	<i>0.630</i>			

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Gears - Spur - Module 0.4

Part Number	Teeth (No.)	Pitch Circle Diameter (PD) mm	Bore (d) mm	Outside Diameter (OD) mm	Face Width (FW) mm	Overall Width (FW+HL) mm	Hub Diameter (D1) mm	Hub Proj / Locking Method (HL) mm	Pressure Angle Deg.	Material / Quality
# GS040-64-0300B0500-ACB-HS	64	25.60	5.000	26.400	3.000	9.50	16.00	6.50 / Set Screw	20	Acetal - Brass Insert / ISO 9 / Machined
		<i>1.008</i>	<i>0.197</i>	<i>1.039</i>	<i>0.118</i>	<i>0.374</i>	<i>0.630</i>			
# GS040-64-0500B0600-BR-HP	64	25.60	6.000	26.400	5.000	12.00	15.00	7.00 / No Set Screw	20	Brass / ISO 8 - (AGMA 9)
		<i>1.008</i>	<i>0.236</i>	<i>1.039</i>	<i>0.197</i>	<i>0.472</i>	<i>0.591</i>			
# GS040-64-0300B0600-ACB-HS	64	25.60	6.000	26.400	3.000	9.50	16.00	6.50 / Set Screw	20	Acetal - Brass Insert / ISO 9 / Machined
		<i>1.008</i>	<i>0.236</i>	<i>1.039</i>	<i>0.118</i>	<i>0.374</i>	<i>0.630</i>			
# GS040-64-0500B0600-416-HP	64	25.60	6.000	26.400	5.000	12.00	15.00	7.00 / No Set Screw	20	416 Stainless Steel / ISO 8 - (AGMA 9)
		<i>1.008</i>	<i>0.236</i>	<i>1.039</i>	<i>0.197</i>	<i>0.472</i>	<i>0.591</i>			
# GS040-64-0500B0600-C-HP	64	25.60	6.000	26.400	5.000	12.00	15.00	7.00 / No Set Screw	20	Carbon Steel / ISO 8 - (AGMA 9)
		<i>1.008</i>	<i>0.236</i>	<i>1.039</i>	<i>0.197</i>	<i>0.472</i>	<i>0.591</i>			
# GS040-64-0500B0600-AC-HP	64	25.60	6.000	26.400	5.000	12.00	15.00	7.00 / No Set Screw	20	Acetal - No Insert / ISO 8 (AGMA 9)
		<i>1.008</i>	<i>0.236</i>	<i>1.039</i>	<i>0.197</i>	<i>0.472</i>	<i>0.591</i>			
# GS040-65-0300B0300-ACB-HS	65	26.00	3.000	26.800	3.000	9.50	16.00	6.50 / Set Screw	20	Acetal - Brass Insert / ISO 9 / Machined
		<i>1.024</i>	<i>0.118</i>	<i>1.055</i>	<i>0.118</i>	<i>0.374</i>	<i>0.630</i>			

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Gears - Spur - Module 0.4

Part Number	Teeth (No.)	Pitch Circle Diameter (PD) mm	Bore (d) mm	Outside Diameter (OD) mm	Face Width (FW) mm	Overall Width (FW+HL) mm	Hub Diameter (D1) mm	Hub Proj / Locking Method (HL) mm	Pressure Angle Deg.	Material / Quality
GS040-65-0300B0400-ACB-HS	65	26.00	4.000	26.800	3.000	9.50	16.00	6.50 / Set Screw	20	Acetal - Brass Insert / ISO 9 / Machined
		<i>1.024</i>	<i>0.157</i>	<i>1.055</i>	<i>0.118</i>	<i>0.374</i>	<i>0.630</i>			
# GS040-65-0300B0500-ACB-HS	65	26.00	5.000	26.800	3.000	9.50	16.00	6.50 / Set Screw	20	Acetal - Brass Insert / ISO 9 / Machined
		<i>1.024</i>	<i>0.197</i>	<i>1.055</i>	<i>0.118</i>	<i>0.374</i>	<i>0.630</i>			
# GS040-65-0300B0600-ACB-HS	65	26.00	6.000	26.800	3.000	9.50	16.00	6.50 / Set Screw	20	Acetal - Brass Insert / ISO 9 / Machined
		<i>1.024</i>	<i>0.236</i>	<i>1.055</i>	<i>0.118</i>	<i>0.374</i>	<i>0.630</i>			
# GS040-65-0500B0600-AC-HP	65	26.00	6.000	26.800	5.000	12.00	15.00	7.00 / No Set Screw	20	Acetal - No Insert / ISO 8 (AGMA 9)
		<i>1.024</i>	<i>0.236</i>	<i>1.055</i>	<i>0.197</i>	<i>0.472</i>	<i>0.591</i>			
# GS040-65-0500B0600-C-HP	65	26.00	6.000	26.800	5.000	12.00	15.00	7.00 / No Set Screw	20	Carbon Steel / ISO 8 - (AGMA 9)
		<i>1.024</i>	<i>0.236</i>	<i>1.055</i>	<i>0.197</i>	<i>0.472</i>	<i>0.591</i>			
# GS040-65-0500B0600-416-HP	65	26.00	6.000	26.800	5.000	12.00	15.00	7.00 / No Set Screw	20	416 Stainless Steel / ISO 8 - (AGMA 9)
		<i>1.024</i>	<i>0.236</i>	<i>1.055</i>	<i>0.197</i>	<i>0.472</i>	<i>0.591</i>			
# GS040-65-0500B0600-BR-HP	65	26.00	6.000	26.800	5.000	12.00	15.00	7.00 / No Set Screw	20	Brass / ISO 8 - (AGMA 9)
		<i>1.024</i>	<i>0.236</i>	<i>1.055</i>	<i>0.197</i>	<i>0.472</i>	<i>0.591</i>			

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Gears - Spur - Module 0.4

Part Number	Teeth (No.)	Pitch Circle Diameter (PD) mm	Bore (d) mm	Outside Diameter (OD) mm	Face Width (FW) mm	Overall Width (FW+HL) mm	Hub Diameter (D1) mm	Hub Proj / Locking Method (HL) mm	Pressure Angle Deg.	Material / Quality
GS040-70-0300B0300-ACB-HS	70	28.00	3.000	28.800	3.000	9.50	16.00	6.50 / Set Screw	20	Acetal - Brass Insert / ISO 9 / Machined
		<i>1.102</i>	<i>0.118</i>	<i>1.134</i>	<i>0.118</i>	<i>0.374</i>	<i>0.630</i>			
GS040-70-0300B0400-ACB-HS	70	28.00	4.000	28.800	3.000	9.50	16.00	6.50 / Set Screw	20	Acetal - Brass Insert / ISO 9 / Machined
		<i>1.102</i>	<i>0.157</i>	<i>1.134</i>	<i>0.118</i>	<i>0.374</i>	<i>0.630</i>			
# GS040-70-0300B0500-ACB-HS	70	28.00	5.000	28.800	3.000	9.50	16.00	6.50 / Set Screw	20	Acetal - Brass Insert / ISO 9 / Machined
		<i>1.102</i>	<i>0.197</i>	<i>1.134</i>	<i>0.118</i>	<i>0.374</i>	<i>0.630</i>			
# GS040-70-0500B0600-C-HP	70	28.00	6.000	28.800	5.000	12.00	15.00	7.00 / No Set Screw	20	Carbon Steel / ISO 8 - (AGMA 9)
		<i>1.102</i>	<i>0.236</i>	<i>1.134</i>	<i>0.197</i>	<i>0.472</i>	<i>0.591</i>			
# GS040-70-0500B0600-BR-HP	70	28.00	6.000	28.800	5.000	12.00	15.00	7.00 / No Set Screw	20	Brass / ISO 8 - (AGMA 9)
		<i>1.102</i>	<i>0.236</i>	<i>1.134</i>	<i>0.197</i>	<i>0.472</i>	<i>0.591</i>			
# GS040-70-0500B0600-416-HP	70	28.00	6.000	28.800	5.000	12.00	15.00	7.00 / No Set Screw	20	416 Stainless Steel / ISO 8 - (AGMA 9)
		<i>1.102</i>	<i>0.236</i>	<i>1.134</i>	<i>0.197</i>	<i>0.472</i>	<i>0.591</i>			
GS040-70-0300B0600-ACB-HS	70	28.00	6.000	28.800	3.000	9.50	16.00	6.50 / Set Screw	20	Acetal - Brass Insert / ISO 9 / Machined
		<i>1.102</i>	<i>0.236</i>	<i>1.134</i>	<i>0.118</i>	<i>0.374</i>	<i>0.630</i>			

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Gears - Spur - Module 0.4

Part Number	Teeth (No.)	Pitch Circle Diameter (PD) mm	Bore (d) mm	Outside Diameter (OD) mm	Face Width (FW) mm	Overall Width (FW+HL) mm	Hub Diameter (D1) mm	Hub Proj / Locking Method (HL) mm	Pressure Angle Deg.	Material / Quality
# GS040-70-0500B0600-AC-HP	70	28.00	6.000	28.800	5.000	12.00	15.00	7.00 / No Set Screw	20	Acetal - No Insert / ISO 8 (AGMA 9)
		<i>1.102</i>	<i>0.236</i>	<i>1.134</i>	<i>0.197</i>	<i>0.472</i>	<i>0.591</i>			
GS040-72-0300B0300-ACB-HS	72	28.80	3.000	29.600	3.000	9.50	16.00	6.50 / Set Screw	20	Acetal - Brass Insert / ISO 9 / Machined
		<i>1.134</i>	<i>0.118</i>	<i>1.165</i>	<i>0.118</i>	<i>0.374</i>	<i>0.630</i>			
# GS040-72-0300B0400-ACB-HS	72	28.80	4.000	29.600	3.000	9.50	16.00	6.50 / Set Screw	20	Acetal - Brass Insert / ISO 9 / Machined
		<i>1.134</i>	<i>0.157</i>	<i>1.165</i>	<i>0.118</i>	<i>0.374</i>	<i>0.630</i>			
# GS040-72-0300B0500-ACB-HS	72	28.80	5.000	29.600	3.000	9.50	16.00	6.50 / Set Screw	20	Acetal - Brass Insert / ISO 9 / Machined
		<i>1.134</i>	<i>0.197</i>	<i>1.165</i>	<i>0.118</i>	<i>0.374</i>	<i>0.630</i>			
# GS040-72-0500B0600-C-HP	72	28.80	6.000	29.600	5.000	12.00	15.00	7.00 / No Set Screw	20	Carbon Steel / ISO 8 - (AGMA 9)
		<i>1.134</i>	<i>0.236</i>	<i>1.165</i>	<i>0.197</i>	<i>0.472</i>	<i>0.591</i>			
# GS040-72-0500B0600-BR-HP	72	28.80	6.000	29.600	5.000	12.00	15.00	7.00 / No Set Screw	20	Brass / ISO 8 - (AGMA 9)
		<i>1.134</i>	<i>0.236</i>	<i>1.165</i>	<i>0.197</i>	<i>0.472</i>	<i>0.591</i>			
# GS040-72-0500B0600-AC-HP	72	28.80	6.000	29.600	5.000	12.00	15.00	7.00 / No Set Screw	20	Acetal - No Insert / ISO 8 (AGMA 9)
		<i>1.134</i>	<i>0.236</i>	<i>1.165</i>	<i>0.197</i>	<i>0.472</i>	<i>0.591</i>			

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Gears - Spur - Module 0.4

Part Number	Teeth (No.)	Pitch Circle Diameter (PD) mm	Bore (d) mm	Outside Diameter (OD) mm	Face Width (FW) mm	Overall Width (FW+HL) mm	Hub Diameter (D1) mm	Hub Proj / Locking Method (HL) mm	Pressure Angle Deg.	Material / Quality
# GS040-72-0500B0600-416-HP	72	28.80	6.000	29.600	5.000	12.00	15.00	7.00 / No Set Screw	20	416 Stainless Steel / ISO 8 - (AGMA 9)
		<i>1.134</i>	<i>0.236</i>	<i>1.165</i>	<i>0.197</i>	<i>0.472</i>	<i>0.591</i>			
# GS040-72-0300B0600-ACB-HS	72	28.80	6.000	29.600	3.000	9.50	16.00	6.50 / Set Screw	20	Acetal - Brass Insert / ISO 9 / Machined
		<i>1.134</i>	<i>0.236</i>	<i>1.165</i>	<i>0.118</i>	<i>0.374</i>	<i>0.630</i>			
# GS040-74-0300B0300-ACB-HS	74	29.60	3.000	30.400	3.000	9.50	16.00	6.50 / Set Screw	20	Acetal - Brass Insert / ISO 9 / Machined
		<i>1.165</i>	<i>0.118</i>	<i>1.197</i>	<i>0.118</i>	<i>0.374</i>	<i>0.630</i>			
# GS040-74-0300B0400-ACB-HS	74	29.60	4.000	30.400	3.000	9.50	16.00	6.50 / Set Screw	20	Acetal - Brass Insert / ISO 9 / Machined
		<i>1.165</i>	<i>0.157</i>	<i>1.197</i>	<i>0.118</i>	<i>0.374</i>	<i>0.630</i>			
# GS040-74-0300B0500-ACB-HS	74	29.60	5.000	30.400	3.000	9.50	16.00	6.50 / Set Screw	20	Acetal - Brass Insert / ISO 9 / Machined
		<i>1.165</i>	<i>0.197</i>	<i>1.197</i>	<i>0.118</i>	<i>0.374</i>	<i>0.630</i>			
# GS040-74-0300B0600-ACB-HS	74	29.60	6.000	30.400	3.000	9.50	16.00	6.50 / Set Screw	20	Acetal - Brass Insert / ISO 9 / Machined
		<i>1.165</i>	<i>0.236</i>	<i>1.197</i>	<i>0.118</i>	<i>0.374</i>	<i>0.630</i>			
# GS040-75-0300B0300-ACB-HS	75	30.00	3.000	30.800	3.000	9.50	16.00	6.50 / Set Screw	20	Acetal - Brass Insert / ISO 9 / Machined
		<i>1.181</i>	<i>0.118</i>	<i>1.213</i>	<i>0.118</i>	<i>0.374</i>	<i>0.630</i>			

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Gears - Spur - Module 0.4

Part Number	Teeth (No.)	Pitch Circle Diameter (PD) mm	Bore (d) mm	Outside Diameter (OD) mm	Face Width (FW) mm	Overall Width (FW+HL) mm	Hub Diameter (D1) mm	Hub Proj / Locking Method (HL) mm	Pressure Angle Deg.	Material / Quality
# GS040-75-0300B0400-ACB-HS	75	30.00	4.000	30.800	3.000	9.50	16.00	6.50 / Set Screw	20	Acetal - Brass Insert / ISO 9 / Machined
		<i>1.181</i>	<i>0.157</i>	<i>1.213</i>	<i>0.118</i>	<i>0.374</i>	<i>0.630</i>			
# GS040-75-0300B0500-ACB-HS	75	30.00	5.000	30.800	3.000	9.50	16.00	6.50 / Set Screw	20	Acetal - Brass Insert / ISO 9 / Machined
		<i>1.181</i>	<i>0.197</i>	<i>1.213</i>	<i>0.118</i>	<i>0.374</i>	<i>0.630</i>			
# GS040-75-0500B0600-BR-HP	75	30.00	6.000	30.800	5.000	12.00	15.00	7.00 / No Set Screw	20	Brass / ISO 8 - (AGMA 9)
		<i>1.181</i>	<i>0.236</i>	<i>1.213</i>	<i>0.197</i>	<i>0.472</i>	<i>0.591</i>			
# GS040-75-0300B0600-ACB-HS	75	30.00	6.000	30.800	3.000	9.50	16.00	6.50 / Set Screw	20	Acetal - Brass Insert / ISO 9 / Machined
		<i>1.181</i>	<i>0.236</i>	<i>1.213</i>	<i>0.118</i>	<i>0.374</i>	<i>0.630</i>			
# GS040-75-0500B0600-AC-HP	75	30.00	6.000	30.800	5.000	12.00	15.00	7.00 / No Set Screw	20	Acetal - No Insert / ISO 8 (AGMA 9)
		<i>1.181</i>	<i>0.236</i>	<i>1.213</i>	<i>0.197</i>	<i>0.472</i>	<i>0.591</i>			
# GS040-75-0500B0600-C-HP	75	30.00	6.000	30.800	5.000	12.00	15.00	7.00 / No Set Screw	20	Carbon Steel / ISO 8 - (AGMA 9)
		<i>1.181</i>	<i>0.236</i>	<i>1.213</i>	<i>0.197</i>	<i>0.472</i>	<i>0.591</i>			
# GS040-75-0500B0600-416-HP	75	30.00	6.000	30.800	5.000	12.00	15.00	7.00 / No Set Screw	20	416 Stainless Steel / ISO 8 - (AGMA 9)
		<i>1.181</i>	<i>0.236</i>	<i>1.213</i>	<i>0.197</i>	<i>0.472</i>	<i>0.591</i>			

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Gears - Spur - Module 0.4

Part Number	Teeth (No.)	Pitch Circle Diameter (PD) mm	Bore (d) mm	Outside Diameter (OD) mm	Face Width (FW) mm	Overall Width (FW+HL) mm	Hub Diameter (D1) mm	Hub Proj / Locking Method (HL) mm	Pressure Angle Deg.	Material / Quality
# GS040-80-0300B0300-ACB-HS	80	32.00	3.000	32.800	3.000	9.50	16.00	6.50 / Set Screw	20	Acetal - Brass Insert / ISO 9 / Machined
		<i>1.260</i>	<i>0.118</i>	<i>1.291</i>	<i>0.118</i>	<i>0.374</i>	<i>0.630</i>			
GS040-80-0300B0400-ACB-HS	80	32.00	4.000	32.800	3.000	9.50	16.00	6.50 / Set Screw	20	Acetal - Brass Insert / ISO 9 / Machined
		<i>1.260</i>	<i>0.157</i>	<i>1.291</i>	<i>0.118</i>	<i>0.374</i>	<i>0.630</i>			
# GS040-80-0300B0500-ACB-HS	80	32.00	5.000	32.800	3.000	9.50	16.00	6.50 / Set Screw	20	Acetal - Brass Insert / ISO 9 / Machined
		<i>1.260</i>	<i>0.197</i>	<i>1.291</i>	<i>0.118</i>	<i>0.374</i>	<i>0.630</i>			
# GS040-80-0300B0600-ACB-HS	80	32.00	6.000	32.800	3.000	9.50	16.00	6.50 / Set Screw	20	Acetal - Brass Insert / ISO 9 / Machined
		<i>1.260</i>	<i>0.236</i>	<i>1.291</i>	<i>0.118</i>	<i>0.374</i>	<i>0.630</i>			
# GS040-80-0500B0600-BR-HP	80	32.00	6.000	32.800	5.000	12.00	15.00	7.00 / No Set Screw	20	Brass / ISO 8 - (AGMA 9)
		<i>1.260</i>	<i>0.236</i>	<i>1.291</i>	<i>0.197</i>	<i>0.472</i>	<i>0.591</i>			
# GS040-80-0500B0600-C-HP	80	32.00	6.000	32.800	5.000	12.00	15.00	7.00 / No Set Screw	20	Carbon Steel / ISO 8 - (AGMA 9)
		<i>1.260</i>	<i>0.236</i>	<i>1.291</i>	<i>0.197</i>	<i>0.472</i>	<i>0.591</i>			
# GS040-80-0500B0600-416-HP	80	32.00	6.000	32.800	5.000	12.00	15.00	7.00 / No Set Screw	20	416 Stainless Steel / ISO 8 - (AGMA 9)
		<i>1.260</i>	<i>0.236</i>	<i>1.291</i>	<i>0.197</i>	<i>0.472</i>	<i>0.591</i>			

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Gears - Spur - Module 0.4

Part Number	Teeth (No.)	Pitch Circle Diameter (PD) mm	Bore (d) mm	Outside Diameter (OD) mm	Face Width (FW) mm	Overall Width (FW+HL) mm	Hub Diameter (D1) mm	Hub Proj / Locking Method (HL) mm	Pressure Angle Deg.	Material / Quality
# GS040-80-0500B0600-AC-HP	80	32.00	6.000	32.800	5.000	12.00	15.00	7.00 / No Set Screw	20	Acetal - No Insert / ISO 8 (AGMA 9)
		<i>1.260</i>	<i>0.236</i>	<i>1.291</i>	<i>0.197</i>	<i>0.472</i>	<i>0.591</i>			
# GS040-84-0300B0300-ACB-HS	84	33.60	3.000	34.400	3.000	9.50	16.00	6.50 / Set Screw	20	Acetal - Brass Insert / ISO 9 / Machined
		<i>1.323</i>	<i>0.118</i>	<i>1.354</i>	<i>0.118</i>	<i>0.374</i>	<i>0.630</i>			
# GS040-84-0300B0400-ACB-HS	84	33.60	4.000	34.400	3.000	9.50	16.00	6.50 / Set Screw	20	Acetal - Brass Insert / ISO 9 / Machined
		<i>1.323</i>	<i>0.157</i>	<i>1.354</i>	<i>0.118</i>	<i>0.374</i>	<i>0.630</i>			
# GS040-84-0300B0500-ACB-HS	84	33.60	5.000	34.400	3.000	9.50	16.00	6.50 / Set Screw	20	Acetal - Brass Insert / ISO 9 / Machined
		<i>1.323</i>	<i>0.197</i>	<i>1.354</i>	<i>0.118</i>	<i>0.374</i>	<i>0.630</i>			
# GS040-84-0500B0600-C-HP	84	33.60	6.000	34.400	5.000	12.00	15.00	7.00 / No Set Screw	20	Carbon Steel / ISO 8 - (AGMA 9)
		<i>1.323</i>	<i>0.236</i>	<i>1.354</i>	<i>0.197</i>	<i>0.472</i>	<i>0.591</i>			
# GS040-84-0300B0600-ACB-HS	84	33.60	6.000	34.400	3.000	9.50	16.00	6.50 / Set Screw	20	Acetal - Brass Insert / ISO 9 / Machined
		<i>1.323</i>	<i>0.236</i>	<i>1.354</i>	<i>0.118</i>	<i>0.374</i>	<i>0.630</i>			
# GS040-84-0500B0600-416-HP	84	33.60	6.000	34.400	5.000	12.00	15.00	7.00 / No Set Screw	20	416 Stainless Steel / ISO 8 - (AGMA 9)
		<i>1.323</i>	<i>0.236</i>	<i>1.354</i>	<i>0.197</i>	<i>0.472</i>	<i>0.591</i>			

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Gears - Spur - Module 0.4

Part Number	Teeth (No.)	Pitch Circle Diameter (PD) mm	Bore (d) mm	Outside Diameter (OD) mm	Face Width (FW) mm	Overall Width (FW+HL) mm	Hub Diameter (D1) mm	Hub Proj / Locking Method (HL) mm	Pressure Angle Deg.	Material / Quality
# GS040-84-0500B0600-BR-HP	84	33.60	6.000	34.400	5.000	12.00	15.00	7.00 / No Set Screw	20	Brass / ISO 8 - (AGMA 9)
		<i>1.323</i>	<i>0.236</i>	<i>1.354</i>	<i>0.197</i>	<i>0.472</i>	<i>0.591</i>			
# GS040-84-0500B0600-AC-HP	84	33.60	6.000	34.400	5.000	12.00	15.00	7.00 / No Set Screw	20	Acetal - No Insert / ISO 8 (AGMA 9)
		<i>1.323</i>	<i>0.236</i>	<i>1.354</i>	<i>0.197</i>	<i>0.472</i>	<i>0.591</i>			
# GS040-85-0300B0300-ACB-HS	85	34.00	3.000	34.800	3.000	9.50	16.00	6.50 / Set Screw	20	Acetal - Brass Insert / ISO 9 / Machined
		<i>1.339</i>	<i>0.118</i>	<i>1.370</i>	<i>0.118</i>	<i>0.374</i>	<i>0.630</i>			
GS040-85-0300B0400-ACB-HS	85	34.00	4.000	34.800	3.000	9.50	16.00	6.50 / Set Screw	20	Acetal - Brass Insert / ISO 9 / Machined
		<i>1.339</i>	<i>0.157</i>	<i>1.370</i>	<i>0.118</i>	<i>0.374</i>	<i>0.630</i>			
# GS040-85-0300B0500-ACB-HS	85	34.00	5.000	34.800	3.000	9.50	16.00	6.50 / Set Screw	20	Acetal - Brass Insert / ISO 9 / Machined
		<i>1.339</i>	<i>0.197</i>	<i>1.370</i>	<i>0.118</i>	<i>0.374</i>	<i>0.630</i>			
# GS040-85-0500B0600-416-HP	85	34.00	6.000	34.800	5.000	12.00	15.00	7.00 / No Set Screw	20	416 Stainless Steel / ISO 8 - (AGMA 9)
		<i>1.339</i>	<i>0.236</i>	<i>1.370</i>	<i>0.197</i>	<i>0.472</i>	<i>0.591</i>			
# GS040-85-0500B0600-C-HP	85	34.00	6.000	34.800	5.000	12.00	15.00	7.00 / No Set Screw	20	Carbon Steel / ISO 8 - (AGMA 9)
		<i>1.339</i>	<i>0.236</i>	<i>1.370</i>	<i>0.197</i>	<i>0.472</i>	<i>0.591</i>			

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Gears - Spur - Module 0.4

Part Number	Teeth (No.)	Pitch Circle Diameter (PD) mm	Bore (d) mm	Outside Diameter (OD) mm	Face Width (FW) mm	Overall Width (FW+HL) mm	Hub Diameter (D1) mm	Hub Proj / Locking Method (HL) mm	Pressure Angle Deg.	Material / Quality
# GS040-85-0500B0600-BR-HP	85	34.00	6.000	34.800	5.000	12.00	15.00	7.00 / No Set Screw	20	Brass / ISO 8 - (AGMA 9)
		<i>1.339</i>	<i>0.236</i>	<i>1.370</i>	<i>0.197</i>	<i>0.472</i>	<i>0.591</i>			
# GS040-85-0300B0600-ACB-HS	85	34.00	6.000	34.800	3.000	9.50	16.00	6.50 / Set Screw	20	Acetal - Brass Insert / ISO 9 / Machined
		<i>1.339</i>	<i>0.236</i>	<i>1.370</i>	<i>0.118</i>	<i>0.374</i>	<i>0.630</i>			
# GS040-85-0500B0600-AC-HP	85	34.00	6.000	34.800	5.000	12.00	15.00	7.00 / No Set Screw	20	Acetal - No Insert / ISO 8 (AGMA 9)
		<i>1.339</i>	<i>0.236</i>	<i>1.370</i>	<i>0.197</i>	<i>0.472</i>	<i>0.591</i>			
# GS040-88-0300B0300-ACB-HS	88	35.20	3.000	36.000	3.000	9.50	16.00	6.50 / Set Screw	20	Acetal - Brass Insert / ISO 9 / Machined
		<i>1.386</i>	<i>0.118</i>	<i>1.417</i>	<i>0.118</i>	<i>0.374</i>	<i>0.630</i>			
# GS040-88-0300B0400-ACB-HS	88	35.20	4.000	36.000	3.000	9.50	16.00	6.50 / Set Screw	20	Acetal - Brass Insert / ISO 9 / Machined
		<i>1.386</i>	<i>0.157</i>	<i>1.417</i>	<i>0.118</i>	<i>0.374</i>	<i>0.630</i>			
# GS040-88-0300B0500-ACB-HS	88	35.20	5.000	36.000	3.000	9.50	16.00	6.50 / Set Screw	20	Acetal - Brass Insert / ISO 9 / Machined
		<i>1.386</i>	<i>0.197</i>	<i>1.417</i>	<i>0.118</i>	<i>0.374</i>	<i>0.630</i>			
GS040-88-0300B0600-ACB-HS	88	35.20	6.000	36.000	3.000	9.50	16.00	6.50 / Set Screw	20	Acetal - Brass Insert / ISO 9 / Machined
		<i>1.386</i>	<i>0.236</i>	<i>1.417</i>	<i>0.118</i>	<i>0.374</i>	<i>0.630</i>			

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Gears - Spur - Module 0.4

Part Number	Teeth (No.)	Pitch Circle Diameter (PD) mm	Bore (d) mm	Outside Diameter (OD) mm	Face Width (FW) mm	Overall Width (FW+HL) mm	Hub Diameter (D1) mm	Hub Proj / Locking Method (HL) mm	Pressure Angle Deg.	Material / Quality
# GS040-90-0300B0300-ACB-HS	90	36.00	3.000	36.800	3.000	9.50	16.00	6.50 / Set Screw	20	Acetal - Brass Insert / ISO 9 / Machined
		<i>1.417</i>	<i>0.118</i>	<i>1.449</i>	<i>0.118</i>	<i>0.374</i>	<i>0.630</i>			
GS040-90-0300B0400-ACB-HS	90	36.00	4.000	36.800	3.000	9.50	16.00	6.50 / Set Screw	20	Acetal - Brass Insert / ISO 9 / Machined
		<i>1.417</i>	<i>0.157</i>	<i>1.449</i>	<i>0.118</i>	<i>0.374</i>	<i>0.630</i>			
# GS040-90-0300B0500-ACB-HS	90	36.00	5.000	36.800	3.000	9.50	16.00	6.50 / Set Screw	20	Acetal - Brass Insert / ISO 9 / Machined
		<i>1.417</i>	<i>0.197</i>	<i>1.449</i>	<i>0.118</i>	<i>0.374</i>	<i>0.630</i>			
# GS040-90-0300B0600-ACB-HS	90	36.00	6.000	36.800	3.000	9.50	16.00	6.50 / Set Screw	20	Acetal - Brass Insert / ISO 9 / Machined
		<i>1.417</i>	<i>0.236</i>	<i>1.449</i>	<i>0.118</i>	<i>0.374</i>	<i>0.630</i>			
# GS040-90-0500B0600-C-HP	90	36.00	6.000	36.800	5.000	12.00	15.00	7.00 / No Set Screw	20	Carbon Steel / ISO 8 - (AGMA 9)
		<i>1.417</i>	<i>0.236</i>	<i>1.449</i>	<i>0.197</i>	<i>0.472</i>	<i>0.591</i>			
# GS040-90-0500B0600-BR-HP	90	36.00	6.000	36.800	5.000	12.00	15.00	7.00 / No Set Screw	20	Brass / ISO 8 - (AGMA 9)
		<i>1.417</i>	<i>0.236</i>	<i>1.449</i>	<i>0.197</i>	<i>0.472</i>	<i>0.591</i>			
# GS040-90-0500B0600-416-HP	90	36.00	6.000	36.800	5.000	12.00	15.00	7.00 / No Set Screw	20	416 Stainless Steel / ISO 8 - (AGMA 9)
		<i>1.417</i>	<i>0.236</i>	<i>1.449</i>	<i>0.197</i>	<i>0.472</i>	<i>0.591</i>			

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Gears - Spur - Module 0.4

Part Number	Teeth (No.)	Pitch Circle Diameter (PD) mm	Bore (d) mm	Outside Diameter (OD) mm	Face Width (FW) mm	Overall Width (FW+HL) mm	Hub Diameter (D1) mm	Hub Proj / Locking Method (HL) mm	Pressure Angle Deg.	Material / Quality
# GS040-90-0500B0600-AC-HP	90	36.00	6.000	36.800	5.000	12.00	15.00	7.00 / No Set Screw	20	Acetal - No Insert / ISO 8 (AGMA 9)
		<i>1.417</i>	<i>0.236</i>	<i>1.449</i>	<i>0.197</i>	<i>0.472</i>	<i>0.591</i>			
# GS040-92-0300B0300-ACB-HS	92	36.80	3.000	37.600	3.000	9.50	16.00	6.50 / Set Screw	20	Acetal - Brass Insert / ISO 9 / Machined
		<i>1.449</i>	<i>0.118</i>	<i>1.480</i>	<i>0.118</i>	<i>0.374</i>	<i>0.630</i>			
# GS040-92-0300B0400-ACB-HS	92	36.80	4.000	37.600	3.000	9.50	16.00	6.50 / Set Screw	20	Acetal - Brass Insert / ISO 9 / Machined
		<i>1.449</i>	<i>0.157</i>	<i>1.480</i>	<i>0.118</i>	<i>0.374</i>	<i>0.630</i>			
# GS040-92-0300B0500-ACB-HS	92	36.80	5.000	37.600	3.000	9.50	16.00	6.50 / Set Screw	20	Acetal - Brass Insert / ISO 9 / Machined
		<i>1.449</i>	<i>0.197</i>	<i>1.480</i>	<i>0.118</i>	<i>0.374</i>	<i>0.630</i>			
# GS040-92-0300B0600-ACB-HS	92	36.80	6.000	37.600	3.000	9.50	16.00	6.50 / Set Screw	20	Acetal - Brass Insert / ISO 9 / Machined
		<i>1.449</i>	<i>0.236</i>	<i>1.480</i>	<i>0.118</i>	<i>0.374</i>	<i>0.630</i>			
# GS040-95-0300B0300-ACB-HS	95	38.00	3.000	38.800	3.000	9.50	19.00	6.50 / Set Screw	20	Acetal - Brass Insert / ISO 9 / Machined
		<i>1.496</i>	<i>0.118</i>	<i>1.528</i>	<i>0.118</i>	<i>0.374</i>	<i>0.748</i>			
GS040-95-0300B0400-ACB-HS	95	38.00	4.000	38.800	3.000	9.50	19.00	6.50 / Set Screw	20	Acetal - Brass Insert / ISO 9 / Machined
		<i>1.496</i>	<i>0.157</i>	<i>1.528</i>	<i>0.118</i>	<i>0.374</i>	<i>0.748</i>			

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Gears - Spur - Module 0.4

Part Number	Teeth (No.)	Pitch Circle Diameter (PD) mm	Bore (d) mm	Outside Diameter (OD) mm	Face Width (FW) mm	Overall Width (FW+HL) mm	Hub Diameter (D1) mm	Hub Proj / Locking Method (HL) mm	Pressure Angle Deg.	Material / Quality
# GS040-95-0300B0500-ACB-HS	95	38.00	5.000	38.800	3.000	9.50	19.00	6.50 / Set Screw	20	Acetal - Brass Insert / ISO 9 / Machined
		<i>1.496</i>	<i>0.197</i>	<i>1.528</i>	<i>0.118</i>	<i>0.374</i>	<i>0.748</i>			
# GS040-95-0300B0600-ACB-HS	95	38.00	6.000	38.800	3.000	9.50	19.00	6.50 / Set Screw	20	Acetal - Brass Insert / ISO 9 / Machined
		<i>1.496</i>	<i>0.236</i>	<i>1.528</i>	<i>0.118</i>	<i>0.374</i>	<i>0.748</i>			
# GS040-95-0500B0600-BR-HP	95	38.00	6.000	38.800	5.000	12.00	15.00	7.00 / No Set Screw	20	Brass / ISO 8 - (AGMA 9)
		<i>1.496</i>	<i>0.236</i>	<i>1.528</i>	<i>0.197</i>	<i>0.472</i>	<i>0.591</i>			
# GS040-95-0500B0600-416-HP	95	38.00	6.000	38.800	5.000	12.00	15.00	7.00 / No Set Screw	20	416 Stainless Steel / ISO 8 - (AGMA 9)
		<i>1.496</i>	<i>0.236</i>	<i>1.528</i>	<i>0.197</i>	<i>0.472</i>	<i>0.591</i>			
# GS040-95-0500B0600-C-HP	95	38.00	6.000	38.800	5.000	12.00	15.00	7.00 / No Set Screw	20	Carbon Steel / ISO 8 - (AGMA 9)
		<i>1.496</i>	<i>0.236</i>	<i>1.528</i>	<i>0.197</i>	<i>0.472</i>	<i>0.591</i>			
# GS040-95-0500B0600-AC-HP	95	38.00	6.000	38.800	5.000	12.00	15.00	7.00 / No Set Screw	20	Acetal - No Insert / ISO 8 (AGMA 9)
		<i>1.496</i>	<i>0.236</i>	<i>1.528</i>	<i>0.197</i>	<i>0.472</i>	<i>0.591</i>			
# GS040-96-0300B0300-ACB-HS	96	38.40	3.000	39.200	3.000	9.50	19.00	6.50 / Set Screw	20	Acetal - Brass Insert / ISO 9 / Machined
		<i>1.512</i>	<i>0.118</i>	<i>1.543</i>	<i>0.118</i>	<i>0.374</i>	<i>0.748</i>			

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Gears - Spur - Module 0.4

Part Number	Teeth (No.)	Pitch Circle Diameter (PD) mm	Bore (d) mm	Outside Diameter (OD) mm	Face Width (FW) mm	Overall Width (FW+HL) mm	Hub Diameter (D1) mm	Hub Proj / Locking Method (HL) mm	Pressure Angle Deg.	Material / Quality
# GS040-96-0300B0400-ACB-HS	96	38.40	4.000	39.200	3.000	9.50	19.00	6.50 / Set Screw	20	Acetal - Brass Insert / ISO 9 / Machined
		<i>1.512</i>	<i>0.157</i>	<i>1.543</i>	<i>0.118</i>	<i>0.374</i>	<i>0.748</i>			
# GS040-96-0300B0500-ACB-HS	96	38.40	5.000	39.200	3.000	9.50	19.00	6.50 / Set Screw	20	Acetal - Brass Insert / ISO 9 / Machined
		<i>1.512</i>	<i>0.197</i>	<i>1.543</i>	<i>0.118</i>	<i>0.374</i>	<i>0.748</i>			
# GS040-96-0500B0600-BR-HP	96	38.40	6.000	39.200	5.000	12.00	15.00	7.00 / No Set Screw	20	Brass / ISO 8 - (AGMA 9)
		<i>1.512</i>	<i>0.236</i>	<i>1.543</i>	<i>0.197</i>	<i>0.472</i>	<i>0.591</i>			
# GS040-96-0300B0600-ACB-HS	96	38.40	6.000	39.200	3.000	9.50	19.00	6.50 / Set Screw	20	Acetal - Brass Insert / ISO 9 / Machined
		<i>1.512</i>	<i>0.236</i>	<i>1.543</i>	<i>0.118</i>	<i>0.374</i>	<i>0.748</i>			
# GS040-96-0500B0600-416-HP	96	38.40	6.000	39.200	5.000	12.00	15.00	7.00 / No Set Screw	20	416 Stainless Steel / ISO 8 - (AGMA 9)
		<i>1.512</i>	<i>0.236</i>	<i>1.543</i>	<i>0.197</i>	<i>0.472</i>	<i>0.591</i>			
# GS040-96-0500B0600-AC-HP	96	38.40	6.000	39.200	5.000	12.00	15.00	7.00 / No Set Screw	20	Acetal - No Insert / ISO 8 (AGMA 9)
		<i>1.512</i>	<i>0.236</i>	<i>1.543</i>	<i>0.197</i>	<i>0.472</i>	<i>0.591</i>			
# GS040-96-0500B0600-C-HP	96	38.40	6.000	39.200	5.000	12.00	15.00	7.00 / No Set Screw	20	Carbon Steel / ISO 8 - (AGMA 9)
		<i>1.512</i>	<i>0.236</i>	<i>1.543</i>	<i>0.197</i>	<i>0.472</i>	<i>0.591</i>			

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Gears - Spur - Module 0.4

Part Number	Teeth (No.)	Pitch Circle Diameter (PD) mm	Bore (d) mm	Outside Diameter (OD) mm	Face Width (FW) mm	Overall Width (FW+HL) mm	Hub Diameter (D1) mm	Hub Proj / Locking Method (HL) mm	Pressure Angle Deg.	Material / Quality
# GS040-100-0300B0300-ACB-HS	100	40.00	3.000	40.800	3.000	9.50	19.00	6.50 / Set Screw	20	Acetal - Brass Insert / ISO 9 / Machined
		<i>1.575</i>	<i>0.118</i>	<i>1.606</i>	<i>0.118</i>	<i>0.374</i>	<i>0.748</i>			
GS040-100-0300B0400-ACB-HS	100	40.00	4.000	40.800	3.000	9.50	19.00	6.50 / Set Screw	20	Acetal - Brass Insert / ISO 9 / Machined
		<i>1.575</i>	<i>0.157</i>	<i>1.606</i>	<i>0.118</i>	<i>0.374</i>	<i>0.748</i>			
# GS040-100-0300B0500-ACB-HS	100	40.00	5.000	40.800	3.000	9.50	19.00	6.50 / Set Screw	20	Acetal - Brass Insert / ISO 9 / Machined
		<i>1.575</i>	<i>0.197</i>	<i>1.606</i>	<i>0.118</i>	<i>0.374</i>	<i>0.748</i>			
# GS040-100-0500B0600-AC-HP	100	40.00	6.000	40.800	5.000	12.00	15.00	7.00 / No Set Screw	20	Acetal - No Insert / ISO 8 (AGMA 9)
		<i>1.575</i>	<i>0.236</i>	<i>1.606</i>	<i>0.197</i>	<i>0.472</i>	<i>0.591</i>			
GS040-100-0300B0600-ACB-HS	100	40.00	6.000	40.800	3.000	9.50	19.00	6.50 / Set Screw	20	Acetal - Brass Insert / ISO 9 / Machined
		<i>1.575</i>	<i>0.236</i>	<i>1.606</i>	<i>0.118</i>	<i>0.374</i>	<i>0.748</i>			
# GS040-100-0500B0600-416-HP	100	40.00	6.000	40.800	5.000	12.00	15.00	7.00 / No Set Screw	20	416 Stainless Steel / ISO 8 - (AGMA 9)
		<i>1.575</i>	<i>0.236</i>	<i>1.606</i>	<i>0.197</i>	<i>0.472</i>	<i>0.591</i>			
# GS040-100-0500B0600-BR-HP	100	40.00	6.000	40.800	5.000	12.00	15.00	7.00 / No Set Screw	20	Brass / ISO 8 - (AGMA 9)
		<i>1.575</i>	<i>0.236</i>	<i>1.606</i>	<i>0.197</i>	<i>0.472</i>	<i>0.591</i>			

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Gears - Spur - Module 0.4

Part Number	Teeth (No.)	Pitch Circle Diameter (PD) mm	Bore (d) mm	Outside Diameter (OD) mm	Face Width (FW) mm	Overall Width (FW+HL) mm	Hub Diameter (D1) mm	Hub Proj / Locking Method (HL) mm	Pressure Angle Deg.	Material / Quality
# GS040-100-0500B0600-C-HP	100	40.00	6.000	40.800	5.000	12.00	15.00	7.00 / No Set Screw	20	Carbon Steel / ISO 8 - (AGMA 9)
		<i>1.575</i>	<i>0.236</i>	<i>1.606</i>	<i>0.197</i>	<i>0.472</i>	<i>0.591</i>			
# GS040-108-0300B0300-ACB-HS	108	43.20	3.000	44.000	3.000	9.50	19.00	6.50 / Set Screw	20	Acetal - Brass Insert / ISO 9 / Machined
		<i>1.701</i>	<i>0.118</i>	<i>1.732</i>	<i>0.118</i>	<i>0.374</i>	<i>0.748</i>			
# GS040-108-0300B0400-ACB-HS	108	43.20	4.000	44.000	3.000	9.50	19.00	6.50 / Set Screw	20	Acetal - Brass Insert / ISO 9 / Machined
		<i>1.701</i>	<i>0.157</i>	<i>1.732</i>	<i>0.118</i>	<i>0.374</i>	<i>0.748</i>			
# GS040-108-0300B0500-ACB-HS	108	43.20	5.000	44.000	3.000	9.50	19.00	6.50 / Set Screw	20	Acetal - Brass Insert / ISO 9 / Machined
		<i>1.701</i>	<i>0.197</i>	<i>1.732</i>	<i>0.118</i>	<i>0.374</i>	<i>0.748</i>			
# GS040-108-0500B0600-416-HP	108	43.20	6.000	44.000	5.000	12.00	15.00	7.00 / No Set Screw	20	416 Stainless Steel / ISO 8 - (AGMA 9)
		<i>1.701</i>	<i>0.236</i>	<i>1.732</i>	<i>0.197</i>	<i>0.472</i>	<i>0.591</i>			
# GS040-108-0500B0600-BR-HP	108	43.20	6.000	44.000	5.000	12.00	15.00	7.00 / No Set Screw	20	Brass / ISO 8 - (AGMA 9)
		<i>1.701</i>	<i>0.236</i>	<i>1.732</i>	<i>0.197</i>	<i>0.472</i>	<i>0.591</i>			
# GS040-108-0500B0600-C-HP	108	43.20	6.000	44.000	5.000	12.00	15.00	7.00 / No Set Screw	20	Carbon Steel / ISO 8 - (AGMA 9)
		<i>1.701</i>	<i>0.236</i>	<i>1.732</i>	<i>0.197</i>	<i>0.472</i>	<i>0.591</i>			

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Gears - Spur - Module 0.4

Part Number	Teeth (No.)	Pitch Circle Diameter (PD) mm	Bore (d) mm	Outside Diameter (OD) mm	Face Width (FW) mm	Overall Width (FW+HL) mm	Hub Diameter (D1) mm	Hub Proj / Locking Method (HL) mm	Pressure Angle Deg.	Material / Quality
GS040-108-0500B0600-AC-HP	108	43.20	6.000	44.000	5.000	12.00	15.00	7.00 / No Set Screw	20	Acetal - No Insert / ISO 8 (AGMA 9)
		<i>1.701</i>	<i>0.236</i>	<i>1.732</i>	<i>0.197</i>	<i>0.472</i>	<i>0.591</i>			
# GS040-108-0300B0600-ACB-HS	108	43.20	6.000	44.000	3.000	9.50	19.00	6.50 / Set Screw	20	Acetal - Brass Insert / ISO 9 / Machined
		<i>1.701</i>	<i>0.236</i>	<i>1.732</i>	<i>0.118</i>	<i>0.374</i>	<i>0.748</i>			
# GS040-110-0300B0300-ACB-HS	110	44.00	3.000	44.800	3.000	9.50	19.00	6.50 / Set Screw	20	Acetal - Brass Insert / ISO 9 / Machined
		<i>1.732</i>	<i>0.118</i>	<i>1.764</i>	<i>0.118</i>	<i>0.374</i>	<i>0.748</i>			
# GS040-110-0300B0400-ACB-HS	110	44.00	4.000	44.800	3.000	9.50	19.00	6.50 / Set Screw	20	Acetal - Brass Insert / ISO 9 / Machined
		<i>1.732</i>	<i>0.157</i>	<i>1.764</i>	<i>0.118</i>	<i>0.374</i>	<i>0.748</i>			
# GS040-110-0300B0500-ACB-HS	110	44.00	5.000	44.800	3.000	9.50	19.00	6.50 / Set Screw	20	Acetal - Brass Insert / ISO 9 / Machined
		<i>1.732</i>	<i>0.197</i>	<i>1.764</i>	<i>0.118</i>	<i>0.374</i>	<i>0.748</i>			
# GS040-110-0300B0600-ACB-HS	110	44.00	6.000	44.800	3.000	9.50	19.00	6.50 / Set Screw	20	Acetal - Brass Insert / ISO 9 / Machined
		<i>1.732</i>	<i>0.236</i>	<i>1.764</i>	<i>0.118</i>	<i>0.374</i>	<i>0.748</i>			
# GS040-112-0300B0300-ACB-HS	112	44.80	3.000	45.600	3.000	9.50	19.00	6.50 / Set Screw	20	Acetal - Brass Insert / ISO 9 / Machined
		<i>1.764</i>	<i>0.118</i>	<i>1.795</i>	<i>0.118</i>	<i>0.374</i>	<i>0.748</i>			

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Gears - Spur - Module 0.4

Part Number	Teeth (No.)	Pitch Circle Diameter (PD) mm	Bore (d) mm	Outside Diameter (OD) mm	Face Width (FW) mm	Overall Width (FW+HL) mm	Hub Diameter (D1) mm	Hub Proj / Locking Method (HL) mm	Pressure Angle Deg.	Material / Quality
# GS040-112-0300B0400-ACB-HS	112	44.80	4.000	45.600	3.000	9.50	19.00	6.50 / Set Screw	20	Acetal - Brass Insert / ISO 9 / Machined
		<i>1.764</i>	<i>0.157</i>	<i>1.795</i>	<i>0.118</i>	<i>0.374</i>	<i>0.748</i>			
# GS040-112-0300B0500-ACB-HS	112	44.80	5.000	45.600	3.000	9.50	19.00	6.50 / Set Screw	20	Acetal - Brass Insert / ISO 9 / Machined
		<i>1.764</i>	<i>0.197</i>	<i>1.795</i>	<i>0.118</i>	<i>0.374</i>	<i>0.748</i>			
GS040-112-0300B0600-ACB-HS	112	44.80	6.000	45.600	3.000	9.50	19.00	6.50 / Set Screw	20	Acetal - Brass Insert / ISO 9 / Machined
		<i>1.764</i>	<i>0.236</i>	<i>1.795</i>	<i>0.118</i>	<i>0.374</i>	<i>0.748</i>			
# GS040-120-0300B0300-ACB-HS	120	48.00	3.000	48.800	3.000	9.50	19.00	6.50 / Set Screw	20	Acetal - Brass Insert / ISO 9 / Machined
		<i>1.890</i>	<i>0.118</i>	<i>1.921</i>	<i>0.118</i>	<i>0.374</i>	<i>0.748</i>			
# GS040-120-0300B0400-ACB-HS	120	48.00	4.000	48.800	3.000	9.50	19.00	6.50 / Set Screw	20	Acetal - Brass Insert / ISO 9 / Machined
		<i>1.890</i>	<i>0.157</i>	<i>1.921</i>	<i>0.118</i>	<i>0.374</i>	<i>0.748</i>			
GS040-120-0300B0500-ACB-HS	120	48.00	5.000	48.800	3.000	9.50	19.00	6.50 / Set Screw	20	Acetal - Brass Insert / ISO 9 / Machined
		<i>1.890</i>	<i>0.197</i>	<i>1.921</i>	<i>0.118</i>	<i>0.374</i>	<i>0.748</i>			
# GS040-120-0500B0600-C-HP	120	48.00	6.000	48.800	5.000	12.00	15.00	7.00 / No Set Screw	20	Carbon Steel / ISO 8 - (AGMA 9)
		<i>1.890</i>	<i>0.236</i>	<i>1.921</i>	<i>0.197</i>	<i>0.472</i>	<i>0.591</i>			

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Gears - Spur - Module 0.4

Part Number	Teeth (No.)	Pitch Circle Diameter (PD) mm	Bore (d) mm	Outside Diameter (OD) mm	Face Width (FW) mm	Overall Width (FW+HL) mm	Hub Diameter (D1) mm	Hub Proj / Locking Method (HL) mm	Pressure Angle Deg.	Material / Quality
# GS040-120-0500B0600-BR-HP	120	48.00 <i>1.890</i>	6.000 <i>0.236</i>	48.800 <i>1.921</i>	5.000 <i>0.197</i>	12.00 <i>0.472</i>	15.00 <i>0.591</i>	7.00 / No Set Screw	20	Brass / ISO 8 - (AGMA 9)
# GS040-120-0500B0600-AC-HP	120	48.00 <i>1.890</i>	6.000 <i>0.236</i>	48.800 <i>1.921</i>	5.000 <i>0.197</i>	12.00 <i>0.472</i>	15.00 <i>0.591</i>	7.00 / No Set Screw	20	Acetal - No Insert / ISO 8 (AGMA 9)
# GS040-120-0500B0600-416-HP	120	48.00 <i>1.890</i>	6.000 <i>0.236</i>	48.800 <i>1.921</i>	5.000 <i>0.197</i>	12.00 <i>0.472</i>	15.00 <i>0.591</i>	7.00 / No Set Screw	20	416 Stainless Steel / ISO 8 - (AGMA 9)
# GS040-120-0300B0600-ACB-HS	120	48.00 <i>1.890</i>	6.000 <i>0.236</i>	48.800 <i>1.921</i>	3.000 <i>0.118</i>	9.50 <i>0.374</i>	19.00 <i>0.748</i>	6.50 / Set Screw	20	Acetal - Brass Insert / ISO 9 / Machined
GS040-127-0300B0300-ACB-HS	127	50.80 <i>2.000</i>	3.000 <i>0.118</i>	51.600 <i>2.031</i>	3.000 <i>0.118</i>	9.50 <i>0.374</i>	19.00 <i>0.748</i>	6.50 / Set Screw	20	Acetal - Brass Insert / ISO 9 / Machined
# GS040-127-0300B0400-ACB-HS	127	50.80 <i>2.000</i>	4.000 <i>0.157</i>	51.600 <i>2.031</i>	3.000 <i>0.118</i>	9.50 <i>0.374</i>	19.00 <i>0.748</i>	6.50 / Set Screw	20	Acetal - Brass Insert / ISO 9 / Machined
# GS040-127-0300B0500-ACB-HS	127	50.80 <i>2.000</i>	5.000 <i>0.197</i>	51.600 <i>2.031</i>	3.000 <i>0.118</i>	9.50 <i>0.374</i>	19.00 <i>0.748</i>	6.50 / Set Screw	20	Acetal - Brass Insert / ISO 9 / Machined

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Gears - Spur - Module 0.4

Part Number	Teeth (No.)	Pitch Circle Diameter (PD) mm	Bore (d) mm	Outside Diameter (OD) mm	Face Width (FW) mm	Overall Width (FW+HL) mm	Hub Diameter (D1) mm	Hub Proj / Locking Method (HL) mm	Pressure Angle Deg.	Material / Quality
# GS040-127-0300B0600-ACB-HS	127	50.80	6.000	51.600	3.000	9.50	19.00	6.50 / Set Screw	20	Acetal - Brass Insert / ISO 9 / Machined
		<i>2.000</i>	<i>0.236</i>	<i>2.031</i>	<i>0.118</i>	<i>0.374</i>	<i>0.748</i>			
# GS040-128-0300B0300-ACB-HS	128	51.20	3.000	52.000	3.000	9.50	19.00	6.50 / Set Screw	20	Acetal - Brass Insert / ISO 9 / Machined
		<i>2.016</i>	<i>0.118</i>	<i>2.047</i>	<i>0.118</i>	<i>0.374</i>	<i>0.748</i>			
# GS040-128-0300B0400-ACB-HS	128	51.20	4.000	52.000	3.000	9.50	19.00	6.50 / Set Screw	20	Acetal - Brass Insert / ISO 9 / Machined
		<i>2.016</i>	<i>0.157</i>	<i>2.047</i>	<i>0.118</i>	<i>0.374</i>	<i>0.748</i>			
# GS040-128-0300B0500-ACB-HS	128	51.20	5.000	52.000	3.000	9.50	19.00	6.50 / Set Screw	20	Acetal - Brass Insert / ISO 9 / Machined
		<i>2.016</i>	<i>0.197</i>	<i>2.047</i>	<i>0.118</i>	<i>0.374</i>	<i>0.748</i>			
# GS040-128-0300B0600-ACB-HS	128	51.20	6.000	52.000	3.000	9.50	19.00	6.50 / Set Screw	20	Acetal - Brass Insert / ISO 9 / Machined
		<i>2.016</i>	<i>0.236</i>	<i>2.047</i>	<i>0.118</i>	<i>0.374</i>	<i>0.748</i>			
# GS040-130-0300B0300-ACB-HS	130	52.00	3.000	52.800	3.000	9.50	19.00	6.50 / Set Screw	20	Acetal - Brass Insert / ISO 9 / Machined
		<i>2.047</i>	<i>0.118</i>	<i>2.079</i>	<i>0.118</i>	<i>0.374</i>	<i>0.748</i>			
# GS040-130-0300B0400-ACB-HS	130	52.00	4.000	52.800	3.000	9.50	19.00	6.50 / Set Screw	20	Acetal - Brass Insert / ISO 9 / Machined
		<i>2.047</i>	<i>0.157</i>	<i>2.079</i>	<i>0.118</i>	<i>0.374</i>	<i>0.748</i>			

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Gears - Spur - Module 0.4

Part Number	Teeth (No.)	Pitch Circle Diameter (PD) mm	Bore (d) mm	Outside Diameter (OD) mm	Face Width (FW) mm	Overall Width (FW+HL) mm	Hub Diameter (D1) mm	Hub Proj / Locking Method (HL) mm	Pressure Angle Deg.	Material / Quality
# GS040-130-0300B0500-ACB-HS	130	52.00	5.000	52.800	3.000	9.50	19.00	6.50 / Set Screw	20	Acetal - Brass Insert / ISO 9 / Machined
		<i>2.047</i>	<i>0.197</i>	<i>2.079</i>	<i>0.118</i>	<i>0.374</i>	<i>0.748</i>			
# GS040-130-0300B0600-ACB-HS	130	52.00	6.000	52.800	3.000	9.50	19.00	6.50 / Set Screw	20	Acetal - Brass Insert / ISO 9 / Machined
		<i>2.047</i>	<i>0.236</i>	<i>2.079</i>	<i>0.118</i>	<i>0.374</i>	<i>0.748</i>			
# GS040-144-0300B0300-ACB-HS	144	57.60	3.000	58.400	3.000	9.50	19.00	6.50 / Set Screw	20	Acetal - Brass Insert / ISO 9 / Machined
		<i>2.268</i>	<i>0.118</i>	<i>2.299</i>	<i>0.118</i>	<i>0.374</i>	<i>0.748</i>			
# GS040-144-0300B0400-ACB-HS	144	57.60	4.000	58.400	3.000	9.50	19.00	6.50 / Set Screw	20	Acetal - Brass Insert / ISO 9 / Machined
		<i>2.268</i>	<i>0.157</i>	<i>2.299</i>	<i>0.118</i>	<i>0.374</i>	<i>0.748</i>			
# GS040-144-0300B0500-ACB-HS	144	57.60	5.000	58.400	3.000	9.50	19.00	6.50 / Set Screw	20	Acetal - Brass Insert / ISO 9 / Machined
		<i>2.268</i>	<i>0.197</i>	<i>2.299</i>	<i>0.118</i>	<i>0.374</i>	<i>0.748</i>			
# GS040-144-0300B0600-ACB-HS	144	57.60	6.000	58.400	3.000	9.50	19.00	6.50 / Set Screw	20	Acetal - Brass Insert / ISO 9 / Machined
		<i>2.268</i>	<i>0.236</i>	<i>2.299</i>	<i>0.118</i>	<i>0.374</i>	<i>0.748</i>			
# GS040-152-0300B0300-ACB-HS	152	60.80	3.000	61.600	3.000	9.50	19.00	6.50 / Set Screw	20	Acetal - Brass Insert / ISO 9 / Machined
		<i>2.394</i>	<i>0.118</i>	<i>2.425</i>	<i>0.118</i>	<i>0.374</i>	<i>0.748</i>			

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Gears - Spur - Module 0.4

Part Number	Teeth (No.)	Pitch Circle Diameter (PD) mm	Bore (d) mm	Outside Diameter (OD) mm	Face Width (FW) mm	Overall Width (FW+HL) mm	Hub Diameter (D1) mm	Hub Proj / Locking Method (HL) mm	Pressure Angle Deg.	Material / Quality
# GS040-152-0300B0400-ACB-HS	152	60.80	4.000	61.600	3.000	9.50	19.00	6.50 / Set Screw	20	Acetal - Brass Insert / ISO 9 / Machined
		<i>2.394</i>	<i>0.157</i>	<i>2.425</i>	<i>0.118</i>	<i>0.374</i>	<i>0.748</i>			
# GS040-152-0300B0500-ACB-HS	152	60.80	5.000	61.600	3.000	9.50	19.00	6.50 / Set Screw	20	Acetal - Brass Insert / ISO 9 / Machined
		<i>2.394</i>	<i>0.197</i>	<i>2.425</i>	<i>0.118</i>	<i>0.374</i>	<i>0.748</i>			
# GS040-152-0300B0600-ACB-HS	152	60.80	6.000	61.600	3.000	9.50	19.00	6.50 / Set Screw	20	Acetal - Brass Insert / ISO 9 / Machined
		<i>2.394</i>	<i>0.236</i>	<i>2.425</i>	<i>0.118</i>	<i>0.374</i>	<i>0.748</i>			
# GS040-160-0300B0300-ACB-HS	160	64.00	3.000	64.800	3.000	9.50	19.00	6.50 / Set Screw	20	Acetal - Brass Insert / ISO 9 / Machined
		<i>2.520</i>	<i>0.118</i>	<i>2.551</i>	<i>0.118</i>	<i>0.374</i>	<i>0.748</i>			
# GS040-160-0300B0400-ACB-HS	160	64.00	4.000	64.800	3.000	9.50	19.00	6.50 / Set Screw	20	Acetal - Brass Insert / ISO 9 / Machined
		<i>2.520</i>	<i>0.157</i>	<i>2.551</i>	<i>0.118</i>	<i>0.374</i>	<i>0.748</i>			
# GS040-160-0300B0600-ACB-HS	160	64.00	6.000	64.800	3.000	9.50	19.00	6.50 / Set Screw	20	Acetal - Brass Insert / ISO 9 / Machined
		<i>2.520</i>	<i>0.236</i>	<i>2.551</i>	<i>0.118</i>	<i>0.374</i>	<i>0.748</i>			
# GS040-168-0300B0300-ACB-HS	168	67.20	3.000	68.000	3.000	9.50	19.00	6.50 / Set Screw	20	Acetal - Brass Insert / ISO 9 / Machined
		<i>2.646</i>	<i>0.118</i>	<i>2.677</i>	<i>0.118</i>	<i>0.374</i>	<i>0.748</i>			

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Gears - Spur - Module 0.4

Part Number	Teeth (No.)	Pitch Circle Diameter (PD) mm	Bore (d) mm	Outside Diameter (OD) mm	Face Width (FW) mm	Overall Width (FW+HL) mm	Hub Diameter (D1) mm	Hub Proj / Locking Method (HL) mm	Pressure Angle Deg.	Material / Quality
# GS040-168-0300B0400-ACB-HS	168	67.20	4.000	68.000	3.000	9.50	19.00	6.50 / Set Screw	20	Acetal - Brass Insert / ISO 9 / Machined
		<i>2.646</i>	<i>0.157</i>	<i>2.677</i>	<i>0.118</i>	<i>0.374</i>	<i>0.748</i>			
# GS040-168-0300B0500-ACB-HS	168	67.20	5.000	68.000	3.000	9.50	19.00	6.50 / Set Screw	20	Acetal - Brass Insert / ISO 9 / Machined
		<i>2.646</i>	<i>0.197</i>	<i>2.677</i>	<i>0.118</i>	<i>0.374</i>	<i>0.748</i>			
GS040-168-0300B0600-ACB-HS	168	67.20	6.000	68.000	3.000	9.50	19.00	6.50 / Set Screw	20	Acetal - Brass Insert / ISO 9 / Machined
		<i>2.646</i>	<i>0.236</i>	<i>2.677</i>	<i>0.118</i>	<i>0.374</i>	<i>0.748</i>			

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.



DISTRIBUTED BY

Ask us to put your name and address here

<http://www.minibearings.com.au/product>

Ph +61 7 3245 7977

Fax +61 7 3245 1017

Catalogue requests to catalogues@minibearings.com.au
