




# MBA

## Gears - Spur - Module 0.75

Examples shown for basic dimensions. Individual gears may vary in characteristics.



PCD = No. of Teeth x 0.750mm. 20 Degree Pressure Angle. Brass.

Metallic.

Fairloc Hub Type require controlled shaft tolerances between 0.0025 and 0.0203 mm Clearance.

### Gears - Spur - Module 0.75

Part Number	Teeth (No.)	Pitch Circle Diameter (PD) mm	Bore (d) mm	Outside Diameter (OD) mm	Face Width (FW) mm	Overall Width (FW+HL) mm	Hub Diameter (D1) mm	Hub Proj / Locking Method (HL) mm	Pressure Angle Deg.	Material / Quality
# GS075-15-0800B0500-BR-HS	15	11.25	5.000	12.750	8.000	20.00	12.75	12.00 / Hub Same OD as Gear / Set Screw	20	Brass / Commercial
		<i>0.443</i>	<i>0.197</i>	<i>0.502</i>	<i>0.315</i>	<i>0.787</i>	<i>0.502</i>			
GS075-16-0300B0500-BR-HS	16	12.00	5.000	13.500	3.000	10.00	10.00	7.00 / Set Screw	20	Brass / ISO 8 - ( AGMA 9 )
		<i>0.472</i>	<i>0.197</i>	<i>0.531</i>	<i>0.118</i>	<i>0.394</i>	<i>0.394</i>			
# GS075-18-0300B0500-BR-HS	18	13.50	5.000	15.000	3.000	10.00	11.00	7.00 / Set Screw	20	Brass / ISO 8 - ( AGMA 9 )
		<i>0.531</i>	<i>0.197</i>	<i>0.591</i>	<i>0.118</i>	<i>0.394</i>	<i>0.433</i>			

# Indicates item not stocked at time of printing - Please enquire for lead time  
 E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd  
 MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Gears - Spur - Module 0.75

Part Number	Teeth (No.)	Pitch Circle Diameter (PD) mm	Bore (d) mm	Outside Diameter (OD) mm	Face Width (FW) mm	Overall Width (FW+HL) mm	Hub Diameter (D1) mm	Hub Proj / Locking Method (HL) mm	Pressure Angle Deg.	Material / Quality
# GS075-20-0300B0600-BR-HS	20	15.00 <i>0.591</i>	6.000 <i>0.236</i>	16.500 <i>0.650</i>	3.000 <i>0.118</i>	10.00 <i>0.394</i>	12.00 <i>0.472</i>	7.00 / Set Screw	20	Brass / ISO 8 - (AGMA 9)
# GS075-24-0300B0600-BR-HS	24	18.00 <i>0.709</i>	6.000 <i>0.236</i>	19.500 <i>0.768</i>	3.000 <i>0.118</i>	10.00 <i>0.394</i>	14.00 <i>0.551</i>	7.00 / Set Screw	20	Brass / ISO 8 - (AGMA 9)
# GS075-25-0300B0600-BR-HS	25	18.75 <i>0.738</i>	6.000 <i>0.236</i>	20.250 <i>0.797</i>	3.000 <i>0.118</i>	10.00 <i>0.394</i>	14.00 <i>0.551</i>	7.00 / Set Screw	20	Brass / ISO 8 - (AGMA 9)
# GS075-26-0300B0600-BR-HS	26	19.50 <i>0.768</i>	6.000 <i>0.236</i>	21.000 <i>0.827</i>	3.000 <i>0.118</i>	10.00 <i>0.394</i>	14.00 <i>0.551</i>	7.00 / Set Screw	20	Brass / ISO 8 - (AGMA 9)
# GS075-28-0300B0600-BR-HS	28	21.00 <i>0.827</i>	6.000 <i>0.236</i>	22.500 <i>0.886</i>	3.000 <i>0.118</i>	10.00 <i>0.394</i>	15.00 <i>0.591</i>	7.00 / Set Screw	20	Brass / ISO 8 - (AGMA 9)
# GS075-30-0300B0600-BR-HS	30	22.50 <i>0.886</i>	6.000 <i>0.236</i>	24.000 <i>0.945</i>	3.000 <i>0.118</i>	10.00 <i>0.394</i>	15.00 <i>0.591</i>	7.00 / Set Screw	20	Brass / ISO 8 - (AGMA 9)
# GS075-32-0300B0600-BR-HS	32	24.00 <i>0.945</i>	6.000 <i>0.236</i>	25.500 <i>1.004</i>	3.000 <i>0.118</i>	10.00 <i>0.394</i>	18.00 <i>0.709</i>	7.00 / Set Screw	20	Brass / ISO 8 - (AGMA 9)
# GS075-35-0300B0600-BR-HS	35	26.25 <i>1.033</i>	6.000 <i>0.236</i>	27.750 <i>1.093</i>	3.000 <i>0.118</i>	10.00 <i>0.394</i>	18.00 <i>0.709</i>	7.00 / Set Screw	20	Brass / ISO 8 - (AGMA 9)

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Gears - Spur - Module 0.75

Part Number	Teeth (No.)	Pitch Circle Diameter (PD) mm	Bore (d) mm	Outside Diameter (OD) mm	Face Width (FW) mm	Overall Width (FW+HL) mm	Hub Diameter (D1) mm	Hub Proj / Locking Method (HL) mm	Pressure Angle Deg.	Material / Quality
# GS075-36-0300B0600-BR-HS	36	27.00 <i>1.063</i>	6.000 <i>0.236</i>	28.500 <i>1.122</i>	3.000 <i>0.118</i>	10.00 <i>0.394</i>	20.00 <i>0.787</i>	7.00 / Set Screw	20	Brass / ISO 8 - (AGMA 9)
# GS075-40-0300B0600-BR-HS	40	30.00 <i>1.181</i>	6.000 <i>0.236</i>	31.500 <i>1.240</i>	3.000 <i>0.118</i>	10.00 <i>0.394</i>	20.00 <i>0.787</i>	7.00 / Set Screw	20	Brass / ISO 8 - (AGMA 9)
# GS075-42-0300B0600-BR-HS	42	31.50 <i>1.240</i>	6.000 <i>0.236</i>	33.000 <i>1.299</i>	3.000 <i>0.118</i>	10.00 <i>0.394</i>	20.00 <i>0.787</i>	7.00 / Set Screw	20	Brass / ISO 8 - (AGMA 9)
# GS075-45-0300B0600-BR-HS	45	33.75 <i>1.329</i>	6.000 <i>0.236</i>	35.250 <i>1.388</i>	3.000 <i>0.118</i>	10.00 <i>0.394</i>	20.00 <i>0.787</i>	7.00 / Set Screw	20	Brass / ISO 8 - (AGMA 9)
# GS075-48-0300B0600-BR-HS	48	36.00 <i>1.417</i>	6.000 <i>0.236</i>	37.500 <i>1.476</i>	3.000 <i>0.118</i>	10.00 <i>0.394</i>	20.00 <i>0.787</i>	7.00 / Set Screw	20	Brass / ISO 8 - (AGMA 9)
# GS075-50-0300B0600-BR-HS	50	37.50 <i>1.476</i>	6.000 <i>0.236</i>	39.000 <i>1.535</i>	3.000 <i>0.118</i>	10.00 <i>0.394</i>	20.00 <i>0.787</i>	7.00 / Set Screw	20	Brass / ISO 8 - (AGMA 9)
# GS075-50-0300B1500-BR-N	50	37.50 <i>1.476</i>	15.000 <i>0.591</i>	39.000 <i>1.535</i>	3.000 <i>0.118</i>	3.00 <i>0.118</i>	Hubless	0.00 / None	20	Brass / ISO 8 - (AGMA 9)
# GS075-55-0300B0600-BR-HS	55	41.25 <i>1.624</i>	6.000 <i>0.236</i>	42.750 <i>1.683</i>	3.000 <i>0.118</i>	10.00 <i>0.394</i>	20.00 <i>0.787</i>	7.00 / Set Screw	20	Brass / ISO 8 - (AGMA 9)

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Gears - Spur - Module 0.75

Part Number	Teeth (No.)	Pitch Circle Diameter (PD) mm	Bore (d) mm	Outside Diameter (OD) mm	Face Width (FW) mm	Overall Width (FW+HL) mm	Hub Diameter (D1) mm	Hub Proj / Locking Method (HL) mm	Pressure Angle Deg.	Material / Quality
# GS075-55-0300B1500-BR-N	55	41.25 <i>1.624</i>	15.000 <i>0.591</i>	42.750 <i>1.683</i>	3.000 <i>0.118</i>	3.00 <i>0.118</i>	Hubless	0.00 / None	20	Brass / ISO 8 - (AGMA 9)
# GS075-56-0300B0600-BR-HS	56	42.00 <i>1.654</i>	6.000 <i>0.236</i>	43.500 <i>1.713</i>	3.000 <i>0.118</i>	10.00 <i>0.394</i>	20.00 <i>0.787</i>	7.00 / Set Screw	20	Brass / ISO 8 - (AGMA 9)
# GS075-56-0300B1500-BR-N	56	42.00 <i>1.654</i>	15.000 <i>0.591</i>	43.500 <i>1.713</i>	3.000 <i>0.118</i>	3.00 <i>0.118</i>	Hubless	0.00 / None	20	Brass / ISO 8 - (AGMA 9)
# GS075-58-0300B0600-BR-HS	58	43.50 <i>1.713</i>	6.000 <i>0.236</i>	45.000 <i>1.772</i>	3.000 <i>0.118</i>	10.00 <i>0.394</i>	20.00 <i>0.787</i>	7.00 / Set Screw	20	Brass / ISO 8 - (AGMA 9)
# GS075-58-0300B1500-BR-N	58	43.50 <i>1.713</i>	15.000 <i>0.591</i>	45.000 <i>1.772</i>	3.000 <i>0.118</i>	3.00 <i>0.118</i>	Hubless	0.00 / None	20	Brass / ISO 8 - (AGMA 9)
# GS075-60-0300B0600-BR-HS	60	45.00 <i>1.772</i>	6.000 <i>0.236</i>	46.500 <i>1.831</i>	3.000 <i>0.118</i>	10.00 <i>0.394</i>	20.00 <i>0.787</i>	7.00 / Set Screw	20	Brass / ISO 8 - (AGMA 9)
GS075-60-0300B1500-BR-N	60	45.00 <i>1.772</i>	15.000 <i>0.591</i>	46.500 <i>1.831</i>	3.000 <i>0.118</i>	3.00 <i>0.118</i>	Hubless	0.00 / None	20	Brass / ISO 8 - (AGMA 9)
# GS075-62-0300B0600-BR-HS	62	46.50 <i>1.831</i>	6.000 <i>0.236</i>	48.000 <i>1.890</i>	3.000 <i>0.118</i>	10.00 <i>0.394</i>	20.00 <i>0.787</i>	7.00 / Set Screw	20	Brass / ISO 8 - (AGMA 9)

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Gears - Spur - Module 0.75

Part Number	Teeth (No.)	Pitch Circle Diameter (PD) mm	Bore (d) mm	Outside Diameter (OD) mm	Face Width (FW) mm	Overall Width (FW+HL) mm	Hub Diameter (D1) mm	Hub Proj / Locking Method (HL) mm	Pressure Angle Deg.	Material / Quality
# GS075-62-0300B1500-BR-N	62	46.50 <i>1.831</i>	15.000 <i>0.591</i>	48.000 <i>1.890</i>	3.000 <i>0.118</i>	3.00 <i>0.118</i>	Hubless	0.00 / None	20	Brass / ISO 8 - (AGMA 9)
# GS075-64-0300B0600-BR-HS	64	48.00 <i>1.890</i>	6.000 <i>0.236</i>	49.500 <i>1.949</i>	3.000 <i>0.118</i>	10.00 <i>0.394</i>	20.00 <i>0.787</i>	7.00 / Set Screw	20	Brass / ISO 8 - (AGMA 9)
# GS075-64-0300B1500-BR-N	64	48.00 <i>1.890</i>	15.000 <i>0.591</i>	49.500 <i>1.949</i>	3.000 <i>0.118</i>	3.00 <i>0.118</i>	Hubless	0.00 / None	20	Brass / ISO 8 - (AGMA 9)
# GS075-65-0300B0600-BR-HS	65	48.75 <i>1.919</i>	6.000 <i>0.236</i>	50.250 <i>1.978</i>	3.000 <i>0.118</i>	10.00 <i>0.394</i>	20.00 <i>0.787</i>	7.00 / Set Screw	20	Brass / ISO 8 - (AGMA 9)
# GS075-65-0300B1500-BR-N	65	48.75 <i>1.919</i>	15.000 <i>0.591</i>	50.250 <i>1.978</i>	3.000 <i>0.118</i>	3.00 <i>0.118</i>	Hubless	0.00 / None	20	Brass / ISO 8 - (AGMA 9)
# GS075-66-0300B0600-BR-HS	66	49.50 <i>1.949</i>	6.000 <i>0.236</i>	51.000 <i>2.008</i>	3.000 <i>0.118</i>	10.00 <i>0.394</i>	20.00 <i>0.787</i>	7.00 / Set Screw	20	Brass / ISO 8 - (AGMA 9)
# GS075-66-0300B1500-BR-N	66	49.50 <i>1.949</i>	15.000 <i>0.591</i>	51.000 <i>2.008</i>	3.000 <i>0.118</i>	3.00 <i>0.118</i>	Hubless	0.00 / None	20	Brass / ISO 8 - (AGMA 9)
# GS075-68-0300B0600-BR-HS	68	51.00 <i>2.008</i>	6.000 <i>0.236</i>	52.500 <i>2.067</i>	3.000 <i>0.118</i>	10.00 <i>0.394</i>	20.00 <i>0.787</i>	7.00 / Set Screw	20	Brass / ISO 8 - (AGMA 9)

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Gears - Spur - Module 0.75

Part Number	Teeth (No.)	Pitch Circle Diameter (PD) mm	Bore (d) mm	Outside Diameter (OD) mm	Face Width (FW) mm	Overall Width (FW+HL) mm	Hub Diameter (D1) mm	Hub Proj / Locking Method (HL) mm	Pressure Angle Deg.	Material / Quality
# GS075-68-0300B1500-BR-N	68	51.00 <i>2.008</i>	15.000 <i>0.591</i>	52.500 <i>2.067</i>	3.000 <i>0.118</i>	3.00 <i>0.118</i>	Hubless	0.00 / None	20	Brass / ISO 8 - (AGMA 9)
# GS075-70-0300B0600-BR-HS	70	52.50 <i>2.067</i>	6.000 <i>0.236</i>	54.000 <i>2.126</i>	3.000 <i>0.118</i>	10.00 <i>0.394</i>	20.00 <i>0.787</i>	7.00 / Set Screw	20	Brass / ISO 8 - (AGMA 9)
# GS075-70-0300B1500-BR-N	70	52.50 <i>2.067</i>	15.000 <i>0.591</i>	54.000 <i>2.126</i>	3.000 <i>0.118</i>	3.00 <i>0.118</i>	Hubless	0.00 / None	20	Brass / ISO 8 - (AGMA 9)
# GS075-72-0300B0600-BR-HS	72	54.00 <i>2.126</i>	6.000 <i>0.236</i>	55.500 <i>2.185</i>	3.000 <i>0.118</i>	10.00 <i>0.394</i>	20.00 <i>0.787</i>	7.00 / Set Screw	20	Brass / ISO 8 - (AGMA 9)
# GS075-72-0300B1500-BR-N	72	54.00 <i>2.126</i>	15.000 <i>0.591</i>	55.500 <i>2.185</i>	3.000 <i>0.118</i>	3.00 <i>0.118</i>	Hubless	0.00 / None	20	Brass / ISO 8 - (AGMA 9)
# GS075-75-0300B0600-BR-HS	75	56.25 <i>2.215</i>	6.000 <i>0.236</i>	57.750 <i>2.274</i>	3.000 <i>0.118</i>	10.00 <i>0.394</i>	20.00 <i>0.787</i>	7.00 / Set Screw	20	Brass / ISO 8 - (AGMA 9)
# GS075-75-0300B1500-BR-N	75	56.25 <i>2.215</i>	15.000 <i>0.591</i>	57.750 <i>2.274</i>	3.000 <i>0.118</i>	3.00 <i>0.118</i>	Hubless	0.00 / None	20	Brass / ISO 8 - (AGMA 9)
# GS075-80-0300B0600-BR-HS	80	60.00 <i>2.362</i>	6.000 <i>0.236</i>	61.500 <i>2.421</i>	3.000 <i>0.118</i>	10.00 <i>0.394</i>	20.00 <i>0.787</i>	7.00 / Set Screw	20	Brass / ISO 8 - (AGMA 9)

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Gears - Spur - Module 0.75

Part Number	Teeth (No.)	Pitch Circle Diameter (PD) mm	Bore (d) mm	Outside Diameter (OD) mm	Face Width (FW) mm	Overall Width (FW+HL) mm	Hub Diameter (D1) mm	Hub Proj / Locking Method (HL) mm	Pressure Angle Deg.	Material / Quality
# GS075-80-0300B1500-BR-N	80	60.00 <i>2.362</i>	15.000 <i>0.591</i>	61.500 <i>2.421</i>	3.000 <i>0.118</i>	3.00 <i>0.118</i>	Hubless	0.00 / None	20	Brass / ISO 8 - (AGMA 9)
# GS075-84-0300B0600-BR-HS	84	63.00 <i>2.480</i>	6.000 <i>0.236</i>	64.500 <i>2.539</i>	3.000 <i>0.118</i>	10.00 <i>0.394</i>	20.00 <i>0.787</i>	7.00 / Set Screw	20	Brass / ISO 8 - (AGMA 9)
# GS075-84-0300B1500-BR-N	84	63.00 <i>2.480</i>	15.000 <i>0.591</i>	64.500 <i>2.539</i>	3.000 <i>0.118</i>	3.00 <i>0.118</i>	Hubless	0.00 / None	20	Brass / ISO 8 - (AGMA 9)
# GS075-85-0300B0600-BR-HS	85	63.75 <i>2.510</i>	6.000 <i>0.236</i>	65.250 <i>2.569</i>	3.000 <i>0.118</i>	10.00 <i>0.394</i>	20.00 <i>0.787</i>	7.00 / Set Screw	20	Brass / ISO 8 - (AGMA 9)
# GS075-85-0300B1500-BR-N	85	63.75 <i>2.510</i>	15.000 <i>0.591</i>	65.250 <i>2.569</i>	3.000 <i>0.118</i>	3.00 <i>0.118</i>	Hubless	0.00 / None	20	Brass / ISO 8 - (AGMA 9)
# GS075-90-0300B0600-BR-HS	90	67.50 <i>2.657</i>	6.000 <i>0.236</i>	69.000 <i>2.717</i>	3.000 <i>0.118</i>	10.00 <i>0.394</i>	20.00 <i>0.787</i>	7.00 / Set Screw	20	Brass / ISO 8 - (AGMA 9)
# GS075-90-0300B1500-BR-N	90	67.50 <i>2.657</i>	15.000 <i>0.591</i>	69.000 <i>2.717</i>	3.000 <i>0.118</i>	3.00 <i>0.118</i>	Hubless	0.00 / None	20	Brass / ISO 8 - (AGMA 9)
# GS075-95-0300B0600-BR-HS	95	71.25 <i>2.805</i>	6.000 <i>0.236</i>	72.750 <i>2.864</i>	3.000 <i>0.118</i>	10.00 <i>0.394</i>	20.00 <i>0.787</i>	7.00 / Set Screw	20	Brass / ISO 8 - (AGMA 9)

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Gears - Spur - Module 0.75

Part Number	Teeth (No.)	Pitch Circle Diameter (PD) mm	Bore (d) mm	Outside Diameter (OD) mm	Face Width (FW) mm	Overall Width (FW+HL) mm	Hub Diameter (D1) mm	Hub Proj / Locking Method (HL) mm	Pressure Angle Deg.	Material / Quality
# GS075-95-0300B1500-BR-N	95	71.25 <i>2.805</i>	15.000 <i>0.591</i>	72.750 <i>2.864</i>	3.000 <i>0.118</i>	3.00 <i>0.118</i>	Hubless	0.00 / None	20	Brass / ISO 8 - (AGMA 9)
# GS075-100-0300B0600-BR-HS	100	75.00 <i>2.953</i>	6.000 <i>0.236</i>	76.500 <i>3.012</i>	3.000 <i>0.118</i>	10.00 <i>0.394</i>	20.00 <i>0.787</i>	7.00 / Set Screw	20	Brass / ISO 8 - (AGMA 9)
# GS075-100-0300B1500-BR-N	100	75.00 <i>2.953</i>	15.000 <i>0.591</i>	76.500 <i>3.012</i>	3.000 <i>0.118</i>	3.00 <i>0.118</i>	Hubless	0.00 / None	20	Brass / ISO 8 - (AGMA 9)
# GS075-105-0300B0600-BR-HS	105	78.75 <i>3.100</i>	6.000 <i>0.236</i>	80.250 <i>3.159</i>	3.000 <i>0.118</i>	10.00 <i>0.394</i>	20.00 <i>0.787</i>	7.00 / Set Screw	20	Brass / ISO 8 - (AGMA 9)
# GS075-105-0300B1500-BR-N	105	78.75 <i>3.100</i>	15.000 <i>0.591</i>	80.250 <i>3.159</i>	3.000 <i>0.118</i>	3.00 <i>0.118</i>	Hubless	0.00 / None	20	Brass / ISO 8 - (AGMA 9)
# GS075-110-0300B0600-BR-HS	110	82.50 <i>3.248</i>	6.000 <i>0.236</i>	84.000 <i>3.307</i>	3.000 <i>0.118</i>	10.00 <i>0.394</i>	20.00 <i>0.787</i>	7.00 / Set Screw	20	Brass / ISO 8 - (AGMA 9)
# GS075-110-0300B1500-BR-N	110	82.50 <i>3.248</i>	15.000 <i>0.591</i>	84.000 <i>3.307</i>	3.000 <i>0.118</i>	3.00 <i>0.118</i>	Hubless	0.00 / None	20	Brass / ISO 8 - (AGMA 9)
# GS075-115-0300B0600-BR-HS	115	86.25 <i>3.396</i>	6.000 <i>0.236</i>	87.750 <i>3.455</i>	3.000 <i>0.118</i>	10.00 <i>0.394</i>	20.00 <i>0.787</i>	7.00 / Set Screw	20	Brass / ISO 8 - (AGMA 9)

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Gears - Spur - Module 0.75

Part Number	Teeth (No.)	Pitch Circle Diameter (PD) mm	Bore (d) mm	Outside Diameter (OD) mm	Face Width (FW) mm	Overall Width (FW+HL) mm	Hub Diameter (D1) mm	Hub Proj / Locking Method (HL) mm	Pressure Angle Deg.	Material / Quality
# GS075-115-0300B1500-BR-N	115	86.25 <i>3.396</i>	15.000 <i>0.591</i>	87.750 <i>3.455</i>	3.000 <i>0.118</i>	3.00 <i>0.118</i>	Hubless	0.00 / None	20	Brass / ISO 8 - (AGMA 9)
# GS075-120-0300B0600-BR-HS	120	90.00 <i>3.543</i>	6.000 <i>0.236</i>	91.500 <i>3.602</i>	3.000 <i>0.118</i>	10.00 <i>0.394</i>	20.00 <i>0.787</i>	7.00 / Set Screw	20	Brass / ISO 8 - (AGMA 9)
# GS075-120-0300B1500-BR-N	120	90.00 <i>3.543</i>	15.000 <i>0.591</i>	91.500 <i>3.602</i>	3.000 <i>0.118</i>	3.00 <i>0.118</i>	Hubless	0.00 / None	20	Brass / ISO 8 - (AGMA 9)

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.



DISTRIBUTED BY

Ask us to put your name and address here

<http://www.minibearings.com.au/product>

Ph +61 7 3245 7977

Fax +61 7 3245 1017

Catalogue requests to [catalogues@minibearings.com.au](mailto:catalogues@minibearings.com.au)

