




MBA

Gears - Spur - Module 1 - Stem



Gears with integral shafts.

Metallic.

Gears - Spur - Module 1 - Stem

Part Number	Teeth (No.)	Pitch Circle Diameter (PD) mm	Stem Diameter (D1) mm	Outside Diameter (OD) mm	Face Width (FW) mm	Left Stem Length (LS) mm	Right Stem Length (RS) mm	Pressure Angle Deg.	Material	Quality
		<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>			
GS100-8-1200S1632-LCST	8	8.00 <i>0.315</i>	6.000 <i>0.236</i>	10.640 <i>0.419</i>	12.000 <i>0.472</i>	16.00 <i>0.630</i>	32.00 <i>1.260</i>	20.00	Low Carbon Steel	Commercial
# GS100-10-1200S1632-LCST	10	10.00 <i>0.394</i>	8.000 <i>0.315</i>	12.660 <i>0.498</i>	12.000 <i>0.472</i>	16.00 <i>0.630</i>	32.00 <i>1.260</i>	20.00	Low Carbon Steel	Commercial
# GS100-12-1200S1618-ST	12	12.00 <i>0.472</i>	6.000 <i>0.236</i>	14.000 <i>0.551</i>	12.000 <i>0.472</i>	16.00 <i>0.630</i>	18.00 <i>0.709</i>	20.00	Carbon Steel	Commercial
# GS100-14-1200S1618-ST	14	14.00 <i>0.551</i>	6.000 <i>0.236</i>	16.000 <i>0.630</i>	12.000 <i>0.472</i>	16.00 <i>0.630</i>	18.00 <i>0.709</i>	20.00	Carbon Steel	Commercial

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Gears - Spur - Module 1 - Stem

Part Number	Teeth (No.)	Pitch Circle Diameter (PD) mm <i>inches</i>	Stem Diameter (D1) mm <i>inches</i>	Outside Diameter (OD) mm <i>inches</i>	Face Width (FW) mm <i>inches</i>	Left Stem Length (LS) mm <i>inches</i>	Right Stem Length (RS) mm <i>inches</i>	Pressure Angle Deg.	Material	Quality
# GS100-14-1000S2560-ST	14	14.00 <i>0.551</i>	8.000 <i>0.315</i>	16.000 <i>0.630</i>	10.000 <i>0.394</i>	25.00 <i>0.984</i>	60.00 <i>2.362</i>	20.00	4135 Steel	ISO 5 - Ground
# GS100-15-1200S1618-ST	15	15.00 <i>0.591</i>	6.000 <i>0.236</i>	17.000 <i>0.669</i>	12.000 <i>0.472</i>	16.00 <i>0.630</i>	18.00 <i>0.709</i>	20.00	Carbon Steel	Commercial
# GS100-15-1000S2560-ST	15	15.00 <i>0.591</i>	10.000 <i>0.394</i>	17.000 <i>0.669</i>	10.000 <i>0.394</i>	25.00 <i>0.984</i>	60.00 <i>2.362</i>	20.00	4135 Steel	ISO 5 - Ground
# GS100-16-1200S1618-ST	16	16.00 <i>0.630</i>	8.000 <i>0.315</i>	18.000 <i>0.709</i>	12.000 <i>0.472</i>	16.00 <i>0.630</i>	18.00 <i>0.709</i>	20.00	Carbon Steel	Commercial
# GS100-16-1000S2560-ST	16	16.00 <i>0.630</i>	10.000 <i>0.394</i>	18.000 <i>0.709</i>	10.000 <i>0.394</i>	25.00 <i>0.984</i>	60.00 <i>2.362</i>	20.00	4135 Steel	ISO 5 - Ground
# GS100-18-1200S1616-ST	18	18.00 <i>0.709</i>	8.000 <i>0.315</i>	20.000 <i>0.787</i>	12.000 <i>0.472</i>	16.00 <i>0.630</i>	16.00 <i>0.630</i>	20.00	Carbon Steel	Commercial
# GS100-18-1000S2560-ST	18	18.00 <i>0.709</i>	10.000 <i>0.394</i>	20.000 <i>0.787</i>	10.000 <i>0.394</i>	25.00 <i>0.984</i>	60.00 <i>2.362</i>	20.00	4135 Steel	ISO 5 - Ground

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.



DISTRIBUTED BY

Ask us to put your name and address here

<http://www.minibearings.com.au/product>

Ph +61 7 3245 7977

Fax +61 7 3245 1017

Catalogue requests to catalogues@minibearings.com.au

