




# MBA

## Gears - Spur - Module 1.5

Examples shown for basic dimensions. Individual gears may vary in characteristics.



PCD = No. of Teeth x 1.500mm. 20 Degree Pressure Angle. 303 stainless steel, acetal, AISI4135 steel, carbon steel and nylon.

Metallic and plastic.

Fairloc Hub Type require controlled shaft tolerances between 0.0025 and 0.0203 mm Clearance.

### Gears - Spur - Module 1.5

Part Number	Teeth (No.)	Pitch Circle Diameter (PD) mm	Bore (d) mm	Outside Diameter (OD) mm	Face Width (FW) mm	Overall Width (FW+HL) mm	Hub Diameter (D1) mm	Hub Proj / Locking Method (HL) mm	Pressure Angle Deg.	Material / Quality
GS150-12-1200B0600-AC-HP	12	18.00	6.000	21.000	12.000	23.00	14.00	11.00 / No Set Screw	20	Acetal - No Insert / Commercial - Molded
		<i>0.709</i>	<i>0.236</i>	<i>0.827</i>	<i>0.472</i>	<i>0.906</i>	<i>0.551</i>			
# GS150-12-1800B0800-C-N	12	18.00	8.000	21.000	18.000	18.00	Hubless	0.00 / None	20	Carbon Steel / ISO 8 - ( AGMA 9 )
		<i>0.709</i>	<i>0.315</i>	<i>0.827</i>	<i>0.709</i>	<i>0.709</i>				

# Indicates item not stocked at time of printing - Please enquire for lead time  
 E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd  
 MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Gears - Spur - Module 1.5

Part Number	Teeth (No.)	Pitch Circle Diameter (PD) mm	Bore (d) mm	Outside Diameter (OD) mm	Face Width (FW) mm	Overall Width (FW+HL) mm	Hub Diameter (D1) mm	Hub Proj / Locking Method (HL) mm	Pressure Angle Deg.	Material / Quality
# GS150-13-1200B0600-AC-HP	13	19.50	6.000	22.500	12.000	23.00	14.00	11.00 / No Set Screw	20	Acetal - No Insert / Commercial - Molded
		<i>0.768</i>	<i>0.236</i>	<i>0.886</i>	<i>0.472</i>	<i>0.906</i>	<i>0.551</i>			
# GS150-14-1200B0600-AC-HP	14	21.00	6.000	24.000	12.000	23.00	14.00	11.00 / No Set Screw	20	Acetal - No Insert / Commercial - Molded
		<i>0.827</i>	<i>0.236</i>	<i>0.945</i>	<i>0.472</i>	<i>0.906</i>	<i>0.551</i>			
# GS150-14-1800B0800-C-HP	14	21.00	8.000	24.000	18.000	40.00	24.00	22.00 / No Set Screw	20	Carbon Steel / ISO 8 - ( AGMA 9 )
		<i>0.827</i>	<i>0.315</i>	<i>0.945</i>	<i>0.709</i>	<i>1.575</i>	<i>0.945</i>			
# GS150-15-1200B0600-AC-HP	15	22.50	6.000	25.500	12.000	23.00	14.00	11.00 / No Set Screw	20	Acetal - No Insert / Commercial - Molded
		<i>0.886</i>	<i>0.236</i>	<i>1.004</i>	<i>0.472</i>	<i>0.906</i>	<i>0.551</i>			
# GS150-15-1500B0800-NY-HP	15	22.50	8.000	25.500	15.000	25.00	18.00	10.00 / No Set Screw	20	Nylon / No Insert / Commercial - Machined
		<i>0.886</i>	<i>0.315</i>	<i>1.004</i>	<i>0.591</i>	<i>0.984</i>	<i>0.709</i>			
GS150-15-1200B0800-C-HP	15	22.50	8.000	25.500	12.000	22.00	18.00	10.00 / No Set Screw	20	Carbon Steel / ISO 8 - ( AGMA 9 )
		<i>0.886</i>	<i>0.315</i>	<i>1.004</i>	<i>0.472</i>	<i>0.866</i>	<i>0.709</i>			

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Gears - Spur - Module 1.5

Part Number	Teeth (No.)	Pitch Circle Diameter (PD) mm	Bore (d) mm	Outside Diameter (OD) mm	Face Width (FW) mm	Overall Width (FW+HL) mm	Hub Diameter (D1) mm	Hub Proj / Locking Method (HL) mm	Pressure Angle Deg.	Material / Quality
# GS150-15-1800B0800-C-HP	15	22.50	8.000	25.500	18.000	32.00	18.00	14.00 / No Set Screw	20	Carbon Steel / ISO 8 - ( AGMA 9 )
		<i>0.886</i>	<i>0.315</i>	<i>1.004</i>	<i>0.709</i>	<i>1.260</i>	<i>0.709</i>			
# GS150-15-1500B1000-S4-HP	15	22.50	10.000	25.500	15.000	30.00	18.00	15.00 / No Set Screw	20	AISI 4135 Steel / ISO 5 - Ground
		<i>0.886</i>	<i>0.394</i>	<i>1.004</i>	<i>0.591</i>	<i>1.181</i>	<i>0.709</i>			
# GS150-15-1200B1000-AC-HP	15	22.50	10.000	25.500	12.000	23.00	14.00	11.00 / No Set Screw	20	Acetal - No Insert / Commercial - Molded
		<i>0.886</i>	<i>0.394</i>	<i>1.004</i>	<i>0.472</i>	<i>0.906</i>	<i>0.551</i>			
# GS150-16-1200B0600-AC-HP	16	24.00	6.000	27.000	12.000	23.00	14.00	11.00 / No Set Screw	20	Acetal - No Insert / Commercial - Molded
		<i>0.945</i>	<i>0.236</i>	<i>1.063</i>	<i>0.472</i>	<i>0.906</i>	<i>0.551</i>			
# GS150-16-1500B0800-NY-HP	16	24.00	8.000	27.000	15.000	25.00	20.00	10.00 / No Set Screw	20	Nylon / No Insert / Commercial - Machined
		<i>0.945</i>	<i>0.315</i>	<i>1.063</i>	<i>0.591</i>	<i>0.984</i>	<i>0.787</i>			
# GS150-16-1200B0800-C-N	16	24.00	8.000	27.000	12.000	12.00	Hubless	0.00 / None	20	Carbon Steel / ISO 8 - ( AGMA 9 )
		<i>0.945</i>	<i>0.315</i>	<i>1.063</i>	<i>0.472</i>	<i>0.472</i>				

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Gears - Spur - Module 1.5

Part Number	Teeth (No.)	Pitch Circle Diameter (PD) mm	Bore (d) mm	Outside Diameter (OD) mm	Face Width (FW) mm	Overall Width (FW+HL) mm	Hub Diameter (D1) mm	Hub Proj / Locking Method (HL) mm	Pressure Angle Deg.	Material / Quality
# GS150-16-1800B0800-C-HP	16	24.00	8.000	27.000	18.000	32.00	20.00	14.00 / No Set Screw	20	Carbon Steel / ISO 8 - ( AGMA 9 )
		<i>0.945</i>	<i>0.315</i>	<i>1.063</i>	<i>0.709</i>	<i>1.260</i>	<i>0.787</i>			
# GS150-16-1800B0800-C-N	16	24.00	8.000	27.000	18.000	18.00	Hubless	0.00 / None	20	Carbon Steel / ISO 8 - ( AGMA 9 )
		<i>0.945</i>	<i>0.315</i>	<i>1.063</i>	<i>0.709</i>	<i>0.709</i>				
# GS150-16-1200B0800-C-HP	16	24.00	8.000	27.000	12.000	22.00	20.00	10.00 / No Set Screw	20	Carbon Steel / ISO 8 - ( AGMA 9 )
		<i>0.945</i>	<i>0.315</i>	<i>1.063</i>	<i>0.472</i>	<i>0.866</i>	<i>0.787</i>			
# GS150-16-1500B1000-S4-HP	16	24.00	10.000	27.000	15.000	30.00	18.00	15.00 / No Set Screw	20	AISI 4135 Steel / ISO 5 - Ground
		<i>0.945</i>	<i>0.394</i>	<i>1.063</i>	<i>0.591</i>	<i>1.181</i>	<i>0.709</i>			
# GS150-17-1200B0600-AC-HP	17	25.50	6.000	28.500	12.000	23.00	14.00	11.00 / No Set Screw	20	Acetal - No Insert / Commercial - Molded
		<i>1.004</i>	<i>0.236</i>	<i>1.122</i>	<i>0.472</i>	<i>0.906</i>	<i>0.551</i>			
# GS150-18-1200B0800-AC-HP	18	27.00	8.000	30.000	12.000	23.00	17.00	11.00 / No Set Screw	20	Acetal - No Insert / Commercial - Molded
		<i>1.063</i>	<i>0.315</i>	<i>1.181</i>	<i>0.472</i>	<i>0.906</i>	<i>0.669</i>			

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Gears - Spur - Module 1.5

Part Number	Teeth (No.)	Pitch Circle Diameter (PD) mm	Bore (d) mm	Outside Diameter (OD) mm	Face Width (FW) mm	Overall Width (FW+HL) mm	Hub Diameter (D1) mm	Hub Proj / Locking Method (HL) mm	Pressure Angle Deg.	Material / Quality
# GS150-18-1500B0800-NY-HP	18	27.00	8.000	30.000	15.000	25.00	22.00	10.00 / No Set Screw	20	Nylon / No Insert / Commercial - Machined
		<i>1.063</i>	<i>0.315</i>	<i>1.181</i>	<i>0.591</i>	<i>0.984</i>	<i>0.866</i>			
# GS150-18-1200B1000-C-N	18	27.00	10.000	30.000	12.000	12.00	Hubless	0.00 / None	20	Carbon Steel / ISO 8 - ( AGMA 9 )
		<i>1.063</i>	<i>0.394</i>	<i>1.181</i>	<i>0.472</i>	<i>0.472</i>				
# GS150-18-1800B1000-C-N	18	27.00	10.000	30.000	18.000	18.00	Hubless	0.00 / None	20	Carbon Steel / ISO 8 - ( AGMA 9 )
		<i>1.063</i>	<i>0.394</i>	<i>1.181</i>	<i>0.709</i>	<i>0.709</i>				
# GS150-18-1200B1000-3-HS	18	27.00	10.000	30.000	12.000	25.00	20.00	13.00 / Set Screw	20	303 Stainless Steel / ISO 7 - ( AGMA 10 )
		<i>1.063</i>	<i>0.394</i>	<i>1.181</i>	<i>0.472</i>	<i>0.984</i>	<i>0.787</i>			
# GS150-18-1800B1000-C-HP	18	27.00	10.000	30.000	18.000	32.00	22.00	14.00 / No Set Screw	20	Carbon Steel / ISO 8 - ( AGMA 9 )
		<i>1.063</i>	<i>0.394</i>	<i>1.181</i>	<i>0.709</i>	<i>1.260</i>	<i>0.866</i>			
# GS150-18-1200B1000-C-HP	18	27.00	10.000	30.000	12.000	22.00	22.00	10.00 / No Set Screw	20	Carbon Steel / ISO 8 - ( AGMA 9 )
		<i>1.063</i>	<i>0.394</i>	<i>1.181</i>	<i>0.472</i>	<i>0.866</i>	<i>0.866</i>			

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Gears - Spur - Module 1.5

Part Number	Teeth (No.)	Pitch Circle Diameter (PD) mm	Bore (d) mm	Outside Diameter (OD) mm	Face Width (FW) mm	Overall Width (FW+HL) mm	Hub Diameter (D1) mm	Hub Proj / Locking Method (HL) mm	Pressure Angle Deg.	Material / Quality
# GS150-18-1200B1200-AC-HP	18	27.00	12.000	30.000	12.000	23.00	17.00	11.00 / No Set Screw	20	Acetal - No Insert / Commercial - Molded
		<i>1.063</i>	<i>0.472</i>	<i>1.181</i>	<i>0.472</i>	<i>0.906</i>	<i>0.669</i>			
# GS150-18-1500B1200-S4-HP	18	27.00	12.000	30.000	15.000	30.00	22.00	15.00 / No Set Screw	20	AISI 4135 Steel / ISO 5 - Ground
		<i>1.063</i>	<i>0.472</i>	<i>1.181</i>	<i>0.591</i>	<i>1.181</i>	<i>0.866</i>			
# GS150-18-1200B1200-3-HS	18	27.00	12.000	30.000	12.000	25.00	20.00	13.00 / Set Screw	20	303 Stainless Steel / ISO 7 - ( AGMA 10 )
		<i>1.063</i>	<i>0.472</i>	<i>1.181</i>	<i>0.472</i>	<i>0.984</i>	<i>0.787</i>			
# GS150-18-1000B1600-3-N	18	27.00	16.000	30.000	10.000	10.00	Hubless	0.00 / None	20	303 Stainless Steel / ISO 7 - ( AGMA 10 )
		<i>1.063</i>	<i>0.630</i>	<i>1.181</i>	<i>0.394</i>	<i>0.394</i>				
# GS150-19-1200B0800-AC-HP	19	28.50	8.000	31.500	12.000	23.00	17.00	11.00 / No Set Screw	20	Acetal - No Insert / Commercial - Molded
		<i>1.122</i>	<i>0.315</i>	<i>1.240</i>	<i>0.472</i>	<i>0.906</i>	<i>0.669</i>			
# GS150-20-1500B0800-NY-HP	20	30.00	8.000	33.000	15.000	25.00	24.00	10.00 / No Set Screw	20	Nylon / No Insert / Commercial - Machined
		<i>1.181</i>	<i>0.315</i>	<i>1.299</i>	<i>0.591</i>	<i>0.984</i>	<i>0.945</i>			

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Gears - Spur - Module 1.5

Part Number	Teeth (No.)	Pitch Circle Diameter (PD) mm	Bore (d) mm	Outside Diameter (OD) mm	Face Width (FW) mm	Overall Width (FW+HL) mm	Hub Diameter (D1) mm	Hub Proj / Locking Method (HL) mm	Pressure Angle Deg.	Material / Quality
# GS150-20-0800B0800-NI-N	20	30.00	8.000	33.000	8.000	8.00	Hubless	0.00 / None	20	Nylon Rim - Iron Core / Commercial - Machined
		<i>1.181</i>	<i>0.315</i>	<i>1.299</i>	<i>0.315</i>	<i>0.315</i>				
# GS150-20-1200B0800-AC-HP	20	30.00	8.000	33.000	12.000	23.00	17.00	11.00 / No Set Screw	20	Acetal - No Insert / Commercial - Molded
		<i>1.181</i>	<i>0.315</i>	<i>1.299</i>	<i>0.472</i>	<i>0.906</i>	<i>0.669</i>			
# GS150-20-1200B1000-AC-HP	20	30.00	10.000	33.000	12.000	23.00	17.00	11.00 / No Set Screw	20	Acetal - No Insert / Commercial - Molded
		<i>1.181</i>	<i>0.394</i>	<i>1.299</i>	<i>0.472</i>	<i>0.906</i>	<i>0.669</i>			
# GS150-20-1200B1000-C-HP	20	30.00	10.000	33.000	12.000	22.00	25.00	10.00 / No Set Screw	20	Carbon Steel / ISO 8 - ( AGMA 9 )
		<i>1.181</i>	<i>0.394</i>	<i>1.299</i>	<i>0.472</i>	<i>0.866</i>	<i>0.984</i>			
# GS150-20-1200B1000-3-HS	20	30.00	10.000	33.000	12.000	25.00	20.00	13.00 / Set Screw	20	303 Stainless Steel / ISO 7 - ( AGMA 10 )
		<i>1.181</i>	<i>0.394</i>	<i>1.299</i>	<i>0.472</i>	<i>0.984</i>	<i>0.787</i>			
# GS150-20-1800B1000-C-N	20	30.00	10.000	33.000	18.000	18.00	Hubless	0.00 / None	20	Carbon Steel / ISO 8 - ( AGMA 9 )
		<i>1.181</i>	<i>0.394</i>	<i>1.299</i>	<i>0.709</i>	<i>0.709</i>				

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Gears - Spur - Module 1.5

Part Number	Teeth (No.)	Pitch Circle Diameter (PD) mm	Bore (d) mm	Outside Diameter (OD) mm	Face Width (FW) mm	Overall Width (FW+HL) mm	Hub Diameter (D1) mm	Hub Proj / Locking Method (HL) mm	Pressure Angle Deg.	Material / Quality
# GS150-20-1200B1000-C-N	20	30.00	10.000	33.000	12.000	12.00	Hubless	0.00 / None	20	Carbon Steel / ISO 8 - ( AGMA 9 )
		<i>1.181</i>	<i>0.394</i>	<i>1.299</i>	<i>0.472</i>	<i>0.472</i>				
# GS150-20-1800B1000-C-HP	20	30.00	10.000	33.000	18.000	32.00	25.00	14.00 / No Set Screw	20	Carbon Steel / ISO 8 - ( AGMA 9 )
		<i>1.181</i>	<i>0.394</i>	<i>1.299</i>	<i>0.709</i>	<i>1.260</i>	<i>0.984</i>			
# GS150-20-1500B1200-S4-HP	20	30.00	12.000	33.000	15.000	30.00	30.00	15.00 / No Set Screw	20	AISI 4135 Steel / ISO 5 - Ground
		<i>1.181</i>	<i>0.472</i>	<i>1.299</i>	<i>0.591</i>	<i>1.181</i>	<i>1.181</i>			
# GS150-20-1200B1200-3-HS	20	30.00	12.000	33.000	12.000	25.00	20.00	13.00 / Set Screw	20	303 Stainless Steel / ISO 7 - ( AGMA 10 )
		<i>1.181</i>	<i>0.472</i>	<i>1.299</i>	<i>0.472</i>	<i>0.984</i>	<i>0.787</i>			
# GS150-20-1800B1400-C-NK	20	30.00	14.000	33.000	18.000	18.00	Hubless	0.00 / Keyway	20	Carbon Steel / ISO 8 - ( AGMA 9 )
		<i>1.181</i>	<i>0.551</i>	<i>1.299</i>	<i>0.709</i>	<i>0.709</i>				
GS150-20-1000B1600-3-N	20	30.00	16.000	33.000	10.000	10.00	Hubless	0.00 / None	20	303 Stainless Steel / ISO 7 - ( AGMA 10 )
		<i>1.181</i>	<i>0.630</i>	<i>1.299</i>	<i>0.394</i>	<i>0.394</i>				
# GS150-21-1200B0800-AC-HP	21	31.50	8.000	34.500	12.000	23.00	17.00	11.00 / No Set Screw	20	Acetal - No Insert / Commercial - Molded
		<i>1.240</i>	<i>0.315</i>	<i>1.358</i>	<i>0.472</i>	<i>0.906</i>	<i>0.669</i>			

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Gears - Spur - Module 1.5

Part Number	Teeth (No.)	Pitch Circle Diameter (PD) mm	Bore (d) mm	Outside Diameter (OD) mm	Face Width (FW) mm	Overall Width (FW+HL) mm	Hub Diameter (D1) mm	Hub Proj / Locking Method (HL) mm	Pressure Angle Deg.	Material / Quality
# GS150-22-1200B0800-AC-HP	22	33.00	8.000	36.000	12.000	23.00	17.00	11.00 / No Set Screw	20	Acetal - No Insert / Commercial - Molded
		<i>1.299</i>	<i>0.315</i>	<i>1.417</i>	<i>0.472</i>	<i>0.906</i>	<i>0.669</i>			
# GS150-22-1500B0800-NY-HP	22	33.00	8.000	36.000	15.000	25.00	26.00	10.00 / No Set Screw	20	Nylon / No Insert / Commercial - Machined
		<i>1.299</i>	<i>0.315</i>	<i>1.417</i>	<i>0.591</i>	<i>0.984</i>	<i>1.024</i>			
# GS150-23-1200B0800-AC-HP	23	34.50	8.000	37.500	12.000	23.00	17.00	11.00 / No Set Screw	20	Acetal - No Insert / Commercial - Molded
		<i>1.358</i>	<i>0.315</i>	<i>1.476</i>	<i>0.472</i>	<i>0.906</i>	<i>0.669</i>			
# GS150-24-0600B0800-AC-HP	24	36.00	8.000	39.000	6.000	17.00	18.30	11.00 / No Set Screw	20	Acetal / Commercial - Molded
		<i>1.417</i>	<i>0.315</i>	<i>1.535</i>	<i>0.236</i>	<i>0.669</i>	<i>0.720</i>			
# GS150-24-1500B0800-NY-HP	24	36.00	8.000	39.000	15.000	25.00	28.00	10.00 / No Set Screw	20	Nylon / No Insert / Commercial - Machined
		<i>1.417</i>	<i>0.315</i>	<i>1.535</i>	<i>0.591</i>	<i>0.984</i>	<i>1.102</i>			
GS150-24-1200B0800-AC-HP	24	36.00	8.000	39.000	12.000	23.00	19.00	11.00 / No Set Screw	20	Acetal - No Insert / Commercial - Molded
		<i>1.417</i>	<i>0.315</i>	<i>1.535</i>	<i>0.472</i>	<i>0.906</i>	<i>0.748</i>			

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Gears - Spur - Module 1.5

Part Number	Teeth (No.)	Pitch Circle Diameter (PD) mm	Bore (d) mm	Outside Diameter (OD) mm	Face Width (FW) mm	Overall Width (FW+HL) mm	Hub Diameter (D1) mm	Hub Proj / Locking Method (HL) mm	Pressure Angle Deg.	Material / Quality
# GS150-24-1200B1000-3-HS	24	36.00	10.000	39.000	12.000	25.00	20.00	13.00 / Set Screw	20	303 Stainless Steel / ISO 7 - ( AGMA 10 )
		<i>1.417</i>	<i>0.394</i>	<i>1.535</i>	<i>0.472</i>	<i>0.984</i>	<i>0.787</i>			
# GS150-24-1200B1000-C-HP	24	36.00	10.000	39.000	12.000	22.00	30.00	10.00 / No Set Screw	20	Carbon Steel / ISO 8 - ( AGMA 9 )
		<i>1.417</i>	<i>0.394</i>	<i>1.535</i>	<i>0.472</i>	<i>0.866</i>	<i>1.181</i>			
# GS150-24-1200B1000-C-N	24	36.00	10.000	39.000	12.000	12.00	Hubless	0.00 / None	20	Carbon Steel / ISO 8 - ( AGMA 9 )
		<i>1.417</i>	<i>0.394</i>	<i>1.535</i>	<i>0.472</i>	<i>0.472</i>				
# GS150-24-1800B1200-C-HP	24	36.00	12.000	39.000	18.000	32.00	30.00	14.00 / No Set Screw	20	Carbon Steel / ISO 8 - ( AGMA 9 )
		<i>1.417</i>	<i>0.472</i>	<i>1.535</i>	<i>0.709</i>	<i>1.260</i>	<i>1.181</i>			
# GS150-24-1200B1200-3-HS	24	36.00	12.000	39.000	12.000	25.00	20.00	13.00 / Set Screw	20	303 Stainless Steel / ISO 7 - ( AGMA 10 )
		<i>1.417</i>	<i>0.472</i>	<i>1.535</i>	<i>0.472</i>	<i>0.984</i>	<i>0.787</i>			
# GS150-24-1800B1200-C-N	24	36.00	12.000	39.000	18.000	18.00	Hubless	0.00 / None	20	Carbon Steel / ISO 8 - ( AGMA 9 )
		<i>1.417</i>	<i>0.472</i>	<i>1.535</i>	<i>0.709</i>	<i>0.709</i>				
# GS150-24-1500B1500-S4-HP	24	36.00	15.000	39.000	15.000	30.00	30.00	15.00 / No Set Screw	20	AISI 4135 Steel / ISO 5 - Ground
		<i>1.417</i>	<i>0.591</i>	<i>1.535</i>	<i>0.591</i>	<i>1.181</i>	<i>1.181</i>			

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Gears - Spur - Module 1.5

Part Number	Teeth (No.)	Pitch Circle Diameter (PD) mm	Bore (d) mm	Outside Diameter (OD) mm	Face Width (FW) mm	Overall Width (FW+HL) mm	Hub Diameter (D1) mm	Hub Proj / Locking Method (HL) mm	Pressure Angle Deg.	Material / Quality
# GS150-24-1000B1600-3-N	24	36.00	16.000	39.000	10.000	10.00	Hubless	0.00 / None	20	303 Stainless Steel / ISO 7 - (AGMA 10)
		<i>1.417</i>	<i>0.630</i>	<i>1.535</i>	<i>0.394</i>	<i>0.394</i>				
# GS150-24-1800B1600-C-HK	24	36.00	16.000	39.000	18.000	32.00	30.00	14.00 / Keyway	20	Carbon Steel / ISO 8 - (AGMA 9)
		<i>1.417</i>	<i>0.630</i>	<i>1.535</i>	<i>0.709</i>	<i>1.260</i>	<i>1.181</i>			
# GS150-24-1800B1600-C-NK	24	36.00	16.000	39.000	18.000	18.00	Hubless	0.00 / Keyway	20	Carbon Steel / ISO 8 - (AGMA 9)
		<i>1.417</i>	<i>0.630</i>	<i>1.535</i>	<i>0.709</i>	<i>0.709</i>				
# GS150-25-1200B0600-AC-HP	25	37.50	6.000	40.500	12.000	23.00	19.00	11.00 / No Set Screw	20	Acetal - No Insert / Commercial - Molded
		<i>1.476</i>	<i>0.236</i>	<i>1.594</i>	<i>0.472</i>	<i>0.906</i>	<i>0.748</i>			
# GS150-25-1500B0800-NY-HP	25	37.50	8.000	40.500	15.000	25.00	30.00	10.00 / No Set Screw	20	Nylon / No Insert / Commercial - Machined
		<i>1.476</i>	<i>0.315</i>	<i>1.594</i>	<i>0.591</i>	<i>0.984</i>	<i>1.181</i>			
# GS150-25-1200B0800-AC-HP	25	37.50	8.000	40.500	12.000	23.00	19.00	11.00 / No Set Screw	20	Acetal - No Insert / Commercial - Molded
		<i>1.476</i>	<i>0.315</i>	<i>1.594</i>	<i>0.472</i>	<i>0.906</i>	<i>0.748</i>			

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Gears - Spur - Module 1.5

Part Number	Teeth (No.)	Pitch Circle Diameter (PD) mm	Bore (d) mm	Outside Diameter (OD) mm	Face Width (FW) mm	Overall Width (FW+HL) mm	Hub Diameter (D1) mm	Hub Proj / Locking Method (HL) mm	Pressure Angle Deg.	Material / Quality
# GS150-25-0800B0800-NI-N	25	37.50	8.000	40.500	8.000	8.00	Hubless	0.00 / None	20	Nylon Rim - Iron Core / Commercial - Machined
		<i>1.476</i>	<i>0.315</i>	<i>1.594</i>	<i>0.315</i>	<i>0.315</i>				
# GS150-25-1200B1000-C-HP	25	37.50	10.000	40.500	12.000	22.00	32.00	10.00 / No Set Screw	20	Carbon Steel / ISO 8 - ( AGMA 9 )
		<i>1.476</i>	<i>0.394</i>	<i>1.594</i>	<i>0.472</i>	<i>0.866</i>	<i>1.260</i>			
# GS150-25-1200B1000-C-N	25	37.50	10.000	40.500	12.000	12.00	Hubless	0.00 / None	20	Carbon Steel / ISO 8 - ( AGMA 9 )
		<i>1.476</i>	<i>0.394</i>	<i>1.594</i>	<i>0.472</i>	<i>0.472</i>				
# GS150-25-1800B1200-C-HP	25	37.50	12.000	40.500	18.000	32.00	32.00	14.00 / No Set Screw	20	Carbon Steel / ISO 8 - ( AGMA 9 )
		<i>1.476</i>	<i>0.472</i>	<i>1.594</i>	<i>0.709</i>	<i>1.260</i>	<i>1.260</i>			
# GS150-25-1800B1200-C-N	25	37.50	12.000	40.500	18.000	18.00	Hubless	0.00 / None	20	Carbon Steel / ISO 8 - ( AGMA 9 )
		<i>1.476</i>	<i>0.472</i>	<i>1.594</i>	<i>0.709</i>	<i>0.709</i>				
# GS150-25-1500B1500-S4-HP	25	37.50	15.000	40.500	15.000	30.00	30.00	15.00 / No Set Screw	20	AISI 4135 Steel / ISO 5 - Ground
		<i>1.476</i>	<i>0.591</i>	<i>1.594</i>	<i>0.591</i>	<i>1.181</i>	<i>1.181</i>			
# GS150-25-1800B1600-C-NK	25	37.50	16.000	40.500	18.000	18.00	Hubless	0.00 / Keyway	20	Carbon Steel / ISO 8 - ( AGMA 9 )
		<i>1.476</i>	<i>0.630</i>	<i>1.594</i>	<i>0.709</i>	<i>0.709</i>				

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Gears - Spur - Module 1.5

Part Number	Teeth (No.)	Pitch Circle Diameter (PD) mm	Bore (d) mm	Outside Diameter (OD) mm	Face Width (FW) mm	Overall Width (FW+HL) mm	Hub Diameter (D1) mm	Hub Proj / Locking Method (HL) mm	Pressure Angle Deg.	Material / Quality
# GS150-25-1200B1600-C-HK	25	37.50	16.000	40.500	12.000	26.00	32.00	14.00 / Keyway	20	Carbon Steel / ISO 8 - ( AGMA 9 )
		<i>1.476</i>	<i>0.630</i>	<i>1.594</i>	<i>0.472</i>	<i>1.024</i>	<i>1.260</i>			
# GS150-25-1800B1800-C-HK	25	37.50	18.000	40.500	18.000	32.00	32.00	14.00 / Keyway	20	Carbon Steel / ISO 8 - ( AGMA 9 )
		<i>1.476</i>	<i>0.709</i>	<i>1.594</i>	<i>0.709</i>	<i>1.260</i>	<i>1.260</i>			
# GS150-26-1200B0800-AC-HP	26	39.00	8.000	42.000	12.000	23.00	19.00	11.00 / No Set Screw	20	Acetal - No Insert / Commercial - Molded
		<i>1.535</i>	<i>0.315</i>	<i>1.654</i>	<i>0.472</i>	<i>0.906</i>	<i>0.748</i>			
# GS150-26-1500B0800-NY-HP	26	39.00	8.000	42.000	15.000	25.00	32.00	10.00 / No Set Screw	20	Nylon / No Insert / Commercial - Machined
		<i>1.535</i>	<i>0.315</i>	<i>1.654</i>	<i>0.591</i>	<i>0.984</i>	<i>1.260</i>			
# GS150-27-1200B0800-AC-HP	27	40.50	8.000	43.500	12.000	23.00	19.00	11.00 / No Set Screw	20	Acetal - No Insert / Commercial - Molded
		<i>1.594</i>	<i>0.315</i>	<i>1.713</i>	<i>0.472</i>	<i>0.906</i>	<i>0.748</i>			
# GS150-28-1200B0800-AC-HP	28	42.00	8.000	45.000	12.000	23.00	19.00	11.00 / No Set Screw	20	Acetal - No Insert / Commercial - Molded
		<i>1.654</i>	<i>0.315</i>	<i>1.772</i>	<i>0.472</i>	<i>0.906</i>	<i>0.748</i>			

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Gears - Spur - Module 1.5

Part Number	Teeth (No.)	Pitch Circle Diameter (PD) mm	Bore (d) mm	Outside Diameter (OD) mm	Face Width (FW) mm	Overall Width (FW+HL) mm	Hub Diameter (D1) mm	Hub Proj / Locking Method (HL) mm	Pressure Angle Deg.	Material / Quality
# GS150-28-1500B0800-NY-HP	28	42.00	8.000	45.000	15.000	25.00	36.00	10.00 / No Set Screw	20	Nylon / No Insert / Commercial - Machined
		<i>1.654</i>	<i>0.315</i>	<i>1.772</i>	<i>0.591</i>	<i>0.984</i>	<i>1.417</i>			
# GS150-28-1200B1000-C-HP	28	42.00	10.000	45.000	12.000	22.00	36.00	10.00 / No Set Screw	20	Carbon Steel / ISO 8 - ( AGMA 9 )
		<i>1.654</i>	<i>0.394</i>	<i>1.772</i>	<i>0.472</i>	<i>0.866</i>	<i>1.417</i>			
# GS150-28-1200B1000-3-HS	28	42.00	10.000	45.000	12.000	25.00	20.00	13.00 / Set Screw	20	303 Stainless Steel / ISO 7 - ( AGMA 10 )
		<i>1.654</i>	<i>0.394</i>	<i>1.772</i>	<i>0.472</i>	<i>0.984</i>	<i>0.787</i>			
# GS150-28-1800B1200-C-HP	28	42.00	12.000	45.000	18.000	32.00	36.00	14.00 / No Set Screw	20	Carbon Steel / ISO 8 - ( AGMA 9 )
		<i>1.654</i>	<i>0.472</i>	<i>1.772</i>	<i>0.709</i>	<i>1.260</i>	<i>1.417</i>			
# GS150-28-1200B1200-C-N	28	42.00	12.000	45.000	12.000	12.00	Hubless	0.00 / None	20	Carbon Steel / ISO 8 - ( AGMA 9 )
		<i>1.654</i>	<i>0.472</i>	<i>1.772</i>	<i>0.472</i>	<i>0.472</i>				
# GS150-28-1800B1200-C-N	28	42.00	12.000	45.000	18.000	18.00	Hubless	0.00 / None	20	Carbon Steel / ISO 8 - ( AGMA 9 )
		<i>1.654</i>	<i>0.472</i>	<i>1.772</i>	<i>0.709</i>	<i>0.709</i>				
# GS150-28-1200B1200-3-HS	28	42.00	12.000	45.000	12.000	25.00	20.00	13.00 / Set Screw	20	303 Stainless Steel / ISO 7 - ( AGMA 10 )
		<i>1.654</i>	<i>0.472</i>	<i>1.772</i>	<i>0.472</i>	<i>0.984</i>	<i>0.787</i>			

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Gears - Spur - Module 1.5

Part Number	Teeth (No.)	Pitch Circle Diameter (PD) mm	Bore (d) mm	Outside Diameter (OD) mm	Face Width (FW) mm	Overall Width (FW+HL) mm	Hub Diameter (D1) mm	Hub Proj / Locking Method (HL) mm	Pressure Angle Deg.	Material / Quality
# GS150-28-1500B1500-S4-HP	28	42.00	15.000	45.000	15.000	30.00	30.00	15.00 / No Set Screw	20	AISI 4135 Steel / ISO 5 - Ground
		<i>1.654</i>	<i>0.591</i>	<i>1.772</i>	<i>0.591</i>	<i>1.181</i>	<i>1.181</i>			
# GS150-28-1200B1600-C-HK	28	42.00	16.000	45.000	12.000	26.00	32.00	14.00 / Keyway	20	Carbon Steel / ISO 8 - ( AGMA 9 )
		<i>1.654</i>	<i>0.630</i>	<i>1.772</i>	<i>0.472</i>	<i>1.024</i>	<i>1.260</i>			
# GS150-28-1000B1600-3-N	28	42.00	16.000	45.000	10.000	10.00	Hubless	0.00 / None	20	303 Stainless Steel / ISO 7 - ( AGMA 10 )
		<i>1.654</i>	<i>0.630</i>	<i>1.772</i>	<i>0.394</i>	<i>0.394</i>				
# GS150-28-1800B1600-C-NK	28	42.00	16.000	45.000	18.000	18.00	Hubless	0.00 / Keyway	20	Carbon Steel / ISO 8 - ( AGMA 9 )
		<i>1.654</i>	<i>0.630</i>	<i>1.772</i>	<i>0.709</i>	<i>0.709</i>				
# GS150-28-1800B1800-C-HK	28	42.00	18.000	45.000	18.000	32.00	36.00	14.00 / Keyway	20	Carbon Steel / ISO 8 - ( AGMA 9 )
		<i>1.654</i>	<i>0.709</i>	<i>1.772</i>	<i>0.709</i>	<i>1.260</i>	<i>1.417</i>			
# GS150-30-1500B0800-NY-HP	30	45.00	8.000	48.000	15.000	25.00	38.00	10.00 / No Set Screw	20	Nylon / No Insert / Commercial - Machined
		<i>1.772</i>	<i>0.315</i>	<i>1.890</i>	<i>0.591</i>	<i>0.984</i>	<i>1.496</i>			

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Gears - Spur - Module 1.5

Part Number	Teeth (No.)	Pitch Circle Diameter (PD) mm	Bore (d) mm	Outside Diameter (OD) mm	Face Width (FW) mm	Overall Width (FW+HL) mm	Hub Diameter (D1) mm	Hub Proj / Locking Method (HL) mm	Pressure Angle Deg.	Material / Quality
# GS150-30-0800B0800-NI-N	30	45.00	8.000	48.000	8.000	8.00	Hubless	0.00 / None	20	Nylon Rim - Iron Core / Commercial - Machined
		<i>1.772</i>	<i>0.315</i>	<i>1.890</i>	<i>0.315</i>	<i>0.315</i>				
# GS150-30-1200B1000-C-HP	30	45.00	10.000	48.000	12.000	22.00	40.00	10.00 / No Set Screw	20	Carbon Steel / ISO 8 - ( AGMA 9 )
		<i>1.772</i>	<i>0.394</i>	<i>1.890</i>	<i>0.472</i>	<i>0.866</i>	<i>1.575</i>			
# GS150-30-1500B1000-NS-HP	30	45.00	10.000	48.000	15.000	27.00	30.00	12.00 / No Set Screw	20	Nylon / Stainless St. Core. / ISO 7 (AGMA 10)
		<i>1.772</i>	<i>0.394</i>	<i>1.890</i>	<i>0.591</i>	<i>1.063</i>	<i>1.181</i>			
# GS150-30-1200B1000-3-HS	30	45.00	10.000	48.000	12.000	25.00	20.00	13.00 / Set Screw	20	303 Stainless Steel / ISO 7 - ( AGMA 10 )
		<i>1.772</i>	<i>0.394</i>	<i>1.890</i>	<i>0.472</i>	<i>0.984</i>	<i>0.787</i>			
# GS150-30-1200B1000-AC-HP	30	45.00	10.000	48.000	12.000	23.00	24.00	11.00 / No Set Screw	20	Acetal - No Insert / Commercial - Molded
		<i>1.772</i>	<i>0.394</i>	<i>1.890</i>	<i>0.472</i>	<i>0.906</i>	<i>0.945</i>			
# GS150-30-1800B1200-C-HP	30	45.00	12.000	48.000	18.000	32.00	40.00	14.00 / No Set Screw	20	Carbon Steel / ISO 8 - ( AGMA 9 )
		<i>1.772</i>	<i>0.472</i>	<i>1.890</i>	<i>0.709</i>	<i>1.260</i>	<i>1.575</i>			

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Gears - Spur - Module 1.5

Part Number	Teeth (No.)	Pitch Circle Diameter (PD) mm	Bore (d) mm	Outside Diameter (OD) mm	Face Width (FW) mm	Overall Width (FW+HL) mm	Hub Diameter (D1) mm	Hub Proj / Locking Method (HL) mm	Pressure Angle Deg.	Material / Quality
# GS150-30-1200B1200-3-HS	30	45.00	12.000	48.000	12.000	25.00	20.00	13.00 / Set Screw	20	303 Stainless Steel / ISO 7 - ( AGMA 10 )
		<i>1.772</i>	<i>0.472</i>	<i>1.890</i>	<i>0.472</i>	<i>0.984</i>	<i>0.787</i>			
# GS150-30-1000B1200-C-N	30	45.00	12.000	48.000	10.000	10.00	Hubless	0.00 / None	20	Carbon Steel / ISO 8 - ( AGMA 9 )
		<i>1.772</i>	<i>0.472</i>	<i>1.890</i>	<i>0.394</i>	<i>0.394</i>				
# GS150-30-1800B1400-C-N	30	45.00	14.000	48.000	18.000	18.00	Hubless	0.00 / None	20	Carbon Steel / ISO 8 - ( AGMA 9 )
		<i>1.772</i>	<i>0.551</i>	<i>1.890</i>	<i>0.709</i>	<i>0.709</i>				
# GS150-30-1500B1500-S4-HP	30	45.00	15.000	48.000	15.000	30.00	35.00	15.00 / No Set Screw	20	AISI 4135 Steel / ISO 5 - Ground
		<i>1.772</i>	<i>0.591</i>	<i>1.890</i>	<i>0.591</i>	<i>1.181</i>	<i>1.378</i>			
# GS150-30-1000B1600-3-N	30	45.00	16.000	48.000	10.000	10.00	Hubless	0.00 / None	20	303 Stainless Steel / ISO 7 - ( AGMA 10 )
		<i>1.772</i>	<i>0.630</i>	<i>1.890</i>	<i>0.394</i>	<i>0.394</i>				
# GS150-30-1200B1600-C-NK	30	45.00	16.000	48.000	12.000	12.00	Hubless	0.00 / Keyway	20	Carbon Steel / ISO 8 - ( AGMA 9 )
		<i>1.772</i>	<i>0.630</i>	<i>1.890</i>	<i>0.472</i>	<i>0.472</i>				
# GS150-30-1200B1800-C-HK	30	45.00	18.000	48.000	12.000	26.00	36.00	14.00 / Keyway	20	Carbon Steel / ISO 8 - ( AGMA 9 )
		<i>1.772</i>	<i>0.709</i>	<i>1.890</i>	<i>0.472</i>	<i>1.024</i>	<i>1.417</i>			

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Gears - Spur - Module 1.5

Part Number	Teeth (No.)	Pitch Circle Diameter (PD) mm	Bore (d) mm	Outside Diameter (OD) mm	Face Width (FW) mm	Overall Width (FW+HL) mm	Hub Diameter (D1) mm	Hub Proj / Locking Method (HL) mm	Pressure Angle Deg.	Material / Quality
# GS150-30-1800B1800-C-NK	30	45.00	18.000	48.000	18.000	18.00	Hubless	0.00 / Keyway	20	Carbon Steel / ISO 8 - ( AGMA 9 )
		<i>1.772</i>	<i>0.709</i>	<i>1.890</i>	<i>0.709</i>	<i>0.709</i>				
# GS150-30-1800B2000-C-HK	30	45.00	20.000	48.000	18.000	32.00	40.00	14.00 / Keyway	20	Carbon Steel / ISO 8 - ( AGMA 9 )
		<i>1.772</i>	<i>0.787</i>	<i>1.890</i>	<i>0.709</i>	<i>1.260</i>	<i>1.575</i>			
# GS150-32-1500B0800-NY-HP	32	48.00	8.000	51.000	15.000	25.00	40.00	10.00 / No Set Screw	20	Nylon / No Insert / Commercial - Machined
		<i>1.890</i>	<i>0.315</i>	<i>2.008</i>	<i>0.591</i>	<i>0.984</i>	<i>1.575</i>			
# GS150-32-1200B1000-3-HS	32	48.00	10.000	51.000	12.000	25.00	20.00	13.00 / Set Screw	20	303 Stainless Steel / ISO 7 - ( AGMA 10 )
		<i>1.890</i>	<i>0.394</i>	<i>2.008</i>	<i>0.472</i>	<i>0.984</i>	<i>0.787</i>			
# GS150-32-1000B1000-C-HP	32	48.00	10.000	51.000	10.000	20.00	40.00	10.00 / No Set Screw	20	Carbon Steel / ISO 8 - ( AGMA 9 )
		<i>1.890</i>	<i>0.394</i>	<i>2.008</i>	<i>0.394</i>	<i>0.787</i>	<i>1.575</i>			
GS150-32-1200B1000-AC-HP	32	48.00	10.000	51.000	12.000	23.00	24.00	11.00 / No Set Screw	20	Acetal - No Insert / Commercial - Molded
		<i>1.890</i>	<i>0.394</i>	<i>2.008</i>	<i>0.472</i>	<i>0.906</i>	<i>0.945</i>			

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Gears - Spur - Module 1.5

Part Number	Teeth (No.)	Pitch Circle Diameter (PD) mm	Bore (d) mm	Outside Diameter (OD) mm	Face Width (FW) mm	Overall Width (FW+HL) mm	Hub Diameter (D1) mm	Hub Proj / Locking Method (HL) mm	Pressure Angle Deg.	Material / Quality
# GS150-32-1600B1200-C-HP	32	48.00	12.000	51.000	16.000	30.00	44.00	14.00 / No Set Screw	20	Carbon Steel / ISO 8 - ( AGMA 9 )
		<i>1.890</i>	<i>0.472</i>	<i>2.008</i>	<i>0.630</i>	<i>1.181</i>	<i>1.732</i>			
# GS150-32-1200B1200-3-HS	32	48.00	12.000	51.000	12.000	25.00	20.00	13.00 / Set Screw	20	303 Stainless Steel / ISO 7 - ( AGMA 10 )
		<i>1.890</i>	<i>0.472</i>	<i>2.008</i>	<i>0.472</i>	<i>0.984</i>	<i>0.787</i>			
# GS150-32-1000B1200-C-N	32	48.00	12.000	51.000	10.000	10.00	Hubless	0.00 / None	20	Carbon Steel / ISO 8 - ( AGMA 9 )
		<i>1.890</i>	<i>0.472</i>	<i>2.008</i>	<i>0.394</i>	<i>0.394</i>				
# GS150-32-1600B1400-C-N	32	48.00	14.000	51.000	16.000	16.00	Hubless	0.00 / None	20	Carbon Steel / ISO 8 - ( AGMA 9 )
		<i>1.890</i>	<i>0.551</i>	<i>2.008</i>	<i>0.630</i>	<i>0.630</i>				
# GS150-32-1500B1500-S4-HP	32	48.00	15.000	51.000	15.000	30.00	35.00	15.00 / No Set Screw	20	AISI 4135 Steel / ISO 5 - Ground
		<i>1.890</i>	<i>0.591</i>	<i>2.008</i>	<i>0.591</i>	<i>1.181</i>	<i>1.378</i>			
# GS150-32-1000B1600-3-N	32	48.00	16.000	51.000	10.000	10.00	Hubless	0.00 / None	20	303 Stainless Steel / ISO 7 - ( AGMA 10 )
		<i>1.890</i>	<i>0.630</i>	<i>2.008</i>	<i>0.394</i>	<i>0.394</i>				
# GS150-32-1000B1600-C-HK	32	48.00	16.000	51.000	10.000	24.00	32.00	14.00 / Keyway	20	Carbon Steel / ISO 8 - ( AGMA 9 )
		<i>1.890</i>	<i>0.630</i>	<i>2.008</i>	<i>0.394</i>	<i>0.945</i>	<i>1.260</i>			

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Gears - Spur - Module 1.5

Part Number	Teeth (No.)	Pitch Circle Diameter (PD) mm	Bore (d) mm	Outside Diameter (OD) mm	Face Width (FW) mm	Overall Width (FW+HL) mm	Hub Diameter (D1) mm	Hub Proj / Locking Method (HL) mm	Pressure Angle Deg.	Material / Quality
# GS150-32-1600B1800-C-NK	32	48.00	18.000	51.000	16.000	16.00	Hubless	0.00 / Keyway	20	Carbon Steel / ISO 8 - (AGMA 9)
		<i>1.890</i>	<i>0.709</i>	<i>2.008</i>	<i>0.630</i>	<i>0.630</i>				
# GS150-32-1600B2000-C-HK	32	48.00	20.000	51.000	16.000	30.00	40.00	14.00 / Keyway	20	Carbon Steel / ISO 8 - (AGMA 9)
		<i>1.890</i>	<i>0.787</i>	<i>2.008</i>	<i>0.630</i>	<i>1.181</i>	<i>1.575</i>			
# GS150-35-1500B0800-NY-HP	35	52.50	8.000	55.500	15.000	25.00	42.00	10.00 / No Set Screw	20	Nylon / No Insert / Commercial - Machined
		<i>2.067</i>	<i>0.315</i>	<i>2.185</i>	<i>0.591</i>	<i>0.984</i>	<i>1.654</i>			
# GS150-35-1200B1000-AC-HP	35	52.50	10.000	55.500	12.000	23.00	24.00	11.00 / No Set Screw	20	Acetal - No Insert / Commercial - Molded
		<i>2.067</i>	<i>0.394</i>	<i>2.185</i>	<i>0.472</i>	<i>0.906</i>	<i>0.945</i>			
# GS150-35-1500B1000-NS-HP	35	52.50	10.000	55.500	15.000	27.00	33.00	12.00 / No Set Screw	20	Nylon / Stainless St. Core. / ISO 7 (AGMA 10)
		<i>2.067</i>	<i>0.394</i>	<i>2.185</i>	<i>0.591</i>	<i>1.063</i>	<i>1.299</i>			
# GS150-35-1200B1200-AC-HP	35	52.50	12.000	55.500	12.000	23.00	24.00	11.00 / No Set Screw	20	Acetal - No Insert / Commercial - Molded
		<i>2.067</i>	<i>0.472</i>	<i>2.185</i>	<i>0.472</i>	<i>0.906</i>	<i>0.945</i>			

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Gears - Spur - Module 1.5

Part Number	Teeth (No.)	Pitch Circle Diameter (PD) mm	Bore (d) mm	Outside Diameter (OD) mm	Face Width (FW) mm	Overall Width (FW+HL) mm	Hub Diameter (D1) mm	Hub Proj / Locking Method (HL) mm	Pressure Angle Deg.	Material / Quality
# GS150-36-1500B0800-NY-HP	36	54.00	8.000	57.000	15.000	25.00	45.00	10.00 / No Set Screw	20	Nylon / No Insert / Commercial - Machined
		<i>2.126</i>	<i>0.315</i>	<i>2.244</i>	<i>0.591</i>	<i>0.984</i>	<i>1.772</i>			
# GS150-36-1200B1000-AC-HP	36	54.00	10.000	57.000	12.000	23.00	24.00	11.00 / No Set Screw	20	Acetal - No Insert / Commercial - Molded
		<i>2.126</i>	<i>0.394</i>	<i>2.244</i>	<i>0.472</i>	<i>0.906</i>	<i>0.945</i>			
# GS150-36-1200B1000-3-HS	36	54.00	10.000	57.000	12.000	25.00	20.00	13.00 / Set Screw	20	303 Stainless Steel / ISO 7 - ( AGMA 10 )
		<i>2.126</i>	<i>0.394</i>	<i>2.244</i>	<i>0.472</i>	<i>0.984</i>	<i>0.787</i>			
GS150-36-1000B1000-C-HP	36	54.00	10.000	57.000	10.000	20.00	50.00	10.00 / No Set Screw	20	Carbon Steel / ISO 8 - ( AGMA 9 )
		<i>2.126</i>	<i>0.394</i>	<i>2.244</i>	<i>0.394</i>	<i>0.787</i>	<i>1.969</i>			
# GS150-36-1000B1200-C-N	36	54.00	12.000	57.000	10.000	10.00	Hubless	0.00 / None	20	Carbon Steel / ISO 8 - ( AGMA 9 )
		<i>2.126</i>	<i>0.472</i>	<i>2.244</i>	<i>0.394</i>	<i>0.394</i>				
# GS150-36-1200B1200-3-HS	36	54.00	12.000	57.000	12.000	25.00	20.00	13.00 / Set Screw	20	303 Stainless Steel / ISO 7 - ( AGMA 10 )
		<i>2.126</i>	<i>0.472</i>	<i>2.244</i>	<i>0.472</i>	<i>0.984</i>	<i>0.787</i>			

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Gears - Spur - Module 1.5

Part Number	Teeth (No.)	Pitch Circle Diameter (PD) mm	Bore (d) mm	Outside Diameter (OD) mm	Face Width (FW) mm	Overall Width (FW+HL) mm	Hub Diameter (D1) mm	Hub Proj / Locking Method (HL) mm	Pressure Angle Deg.	Material / Quality
# GS150-36-1600B1200-C-HP	36	54.00	12.000	57.000	16.000	30.00	50.00	14.00 / No Set Screw	20	Carbon Steel / ISO 8 - ( AGMA 9 )
		<i>2.126</i>	<i>0.472</i>	<i>2.244</i>	<i>0.630</i>	<i>1.181</i>	<i>1.969</i>			
# GS150-36-1600B1400-C-N	36	54.00	14.000	57.000	16.000	16.00	Hubless	0.00 / None	20	Carbon Steel / ISO 8 - ( AGMA 9 )
		<i>2.126</i>	<i>0.551</i>	<i>2.244</i>	<i>0.630</i>	<i>0.630</i>				
# GS150-36-1500B1500-S4-HP	36	54.00	15.000	57.000	15.000	30.00	40.00	15.00 / No Set Screw	20	AISI 4135 Steel / ISO 5 - Ground
		<i>2.126</i>	<i>0.591</i>	<i>2.244</i>	<i>0.591</i>	<i>1.181</i>	<i>1.575</i>			
# GS150-36-1000B1600-3-N	36	54.00	16.000	57.000	10.000	10.00	Hubless	0.00 / None	20	303 Stainless Steel / ISO 7 - ( AGMA 10 )
		<i>2.126</i>	<i>0.630</i>	<i>2.244</i>	<i>0.394</i>	<i>0.394</i>				
# GS150-36-1000B1600-C-NK	36	54.00	16.000	57.000	10.000	10.00	Hubless	0.00 / Keyway	20	Carbon Steel / ISO 8 - ( AGMA 9 )
		<i>2.126</i>	<i>0.630</i>	<i>2.244</i>	<i>0.394</i>	<i>0.394</i>				
# GS150-36-1600B1800-C-NK	36	54.00	18.000	57.000	16.000	16.00	Hubless	0.00 / Keyway	20	Carbon Steel / ISO 8 - ( AGMA 9 )
		<i>2.126</i>	<i>0.709</i>	<i>2.244</i>	<i>0.630</i>	<i>0.630</i>				
# GS150-36-1600B2000-C-HK	36	54.00	20.000	57.000	16.000	30.00	40.00	14.00 / Keyway	20	Carbon Steel / ISO 8 - ( AGMA 9 )
		<i>2.126</i>	<i>0.787</i>	<i>2.244</i>	<i>0.630</i>	<i>1.181</i>	<i>1.575</i>			

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Gears - Spur - Module 1.5

Part Number	Teeth (No.)	Pitch Circle Diameter (PD) mm	Bore (d) mm	Outside Diameter (OD) mm	Face Width (FW) mm	Overall Width (FW+HL) mm	Hub Diameter (D1) mm	Hub Proj / Locking Method (HL) mm	Pressure Angle Deg.	Material / Quality
# GS150-38-1200B1000-AC-HP	38	57.00	10.000	60.000	12.000	23.00	24.00	11.00 / No Set Screw	20	Acetal - No Insert / Commercial - Molded
		<i>2.244</i>	<i>0.394</i>	<i>2.362</i>	<i>0.472</i>	<i>0.906</i>	<i>0.945</i>			
# GS150-40-1200B0600-AC-HP	40	60.00	6.000	63.000	12.000	23.00	24.00	11.00 / No Set Screw	20	Acetal - No Insert / Commercial - Molded
		<i>2.362</i>	<i>0.236</i>	<i>2.480</i>	<i>0.472</i>	<i>0.906</i>	<i>0.945</i>			
# GS150-40-0800B0800-NI-N	40	60.00	8.000	63.000	8.000	8.00	Hubless	0.00 / None	20	Nylon Rim - Iron Core / Commercial - Machined
		<i>2.362</i>	<i>0.315</i>	<i>2.480</i>	<i>0.315</i>	<i>0.315</i>				
# GS150-40-1500B1000-NS-HP	40	60.00	10.000	63.000	15.000	27.00	40.00	12.00 / No Set Screw	20	Nylon / Stainless St. Core. / ISO 7 (AGMA 10)
		<i>2.362</i>	<i>0.394</i>	<i>2.480</i>	<i>0.591</i>	<i>1.063</i>	<i>1.575</i>			
# GS150-40-1200B1000-AC-HP	40	60.00	10.000	63.000	12.000	23.00	24.00	11.00 / No Set Screw	20	Acetal - No Insert / Commercial - Molded
		<i>2.362</i>	<i>0.394</i>	<i>2.480</i>	<i>0.472</i>	<i>0.906</i>	<i>0.945</i>			
# GS150-40-1500B1000-NY-HP	40	60.00	10.000	63.000	15.000	25.00	45.00	10.00 / No Set Screw	20	Nylon / No Insert / Commercial - Machined
		<i>2.362</i>	<i>0.394</i>	<i>2.480</i>	<i>0.591</i>	<i>0.984</i>	<i>1.772</i>			

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Gears - Spur - Module 1.5

Part Number	Teeth (No.)	Pitch Circle Diameter (PD) mm	Bore (d) mm	Outside Diameter (OD) mm	Face Width (FW) mm	Overall Width (FW+HL) mm	Hub Diameter (D1) mm	Hub Proj / Locking Method (HL) mm	Pressure Angle Deg.	Material / Quality
# GS150-40-1200B1000-3-HS	40	60.00	10.000	63.000	12.000	25.00	20.00	13.00 / Set Screw	20	303 Stainless Steel / ISO 7 - ( AGMA 10 )
		<i>2.362</i>	<i>0.394</i>	<i>2.480</i>	<i>0.472</i>	<i>0.984</i>	<i>0.787</i>			
# GS150-40-1200B1200-3-HS	40	60.00	12.000	63.000	12.000	25.00	20.00	13.00 / Set Screw	20	303 Stainless Steel / ISO 7 - ( AGMA 10 )
		<i>2.362</i>	<i>0.472</i>	<i>2.480</i>	<i>0.472</i>	<i>0.984</i>	<i>0.787</i>			
GS150-40-1000B1200-C-N	40	60.00	12.000	63.000	10.000	10.00	Hubless	0.00 / None	20	Carbon Steel / ISO 8 - ( AGMA 9 )
		<i>2.362</i>	<i>0.472</i>	<i>2.480</i>	<i>0.394</i>	<i>0.394</i>				
# GS150-40-1600B1200-C-HP	40	60.00	12.000	63.000	16.000	30.00	50.00	14.00 / No Set Screw	20	Carbon Steel / ISO 8 - ( AGMA 9 )
		<i>2.362</i>	<i>0.472</i>	<i>2.480</i>	<i>0.630</i>	<i>1.181</i>	<i>1.969</i>			
# GS150-40-1000B1200-C-HP	40	60.00	12.000	63.000	10.000	20.00	50.00	10.00 / No Set Screw	20	Carbon Steel / ISO 8 - ( AGMA 9 )
		<i>2.362</i>	<i>0.472</i>	<i>2.480</i>	<i>0.394</i>	<i>0.787</i>	<i>1.969</i>			
# GS150-40-1600B1400-C-N	40	60.00	14.000	63.000	16.000	16.00	Hubless	0.00 / None	20	Carbon Steel / ISO 8 - ( AGMA 9 )
		<i>2.362</i>	<i>0.551</i>	<i>2.480</i>	<i>0.630</i>	<i>0.630</i>				
# GS150-40-1500B1500-S4-HP	40	60.00	15.000	63.000	15.000	30.00	40.00	15.00 / No Set Screw	20	AISI 4135 Steel / ISO 5 - Ground
		<i>2.362</i>	<i>0.591</i>	<i>2.480</i>	<i>0.591</i>	<i>1.181</i>	<i>1.575</i>			

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Gears - Spur - Module 1.5

Part Number	Teeth (No.)	Pitch Circle Diameter (PD) mm	Bore (d) mm	Outside Diameter (OD) mm	Face Width (FW) mm	Overall Width (FW+HL) mm	Hub Diameter (D1) mm	Hub Proj / Locking Method (HL) mm	Pressure Angle Deg.	Material / Quality
# GS150-40-1000B1600-3-N	40	60.00	16.000	63.000	10.000	10.00	Hubless	0.00 / None	20	303 Stainless Steel / ISO 7 - ( AGMA 10 )
		<i>2.362</i>	<i>0.630</i>	<i>2.480</i>	<i>0.394</i>	<i>0.394</i>				
# GS150-40-1000B1600-C-NK	40	60.00	16.000	63.000	10.000	10.00	Hubless	0.00 / Keyway	20	Carbon Steel / ISO 8 - ( AGMA 9 )
		<i>2.362</i>	<i>0.630</i>	<i>2.480</i>	<i>0.394</i>	<i>0.394</i>				
# GS150-40-1600B1800-C-NK	40	60.00	18.000	63.000	16.000	16.00	Hubless	0.00 / Keyway	20	Carbon Steel / ISO 8 - ( AGMA 9 )
		<i>2.362</i>	<i>0.709</i>	<i>2.480</i>	<i>0.630</i>	<i>0.630</i>				
# GS150-40-1000B1800-C-HK	40	60.00	18.000	63.000	10.000	24.00	36.00	14.00 / Keyway	20	Carbon Steel / ISO 8 - ( AGMA 9 )
		<i>2.362</i>	<i>0.709</i>	<i>2.480</i>	<i>0.394</i>	<i>0.945</i>	<i>1.417</i>			
# GS150-40-1600B2000-C-HK	40	60.00	20.000	63.000	16.000	30.00	40.00	14.00 / Keyway	20	Carbon Steel / ISO 8 - ( AGMA 9 )
		<i>2.362</i>	<i>0.787</i>	<i>2.480</i>	<i>0.630</i>	<i>1.181</i>	<i>1.575</i>			
# GS150-42-1200B1000-AC-HP	42	63.00	10.000	66.000	12.000	23.00	24.00	11.00 / No Set Screw	20	Acetal - No Insert / Commercial - Molded
		<i>2.480</i>	<i>0.394</i>	<i>2.598</i>	<i>0.472</i>	<i>0.906</i>	<i>0.945</i>			
# GS150-42-1200B1000-3-HS	42	63.00	10.000	66.000	12.000	25.00	20.00	13.00 / Set Screw	20	303 Stainless Steel / ISO 7 - ( AGMA 10 )
		<i>2.480</i>	<i>0.394</i>	<i>2.598</i>	<i>0.472</i>	<i>0.984</i>	<i>0.787</i>			

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Gears - Spur - Module 1.5

Part Number	Teeth (No.)	Pitch Circle Diameter (PD) mm	Bore (d) mm	Outside Diameter (OD) mm	Face Width (FW) mm	Overall Width (FW+HL) mm	Hub Diameter (D1) mm	Hub Proj / Locking Method (HL) mm	Pressure Angle Deg.	Material / Quality
# GS150-42-1200B1200-3-HS	42	63.00	12.000	66.000	12.000	25.00	20.00	13.00 / Set Screw	20	303 Stainless Steel / ISO 7 - ( AGMA 10 )
		<i>2.480</i>	<i>0.472</i>	<i>2.598</i>	<i>0.472</i>	<i>0.984</i>	<i>0.787</i>			
# GS150-42-1000B1600-3-N	42	63.00	16.000	66.000	10.000	10.00	Hubless	0.00 / None	20	303 Stainless Steel / ISO 7 - ( AGMA 10 )
		<i>2.480</i>	<i>0.630</i>	<i>2.598</i>	<i>0.394</i>	<i>0.394</i>				
# GS150-45-1200B1000-3-HS	45	67.50	10.000	70.500	12.000	25.00	20.00	13.00 / Set Screw	20	303 Stainless Steel / ISO 7 - ( AGMA 10 )
		<i>2.657</i>	<i>0.394</i>	<i>2.776</i>	<i>0.472</i>	<i>0.984</i>	<i>0.787</i>			
# GS150-45-1200B1000-AC-HP	45	67.50	10.000	70.500	12.000	23.00	24.00	11.00 / No Set Screw	20	Acetal - No Insert / Commercial - Molded
		<i>2.657</i>	<i>0.394</i>	<i>2.776</i>	<i>0.472</i>	<i>0.906</i>	<i>0.945</i>			
# GS150-45-1500B1000-NY-HP	45	67.50	10.000	70.500	15.000	25.00	45.00	10.00 / No Set Screw	20	Nylon / No Insert / Commercial - Machined
		<i>2.657</i>	<i>0.394</i>	<i>2.776</i>	<i>0.591</i>	<i>0.984</i>	<i>1.772</i>			
# GS150-45-1200B1200-3-HS	45	67.50	12.000	70.500	12.000	25.00	20.00	13.00 / Set Screw	20	303 Stainless Steel / ISO 7 - ( AGMA 10 )
		<i>2.657</i>	<i>0.472</i>	<i>2.776</i>	<i>0.472</i>	<i>0.984</i>	<i>0.787</i>			

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Gears - Spur - Module 1.5

Part Number	Teeth (No.)	Pitch Circle Diameter (PD) mm	Bore (d) mm	Outside Diameter (OD) mm	Face Width (FW) mm	Overall Width (FW+HL) mm	Hub Diameter (D1) mm	Hub Proj / Locking Method (HL) mm	Pressure Angle Deg.	Material / Quality
# GS150-45-1000B1600-3-N	45	67.50	16.000	70.500	10.000	10.00	Hubless	0.00 / None	20	303 Stainless Steel / ISO 7 - ( AGMA 10 )
		<i>2.657</i>	<i>0.630</i>	<i>2.776</i>	<i>0.394</i>	<i>0.394</i>				
# GS150-45-1500B2000-S4-HP	45	67.50	20.000	70.500	15.000	30.00	50.00	15.00 / No Set Screw	20	AISI 4135 Steel / ISO 5 - Ground
		<i>2.657</i>	<i>0.787</i>	<i>2.776</i>	<i>0.591</i>	<i>1.181</i>	<i>1.969</i>			
# GS150-48-1500B1000-NY-HP	48	72.00	10.000	75.000	15.000	25.00	45.00	10.00 / No Set Screw	20	Nylon / No Insert / Commercial - Machined
		<i>2.835</i>	<i>0.394</i>	<i>2.953</i>	<i>0.591</i>	<i>0.984</i>	<i>1.772</i>			
# GS150-48-1200B1000-AC-HP	48	72.00	10.000	75.000	12.000	23.00	24.00	11.00 / No Set Screw	20	Acetal - No Insert / Commercial - Molded
		<i>2.835</i>	<i>0.394</i>	<i>2.953</i>	<i>0.472</i>	<i>0.906</i>	<i>0.945</i>			
# GS150-48-1200B1000-3-HS	48	72.00	10.000	75.000	12.000	25.00	20.00	13.00 / Set Screw	20	303 Stainless Steel / ISO 7 - ( AGMA 10 )
		<i>2.835</i>	<i>0.394</i>	<i>2.953</i>	<i>0.472</i>	<i>0.984</i>	<i>0.787</i>			
# GS150-48-1000B1200-C-HP	48	72.00	12.000	75.000	10.000	20.00	50.00	10.00 / No Set Screw	20	Carbon Steel / ISO 8 - ( AGMA 9 )
		<i>2.835</i>	<i>0.472</i>	<i>2.953</i>	<i>0.394</i>	<i>0.787</i>	<i>1.969</i>			

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Gears - Spur - Module 1.5

Part Number	Teeth (No.)	Pitch Circle Diameter (PD) mm	Bore (d) mm	Outside Diameter (OD) mm	Face Width (FW) mm	Overall Width (FW+HL) mm	Hub Diameter (D1) mm	Hub Proj / Locking Method (HL) mm	Pressure Angle Deg.	Material / Quality
# GS150-48-1600B1200-C-HP	48	72.00	12.000	75.000	16.000	30.00	50.00	14.00 / No Set Screw	20	Carbon Steel / ISO 8 - ( AGMA 9 )
		<i>2.835</i>	<i>0.472</i>	<i>2.953</i>	<i>0.630</i>	<i>1.181</i>	<i>1.969</i>			
# GS150-48-1200B1200-3-HS	48	72.00	12.000	75.000	12.000	25.00	20.00	13.00 / Set Screw	20	303 Stainless Steel / ISO 7 - ( AGMA 10 )
		<i>2.835</i>	<i>0.472</i>	<i>2.953</i>	<i>0.472</i>	<i>0.984</i>	<i>0.787</i>			
# GS150-48-1000B1400-C-N	48	72.00	14.000	75.000	10.000	10.00	Hubless	0.00 / None	20	Carbon Steel / ISO 8 - ( AGMA 9 )
		<i>2.835</i>	<i>0.551</i>	<i>2.953</i>	<i>0.394</i>	<i>0.394</i>				
# GS150-48-1000B1600-3-N	48	72.00	16.000	75.000	10.000	10.00	Hubless	0.00 / None	20	303 Stainless Steel / ISO 7 - ( AGMA 10 )
		<i>2.835</i>	<i>0.630</i>	<i>2.953</i>	<i>0.394</i>	<i>0.394</i>				
# GS150-48-1600B1600-C-N	48	72.00	16.000	75.000	16.000	16.00	Hubless	0.00 / None	20	Carbon Steel / ISO 8 - ( AGMA 9 )
		<i>2.835</i>	<i>0.630</i>	<i>2.953</i>	<i>0.630</i>	<i>0.630</i>				
# GS150-48-1000B1800-C-HK	48	72.00	18.000	75.000	10.000	24.00	36.00	14.00 / Keyway	20	Carbon Steel / ISO 8 - ( AGMA 9 )
		<i>2.835</i>	<i>0.709</i>	<i>2.953</i>	<i>0.394</i>	<i>0.945</i>	<i>1.417</i>			
# GS150-48-1000B1800-C-NK	48	72.00	18.000	75.000	10.000	10.00	Hubless	0.00 / Keyway	20	Carbon Steel / ISO 8 - ( AGMA 9 )
		<i>2.835</i>	<i>0.709</i>	<i>2.953</i>	<i>0.394</i>	<i>0.394</i>				

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Gears - Spur - Module 1.5

Part Number	Teeth (No.)	Pitch Circle Diameter (PD) mm	Bore (d) mm	Outside Diameter (OD) mm	Face Width (FW) mm	Overall Width (FW+HL) mm	Hub Diameter (D1) mm	Hub Proj / Locking Method (HL) mm	Pressure Angle Deg.	Material / Quality
# GS150-48-1600B2000-C-NK	48	72.00	20.000	75.000	16.000	16.00	Hubless	0.00 / Keyway	20	Carbon Steel / ISO 8 - ( AGMA 9 )
		<i>2.835</i>	<i>0.787</i>	<i>2.953</i>	<i>0.630</i>	<i>0.630</i>				
# GS150-48-1500B2000-S4-HP	48	72.00	20.000	75.000	15.000	30.00	50.00	15.00 / No Set Screw	20	AISI 4135 Steel / ISO 5 - Ground
		<i>2.835</i>	<i>0.787</i>	<i>2.953</i>	<i>0.591</i>	<i>1.181</i>	<i>1.969</i>			
# GS150-48-1600B2000-C-HK	48	72.00	20.000	75.000	16.000	30.00	40.00	14.00 / Keyway	20	Carbon Steel / ISO 8 - ( AGMA 9 )
		<i>2.835</i>	<i>0.787</i>	<i>2.953</i>	<i>0.630</i>	<i>1.181</i>	<i>1.575</i>			
# GS150-50-1200B1000-3-HS	50	75.00	10.000	78.000	12.000	25.00	20.00	13.00 / Set Screw	20	303 Stainless Steel / ISO 7 - ( AGMA 10 )
		<i>2.953</i>	<i>0.394</i>	<i>3.071</i>	<i>0.472</i>	<i>0.984</i>	<i>0.787</i>			
# GS150-50-1500B1000-NY-HP	50	75.00	10.000	78.000	15.000	25.00	45.00	10.00 / No Set Screw	20	Nylon / No Insert / Commercial - Machined
		<i>2.953</i>	<i>0.394</i>	<i>3.071</i>	<i>0.591</i>	<i>0.984</i>	<i>1.772</i>			
# GS150-50-0800B1000-NI-N	50	75.00	10.000	78.000	8.000	8.00	Hubless	0.00 / None	20	Nylon Rim - Iron Core / Commercial - Machined
		<i>2.953</i>	<i>0.394</i>	<i>3.071</i>	<i>0.315</i>	<i>0.315</i>				

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Gears - Spur - Module 1.5

Part Number	Teeth (No.)	Pitch Circle Diameter (PD) mm	Bore (d) mm	Outside Diameter (OD) mm	Face Width (FW) mm	Overall Width (FW+HL) mm	Hub Diameter (D1) mm	Hub Proj / Locking Method (HL) mm	Pressure Angle Deg.	Material / Quality
# GS150-50-1200B1200-AC-HP	50	75.00	12.000	78.000	12.000	23.00	27.00	11.00 / No Set Screw	20	Acetal - No Insert / Commercial - Molded
		<i>2.953</i>	<i>0.472</i>	<i>3.071</i>	<i>0.472</i>	<i>0.906</i>	<i>1.063</i>			
# GS150-50-1000B1200-C-HP	50	75.00	12.000	78.000	10.000	20.00	50.00	10.00 / No Set Screw	20	Carbon Steel / ISO 8 - ( AGMA 9 )
		<i>2.953</i>	<i>0.472</i>	<i>3.071</i>	<i>0.394</i>	<i>0.787</i>	<i>1.969</i>			
# GS150-50-1200B1200-3-HS	50	75.00	12.000	78.000	12.000	25.00	20.00	13.00 / Set Screw	20	303 Stainless Steel / ISO 7 - ( AGMA 10 )
		<i>2.953</i>	<i>0.472</i>	<i>3.071</i>	<i>0.472</i>	<i>0.984</i>	<i>0.787</i>			
# GS150-50-1500B1200-NS-HP	50	75.00	12.000	78.000	15.000	27.00	40.00	12.00 / No Set Screw	20	Nylon / Stainless St. Core. / ISO 7 (AGMA 10)
		<i>2.953</i>	<i>0.472</i>	<i>3.071</i>	<i>0.591</i>	<i>1.063</i>	<i>1.575</i>			
# GS150-50-1000B1400-C-N	50	75.00	14.000	78.000	10.000	10.00	Hubless	0.00 / None	20	Carbon Steel / ISO 8 - ( AGMA 9 )
		<i>2.953</i>	<i>0.551</i>	<i>3.071</i>	<i>0.394</i>	<i>0.394</i>				
# GS150-50-1600B1500-C-HP	50	75.00	15.000	78.000	16.000	30.00	60.00	14.00 / No Set Screw	20	Carbon Steel / ISO 8 - ( AGMA 9 )
		<i>2.953</i>	<i>0.591</i>	<i>3.071</i>	<i>0.630</i>	<i>1.181</i>	<i>2.362</i>			

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Gears - Spur - Module 1.5

Part Number	Teeth (No.)	Pitch Circle Diameter (PD) mm	Bore (d) mm	Outside Diameter (OD) mm	Face Width (FW) mm	Overall Width (FW+HL) mm	Hub Diameter (D1) mm	Hub Proj / Locking Method (HL) mm	Pressure Angle Deg.	Material / Quality
# GS150-50-1600B1600-C-N	50	75.00	16.000	78.000	16.000	16.00	Hubless	0.00 / None	20	Carbon Steel / ISO 8 - ( AGMA 9 )
		<i>2.953</i>	<i>0.630</i>	<i>3.071</i>	<i>0.630</i>	<i>0.630</i>				
# GS150-50-1000B1600-3-N	50	75.00	16.000	78.000	10.000	10.00	Hubless	0.00 / None	20	303 Stainless Steel / ISO 7 - ( AGMA 10 )
		<i>2.953</i>	<i>0.630</i>	<i>3.071</i>	<i>0.394</i>	<i>0.394</i>				
# GS150-50-1000B1800-C-NK	50	75.00	18.000	78.000	10.000	10.00	Hubless	0.00 / Keyway	20	Carbon Steel / ISO 8 - ( AGMA 9 )
		<i>2.953</i>	<i>0.709</i>	<i>3.071</i>	<i>0.394</i>	<i>0.394</i>				
# GS150-50-1000B1800-C-HK	50	75.00	18.000	78.000	10.000	24.00	36.00	14.00 / Keyway	20	Carbon Steel / ISO 8 - ( AGMA 9 )
		<i>2.953</i>	<i>0.709</i>	<i>3.071</i>	<i>0.394</i>	<i>0.945</i>	<i>1.417</i>			
# GS150-50-1600B2000-C-HK	50	75.00	20.000	78.000	16.000	30.00	40.00	14.00 / Keyway	20	Carbon Steel / ISO 8 - ( AGMA 9 )
		<i>2.953</i>	<i>0.787</i>	<i>3.071</i>	<i>0.630</i>	<i>1.181</i>	<i>1.575</i>			
# GS150-50-1600B2000-C-NK	50	75.00	20.000	78.000	16.000	16.00	Hubless	0.00 / Keyway	20	Carbon Steel / ISO 8 - ( AGMA 9 )
		<i>2.953</i>	<i>0.787</i>	<i>3.071</i>	<i>0.630</i>	<i>0.630</i>				
# GS150-50-1500B2000-S4-HP	50	75.00	20.000	78.000	15.000	30.00	50.00	15.00 / No Set Screw	20	AISI 4135 Steel / ISO 5 - Ground
		<i>2.953</i>	<i>0.787</i>	<i>3.071</i>	<i>0.591</i>	<i>1.181</i>	<i>1.969</i>			

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Gears - Spur - Module 1.5

Part Number	Teeth (No.)	Pitch Circle Diameter (PD) mm	Bore (d) mm	Outside Diameter (OD) mm	Face Width (FW) mm	Overall Width (FW+HL) mm	Hub Diameter (D1) mm	Hub Proj / Locking Method (HL) mm	Pressure Angle Deg.	Material / Quality
# GS150-52-1200B1200-AC-HP	52	78.00	12.000	81.000	12.000	23.00	27.00	11.00 / No Set Screw	20	Acetal - No Insert / Commercial - Molded
		<i>3.071</i>	<i>0.472</i>	<i>3.189</i>	<i>0.472</i>	<i>0.906</i>	<i>1.063</i>			
# GS150-54-1200B1200-AC-HP	54	81.00	12.000	84.000	12.000	23.00	27.00	11.00 / No Set Screw	20	Acetal - No Insert / Commercial - Molded
		<i>3.189</i>	<i>0.472</i>	<i>3.307</i>	<i>0.472</i>	<i>0.906</i>	<i>1.063</i>			
# GS150-55-1500B1000-NY-HP	55	82.50	10.000	85.500	15.000	25.00	45.00	10.00 / No Set Screw	20	Nylon / No Insert / Commercial - Machined
		<i>3.248</i>	<i>0.394</i>	<i>3.366</i>	<i>0.591</i>	<i>0.984</i>	<i>1.772</i>			
# GS150-55-1200B1200-AC-HP	55	82.50	12.000	85.500	12.000	23.00	27.00	11.00 / No Set Screw	20	Acetal - No Insert / Commercial - Molded
		<i>3.248</i>	<i>0.472</i>	<i>3.366</i>	<i>0.472</i>	<i>0.906</i>	<i>1.063</i>			
# GS150-56-1200B1000-3-HS	56	84.00	10.000	87.000	12.000	25.00	20.00	13.00 / Set Screw	20	303 Stainless Steel / ISO 7 - ( AGMA 10 )
		<i>3.307</i>	<i>0.394</i>	<i>3.425</i>	<i>0.472</i>	<i>0.984</i>	<i>0.787</i>			
# GS150-56-1200B1200-3-HS	56	84.00	12.000	87.000	12.000	25.00	20.00	13.00 / Set Screw	20	303 Stainless Steel / ISO 7 - ( AGMA 10 )
		<i>3.307</i>	<i>0.472</i>	<i>3.425</i>	<i>0.472</i>	<i>0.984</i>	<i>0.787</i>			

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Gears - Spur - Module 1.5

Part Number	Teeth (No.)	Pitch Circle Diameter (PD) mm	Bore (d) mm	Outside Diameter (OD) mm	Face Width (FW) mm	Overall Width (FW+HL) mm	Hub Diameter (D1) mm	Hub Proj / Locking Method (HL) mm	Pressure Angle Deg.	Material / Quality
# GS150-56-1000B1400-C-HP	56	84.00	14.000	87.000	10.000	20.00	50.00	10.00 / No Set Screw	20	Carbon Steel / ISO 8 - ( AGMA 9 )
		<i>3.307</i>	<i>0.551</i>	<i>3.425</i>	<i>0.394</i>	<i>0.787</i>	<i>1.969</i>			
# GS150-56-1000B1400-C-N	56	84.00	14.000	87.000	10.000	10.00	Hubless	0.00 / None	20	Carbon Steel / ISO 8 - ( AGMA 9 )
		<i>3.307</i>	<i>0.551</i>	<i>3.425</i>	<i>0.394</i>	<i>0.394</i>				
# GS150-56-1000B1600-3-N	56	84.00	16.000	87.000	10.000	10.00	Hubless	0.00 / None	20	303 Stainless Steel / ISO 7 - ( AGMA 10 )
		<i>3.307</i>	<i>0.630</i>	<i>3.425</i>	<i>0.394</i>	<i>0.394</i>				
# GS150-56-1600B1600-C-N	56	84.00	16.000	87.000	16.000	16.00	Hubless	0.00 / None	20	Carbon Steel / ISO 8 - ( AGMA 9 )
		<i>3.307</i>	<i>0.630</i>	<i>3.425</i>	<i>0.630</i>	<i>0.630</i>				
# GS150-56-1600B1600-C-HP	56	84.00	16.000	87.000	16.000	30.00	60.00	14.00 / No Set Screw	20	Carbon Steel / ISO 8 - ( AGMA 9 )
		<i>3.307</i>	<i>0.630</i>	<i>3.425</i>	<i>0.630</i>	<i>1.181</i>	<i>2.362</i>			
# GS150-56-1000B1600-C-HK	56	84.00	16.000	87.000	10.000	24.00	32.00	14.00 / Keyway	20	Carbon Steel / ISO 8 - ( AGMA 9 )
		<i>3.307</i>	<i>0.630</i>	<i>3.425</i>	<i>0.394</i>	<i>0.945</i>	<i>1.260</i>			
# GS150-56-1000B1800-C-NK	56	84.00	18.000	87.000	10.000	10.00	Hubless	0.00 / Keyway	20	Carbon Steel / ISO 8 - ( AGMA 9 )
		<i>3.307</i>	<i>0.709</i>	<i>3.425</i>	<i>0.394</i>	<i>0.394</i>				

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Gears - Spur - Module 1.5

Part Number	Teeth (No.)	Pitch Circle Diameter (PD) mm	Bore (d) mm	Outside Diameter (OD) mm	Face Width (FW) mm	Overall Width (FW+HL) mm	Hub Diameter (D1) mm	Hub Proj / Locking Method (HL) mm	Pressure Angle Deg.	Material / Quality
# GS150-56-1600B2000-C-NK	56	84.00	20.000	87.000	16.000	16.00	Hubless	0.00 / Keyway	20	Carbon Steel / ISO 8 - ( AGMA 9 )
		<i>3.307</i>	<i>0.787</i>	<i>3.425</i>	<i>0.630</i>	<i>0.630</i>				
# GS150-56-1600B2000-C-HK	56	84.00	20.000	87.000	16.000	30.00	40.00	14.00 / Keyway	20	Carbon Steel / ISO 8 - ( AGMA 9 )
		<i>3.307</i>	<i>0.787</i>	<i>3.425</i>	<i>0.630</i>	<i>1.181</i>	<i>1.575</i>			
# GS150-56-1500B2000-S4-HP	56	84.00	20.000	87.000	15.000	30.00	50.00	15.00 / No Set Screw	20	AISI 4135 Steel / ISO 5 - Ground
		<i>3.307</i>	<i>0.787</i>	<i>3.425</i>	<i>0.591</i>	<i>1.181</i>	<i>1.969</i>			
# GS150-60-0800B1000-NI-N	60	90.00	10.000	93.000	8.000	8.00	Hubless	0.00 / None	20	Nylon Rim - Iron Core / Commercial - Machined
		<i>3.543</i>	<i>0.394</i>	<i>3.661</i>	<i>0.315</i>	<i>0.315</i>				
# GS150-60-1500B1000-NY-HP	60	90.00	10.000	93.000	15.000	25.00	50.00	10.00 / No Set Screw	20	Nylon / No Insert / Commercial - Machined
		<i>3.543</i>	<i>0.394</i>	<i>3.661</i>	<i>0.591</i>	<i>0.984</i>	<i>1.969</i>			
# GS150-60-1200B1000-3-HS	60	90.00	10.000	93.000	12.000	25.00	20.00	13.00 / Set Screw	20	303 Stainless Steel / ISO 7 - ( AGMA 10 )
		<i>3.543</i>	<i>0.394</i>	<i>3.661</i>	<i>0.472</i>	<i>0.984</i>	<i>0.787</i>			

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Gears - Spur - Module 1.5

Part Number	Teeth (No.)	Pitch Circle Diameter (PD) mm	Bore (d) mm	Outside Diameter (OD) mm	Face Width (FW) mm	Overall Width (FW+HL) mm	Hub Diameter (D1) mm	Hub Proj / Locking Method (HL) mm	Pressure Angle Deg.	Material / Quality
# GS150-60-1200B1200-3-HS	60	90.00	12.000	93.000	12.000	25.00	20.00	13.00 / Set Screw	20	303 Stainless Steel / ISO 7 - ( AGMA 10 )
		<i>3.543</i>	<i>0.472</i>	<i>3.661</i>	<i>0.472</i>	<i>0.984</i>	<i>0.787</i>			
# GS150-60-1200B1200-AC-HP	60	90.00	12.000	93.000	12.000	23.00	27.00	11.00 / No Set Screw	20	Acetal - No Insert / Commercial - Molded
		<i>3.543</i>	<i>0.472</i>	<i>3.661</i>	<i>0.472</i>	<i>0.906</i>	<i>1.063</i>			
# GS150-60-1500B1200-NS-HP	60	90.00	12.000	93.000	15.000	27.00	50.00	12.00 / No Set Screw	20	Nylon / Stainless St. Core. / ISO 7 (AGMA 10)
		<i>3.543</i>	<i>0.472</i>	<i>3.661</i>	<i>0.591</i>	<i>1.063</i>	<i>1.969</i>			
# GS150-60-1000B1400-C-N	60	90.00	14.000	93.000	10.000	10.00	Hubless	0.00 / None	20	Carbon Steel / ISO 8 - ( AGMA 9 )
		<i>3.543</i>	<i>0.551</i>	<i>3.661</i>	<i>0.394</i>	<i>0.394</i>				
# GS150-60-1000B1400-C-HP	60	90.00	14.000	93.000	10.000	20.00	50.00	10.00 / No Set Screw	20	Carbon Steel / ISO 8 - ( AGMA 9 )
		<i>3.543</i>	<i>0.551</i>	<i>3.661</i>	<i>0.394</i>	<i>0.787</i>	<i>1.969</i>			
# GS150-60-1600B1600-C-HP	60	90.00	16.000	93.000	16.000	30.00	60.00	14.00 / No Set Screw	20	Carbon Steel / ISO 8 - ( AGMA 9 )
		<i>3.543</i>	<i>0.630</i>	<i>3.661</i>	<i>0.630</i>	<i>1.181</i>	<i>2.362</i>			

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Gears - Spur - Module 1.5

Part Number	Teeth (No.)	Pitch Circle Diameter (PD) mm	Bore (d) mm	Outside Diameter (OD) mm	Face Width (FW) mm	Overall Width (FW+HL) mm	Hub Diameter (D1) mm	Hub Proj / Locking Method (HL) mm	Pressure Angle Deg.	Material / Quality
# GS150-60-1600B1600-C-N	60	90.00	16.000	93.000	16.000	16.00	Hubless	0.00 / None	20	Carbon Steel / ISO 8 - ( AGMA 9 )
		<i>3.543</i>	<i>0.630</i>	<i>3.661</i>	<i>0.630</i>	<i>0.630</i>				
# GS150-60-1000B1600-3-N	60	90.00	16.000	93.000	10.000	10.00	Hubless	0.00 / None	20	303 Stainless Steel / ISO 7 - ( AGMA 10 )
		<i>3.543</i>	<i>0.630</i>	<i>3.661</i>	<i>0.394</i>	<i>0.394</i>				
# GS150-60-1000B1800-C-NK	60	90.00	18.000	93.000	10.000	10.00	Hubless	0.00 / Keyway	20	Carbon Steel / ISO 8 - ( AGMA 9 )
		<i>3.543</i>	<i>0.709</i>	<i>3.661</i>	<i>0.394</i>	<i>0.394</i>				
# GS150-60-1000B1800-C-HK	60	90.00	18.000	93.000	10.000	24.00	36.00	14.00 / Keyway	20	Carbon Steel / ISO 8 - ( AGMA 9 )
		<i>3.543</i>	<i>0.709</i>	<i>3.661</i>	<i>0.394</i>	<i>0.945</i>	<i>1.417</i>			
# GS150-60-1500B2000-S4-HP	60	90.00	20.000	93.000	15.000	30.00	50.00	15.00 / No Set Screw	20	AISI 4135 Steel / ISO 5 - Ground
		<i>3.543</i>	<i>0.787</i>	<i>3.661</i>	<i>0.591</i>	<i>1.181</i>	<i>1.969</i>			
# GS150-60-1600B2000-C-NK	60	90.00	20.000	93.000	16.000	16.00	40.00	0.00 / Hub Flush with Gear Face - Sides Indented / Keyway	20	Carbon Steel / ISO 8 - ( AGMA 9 )
		<i>3.543</i>	<i>0.787</i>	<i>3.661</i>	<i>0.630</i>	<i>0.630</i>	<i>1.575</i>			

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Gears - Spur - Module 1.5

Part Number	Teeth (No.)	Pitch Circle Diameter (PD) mm	Bore (d) mm	Outside Diameter (OD) mm	Face Width (FW) mm	Overall Width (FW+HL) mm	Hub Diameter (D1) mm	Hub Proj / Locking Method (HL) mm	Pressure Angle Deg.	Material / Quality
# GS150-60-1600B2000-C-HK	60	90.00	20.000	93.000	16.000	30.00	40.00	14.00 / Keyway	20	Carbon Steel / ISO 8 - ( AGMA 9 )
		<i>3.543</i>	<i>0.787</i>	<i>3.661</i>	<i>0.630</i>	<i>1.181</i>	<i>1.575</i>			
# GS150-64-1200B1000-3-HS	64	96.00	10.000	99.000	12.000	25.00	20.00	13.00 / Set Screw	20	303 Stainless Steel / ISO 7 - ( AGMA 10 )
		<i>3.780</i>	<i>0.394</i>	<i>3.898</i>	<i>0.472</i>	<i>0.984</i>	<i>0.787</i>			
# GS150-64-1200B1200-3-HS	64	96.00	12.000	99.000	12.000	25.00	20.00	13.00 / Set Screw	20	303 Stainless Steel / ISO 7 - ( AGMA 10 )
		<i>3.780</i>	<i>0.472</i>	<i>3.898</i>	<i>0.472</i>	<i>0.984</i>	<i>0.787</i>			
# GS150-64-1000B1400-C-N	64	96.00	14.000	99.000	10.000	10.00	Hubless	0.00 / None	20	Carbon Steel / ISO 8 - ( AGMA 9 )
		<i>3.780</i>	<i>0.551</i>	<i>3.898</i>	<i>0.394</i>	<i>0.394</i>				
# GS150-64-1000B1400-C-HP	64	96.00	14.000	99.000	10.000	20.00	50.00	10.00 / No Set Screw	20	Carbon Steel / ISO 8 - ( AGMA 9 )
		<i>3.780</i>	<i>0.551</i>	<i>3.898</i>	<i>0.394</i>	<i>0.787</i>	<i>1.969</i>			
# GS150-64-1000B1600-3-N	64	96.00	16.000	99.000	10.000	10.00	Hubless	0.00 / None	20	303 Stainless Steel / ISO 7 - ( AGMA 10 )
		<i>3.780</i>	<i>0.630</i>	<i>3.898</i>	<i>0.394</i>	<i>0.394</i>				
# GS150-64-1600B1600-C-N	64	96.00	16.000	99.000	16.000	16.00	Hubless	0.00 / None	20	Carbon Steel / ISO 8 - ( AGMA 9 )
		<i>3.780</i>	<i>0.630</i>	<i>3.898</i>	<i>0.630</i>	<i>0.630</i>				

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Gears - Spur - Module 1.5

Part Number	Teeth (No.)	Pitch Circle Diameter (PD) mm	Bore (d) mm	Outside Diameter (OD) mm	Face Width (FW) mm	Overall Width (FW+HL) mm	Hub Diameter (D1) mm	Hub Proj / Locking Method (HL) mm	Pressure Angle Deg.	Material / Quality
# GS150-64-1000B1600-C-HK	64	96.00	16.000	99.000	10.000	24.00	32.00	14.00 / Keyway	20	Carbon Steel / ISO 8 - ( AGMA 9 )
		<i>3.780</i>	<i>0.630</i>	<i>3.898</i>	<i>0.394</i>	<i>0.945</i>	<i>1.260</i>			
# GS150-64-1600B1600-C-HP	64	96.00	16.000	99.000	16.000	30.00	60.00	14.00 / No Set Screw	20	Carbon Steel / ISO 8 - ( AGMA 9 )
		<i>3.780</i>	<i>0.630</i>	<i>3.898</i>	<i>0.630</i>	<i>1.181</i>	<i>2.362</i>			
# GS150-64-1000B1800-C-NK	64	96.00	18.000	99.000	10.000	10.00	Hubless	0.00 / Keyway	20	Carbon Steel / ISO 8 - ( AGMA 9 )
		<i>3.780</i>	<i>0.709</i>	<i>3.898</i>	<i>0.394</i>	<i>0.394</i>				
# GS150-64-1600B2000-C-HK	64	96.00	20.000	99.000	16.000	30.00	40.00	14.00 / Keyway	20	Carbon Steel / ISO 8 - ( AGMA 9 )
		<i>3.780</i>	<i>0.787</i>	<i>3.898</i>	<i>0.630</i>	<i>1.181</i>	<i>1.575</i>			
# GS150-64-1600B2000-C-NK	64	96.00	20.000	99.000	16.000	16.00	40.00	0.00 / Hub Flush with Gear Face - Sides Indented / Keyway	20	Carbon Steel / ISO 8 - ( AGMA 9 )
		<i>3.780</i>	<i>0.787</i>	<i>3.898</i>	<i>0.630</i>	<i>0.630</i>	<i>1.575</i>			
# GS150-64-1500B2000-S4-HP	64	96.00	20.000	99.000	15.000	30.00	60.00	15.00 / No Set Screw	20	AISI 4135 Steel / ISO 5 - Ground
		<i>3.780</i>	<i>0.787</i>	<i>3.898</i>	<i>0.591</i>	<i>1.181</i>	<i>2.362</i>			

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Gears - Spur - Module 1.5

Part Number	Teeth (No.)	Pitch Circle Diameter (PD) mm	Bore (d) mm	Outside Diameter (OD) mm	Face Width (FW) mm	Overall Width (FW+HL) mm	Hub Diameter (D1) mm	Hub Proj / Locking Method (HL) mm	Pressure Angle Deg.	Material / Quality
# GS150-65-1500B1200-NY-HP	65	97.50	12.000	100.500	15.000	25.00	50.00	10.00 / No Set Screw	20	Nylon / No Insert / Commercial - Machined
		<i>3.839</i>	<i>0.472</i>	<i>3.957</i>	<i>0.591</i>	<i>0.984</i>	<i>1.969</i>			
# GS150-70-1500B1200-NY-HP	70	105.00	12.000	108.000	15.000	25.00	50.00	10.00 / No Set Screw	20	Nylon / No Insert / Commercial - Machined
		<i>4.134</i>	<i>0.472</i>	<i>4.252</i>	<i>0.591</i>	<i>0.984</i>	<i>1.969</i>			
# GS150-70-1000B1400-C-N	70	105.00	14.000	108.000	10.000	10.00	Hubless	0.00 / None	20	Carbon Steel / ISO 8 - ( AGMA 9 )
		<i>4.134</i>	<i>0.551</i>	<i>4.252</i>	<i>0.394</i>	<i>0.394</i>				
# GS150-70-1200B1400-AC-HP	70	105.00	14.000	108.000	12.000	23.00	30.00	11.00 / No Set Screw	20	Acetal - No Insert / Commercial - Molded
		<i>4.134</i>	<i>0.551</i>	<i>4.252</i>	<i>0.472</i>	<i>0.906</i>	<i>1.181</i>			
# GS150-70-1000B1400-C-HP	70	105.00	14.000	108.000	10.000	20.00	50.00	10.00 / No Set Screw	20	Carbon Steel / ISO 8 - ( AGMA 9 )
		<i>4.134</i>	<i>0.551</i>	<i>4.252</i>	<i>0.394</i>	<i>0.787</i>	<i>1.969</i>			
# GS150-70-1000B1600-C-HK	70	105.00	16.000	108.000	10.000	24.00	32.00	14.00 / Keyway	20	Carbon Steel / ISO 8 - ( AGMA 9 )
		<i>4.134</i>	<i>0.630</i>	<i>4.252</i>	<i>0.394</i>	<i>0.945</i>	<i>1.260</i>			

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Gears - Spur - Module 1.5

Part Number	Teeth (No.)	Pitch Circle Diameter (PD) mm	Bore (d) mm	Outside Diameter (OD) mm	Face Width (FW) mm	Overall Width (FW+HL) mm	Hub Diameter (D1) mm	Hub Proj / Locking Method (HL) mm	Pressure Angle Deg.	Material / Quality
# GS150-70-1600B1600-C-N	70	105.00	16.000	108.000	16.000	16.00	Hubless	0.00 / None	20	Carbon Steel / ISO 8 - ( AGMA 9 )
		<i>4.134</i>	<i>0.630</i>	<i>4.252</i>	<i>0.630</i>	<i>0.630</i>				
# GS150-70-1600B1600-C-HP	70	105.00	16.000	108.000	16.000	30.00	60.00	14.00 / No Set Screw	20	Carbon Steel / ISO 8 - ( AGMA 9 )
		<i>4.134</i>	<i>0.630</i>	<i>4.252</i>	<i>0.630</i>	<i>1.181</i>	<i>2.362</i>			
# GS150-70-1000B1800-C-NK6	70	105.00	18.000	108.000	10.000	10.00	Hubless	0.00 / Keyway 6x2.8	20	Carbon Steel / ISO 8 - ( AGMA 9 )
		<i>4.134</i>	<i>0.709</i>	<i>4.252</i>	<i>0.394</i>	<i>0.394</i>				
# GS150-70-1000B1800-C-NK5	70	105.00	18.000	108.000	10.000	10.00	Hubless	0.00 / Keyway 5x2.8	20	Carbon Steel / ISO 8 - ( AGMA 9 )
		<i>4.134</i>	<i>0.709</i>	<i>4.252</i>	<i>0.394</i>	<i>0.394</i>				
# GS150-70-1600B2000-C-HK	70	105.00	20.000	108.000	16.000	30.00	40.00	14.00 / Keyway	20	Carbon Steel / ISO 8 - ( AGMA 9 )
		<i>4.134</i>	<i>0.787</i>	<i>4.252</i>	<i>0.630</i>	<i>1.181</i>	<i>1.575</i>			
# GS150-70-1600B2000-C-NK	70	105.00	20.000	108.000	16.000	16.00	40.00	0.00 / Hub Flush with Gear Face - Sides Indented / Keyway	20	Carbon Steel / ISO 8 - ( AGMA 9 )
		<i>4.134</i>	<i>0.787</i>	<i>4.252</i>	<i>0.630</i>	<i>0.630</i>	<i>1.575</i>			

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Gears - Spur - Module 1.5

Part Number	Teeth (No.)	Pitch Circle Diameter (PD) mm	Bore (d) mm	Outside Diameter (OD) mm	Face Width (FW) mm	Overall Width (FW+HL) mm	Hub Diameter (D1) mm	Hub Proj / Locking Method (HL) mm	Pressure Angle Deg.	Material / Quality
# GS150-70-1500B2000-S4-HP	70	105.00	20.000	108.000	15.000	30.00	60.00	15.00 / No Set Screw	20	AISI 4135 Steel / ISO 5 - Ground
		<i>4.134</i>	<i>0.787</i>	<i>4.252</i>	<i>0.591</i>	<i>1.181</i>	<i>2.362</i>			
# GS150-72-1000B1600-C-N	72	108.00	16.000	111.000	10.000	10.00	Hubless	0.00 / None	20	Carbon Steel / ISO 8 - ( AGMA 9 )
		<i>4.252</i>	<i>0.630</i>	<i>4.370</i>	<i>0.394</i>	<i>0.394</i>				
# GS150-72-1000B1600-C-HP	72	108.00	16.000	111.000	10.000	20.00	50.00	10.00 / No Set Screw	20	Carbon Steel / ISO 8 - ( AGMA 9 )
		<i>4.252</i>	<i>0.630</i>	<i>4.370</i>	<i>0.394</i>	<i>0.787</i>	<i>1.969</i>			
# GS150-72-1000B1800-C-HK	72	108.00	18.000	111.000	10.000	24.00	36.00	14.00 / Keyway	20	Carbon Steel / ISO 8 - ( AGMA 9 )
		<i>4.252</i>	<i>0.709</i>	<i>4.370</i>	<i>0.394</i>	<i>0.945</i>	<i>1.417</i>			
# GS150-72-1600B1800-C-HP	72	108.00	18.000	111.000	16.000	30.00	60.00	14.00 / No Set Screw	20	Carbon Steel / ISO 8 - ( AGMA 9 )
		<i>4.252</i>	<i>0.709</i>	<i>4.370</i>	<i>0.630</i>	<i>1.181</i>	<i>2.362</i>			
# GS150-72-1600B1800-C-N	72	108.00	18.000	111.000	16.000	16.00	Hubless	0.00 / None	20	Carbon Steel / ISO 8 - ( AGMA 9 )
		<i>4.252</i>	<i>0.709</i>	<i>4.370</i>	<i>0.630</i>	<i>0.630</i>				
# GS150-72-1500B2000-S4-HP	72	108.00	20.000	111.000	15.000	30.00	60.00	15.00 / No Set Screw	20	AISI 4135 Steel / ISO 5 - Ground
		<i>4.252</i>	<i>0.787</i>	<i>4.370</i>	<i>0.591</i>	<i>1.181</i>	<i>2.362</i>			

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Gears - Spur - Module 1.5

Part Number	Teeth (No.)	Pitch Circle Diameter (PD) mm	Bore (d) mm	Outside Diameter (OD) mm	Face Width (FW) mm	Overall Width (FW+HL) mm	Hub Diameter (D1) mm	Hub Proj / Locking Method (HL) mm	Pressure Angle Deg.	Material / Quality
# GS150-72-1000B2000-C-NK	72	108.00	20.000	111.000	10.000	10.00	Hubless	0.00 / Keyway	20	Carbon Steel / ISO 8 - ( AGMA 9 )
		<i>4.252</i>	<i>0.787</i>	<i>4.370</i>	<i>0.394</i>	<i>0.394</i>				
# GS150-72-1600B2000-C-HK	72	108.00	20.000	111.000	16.000	30.00	40.00	14.00 / Keyway	20	Carbon Steel / ISO 8 - ( AGMA 9 )
		<i>4.252</i>	<i>0.787</i>	<i>4.370</i>	<i>0.630</i>	<i>1.181</i>	<i>1.575</i>			
# GS150-72-1600B2500-C-NK	72	108.00	25.000	111.000	16.000	16.00	50.00	0.00 / Hub Flush with Gear Face - Sides Indented / Keyway	20	Carbon Steel / ISO 8 - ( AGMA 9 )
		<i>4.252</i>	<i>0.984</i>	<i>4.370</i>	<i>0.630</i>	<i>0.630</i>	<i>1.969</i>			
# GS150-75-1500B1200-NY-HP	75	112.50	12.000	115.500	15.000	25.00	50.00	10.00 / No Set Screw	20	Nylon / No Insert / Commercial - Machined
		<i>4.429</i>	<i>0.472</i>	<i>4.547</i>	<i>0.591</i>	<i>0.984</i>	<i>1.969</i>			
# GS150-75-1500B2000-S4-HP	75	112.50	20.000	115.500	15.000	30.00	60.00	15.00 / No Set Screw	20	AISI 4135 Steel / ISO 5 - Ground
		<i>4.429</i>	<i>0.787</i>	<i>4.547</i>	<i>0.591</i>	<i>1.181</i>	<i>2.362</i>			
# GS150-80-1500B1200-NY-HP	80	120.00	12.000	123.000	15.000	25.00	55.00	10.00 / No Set Screw	20	Nylon / No Insert / Commercial - Machined
		<i>4.724</i>	<i>0.472</i>	<i>4.843</i>	<i>0.591</i>	<i>0.984</i>	<i>2.165</i>			

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Gears - Spur - Module 1.5

Part Number	Teeth (No.)	Pitch Circle Diameter (PD) mm	Bore (d) mm	Outside Diameter (OD) mm	Face Width (FW) mm	Overall Width (FW+HL) mm	Hub Diameter (D1) mm	Hub Proj / Locking Method (HL) mm	Pressure Angle Deg.	Material / Quality
# GS150-80-1500B1200-NS-HP	80	120.00	12.000	123.000	15.000	27.00	60.00	12.00 / No Set Screw	20	Nylon / Stainless St. Core. / ISO 7 (AGMA 10)
		<i>4.724</i>	<i>0.472</i>	<i>4.843</i>	<i>0.591</i>	<i>1.063</i>	<i>2.362</i>			
# GS150-80-1200B1400-AC-HP	80	120.00	14.000	123.000	12.000	23.00	30.00	11.00 / No Set Screw	20	Acetal - No Insert / Commercial - Molded
		<i>4.724</i>	<i>0.551</i>	<i>4.843</i>	<i>0.472</i>	<i>0.906</i>	<i>1.181</i>			
# GS150-80-1000B1600-C-HP	80	120.00	16.000	123.000	10.000	20.00	60.00	10.00 / No Set Screw	20	Carbon Steel / ISO 8 - ( AGMA 9 )
		<i>4.724</i>	<i>0.630</i>	<i>4.843</i>	<i>0.394</i>	<i>0.787</i>	<i>2.362</i>			
# GS150-80-1000B1600-C-N	80	120.00	16.000	123.000	10.000	10.00	Hubless	0.00 / None	20	Carbon Steel / ISO 8 - ( AGMA 9 )
		<i>4.724</i>	<i>0.630</i>	<i>4.843</i>	<i>0.394</i>	<i>0.394</i>				
# GS150-80-1600B1800-C-N	80	120.00	18.000	123.000	16.000	16.00	Hubless	0.00 / None	20	Carbon Steel / ISO 8 - ( AGMA 9 )
		<i>4.724</i>	<i>0.709</i>	<i>4.843</i>	<i>0.630</i>	<i>0.630</i>				
# GS150-80-1600B1800-C-HP	80	120.00	18.000	123.000	16.000	30.00	70.00	14.00 / No Set Screw	20	Carbon Steel / ISO 8 - ( AGMA 9 )
		<i>4.724</i>	<i>0.709</i>	<i>4.843</i>	<i>0.630</i>	<i>1.181</i>	<i>2.756</i>			

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Gears - Spur - Module 1.5

Part Number	Teeth (No.)	Pitch Circle Diameter (PD) mm	Bore (d) mm	Outside Diameter (OD) mm	Face Width (FW) mm	Overall Width (FW+HL) mm	Hub Diameter (D1) mm	Hub Proj / Locking Method (HL) mm	Pressure Angle Deg.	Material / Quality
# GS150-80-1000B2000-C-NK	80	120.00	20.000	123.000	10.000	10.00	Hubless	0.00 / Keyway	20	Carbon Steel / ISO 8 - ( AGMA 9 )
		<i>4.724</i>	<i>0.787</i>	<i>4.843</i>	<i>0.394</i>	<i>0.394</i>				
# GS150-80-1500B2000-S4-HP	80	120.00	20.000	123.000	15.000	30.00	60.00	15.00 / No Set Screw	20	AISI 4135 Steel / ISO 5 - Ground
		<i>4.724</i>	<i>0.787</i>	<i>4.843</i>	<i>0.591</i>	<i>1.181</i>	<i>2.362</i>			
# GS150-80-1600B2500-C-NK	80	120.00	25.000	123.000	16.000	16.00	50.00	0.00 / Hub Flush with Gear Face - Sides Indented / Keyway	20	Carbon Steel / ISO 8 - ( AGMA 9 )
		<i>4.724</i>	<i>0.984</i>	<i>4.843</i>	<i>0.630</i>	<i>0.630</i>	<i>1.969</i>			
# GS150-80-1600B2500-C-HK	80	120.00	25.000	123.000	16.000	30.00	50.00	14.00 / Keyway	20	Carbon Steel / ISO 8 - ( AGMA 9 )
		<i>4.724</i>	<i>0.984</i>	<i>4.843</i>	<i>0.630</i>	<i>1.181</i>	<i>1.969</i>			
# GS150-85-1500B1200-NY-HP	85	127.50	12.000	130.500	15.000	25.00	55.00	10.00 / No Set Screw	20	Nylon / No Insert / Commercial - Machined
		<i>5.020</i>	<i>0.472</i>	<i>5.138</i>	<i>0.591</i>	<i>0.984</i>	<i>2.165</i>			
# GS150-90-1500B1200-NY-HP	90	135.00	12.000	138.000	15.000	25.00	55.00	10.00 / No Set Screw	20	Nylon / No Insert / Commercial - Machined
		<i>5.315</i>	<i>0.472</i>	<i>5.433</i>	<i>0.591</i>	<i>0.984</i>	<i>2.165</i>			

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Gears - Spur - Module 1.5

Part Number	Teeth (No.)	Pitch Circle Diameter (PD) mm	Bore (d) mm	Outside Diameter (OD) mm	Face Width (FW) mm	Overall Width (FW+HL) mm	Hub Diameter (D1) mm	Hub Proj / Locking Method (HL) mm	Pressure Angle Deg.	Material / Quality
GS150-90-1200B1400-AC-HP	90	135.00	14.000	138.000	12.000	23.00	30.00	11.00 / No Set Screw	20	Acetal - No Insert / Commercial - Molded
		<i>5.315</i>	<i>0.551</i>	<i>5.433</i>	<i>0.472</i>	<i>0.906</i>	<i>1.181</i>			
# GS150-90-1500B2500-S4-HP	90	135.00	25.000	138.000	15.000	30.00	70.00	15.00 / No Set Screw	20	AISI 4135 Steel / ISO 5 - Ground
		<i>5.315</i>	<i>0.984</i>	<i>5.433</i>	<i>0.591</i>	<i>1.181</i>	<i>2.756</i>			
# GS150-95-1500B1200-NY-HP	95	142.50	12.000	145.500	15.000	25.00	60.00	10.00 / No Set Screw	20	Nylon / No Insert / Commercial - Machined
		<i>5.610</i>	<i>0.472</i>	<i>5.728</i>	<i>0.591</i>	<i>0.984</i>	<i>2.362</i>			
# GS150-100-1500B1200-NY-HP	100	150.00	12.000	153.000	15.000	25.00	60.00	10.00 / No Set Screw	20	Nylon / No Insert / Commercial - Machined
		<i>5.906</i>	<i>0.472</i>	<i>6.024</i>	<i>0.591</i>	<i>0.984</i>	<i>2.362</i>			
# GS150-100-1000B1600-C-HP	100	150.00	16.000	153.000	10.000	20.00	60.00	10.00 / No Set Screw	20	Carbon Steel / ISO 8 - ( AGMA 9 )
		<i>5.906</i>	<i>0.630</i>	<i>6.024</i>	<i>0.394</i>	<i>0.787</i>	<i>2.362</i>			
# GS150-100-1600B1800-C-HP	100	150.00	18.000	153.000	16.000	30.00	70.00	14.00 / No Set Screw	20	Carbon Steel / ISO 8 - ( AGMA 9 )
		<i>5.906</i>	<i>0.709</i>	<i>6.024</i>	<i>0.630</i>	<i>1.181</i>	<i>2.756</i>			

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Gears - Spur - Module 1.5

Part Number	Teeth (No.)	Pitch Circle Diameter (PD) mm	Bore (d) mm	Outside Diameter (OD) mm	Face Width (FW) mm	Overall Width (FW+HL) mm	Hub Diameter (D1) mm	Hub Proj / Locking Method (HL) mm	Pressure Angle Deg.	Material / Quality
# GS150-100-1600B1800-C-N	100	150.00	18.000	153.000	16.000	16.00	Hubless	0.00 / None	20	Carbon Steel / ISO 8 - ( AGMA 9 )
		<i>5.906</i>	<i>0.709</i>	<i>6.024</i>	<i>0.630</i>	<i>0.630</i>				
# GS150-100-1000B2000-C-HK	100	150.00	20.000	153.000	10.000	24.00	40.00	14.00 / Keyway	20	Carbon Steel / ISO 8 - ( AGMA 9 )
		<i>5.906</i>	<i>0.787</i>	<i>6.024</i>	<i>0.394</i>	<i>0.945</i>	<i>1.575</i>			
# GS150-100-1000B2000-C-NK	100	150.00	20.000	153.000	10.000	10.00	Hubless	0.00 / Keyway	20	Carbon Steel / ISO 8 - ( AGMA 9 )
		<i>5.906</i>	<i>0.787</i>	<i>6.024</i>	<i>0.394</i>	<i>0.394</i>				
# GS150-100-1600B2500-C-NK	100	150.00	25.000	153.000	16.000	16.00	50.00	0.00 / Hub Flush with Gear Face - Sides Indented / Keyway	20	Carbon Steel / ISO 8 - ( AGMA 9 )
		<i>5.906</i>	<i>0.984</i>	<i>6.024</i>	<i>0.630</i>	<i>0.630</i>	<i>1.969</i>			
# GS150-100-1600B2500-C-HK	100	150.00	25.000	153.000	16.000	30.00	50.00	14.00 / Keyway	20	Carbon Steel / ISO 8 - ( AGMA 9 )
		<i>5.906</i>	<i>0.984</i>	<i>6.024</i>	<i>0.630</i>	<i>1.181</i>	<i>1.969</i>			
# GS150-100-1500B2500-S4-HP	100	150.00	25.000	153.000	15.000	30.00	70.00	15.00 / No Set Screw	20	AISI 4135 Steel / ISO 5 - Ground
		<i>5.906</i>	<i>0.984</i>	<i>6.024</i>	<i>0.591</i>	<i>1.181</i>	<i>2.756</i>			

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Gears - Spur - Module 1.5

Part Number	Teeth (No.)	Pitch Circle Diameter (PD) mm	Bore (d) mm	Outside Diameter (OD) mm	Face Width (FW) mm	Overall Width (FW+HL) mm	Hub Diameter (D1) mm	Hub Proj / Locking Method (HL) mm	Pressure Angle Deg.	Material / Quality
# GS150-112-1500B2500-S4-HP	112	168.00	25.000	171.000	15.000	30.00	70.00	15.00 / No Set Screw	20	AISI 4135 Steel / ISO 5 - Ground
		<i>6.614</i>	<i>0.984</i>	<i>6.732</i>	<i>0.591</i>	<i>1.181</i>	<i>2.756</i>			
# GS150-120-1500B2500-S4-HP	120	180.00	25.000	183.000	15.000	30.00	70.00	15.00 / No Set Screw	20	AISI 4135 Steel / ISO 5 - Ground
		<i>7.087</i>	<i>0.984</i>	<i>7.205</i>	<i>0.591</i>	<i>1.181</i>	<i>2.756</i>			

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.



DISTRIBUTED BY

Ask us to put your name and address here

<http://www.minibearings.com.au/product>

Ph +61 7 3245 7977

Fax +61 7 3245 1017

Catalogue requests to [catalogues@minibearings.com.au](mailto:catalogues@minibearings.com.au)

