




# MBA

## Gears - Spur - Module 2

Examples shown for basic dimensions. Individual gears may vary in characteristics.



PCD = No. of Teeth x 2.000mm. 20 Degree Pressure Angle. 303 stainless steel, acetal, AISI4135 steel, carbon steel and nylon. 303 stainless steel, acetal, AISI4135 steel, carbon steel and nylon.

Metallic and plastic.

Fairloc Hub Type require controlled shaft tolerances between 0.0025 and 0.0203 mm Clearance.

### Gears - Spur - Module 2

Part Number	Teeth (No.)	Pitch Circle Diameter (PD) mm	Bore (d) mm	Outside Diameter (OD) mm	Face Width (FW) mm	Overall Width (FW+HL) mm	Hub Diameter (D1) mm	Hub Proj / Locking Method (HL) mm	Pressure Angle Deg.	Material / Quality
# GS200-12-1500B0600-AC-HP	12	24.00	6.000	28.000	15.000	27.00	18.50	12.00 / No Set Screw	20	Acetal - No Insert / Commercial - Molded
		0.945	0.236	1.102	0.591	1.063	0.728			
GS200-12-1500B0800-AC-HP	12	24.00	8.000	28.000	15.000	27.00	18.50	12.00 / No Set Screw	20	Acetal - No Insert / Commercial - Molded
		0.945	0.315	1.102	0.591	1.063	0.728			

# Indicates item not stocked at time of printing - Please enquire for lead time  
 E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd  
 MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Gears - Spur - Module 2

Part Number	Teeth (No.)	Pitch Circle Diameter (PD) mm	Bore (d) mm	Outside Diameter (OD) mm	Face Width (FW) mm	Overall Width (FW+HL) mm	Hub Diameter (D1) mm	Hub Proj / Locking Method (HL) mm	Pressure Angle Deg.	Material / Quality
# GS200-12-2200B1000-C-HS	12	24.00	10.000	28.000	22.000	50.00	28.00	28.00 / Set Screw	20	Carbon Steel / ISO 8 - ( AGMA 9 )
		<i>0.945</i>	<i>0.394</i>	<i>1.102</i>	<i>0.866</i>	<i>1.969</i>	<i>1.102</i>			
# GS200-12-2000B1000-NY-HP	12	24.00	10.000	28.000	20.000	30.00	18.00	10.00 / No Set Screw	20	Nylon / No Insert / Commercial - Machined
		<i>0.945</i>	<i>0.394</i>	<i>1.102</i>	<i>0.787</i>	<i>1.181</i>	<i>0.709</i>			
# GS200-13-1500B0800-AC-HP	13	26.00	8.000	30.000	15.000	27.00	18.50	12.00 / No Set Screw	20	Acetal - No Insert / Commercial - Molded
		<i>1.024</i>	<i>0.315</i>	<i>1.181</i>	<i>0.591</i>	<i>1.063</i>	<i>0.728</i>			
# GS200-13-2000B1000-NY-HP	13	26.00	10.000	30.000	20.000	30.00	20.00	10.00 / No Set Screw	20	Nylon / No Insert / Commercial - Machined
		<i>1.024</i>	<i>0.394</i>	<i>1.181</i>	<i>0.787</i>	<i>1.181</i>	<i>0.787</i>			
# GS200-14-1500B0800-AC-HP	14	28.00	8.000	32.000	15.000	27.00	18.50	12.00 / No Set Screw	20	Acetal - No Insert / Commercial - Molded
		<i>1.102</i>	<i>0.315</i>	<i>1.260</i>	<i>0.591</i>	<i>1.063</i>	<i>0.728</i>			
# GS200-14-1400B1000-C-N	14	28.00	10.000	32.000	14.000	14.00	Hubless	0.00 / None	20	Carbon Steel / ISO 8 - ( AGMA 9 )
		<i>1.102</i>	<i>0.394</i>	<i>1.260</i>	<i>0.551</i>	<i>0.551</i>				

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Gears - Spur - Module 2

Part Number	Teeth (No.)	Pitch Circle Diameter (PD) mm	Bore (d) mm	Outside Diameter (OD) mm	Face Width (FW) mm	Overall Width (FW+HL) mm	Hub Diameter (D1) mm	Hub Proj / Locking Method (HL) mm	Pressure Angle Deg.	Material / Quality
GS200-14-1400B1000-C-HP	14	28.00	10.000	32.000	14.000	28.00	22.00	14.00 / No Set Screw	20	Carbon Steel / ISO 8 - ( AGMA 9 )
		<i>1.102</i>	<i>0.394</i>	<i>1.260</i>	<i>0.551</i>	<i>1.102</i>	<i>0.866</i>			
# GS200-14-2200B1000-C-N	14	28.00	10.000	32.000	22.000	22.00	Hubless	0.00 / None	20	Carbon Steel / ISO 8 - ( AGMA 9 )
		<i>1.102</i>	<i>0.394</i>	<i>1.260</i>	<i>0.866</i>	<i>0.866</i>				
# GS200-14-2000B1000-NY-HP	14	28.00	10.000	32.000	20.000	30.00	20.00	10.00 / No Set Screw	20	Nylon / No Insert / Commercial - Machined
		<i>1.102</i>	<i>0.394</i>	<i>1.260</i>	<i>0.787</i>	<i>1.181</i>	<i>0.787</i>			
# GS200-14-2000B1000-C-HP	14	28.00	10.000	32.000	20.000	40.00	22.00	20.00 / No Set Screw	20	Carbon Steel / ISO 8 - ( AGMA 9 )
		<i>1.102</i>	<i>0.394</i>	<i>1.260</i>	<i>0.787</i>	<i>1.575</i>	<i>0.866</i>			
# GS200-14-2000B1200-S4-HP	14	28.00	12.000	32.000	20.000	40.00	22.00	20.00 / No Set Screw	20	AISI 4135 Steel / ISO 5 - Ground
		<i>1.102</i>	<i>0.472</i>	<i>1.260</i>	<i>0.787</i>	<i>1.575</i>	<i>0.866</i>			
# GS200-15-1500B0800-AC-HP	15	30.00	8.000	34.000	15.000	27.00	18.50	12.00 / No Set Screw	20	Acetal - No Insert / Commercial - Molded
		<i>1.181</i>	<i>0.315</i>	<i>1.339</i>	<i>0.591</i>	<i>1.063</i>	<i>0.728</i>			

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Gears - Spur - Module 2

Part Number	Teeth (No.)	Pitch Circle Diameter (PD) mm	Bore (d) mm	Outside Diameter (OD) mm	Face Width (FW) mm	Overall Width (FW+HL) mm	Hub Diameter (D1) mm	Hub Proj / Locking Method (HL) mm	Pressure Angle Deg.	Material / Quality
# GS200-15-1400B1000-C-HP	15	30.00	10.000	34.000	14.000	28.00	24.00	14.00 / No Set Screw	20	Carbon Steel / ISO 8 - ( AGMA 9 )
		<i>1.181</i>	<i>0.394</i>	<i>1.339</i>	<i>0.551</i>	<i>1.102</i>	<i>0.945</i>			
# GS200-15-2000B1000-C-HP	15	30.00	10.000	34.000	20.000	40.00	24.00	20.00 / No Set Screw	20	Carbon Steel / ISO 8 - ( AGMA 9 )
		<i>1.181</i>	<i>0.394</i>	<i>1.339</i>	<i>0.787</i>	<i>1.575</i>	<i>0.945</i>			
# GS200-15-2200B1000-C-N	15	30.00	10.000	34.000	22.000	22.00	Hubless	0.00 / None	20	Carbon Steel / ISO 8 - ( AGMA 9 )
		<i>1.181</i>	<i>0.394</i>	<i>1.339</i>	<i>0.866</i>	<i>0.866</i>				
# GS200-15-1400B1000-C-N	15	30.00	10.000	34.000	14.000	14.00	Hubless	0.00 / None	20	Carbon Steel / ISO 8 - ( AGMA 9 )
		<i>1.181</i>	<i>0.394</i>	<i>1.339</i>	<i>0.551</i>	<i>0.551</i>				
# GS200-15-2000B1000-NY-HP	15	30.00	10.000	34.000	20.000	30.00	24.00	10.00 / No Set Screw	20	Nylon / No Insert / Commercial - Machined
		<i>1.181</i>	<i>0.394</i>	<i>1.339</i>	<i>0.787</i>	<i>1.181</i>	<i>0.945</i>			
# GS200-15-2000B1200-3-HP	15	30.00	12.000	34.000	20.000	36.00	24.00	16.00 / No Set Screw	20	303 Stainless Steel / ISO 7 - ( AGMA 10 )
		<i>1.181</i>	<i>0.472</i>	<i>1.339</i>	<i>0.787</i>	<i>1.417</i>	<i>0.945</i>			
# GS200-15-2000B1200-S4-HP	15	30.00	12.000	34.000	20.000	40.00	22.00	20.00 / No Set Screw	20	AISI 4135 Steel / ISO 5 - Ground
		<i>1.181</i>	<i>0.472</i>	<i>1.339</i>	<i>0.787</i>	<i>1.575</i>	<i>0.866</i>			

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Gears - Spur - Module 2

Part Number	Teeth (No.)	Pitch Circle Diameter (PD) mm	Bore (d) mm	Outside Diameter (OD) mm	Face Width (FW) mm	Overall Width (FW+HL) mm	Hub Diameter (D1) mm	Hub Proj / Locking Method (HL) mm	Pressure Angle Deg.	Material / Quality
# GS200-16-1500B0800-AC-HP	16	32.00	8.000	36.000	15.000	27.00	17.50	12.00 / No Set Screw	20	Acetal - No Insert / Commercial - Molded
		<i>1.260</i>	<i>0.315</i>	<i>1.417</i>	<i>0.591</i>	<i>1.063</i>	<i>0.689</i>			
# GS200-16-2000B1000-NY-HP	16	32.00	10.000	36.000	20.000	30.00	26.00	10.00 / No Set Screw	20	Nylon / No Insert / Commercial - Machined
		<i>1.260</i>	<i>0.394</i>	<i>1.417</i>	<i>0.787</i>	<i>1.181</i>	<i>1.024</i>			
# GS200-16-2200B1200-C-N	16	32.00	12.000	36.000	22.000	22.00	Hubless	0.00 / None	20	Carbon Steel / ISO 8 - ( AGMA 9 )
		<i>1.260</i>	<i>0.472</i>	<i>1.417</i>	<i>0.866</i>	<i>0.866</i>				
# GS200-16-1400B1200-C-HP	16	32.00	12.000	36.000	14.000	28.00	26.00	14.00 / No Set Screw	20	Carbon Steel / ISO 8 - ( AGMA 9 )
		<i>1.260</i>	<i>0.472</i>	<i>1.417</i>	<i>0.551</i>	<i>1.102</i>	<i>1.024</i>			
# GS200-16-2000B1200-C-HP	16	32.00	12.000	36.000	20.000	40.00	26.00	20.00 / No Set Screw	20	Carbon Steel / ISO 8 - ( AGMA 9 )
		<i>1.260</i>	<i>0.472</i>	<i>1.417</i>	<i>0.787</i>	<i>1.575</i>	<i>1.024</i>			
# GS200-16-1400B1200-C-N	16	32.00	12.000	36.000	14.000	14.00	Hubless	0.00 / None	20	Carbon Steel / ISO 8 - ( AGMA 9 )
		<i>1.260</i>	<i>0.472</i>	<i>1.417</i>	<i>0.551</i>	<i>0.551</i>				

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Gears - Spur - Module 2

Part Number	Teeth (No.)	Pitch Circle Diameter (PD) mm	Bore (d) mm	Outside Diameter (OD) mm	Face Width (FW) mm	Overall Width (FW+HL) mm	Hub Diameter (D1) mm	Hub Proj / Locking Method (HL) mm	Pressure Angle Deg.	Material / Quality
# GS200-16-2000B1200-S4-HP	16	32.00	12.000	36.000	20.000	40.00	25.00	20.00 / No Set Screw	20	AISI 4135 Steel / ISO 5 - Ground
		<i>1.260</i>	<i>0.472</i>	<i>1.417</i>	<i>0.787</i>	<i>1.575</i>	<i>0.984</i>			
# GS200-16-2000B1200-3-HP	16	32.00	12.000	36.000	20.000	36.00	26.00	16.00 / No Set Screw	20	303 Stainless Steel / ISO 7 - ( AGMA 10 )
		<i>1.260</i>	<i>0.472</i>	<i>1.417</i>	<i>0.787</i>	<i>1.417</i>	<i>1.024</i>			
# GS200-17-1500B0800-AC-HP	17	34.00	8.000	38.000	15.000	27.00	17.50	12.00 / No Set Screw	20	Acetal - No Insert / Commercial - Molded
		<i>1.339</i>	<i>0.315</i>	<i>1.496</i>	<i>0.591</i>	<i>1.063</i>	<i>0.689</i>			
# GS200-18-1500B0800-AC-HP	18	36.00	8.000	40.000	15.000	27.00	17.50	12.00 / No Set Screw	20	Acetal - No Insert / Commercial - Molded
		<i>1.417</i>	<i>0.315</i>	<i>1.575</i>	<i>0.591</i>	<i>1.063</i>	<i>0.689</i>			
# GS200-18-2000B1000-NY-HP	18	36.00	10.000	40.000	20.000	30.00	30.00	10.00 / No Set Screw	20	Nylon / No Insert / Commercial - Machined
		<i>1.417</i>	<i>0.394</i>	<i>1.575</i>	<i>0.787</i>	<i>1.181</i>	<i>1.181</i>			
# GS200-18-2200B1200-C-N	18	36.00	12.000	40.000	22.000	22.00	Hubless	0.00 / None	20	Carbon Steel / ISO 8 - ( AGMA 9 )
		<i>1.417</i>	<i>0.472</i>	<i>1.575</i>	<i>0.866</i>	<i>0.866</i>				

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Gears - Spur - Module 2

Part Number	Teeth (No.)	Pitch Circle Diameter (PD) mm	Bore (d) mm	Outside Diameter (OD) mm	Face Width (FW) mm	Overall Width (FW+HL) mm	Hub Diameter (D1) mm	Hub Proj / Locking Method (HL) mm	Pressure Angle Deg.	Material / Quality
# GS200-18-1400B1200-C-N	18	36.00	12.000	40.000	14.000	14.00	Hubless	0.00 / None	20	Carbon Steel / ISO 8 - ( AGMA 9 )
		<i>1.417</i>	<i>0.472</i>	<i>1.575</i>	<i>0.551</i>	<i>0.551</i>				
# GS200-18-2000B1200-C-HP	18	36.00	12.000	40.000	20.000	40.00	30.00	20.00 / No Set Screw	20	Carbon Steel / ISO 8 - ( AGMA 9 )
		<i>1.417</i>	<i>0.472</i>	<i>1.575</i>	<i>0.787</i>	<i>1.575</i>	<i>1.181</i>			
# GS200-18-2000B1200-3-HP	18	36.00	12.000	40.000	20.000	36.00	30.00	16.00 / No Set Screw	20	303 Stainless Steel / ISO 7 - ( AGMA 10 )
		<i>1.417</i>	<i>0.472</i>	<i>1.575</i>	<i>0.787</i>	<i>1.417</i>	<i>1.181</i>			
# GS200-18-1400B1200-C-HP	18	36.00	12.000	40.000	14.000	28.00	30.00	14.00 / No Set Screw	20	Carbon Steel / ISO 8 - ( AGMA 9 )
		<i>1.417</i>	<i>0.472</i>	<i>1.575</i>	<i>0.551</i>	<i>1.102</i>	<i>1.181</i>			
# GS200-18-2000B1500-S4-HP	18	36.00	15.000	40.000	20.000	40.00	30.00	20.00 / No Set Screw	20	AISI 4135 Steel / ISO 5 - Ground
		<i>1.417</i>	<i>0.591</i>	<i>1.575</i>	<i>0.787</i>	<i>1.575</i>	<i>1.181</i>			
# GS200-19-1500B0800-AC-HP	19	38.00	8.000	42.000	15.000	27.00	17.50	12.00 / No Set Screw	20	Acetal - No Insert / Commercial - Molded
		<i>1.496</i>	<i>0.315</i>	<i>1.654</i>	<i>0.591</i>	<i>1.063</i>	<i>0.689</i>			

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Gears - Spur - Module 2

Part Number	Teeth (No.)	Pitch Circle Diameter (PD) mm	Bore (d) mm	Outside Diameter (OD) mm	Face Width (FW) mm	Overall Width (FW+HL) mm	Hub Diameter (D1) mm	Hub Proj / Locking Method (HL) mm	Pressure Angle Deg.	Material / Quality
# GS200-20-2000B1000-NS-HP	20	40.00	10.000	44.000	20.000	34.00	22.00	14.00 / No Set Screw	20	Nylon / Stainless St. Core. / ISO 7 (AGMA 10)
		<i>1.575</i>	<i>0.394</i>	<i>1.732</i>	<i>0.787</i>	<i>1.339</i>	<i>0.866</i>			
# GS200-20-2000B1000-NY-HP	20	40.00	10.000	44.000	20.000	30.00	32.00	10.00 / No Set Screw	20	Nylon / No Insert / Commercial - Machined
		<i>1.575</i>	<i>0.394</i>	<i>1.732</i>	<i>0.787</i>	<i>1.181</i>	<i>1.260</i>			
# GS200-20-1000B1000-NI-N	20	40.00	10.000	44.000	10.000	10.00	Hubless	0.00 / None	20	Nylon Rim - Iron Core / Commercial - Machined
		<i>1.575</i>	<i>0.394</i>	<i>1.732</i>	<i>0.394</i>	<i>0.394</i>				
GS200-20-1500B1000-AC-HP	20	40.00	10.000	44.000	15.000	27.00	20.00	12.00 / No Set Screw	20	Acetal - No Insert / Commercial - Molded
		<i>1.575</i>	<i>0.394</i>	<i>1.732</i>	<i>0.591</i>	<i>1.063</i>	<i>0.787</i>			
# GS200-20-2200B1200-C-N	20	40.00	12.000	44.000	22.000	22.00	Hubless	0.00 / None	20	Carbon Steel / ISO 8 - ( AGMA 9 )
		<i>1.575</i>	<i>0.472</i>	<i>1.732</i>	<i>0.866</i>	<i>0.866</i>				
GS200-20-1400B1200-C-HP	20	40.00	12.000	44.000	14.000	28.00	34.00	14.00 / No Set Screw	20	Carbon Steel / ISO 8 - ( AGMA 9 )
		<i>1.575</i>	<i>0.472</i>	<i>1.732</i>	<i>0.551</i>	<i>1.102</i>	<i>1.339</i>			

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Gears - Spur - Module 2

Part Number	Teeth (No.)	Pitch Circle Diameter (PD) mm	Bore (d) mm	Outside Diameter (OD) mm	Face Width (FW) mm	Overall Width (FW+HL) mm	Hub Diameter (D1) mm	Hub Proj / Locking Method (HL) mm	Pressure Angle Deg.	Material / Quality
# GS200-20-2000B1200-C-HP	20	40.00	12.000	44.000	20.000	40.00	34.00	20.00 / No Set Screw	20	Carbon Steel / ISO 8 - ( AGMA 9 )
		<i>1.575</i>	<i>0.472</i>	<i>1.732</i>	<i>0.787</i>	<i>1.575</i>	<i>1.339</i>			
# GS200-20-1400B1200-C-N	20	40.00	12.000	44.000	14.000	14.00	Hubless	0.00 / None	20	Carbon Steel / ISO 8 - ( AGMA 9 )
		<i>1.575</i>	<i>0.472</i>	<i>1.732</i>	<i>0.551</i>	<i>0.551</i>				
# GS200-20-2000B1200-3-HP	20	40.00	12.000	44.000	20.000	36.00	32.00	16.00 / No Set Screw	20	303 Stainless Steel / ISO 7 - ( AGMA 10 )
		<i>1.575</i>	<i>0.472</i>	<i>1.732</i>	<i>0.787</i>	<i>1.417</i>	<i>1.260</i>			
# GS200-20-2000B1500-S4-HP	20	40.00	15.000	44.000	20.000	40.00	30.00	20.00 / No Set Screw	20	AISI 4135 Steel / ISO 5 - Ground
		<i>1.575</i>	<i>0.591</i>	<i>1.732</i>	<i>0.787</i>	<i>1.575</i>	<i>1.181</i>			
# GS200-20-1400B1600-C-NK	20	40.00	16.000	44.000	14.000	14.00	Hubless	0.00 / Keyway	20	Carbon Steel / ISO 8 - ( AGMA 9 )
		<i>1.575</i>	<i>0.630</i>	<i>1.732</i>	<i>0.551</i>	<i>0.551</i>				
# GS200-20-2200B1800-C-NK	20	40.00	18.000	44.000	22.000	22.00	Hubless	0.00 / Keyway	20	Carbon Steel / ISO 8 - ( AGMA 9 )
		<i>1.575</i>	<i>0.709</i>	<i>1.732</i>	<i>0.866</i>	<i>0.866</i>				
# GS200-20-1400B1800-C-HK	20	40.00	18.000	44.000	14.000	28.00	34.00	14.00 / Keyway	20	Carbon Steel / ISO 8 - ( AGMA 9 )
		<i>1.575</i>	<i>0.709</i>	<i>1.732</i>	<i>0.551</i>	<i>1.102</i>	<i>1.339</i>			

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Gears - Spur - Module 2

Part Number	Teeth (No.)	Pitch Circle Diameter (PD) mm	Bore (d) mm	Outside Diameter (OD) mm	Face Width (FW) mm	Overall Width (FW+HL) mm	Hub Diameter (D1) mm	Hub Proj / Locking Method (HL) mm	Pressure Angle Deg.	Material / Quality
# GS200-20-2200B2000-C-HK	20	40.00	20.000	44.000	22.000	36.00	34.00	14.00 / Keyway	20	Carbon Steel / ISO 8 - ( AGMA 9 )
		<i>1.575</i>	<i>0.787</i>	<i>1.732</i>	<i>0.866</i>	<i>1.417</i>	<i>1.339</i>			
# GS200-21-1500B1000-AC-HP	21	42.00	10.000	46.000	15.000	27.00	20.00	12.00 / No Set Screw	20	Acetal - No Insert / Commercial - Molded
		<i>1.654</i>	<i>0.394</i>	<i>1.811</i>	<i>0.591</i>	<i>1.063</i>	<i>0.787</i>			
# GS200-22-2000B1000-NY-HP	22	44.00	10.000	48.000	20.000	30.00	35.00	10.00 / No Set Screw	20	Nylon / No Insert / Commercial - Machined
		<i>1.732</i>	<i>0.394</i>	<i>1.890</i>	<i>0.787</i>	<i>1.181</i>	<i>1.378</i>			
# GS200-22-1500B1000-AC-HP	22	44.00	10.000	48.000	15.000	27.00	20.00	12.00 / No Set Screw	20	Acetal - No Insert / Commercial - Molded
		<i>1.732</i>	<i>0.394</i>	<i>1.890</i>	<i>0.591</i>	<i>1.063</i>	<i>0.787</i>			
# GS200-22-2000B1200-3-HP	22	44.00	12.000	48.000	20.000	36.00	36.00	16.00 / No Set Screw	20	303 Stainless Steel / ISO 7 - ( AGMA 10 )
		<i>1.732</i>	<i>0.472</i>	<i>1.890</i>	<i>0.787</i>	<i>1.417</i>	<i>1.417</i>			
# GS200-23-1500B1000-AC-HP	23	46.00	10.000	50.000	15.000	27.00	24.00	12.00 / No Set Screw	20	Acetal - No Insert / Commercial - Molded
		<i>1.811</i>	<i>0.394</i>	<i>1.969</i>	<i>0.591</i>	<i>1.063</i>	<i>0.945</i>			

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Gears - Spur - Module 2

Part Number	Teeth (No.)	Pitch Circle Diameter (PD) mm	Bore (d) mm	Outside Diameter (OD) mm	Face Width (FW) mm	Overall Width (FW+HL) mm	Hub Diameter (D1) mm	Hub Proj / Locking Method (HL) mm	Pressure Angle Deg.	Material / Quality
# GS200-24-2000B1000-NY-HP	24	48.00	10.000	52.000	20.000	30.00	38.00	10.00 / No Set Screw	20	Nylon / No Insert / Commercial - Machined
		<i>1.890</i>	<i>0.394</i>	<i>2.047</i>	<i>0.787</i>	<i>1.181</i>	<i>1.496</i>			
# GS200-24-0800B1000-AC-HP	24	48.00	10.000	52.000	8.000	20.00	24.50	12.00 / No Set Screw	20	Acetal / Commercial - Molded
		<i>1.890</i>	<i>0.394</i>	<i>2.047</i>	<i>0.315</i>	<i>0.787</i>	<i>0.965</i>			
# GS200-24-1500B1000-AC-HP	24	48.00	10.000	52.000	15.000	27.00	24.00	12.00 / No Set Screw	20	Acetal - No Insert / Commercial - Molded
		<i>1.890</i>	<i>0.394</i>	<i>2.047</i>	<i>0.591</i>	<i>1.063</i>	<i>0.945</i>			
# GS200-24-1400B1200-C-N	24	48.00	12.000	52.000	14.000	14.00	Hubless	0.00 / None	20	Carbon Steel / ISO 8 - ( AGMA 9 )
		<i>1.890</i>	<i>0.472</i>	<i>2.047</i>	<i>0.551</i>	<i>0.551</i>				
# GS200-24-2000B1200-3-HP	24	48.00	12.000	52.000	20.000	36.00	38.00	16.00 / No Set Screw	20	303 Stainless Steel / ISO 7 - ( AGMA 10 )
		<i>1.890</i>	<i>0.472</i>	<i>2.047</i>	<i>0.787</i>	<i>1.417</i>	<i>1.496</i>			
# GS200-24-2000B1200-C-HP	24	48.00	12.000	52.000	20.000	40.00	42.00	20.00 / No Set Screw	20	Carbon Steel / ISO 8 - ( AGMA 9 )
		<i>1.890</i>	<i>0.472</i>	<i>2.047</i>	<i>0.787</i>	<i>1.575</i>	<i>1.654</i>			

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Gears - Spur - Module 2

Part Number	Teeth (No.)	Pitch Circle Diameter (PD) mm	Bore (d) mm	Outside Diameter (OD) mm	Face Width (FW) mm	Overall Width (FW+HL) mm	Hub Diameter (D1) mm	Hub Proj / Locking Method (HL) mm	Pressure Angle Deg.	Material / Quality
# GS200-24-1400B1400-C-HP	24	48.00	14.000	52.000	14.000	28.00	42.00	14.00 / No Set Screw	20	Carbon Steel / ISO 8 - ( AGMA 9 )
		<i>1.890</i>	<i>0.551</i>	<i>2.047</i>	<i>0.551</i>	<i>1.102</i>	<i>1.654</i>			
# GS200-24-2200B1400-C-N	24	48.00	14.000	52.000	22.000	22.00	Hubless	0.00 / None	20	Carbon Steel / ISO 8 - ( AGMA 9 )
		<i>1.890</i>	<i>0.551</i>	<i>2.047</i>	<i>0.866</i>	<i>0.866</i>				
# GS200-24-2000B1400-C-HP	24	48.00	14.000	52.00	20.00	40.00	42.00	20.00 / No Set Screw	20.00	STEEL
		<i>1.890</i>	<i>0.551</i>	<i>2.047</i>	<i>0.787</i>	<i>1.575</i>	<i>1.654</i>			
# GS200-24-2000B1500-S4-HP	24	48.00	15.000	52.000	20.000	40.00	40.00	20.00 / No Set Screw	20	AISI 4135 Steel / ISO 5 - Ground
		<i>1.890</i>	<i>0.591</i>	<i>2.047</i>	<i>0.787</i>	<i>1.575</i>	<i>1.575</i>			
# GS200-24-1400B1600-C-NK	24	48.00	16.000	52.000	14.000	14.00	Hubless	0.00 / Keyway	20	Carbon Steel / ISO 8 - ( AGMA 9 )
		<i>1.890</i>	<i>0.630</i>	<i>2.047</i>	<i>0.551</i>	<i>0.551</i>				
# GS200-24-1400B1800-C-HK	24	48.00	18.000	52.000	14.000	28.00	36.00	14.00 / Keyway	20	Carbon Steel / ISO 8 - ( AGMA 9 )
		<i>1.890</i>	<i>0.709</i>	<i>2.047</i>	<i>0.551</i>	<i>1.102</i>	<i>1.417</i>			
# GS200-24-2200B2000-C-HK	24	48.00	20.000	52.000	22.000	36.00	40.00	14.00 / Keyway	20	Carbon Steel / ISO 8 - ( AGMA 9 )
		<i>1.890</i>	<i>0.787</i>	<i>2.047</i>	<i>0.866</i>	<i>1.417</i>	<i>1.575</i>			

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Gears - Spur - Module 2

Part Number	Teeth (No.)	Pitch Circle Diameter (PD) mm	Bore (d) mm	Outside Diameter (OD) mm	Face Width (FW) mm	Overall Width (FW+HL) mm	Hub Diameter (D1) mm	Hub Proj / Locking Method (HL) mm	Pressure Angle Deg.	Material / Quality
# GS200-24-2200B2000-C-NK	24	48.00	20.000	52.000	22.000	22.00	Hubless	0.00 / Keyway	20	Carbon Steel / ISO 8 - ( AGMA 9 )
		<i>1.890</i>	<i>0.787</i>	<i>2.047</i>	<i>0.866</i>	<i>0.866</i>				
# GS200-25-1500B1000-AC-HP	25	50.00	10.000	54.000	15.000	27.00	24.00	12.00 / No Set Screw	20	Acetal - No Insert / Commercial - Molded
		<i>1.969</i>	<i>0.394</i>	<i>2.126</i>	<i>0.591</i>	<i>1.063</i>	<i>0.945</i>			
# GS200-25-2000B1000-NS-HP	25	50.00	10.000	54.000	20.000	34.00	30.00	14.00 / No Set Screw	20	Nylon / Stainless St. Core. / ISO 7 (AGMA 10)
		<i>1.969</i>	<i>0.394</i>	<i>2.126</i>	<i>0.787</i>	<i>1.339</i>	<i>1.181</i>			
# GS200-25-2000B1000-NY-HP	25	50.00	10.000	54.000	20.000	30.00	40.00	10.00 / No Set Screw	20	Nylon / No Insert / Commercial - Machined
		<i>1.969</i>	<i>0.394</i>	<i>2.126</i>	<i>0.787</i>	<i>1.181</i>	<i>1.575</i>			
# GS200-25-1000B1000-NI-N	25	50.00	10.000	54.000	10.000	10.00	Hubless	0.00 / None	20	Nylon Rim - Iron Core / Commercial - Machined
		<i>1.969</i>	<i>0.394</i>	<i>2.126</i>	<i>0.394</i>	<i>0.394</i>				
# GS200-25-2000B1200-3-HP	25	50.00	12.000	54.000	20.000	36.00	40.00	16.00 / No Set Screw	20	303 Stainless Steel / ISO 7 - ( AGMA 10 )
		<i>1.969</i>	<i>0.472</i>	<i>2.126</i>	<i>0.787</i>	<i>1.417</i>	<i>1.575</i>			

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Gears - Spur - Module 2

Part Number	Teeth (No.)	Pitch Circle Diameter (PD) mm	Bore (d) mm	Outside Diameter (OD) mm	Face Width (FW) mm	Overall Width (FW+HL) mm	Hub Diameter (D1) mm	Hub Proj / Locking Method (HL) mm	Pressure Angle Deg.	Material / Quality
# GS200-25-2000B1200-C-HP	25	50.00	12.000	54.000	20.000	40.00	44.00	20.00 / No Set Screw	20	Carbon Steel / ISO 8 - ( AGMA 9 )
		<i>1.969</i>	<i>0.472</i>	<i>2.126</i>	<i>0.787</i>	<i>1.575</i>	<i>1.732</i>			
# GS200-25-2000B1400-C-HP	25	50.00	14.000	54.00	20.00	40.00	44.00	20.00 / No Set Screw	20.00	STEEL
		<i>1.969</i>	<i>0.551</i>	<i>2.126</i>	<i>0.787</i>	<i>1.575</i>	<i>1.732</i>			
# GS200-25-1400B1400-C-N	25	50.00	14.000	54.000	14.000	14.00	Hubless	0.00 / None	20	Carbon Steel / ISO 8 - ( AGMA 9 )
		<i>1.969</i>	<i>0.551</i>	<i>2.126</i>	<i>0.551</i>	<i>0.551</i>				
# GS200-25-1400B1400-C-HP	25	50.00	14.000	54.000	14.000	28.00	44.00	14.00 / No Set Screw	20	Carbon Steel / ISO 8 - ( AGMA 9 )
		<i>1.969</i>	<i>0.551</i>	<i>2.126</i>	<i>0.551</i>	<i>1.102</i>	<i>1.732</i>			
# GS200-25-2200B1400-C-N	25	50.00	14.000	54.000	22.000	22.00	Hubless	0.00 / None	20	Carbon Steel / ISO 8 - ( AGMA 9 )
		<i>1.969</i>	<i>0.551</i>	<i>2.126</i>	<i>0.866</i>	<i>0.866</i>				
# GS200-25-2000B1500-S4-HP	25	50.00	15.000	54.000	20.000	40.00	40.00	20.00 / No Set Screw	20	AISI 4135 Steel / ISO 5 - Ground
		<i>1.969</i>	<i>0.591</i>	<i>2.126</i>	<i>0.787</i>	<i>1.575</i>	<i>1.575</i>			
# GS200-25-1400B1800-C-NK6	25	50.00	18.000	54.000	14.000	14.00	Hubless	0.00 / Keyway 6x2.8	20	Carbon Steel / ISO 8 - ( AGMA 9 )
		<i>1.969</i>	<i>0.709</i>	<i>2.126</i>	<i>0.551</i>	<i>0.551</i>				

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Gears - Spur - Module 2

Part Number	Teeth (No.)	Pitch Circle Diameter (PD) mm	Bore (d) mm	Outside Diameter (OD) mm	Face Width (FW) mm	Overall Width (FW+HL) mm	Hub Diameter (D1) mm	Hub Proj / Locking Method (HL) mm	Pressure Angle Deg.	Material / Quality
# GS200-25-1400B1800-C-NK5	25	50.00	18.000	54.000	14.000	14.00	Hubless	0.00 / Keyway 5x2.3	20	Carbon Steel / ISO 8 - ( AGMA 9 )
		<i>1.969</i>	<i>0.709</i>	<i>2.126</i>	<i>0.551</i>	<i>0.551</i>				
# GS200-25-1400B1800-C-HK	25	50.00	18.000	54.000	14.000	28.00	36.00	14.00 / Keyway	20	Carbon Steel / ISO 8 - ( AGMA 9 )
		<i>1.969</i>	<i>0.709</i>	<i>2.126</i>	<i>0.551</i>	<i>1.102</i>	<i>1.417</i>			
# GS200-25-2200B2000-C-HK	25	50.00	20.000	54.000	22.000	36.00	40.00	14.00 / Keyway	20	Carbon Steel / ISO 8 - ( AGMA 9 )
		<i>1.969</i>	<i>0.787</i>	<i>2.126</i>	<i>0.866</i>	<i>1.417</i>	<i>1.575</i>			
# GS200-25-2200B2000-C-NK	25	50.00	20.000	54.000	22.000	22.00	Hubless	0.00 / Keyway	20	Carbon Steel / ISO 8 - ( AGMA 9 )
		<i>1.969</i>	<i>0.787</i>	<i>2.126</i>	<i>0.866</i>	<i>0.866</i>				
# GS200-26-1500B1000-AC-HP	26	52.00	10.000	56.000	15.000	27.00	24.00	12.00 / No Set Screw	20	Acetal - No Insert / Commercial - Molded
		<i>2.047</i>	<i>0.394</i>	<i>2.205</i>	<i>0.591</i>	<i>1.063</i>	<i>0.945</i>			
# GS200-26-2000B1000-NY-HP	26	52.00	10.000	56.000	20.000	30.00	42.00	10.00 / No Set Screw	20	Nylon / No Insert / Commercial - Machined
		<i>2.047</i>	<i>0.394</i>	<i>2.205</i>	<i>0.787</i>	<i>1.181</i>	<i>1.654</i>			

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Gears - Spur - Module 2

Part Number	Teeth (No.)	Pitch Circle Diameter (PD) mm	Bore (d) mm	Outside Diameter (OD) mm	Face Width (FW) mm	Overall Width (FW+HL) mm	Hub Diameter (D1) mm	Hub Proj / Locking Method (HL) mm	Pressure Angle Deg.	Material / Quality
# GS200-27-1500B1000-AC-HP	27	54.00	10.000	58.000	15.000	27.00	24.00	12.00 / No Set Screw	20	Acetal - No Insert / Commercial - Molded
		<i>2.126</i>	<i>0.394</i>	<i>2.283</i>	<i>0.591</i>	<i>1.063</i>	<i>0.945</i>			
# GS200-28-1500B1000-AC-HP	28	56.00	10.000	60.000	15.000	27.00	24.00	12.00 / No Set Screw	20	Acetal - No Insert / Commercial - Molded
		<i>2.205</i>	<i>0.394</i>	<i>2.362</i>	<i>0.591</i>	<i>1.063</i>	<i>0.945</i>			
# GS200-28-2000B1000-NY-HP	28	56.00	10.000	60.000	20.000	30.00	45.00	10.00 / No Set Screw	20	Nylon / No Insert / Commercial - Machined
		<i>2.205</i>	<i>0.394</i>	<i>2.362</i>	<i>0.787</i>	<i>1.181</i>	<i>1.772</i>			
# GS200-28-2000B1200-3-HP	28	56.00	12.000	60.000	20.000	36.00	45.00	16.00 / No Set Screw	20	303 Stainless Steel / ISO 7 - ( AGMA 10 )
		<i>2.205</i>	<i>0.472</i>	<i>2.362</i>	<i>0.787</i>	<i>1.417</i>	<i>1.772</i>			
# GS200-28-1400B1400-C-HP	28	56.00	14.000	60.000	14.000	28.00	50.00	14.00 / No Set Screw	20	Carbon Steel / ISO 8 - ( AGMA 9 )
		<i>2.205</i>	<i>0.551</i>	<i>2.362</i>	<i>0.551</i>	<i>1.102</i>	<i>1.969</i>			
# GS200-28-1400B1400-C-N	28	56.00	14.000	60.000	14.000	14.00	Hubless	0.00 / None	20	Carbon Steel / ISO 8 - ( AGMA 9 )
		<i>2.205</i>	<i>0.551</i>	<i>2.362</i>	<i>0.551</i>	<i>0.551</i>				

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Gears - Spur - Module 2

Part Number	Teeth (No.)	Pitch Circle Diameter (PD) mm	Bore (d) mm	Outside Diameter (OD) mm	Face Width (FW) mm	Overall Width (FW+HL) mm	Hub Diameter (D1) mm	Hub Proj / Locking Method (HL) mm	Pressure Angle Deg.	Material / Quality
# GS200-28-2000B1500-S4-HP	28	56.00	15.000	60.000	20.000	40.00	40.00	20.00 / No Set Screw	20	AISI 4135 Steel / ISO 5 - Ground
		<i>2.205</i>	<i>0.591</i>	<i>2.362</i>	<i>0.787</i>	<i>1.575</i>	<i>1.575</i>			
# GS200-28-2000B1600-C-HP	28	56.00	16.000	60.000	20.000	40.00	50.00	20.00 / No Set Screw	20	Carbon Steel / ISO 8 - ( AGMA 9 )
		<i>2.205</i>	<i>0.630</i>	<i>2.362</i>	<i>0.787</i>	<i>1.575</i>	<i>1.969</i>			
# GS200-28-2200B1600-C-N	28	56.00	16.000	60.000	22.000	22.00	Hubless	0.00 / None	20	Carbon Steel / ISO 8 - ( AGMA 9 )
		<i>2.205</i>	<i>0.630</i>	<i>2.362</i>	<i>0.866</i>	<i>0.866</i>				
# GS200-28-1400B1800-C-NK	28	56.00	18.000	60.000	14.000	14.00	Hubless	0.00 / Keyway	20	Carbon Steel / ISO 8 - ( AGMA 9 )
		<i>2.205</i>	<i>0.709</i>	<i>2.362</i>	<i>0.551</i>	<i>0.551</i>				
# GS200-28-2200B2000-C-HK	28	56.00	20.000	60.000	22.000	36.00	40.00	14.00 / Keyway	20	Carbon Steel / ISO 8 - ( AGMA 9 )
		<i>2.205</i>	<i>0.787</i>	<i>2.362</i>	<i>0.866</i>	<i>1.417</i>	<i>1.575</i>			
# GS200-28-2200B2000-C-NK	28	56.00	20.000	60.000	22.000	22.00	Hubless	0.00 / Keyway	20	Carbon Steel / ISO 8 - ( AGMA 9 )
		<i>2.205</i>	<i>0.787</i>	<i>2.362</i>	<i>0.866</i>	<i>0.866</i>				
# GS200-28-1400B2000-C-HK	28	56.00	20.000	60.000	14.000	28.00	40.00	14.00 / Keyway	20	Carbon Steel / ISO 8 - ( AGMA 9 )
		<i>2.205</i>	<i>0.787</i>	<i>2.362</i>	<i>0.551</i>	<i>1.102</i>	<i>1.575</i>			

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Gears - Spur - Module 2

Part Number	Teeth (No.)	Pitch Circle Diameter (PD) mm	Bore (d) mm	Outside Diameter (OD) mm	Face Width (FW) mm	Overall Width (FW+HL) mm	Hub Diameter (D1) mm	Hub Proj / Locking Method (HL) mm	Pressure Angle Deg.	Material / Quality
# GS200-30-2000B1000-NS-HP	30	60.00	10.000	64.000	20.000	34.00	35.00	14.00 / No Set Screw	20	Nylon / Stainless St. Core. / ISO 7 (AGMA 10)
		<i>2.362</i>	<i>0.394</i>	<i>2.520</i>	<i>0.787</i>	<i>1.339</i>	<i>1.378</i>			
# GS200-30-2000B1000-NY-HP	30	60.00	10.000	64.000	20.000	30.00	50.00	10.00 / No Set Screw	20	Nylon / No Insert / Commercial - Machined
		<i>2.362</i>	<i>0.394</i>	<i>2.520</i>	<i>0.787</i>	<i>1.181</i>	<i>1.969</i>			
# GS200-30-1500B1000-AC-HP	30	60.00	10.000	64.000	15.000	27.00	24.00	12.00 / No Set Screw	20	Acetal - No Insert / Commercial - Molded
		<i>2.362</i>	<i>0.394</i>	<i>2.520</i>	<i>0.591</i>	<i>1.063</i>	<i>0.945</i>			
# GS200-30-1000B1000-NI-N	30	60.00	10.000	64.000	10.000	10.00	Hubless	0.00 / None	20	Nylon Rim - Iron Core / Commercial - Machined
		<i>2.362</i>	<i>0.394</i>	<i>2.520</i>	<i>0.394</i>	<i>0.394</i>				
# GS200-30-2000B1200-3-HP	30	60.00	12.000	64.000	20.000	36.00	50.00	16.00 / No Set Screw	20	303 Stainless Steel / ISO 7 - ( AGMA 10 )
		<i>2.362</i>	<i>0.472</i>	<i>2.520</i>	<i>0.787</i>	<i>1.417</i>	<i>1.969</i>			
# GS200-30-1400B1400-C-HP	30	60.00	14.000	64.000	14.000	28.00	54.00	14.00 / No Set Screw	20	Carbon Steel / ISO 8 - ( AGMA 9 )
		<i>2.362</i>	<i>0.551</i>	<i>2.520</i>	<i>0.551</i>	<i>1.102</i>	<i>2.126</i>			

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Gears - Spur - Module 2

Part Number	Teeth (No.)	Pitch Circle Diameter (PD) mm	Bore (d) mm	Outside Diameter (OD) mm	Face Width (FW) mm	Overall Width (FW+HL) mm	Hub Diameter (D1) mm	Hub Proj / Locking Method (HL) mm	Pressure Angle Deg.	Material / Quality
# GS200-30-2000B1500-S4-HP	30	60.00	15.000	64.000	20.000	40.00	50.00	20.00 / No Set Screw	20	AISI 4135 Steel / ISO 5 - Ground
		<i>2.362</i>	<i>0.591</i>	<i>2.520</i>	<i>0.787</i>	<i>1.575</i>	<i>1.969</i>			
# GS200-30-1400B1600-C-N	30	60.00	16.000	64.000	14.000	14.00	Hubless	0.00 / None	20	Carbon Steel / ISO 8 - ( AGMA 9 )
		<i>2.362</i>	<i>0.630</i>	<i>2.520</i>	<i>0.551</i>	<i>0.551</i>				
# GS200-30-2200B1600-C-N	30	60.00	16.000	64.000	22.000	22.00	Hubless	0.00 / None	20	Carbon Steel / ISO 8 - ( AGMA 9 )
		<i>2.362</i>	<i>0.630</i>	<i>2.520</i>	<i>0.866</i>	<i>0.866</i>				
# GS200-30-1400B1800-C-NK	30	60.00	18.000	64.000	14.000	14.00	Hubless	0.00 / Keyway	20	Carbon Steel / ISO 8 - ( AGMA 9 )
		<i>2.362</i>	<i>0.709</i>	<i>2.520</i>	<i>0.551</i>	<i>0.551</i>				
# GS200-30-2000B3000-C-HP	30	60.00	18.000	64.00	20.00	40.00	54.00	20.00 / No Set Screw	20.00	STEEL
		<i>2.362</i>	<i>0.709</i>	<i>2.520</i>	<i>0.787</i>	<i>1.575</i>	<i>2.126</i>			
# GS200-30-2000B1800-C-HP	30	60.00	18.000	64.000	20.000	40.00	54.00	20.00 / No Set Screw	20	Carbon Steel / ISO 8 - ( AGMA 9 )
		<i>2.362</i>	<i>0.709</i>	<i>2.520</i>	<i>0.787</i>	<i>1.575</i>	<i>2.126</i>			
# GS200-30-1400B2000-C-HK	30	60.00	20.000	64.000	14.000	28.00	40.00	14.00 / Keyway	20	Carbon Steel / ISO 8 - ( AGMA 9 )
		<i>2.362</i>	<i>0.787</i>	<i>2.520</i>	<i>0.551</i>	<i>1.102</i>	<i>1.575</i>			

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Gears - Spur - Module 2

Part Number	Teeth (No.)	Pitch Circle Diameter (PD) mm	Bore (d) mm	Outside Diameter (OD) mm	Face Width (FW) mm	Overall Width (FW+HL) mm	Hub Diameter (D1) mm	Hub Proj / Locking Method (HL) mm	Pressure Angle Deg.	Material / Quality
# GS200-30-2200B2000-C-HK	30	60.00	20.000	64.000	22.000	36.00	40.00	14.00 / Keyway	20	Carbon Steel / ISO 8 - ( AGMA 9 )
		<i>2.362</i>	<i>0.787</i>	<i>2.520</i>	<i>0.866</i>	<i>1.417</i>	<i>1.575</i>			
# GS200-30-2200B2000-C-NK	30	60.00	20.000	64.000	22.000	22.00	Hubless	0.00 / Keyway	20	Carbon Steel / ISO 8 - ( AGMA 9 )
		<i>2.362</i>	<i>0.787</i>	<i>2.520</i>	<i>0.866</i>	<i>0.866</i>				
# GS200-32-1500B1000-AC-HP	32	64.00	10.000	68.000	15.000	27.00	26.00	12.00 / No Set Screw	20	Acetal - No Insert / Commercial - Molded
		<i>2.520</i>	<i>0.394</i>	<i>2.677</i>	<i>0.591</i>	<i>1.063</i>	<i>1.024</i>			
# GS200-32-2000B1200-NY-N	32	64.00	12.000	68.000	20.000	20.00	Hubless	0.00 / None	20	Nylon / No Insert / Commercial - Machined
		<i>2.520</i>	<i>0.472</i>	<i>2.677</i>	<i>0.787</i>	<i>0.787</i>				
# GS200-32-1200B1400-C-N	32	64.00	14.000	68.000	12.000	12.00	Hubless	0.00 / None	20	Carbon Steel / ISO 8 - ( AGMA 9 )
		<i>2.520</i>	<i>0.551</i>	<i>2.677</i>	<i>0.472</i>	<i>0.472</i>				
# GS200-32-1200B1400-C-HP	32	64.00	14.000	68.000	12.000	26.00	58.00	14.00 / No Set Screw	20	Carbon Steel / ISO 8 - ( AGMA 9 )
		<i>2.520</i>	<i>0.551</i>	<i>2.677</i>	<i>0.472</i>	<i>1.024</i>	<i>2.283</i>			

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Gears - Spur - Module 2

Part Number	Teeth (No.)	Pitch Circle Diameter (PD) mm	Bore (d) mm	Outside Diameter (OD) mm	Face Width (FW) mm	Overall Width (FW+HL) mm	Hub Diameter (D1) mm	Hub Proj / Locking Method (HL) mm	Pressure Angle Deg.	Material / Quality
# GS200-32-2000B1500-3-N	32	64.00	15.000	68.000	20.000	20.00	Hubless	0.00 / None	20	303 Stainless Steel / ISO 7 - ( AGMA 10 )
		<i>2.520</i>	<i>0.591</i>	<i>2.677</i>	<i>0.787</i>	<i>0.787</i>				
# GS200-32-2200B1600-C-N	32	64.00	16.000	68.000	22.000	22.00	Hubless	0.00 / None	20	Carbon Steel / ISO 8 - ( AGMA 9 )
		<i>2.520</i>	<i>0.630</i>	<i>2.677</i>	<i>0.866</i>	<i>0.866</i>				
# GS200-32-2000B1600-C-HP	32	64.00	16.000	68.000	20.000	40.00	58.00	20.00 / No Set Screw	20	Carbon Steel / ISO 8 - ( AGMA 9 )
		<i>2.520</i>	<i>0.630</i>	<i>2.677</i>	<i>0.787</i>	<i>1.575</i>	<i>2.283</i>			
# GS200-32-1200B1800-C-NK	32	64.00	18.000	68.000	12.000	12.00	Hubless	0.00 / Keyway	20	Carbon Steel / ISO 8 - ( AGMA 9 )
		<i>2.520</i>	<i>0.709</i>	<i>2.677</i>	<i>0.472</i>	<i>0.472</i>				
# GS200-32-2000B2000-C-NK	32	64.00	20.000	68.000	20.000	20.00	Hubless	0.00 / Keyway	20	Carbon Steel / ISO 8 - ( AGMA 9 )
		<i>2.520</i>	<i>0.787</i>	<i>2.677</i>	<i>0.787</i>	<i>0.787</i>				
# GS200-32-1200B2000-C-HK	32	64.00	20.000	68.000	12.000	26.00	40.00	14.00 / Keyway	20	Carbon Steel / ISO 8 - ( AGMA 9 )
		<i>2.520</i>	<i>0.787</i>	<i>2.677</i>	<i>0.472</i>	<i>1.024</i>	<i>1.575</i>			
# GS200-32-2000B2000-S4-HP	32	64.00	20.000	68.000	20.000	40.00	50.00	20.00 / No Set Screw	20	AISI 4135 Steel / ISO 5 - Ground
		<i>2.520</i>	<i>0.787</i>	<i>2.677</i>	<i>0.787</i>	<i>1.575</i>	<i>1.969</i>			

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Gears - Spur - Module 2

Part Number	Teeth (No.)	Pitch Circle Diameter (PD) mm	Bore (d) mm	Outside Diameter (OD) mm	Face Width (FW) mm	Overall Width (FW+HL) mm	Hub Diameter (D1) mm	Hub Proj / Locking Method (HL) mm	Pressure Angle Deg.	Material / Quality
# GS200-32-2000B2500-C-HK	32	64.00	25.000	68.000	20.000	34.00	50.00	14.00 / Keyway	20	Carbon Steel / ISO 8 - ( AGMA 9 )
		<i>2.520</i>	<i>0.984</i>	<i>2.677</i>	<i>0.787</i>	<i>1.339</i>	<i>1.969</i>			
# GS200-35-2000B1200-NS-HP	35	70.00	12.000	74.000	20.000	34.00	40.00	14.00 / No Set Screw	20	Nylon / Stainless St. Core. / ISO 7 (AGMA 10)
		<i>2.756</i>	<i>0.472</i>	<i>2.913</i>	<i>0.787</i>	<i>1.339</i>	<i>1.575</i>			
# GS200-35-1500B1200-AC-HP	35	70.00	12.000	74.000	15.000	27.00	26.00	12.00 / No Set Screw	20	Acetal - No Insert / Commercial - Molded
		<i>2.756</i>	<i>0.472</i>	<i>2.913</i>	<i>0.591</i>	<i>1.063</i>	<i>1.024</i>			
# GS200-35-2000B1200-NY-N	35	70.00	12.000	74.000	20.000	20.00	Hubless	0.00 / None	20	Nylon / No Insert / Commercial - Machined
		<i>2.756</i>	<i>0.472</i>	<i>2.913</i>	<i>0.787</i>	<i>0.787</i>				
# GS200-35-2000B1500-3-N	35	70.00	15.000	74.000	20.000	20.00	Hubless	0.00 / None	20	303 Stainless Steel / ISO 7 - ( AGMA 10 )
		<i>2.756</i>	<i>0.591</i>	<i>2.913</i>	<i>0.787</i>	<i>0.787</i>				
# GS200-36-2000B1200-NY-N	36	72.00	12.000	76.000	20.000	20.00	Hubless	0.00 / None	20	Nylon / No Insert / Commercial - Machined
		<i>2.835</i>	<i>0.472</i>	<i>2.992</i>	<i>0.787</i>	<i>0.787</i>				

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Gears - Spur - Module 2

Part Number	Teeth (No.)	Pitch Circle Diameter (PD) mm	Bore (d) mm	Outside Diameter (OD) mm	Face Width (FW) mm	Overall Width (FW+HL) mm	Hub Diameter (D1) mm	Hub Proj / Locking Method (HL) mm	Pressure Angle Deg.	Material / Quality
# GS200-36-1500B1200-AC-HP	36	72.00	12.000	76.000	15.000	27.00	26.00	12.00 / No Set Screw	20	Acetal - No Insert / Commercial - Molded
		<i>2.835</i>	<i>0.472</i>	<i>2.992</i>	<i>0.591</i>	<i>1.063</i>	<i>1.024</i>			
# GS200-36-1200B1400-C-HP	36	72.00	14.000	76.000	12.000	26.00	60.00	14.00 / No Set Screw	20	Carbon Steel / ISO 8 - ( AGMA 9 )
		<i>2.835</i>	<i>0.551</i>	<i>2.992</i>	<i>0.472</i>	<i>1.024</i>	<i>2.362</i>			
# GS200-36-2000B1500-3-N	36	72.00	15.000	76.000	20.000	20.00	Hubless	0.00 / None	20	303 Stainless Steel / ISO 7 - ( AGMA 10 )
		<i>2.835</i>	<i>0.591</i>	<i>2.992</i>	<i>0.787</i>	<i>0.787</i>				
# GS200-36-2000B1600-C-HP	36	72.00	16.000	76.000	20.000	40.00	60.00	20.00 / No Set Screw	20	Carbon Steel / ISO 8 - ( AGMA 9 )
		<i>2.835</i>	<i>0.630</i>	<i>2.992</i>	<i>0.787</i>	<i>1.575</i>	<i>2.362</i>			
# GS200-36-1200B1600-C-N	36	72.00	16.000	76.000	12.000	12.00	Hubless	0.00 / None	20	Carbon Steel / ISO 8 - ( AGMA 9 )
		<i>2.835</i>	<i>0.630</i>	<i>2.992</i>	<i>0.472</i>	<i>0.472</i>				
# GS200-36-2000B2000-S4-HP	36	72.00	20.000	76.000	20.000	40.00	50.00	20.00 / No Set Screw	20	AISI 4135 Steel / ISO 5 - Ground
		<i>2.835</i>	<i>0.787</i>	<i>2.992</i>	<i>0.787</i>	<i>1.575</i>	<i>1.969</i>			
# GS200-36-1200B2000-C-NK	36	72.00	20.000	76.000	12.000	12.00	Hubless	0.00 / Keyway	20	Carbon Steel / ISO 8 - ( AGMA 9 )
		<i>2.835</i>	<i>0.787</i>	<i>2.992</i>	<i>0.472</i>	<i>0.472</i>				

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Gears - Spur - Module 2

Part Number	Teeth (No.)	Pitch Circle Diameter (PD) mm	Bore (d) mm	Outside Diameter (OD) mm	Face Width (FW) mm	Overall Width (FW+HL) mm	Hub Diameter (D1) mm	Hub Proj / Locking Method (HL) mm	Pressure Angle Deg.	Material / Quality
# GS200-36-2000B2000-C-N	36	72.00	20.000	76.000	20.000	20.00	Hubless	0.00 / None	20	Carbon Steel / ISO 8 - ( AGMA 9 )
		<i>2.835</i>	<i>0.787</i>	<i>2.992</i>	<i>0.787</i>	<i>0.787</i>				
# GS200-36-1200B2000-C-HK	36	72.00	20.000	76.000	12.000	26.00	40.00	14.00 / Keyway	20	Carbon Steel / ISO 8 - ( AGMA 9 )
		<i>2.835</i>	<i>0.787</i>	<i>2.992</i>	<i>0.472</i>	<i>1.024</i>	<i>1.575</i>			
# GS200-36-2000B2500-C-NK	36	72.00	25.000	76.000	20.000	20.00	Hubless	0.00 / Keyway	20	Carbon Steel / ISO 8 - ( AGMA 9 )
		<i>2.835</i>	<i>0.984</i>	<i>2.992</i>	<i>0.787</i>	<i>0.787</i>				
# GS200-36-2000B2500-C-HK	36	72.00	25.000	76.000	20.000	34.00	50.00	14.00 / Keyway	20	Carbon Steel / ISO 8 - ( AGMA 9 )
		<i>2.835</i>	<i>0.984</i>	<i>2.992</i>	<i>0.787</i>	<i>1.339</i>	<i>1.969</i>			
# GS200-38-1500B1200-AC-HP	38	76.00	12.000	80.000	15.000	27.00	26.00	12.00 / No Set Screw	20	Acetal - No Insert / Commercial - Molded
		<i>2.992</i>	<i>0.472</i>	<i>3.150</i>	<i>0.591</i>	<i>1.063</i>	<i>1.024</i>			
# GS200-40-1000B1000-NI-N	40	80.00	10.000	84.000	10.000	10.00	Hubless	0.00 / None	20	Nylon Rim - Iron Core / Commercial - Machined
		<i>3.150</i>	<i>0.394</i>	<i>3.307</i>	<i>0.394</i>	<i>0.394</i>				

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Gears - Spur - Module 2

Part Number	Teeth (No.)	Pitch Circle Diameter (PD) mm	Bore (d) mm	Outside Diameter (OD) mm	Face Width (FW) mm	Overall Width (FW+HL) mm	Hub Diameter (D1) mm	Hub Proj / Locking Method (HL) mm	Pressure Angle Deg.	Material / Quality
GS200-40-1500B1200-AC-HP	40	80.00	12.000	84.000	15.000	27.00	26.00	12.00 / No Set Screw	20	Acetal - No Insert / Commercial - Molded
		<i>3.150</i>	<i>0.472</i>	<i>3.307</i>	<i>0.591</i>	<i>1.063</i>	<i>1.024</i>			
# GS200-40-2000B1200-NY-N	40	80.00	12.000	84.000	20.000	20.00	Hubless	0.00 / None	20	Nylon / No Insert / Commercial - Machined
		<i>3.150</i>	<i>0.472</i>	<i>3.307</i>	<i>0.787</i>	<i>0.787</i>				
# GS200-40-1200B1400-C-HP	40	80.00	14.000	84.000	12.000	26.00	60.00	14.00 / No Set Screw	20	Carbon Steel / ISO 8 - ( AGMA 9 )
		<i>3.150</i>	<i>0.551</i>	<i>3.307</i>	<i>0.472</i>	<i>1.024</i>	<i>2.362</i>			
# GS200-40-2000B1500-3-N	40	80.00	15.000	84.000	20.000	20.00	Hubless	0.00 / None	20	303 Stainless Steel / ISO 7 - ( AGMA 10 )
		<i>3.150</i>	<i>0.591</i>	<i>3.307</i>	<i>0.787</i>	<i>0.787</i>				
# GS200-40-2000B1500-NS-HP	40	80.00	15.000	84.000	20.000	34.00	55.00	14.00 / No Set Screw	20	Nylon / Stainless St. Core. / ISO 7 (AGMA 10)
		<i>3.150</i>	<i>0.591</i>	<i>3.307</i>	<i>0.787</i>	<i>1.339</i>	<i>2.165</i>			
# GS200-40-1200B1600-C-N	40	80.00	16.000	84.000	12.000	12.00	Hubless	0.00 / None	20	Carbon Steel / ISO 8 - ( AGMA 9 )
		<i>3.150</i>	<i>0.630</i>	<i>3.307</i>	<i>0.472</i>	<i>0.472</i>				

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Gears - Spur - Module 2

Part Number	Teeth (No.)	Pitch Circle Diameter (PD) mm	Bore (d) mm	Outside Diameter (OD) mm	Face Width (FW) mm	Overall Width (FW+HL) mm	Hub Diameter (D1) mm	Hub Proj / Locking Method (HL) mm	Pressure Angle Deg.	Material / Quality
# GS200-40-2000B1600-C-HP	40	80.00	16.000	84.000	20.000	40.00	60.00	20.00 / No Set Screw	20	Carbon Steel / ISO 8 - ( AGMA 9 )
		<i>3.150</i>	<i>0.630</i>	<i>3.307</i>	<i>0.787</i>	<i>1.575</i>	<i>2.362</i>			
# GS200-40-1200B2000-C-NK	40	80.00	20.000	84.000	12.000	12.00	Hubless	0.00 / Keyway	20	Carbon Steel / ISO 8 - ( AGMA 9 )
		<i>3.150</i>	<i>0.787</i>	<i>3.307</i>	<i>0.472</i>	<i>0.472</i>				
# GS200-40-2000B2000-S4-HP	40	80.00	20.000	84.000	20.000	40.00	60.00	20.00 / No Set Screw	20	AISI 4135 Steel / ISO 5 - Ground
		<i>3.150</i>	<i>0.787</i>	<i>3.307</i>	<i>0.787</i>	<i>1.575</i>	<i>2.362</i>			
# GS200-40-1200B2000-C-HK	40	80.00	20.000	84.000	12.000	26.00	40.00	14.00 / Keyway	20	Carbon Steel / ISO 8 - ( AGMA 9 )
		<i>3.150</i>	<i>0.787</i>	<i>3.307</i>	<i>0.472</i>	<i>1.024</i>	<i>1.575</i>			
# GS200-40-2000B2000-C-NK	40	80.00	20.000	84.000	20.000	20.00	Hubless	0.00 / Keyway	20	Carbon Steel / ISO 8 - ( AGMA 9 )
		<i>3.150</i>	<i>0.787</i>	<i>3.307</i>	<i>0.787</i>	<i>0.787</i>				
# GS200-40-2000B2500-C-NK	40	80.00	25.000	84.000	20.000	20.00	Hubless	0.00 / Keyway	20	Carbon Steel / ISO 8 - ( AGMA 9 )
		<i>3.150</i>	<i>0.984</i>	<i>3.307</i>	<i>0.787</i>	<i>0.787</i>				
# GS200-40-2000B2500-C-HK	40	80.00	25.000	84.000	20.000	34.00	50.00	14.00 / Keyway	20	Carbon Steel / ISO 8 - ( AGMA 9 )
		<i>3.150</i>	<i>0.984</i>	<i>3.307</i>	<i>0.787</i>	<i>1.339</i>	<i>1.969</i>			

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Gears - Spur - Module 2

Part Number	Teeth (No.)	Pitch Circle Diameter (PD) mm	Bore (d) mm	Outside Diameter (OD) mm	Face Width (FW) mm	Overall Width (FW+HL) mm	Hub Diameter (D1) mm	Hub Proj / Locking Method (HL) mm	Pressure Angle Deg.	Material / Quality
# GS200-42-1500B1200-AC-HP	42	84.00	12.000	88.000	15.000	27.00	26.00	12.00 / No Set Screw	20	Acetal - No Insert / Commercial - Molded
		<i>3.307</i>	<i>0.472</i>	<i>3.465</i>	<i>0.591</i>	<i>1.063</i>	<i>1.024</i>			
# GS200-42-2000B1500-3-N	42	84.00	15.000	88.000	20.000	20.00	Hubless	0.00 / None	20	303 Stainless Steel / ISO 7 - ( AGMA 10 )
		<i>3.307</i>	<i>0.591</i>	<i>3.465</i>	<i>0.787</i>	<i>0.787</i>				
# GS200-45-2000B1200-NY-N	45	90.00	12.000	94.000	20.000	20.00	Hubless	0.00 / None	20	Nylon / No Insert / Commercial - Machined
		<i>3.543</i>	<i>0.472</i>	<i>3.701</i>	<i>0.787</i>	<i>0.787</i>				
# GS200-45-1500B1400-AC-HP	45	90.00	14.000	94.000	15.000	27.00	30.00	12.00 / No Set Screw	20	Acetal - No Insert / Commercial - Molded
		<i>3.543</i>	<i>0.551</i>	<i>3.701</i>	<i>0.591</i>	<i>1.063</i>	<i>1.181</i>			
# GS200-45-2000B1500-3-N	45	90.00	15.000	94.000	20.000	20.00	Hubless	0.00 / None	20	303 Stainless Steel / ISO 7 - ( AGMA 10 )
		<i>3.543</i>	<i>0.591</i>	<i>3.701</i>	<i>0.787</i>	<i>0.787</i>				
# GS200-45-2000B2000-S4-HP	45	90.00	20.000	94.000	20.000	40.00	60.00	20.00 / No Set Screw	20	AISI 4135 Steel / ISO 5 - Ground
		<i>3.543</i>	<i>0.787</i>	<i>3.701</i>	<i>0.787</i>	<i>1.575</i>	<i>2.362</i>			

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Gears - Spur - Module 2

Part Number	Teeth (No.)	Pitch Circle Diameter (PD) mm	Bore (d) mm	Outside Diameter (OD) mm	Face Width (FW) mm	Overall Width (FW+HL) mm	Hub Diameter (D1) mm	Hub Proj / Locking Method (HL) mm	Pressure Angle Deg.	Material / Quality
# GS200-48-2000B1200-NY-N	48	96.00	12.000	100.000	20.000	20.00	Hubless	0.00 / None	20	Nylon / No Insert / Commercial - Machined
		<i>3.780</i>	<i>0.472</i>	<i>3.937</i>	<i>0.787</i>	<i>0.787</i>				
# GS200-48-1500B1400-AC-HP	48	96.00	14.000	100.000	15.000	27.00	30.00	12.00 / No Set Screw	20	Acetal - No Insert / Commercial - Molded
		<i>3.780</i>	<i>0.551</i>	<i>3.937</i>	<i>0.591</i>	<i>1.063</i>	<i>1.181</i>			
# GS200-48-2000B1500-3-N	48	96.00	15.000	100.000	20.000	20.00	Hubless	0.00 / None	20	303 Stainless Steel / ISO 7 - ( AGMA 10 )
		<i>3.780</i>	<i>0.591</i>	<i>3.937</i>	<i>0.787</i>	<i>0.787</i>				
# GS200-48-1200B1600-C-HP	48	96.00	16.000	100.000	12.000	26.00	60.00	14.00 / No Set Screw	20	Carbon Steel / ISO 8 - ( AGMA 9 )
		<i>3.780</i>	<i>0.630</i>	<i>3.937</i>	<i>0.472</i>	<i>1.024</i>	<i>2.362</i>			
# GS200-48-1200B1800-C-N	48	96.00	18.000	100.000	12.000	12.00	Hubless	0.00 / None	20	Carbon Steel / ISO 8 - ( AGMA 9 )
		<i>3.780</i>	<i>0.709</i>	<i>3.937</i>	<i>0.472</i>	<i>0.472</i>				
# GS200-48-2000B1800-C-HP	48	96.00	18.000	100.000	20.000	40.00	60.00	20.00 / No Set Screw	20	Carbon Steel / ISO 8 - ( AGMA 9 )
		<i>3.780</i>	<i>0.709</i>	<i>3.937</i>	<i>0.787</i>	<i>1.575</i>	<i>2.362</i>			

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Gears - Spur - Module 2

Part Number	Teeth (No.)	Pitch Circle Diameter (PD) mm	Bore (d) mm	Outside Diameter (OD) mm	Face Width (FW) mm	Overall Width (FW+HL) mm	Hub Diameter (D1) mm	Hub Proj / Locking Method (HL) mm	Pressure Angle Deg.	Material / Quality
# GS200-48-1200B2000-C-NK	48	96.00	20.000	100.000	12.000	12.00	Hubless	0.00 / Keyway	20	Carbon Steel / ISO 8 - ( AGMA 9 )
		<i>3.780</i>	<i>0.787</i>	<i>3.937</i>	<i>0.472</i>	<i>0.472</i>				
# GS200-48-1200B2000-C-HK	48	96.00	20.000	100.000	12.000	26.00	40.00	14.00 / Keyway	20	Carbon Steel / ISO 8 - ( AGMA 9 )
		<i>3.780</i>	<i>0.787</i>	<i>3.937</i>	<i>0.472</i>	<i>1.024</i>	<i>1.575</i>			
# GS200-48-2000B2000-S4-HP	48	96.00	20.000	100.000	20.000	40.00	60.00	20.00 / No Set Screw	20	AISI 4135 Steel / ISO 5 - Ground
		<i>3.780</i>	<i>0.787</i>	<i>3.937</i>	<i>0.787</i>	<i>1.575</i>	<i>2.362</i>			
# GS200-48-2000B2000-C-N	48	96.00	20.000	100.000	20.000	20.00	Hubless	0.00 / None	20	Carbon Steel / ISO 8 - ( AGMA 9 )
		<i>3.780</i>	<i>0.787</i>	<i>3.937</i>	<i>0.787</i>	<i>0.787</i>				
# GS200-48-2000B2500-C-NK	48	96.00	25.000	100.000	20.000	20.00	Hubless	0.00 / Keyway	20	Carbon Steel / ISO 8 - ( AGMA 9 )
		<i>3.780</i>	<i>0.984</i>	<i>3.937</i>	<i>0.787</i>	<i>0.787</i>				
# GS200-48-2000B2500-C-HK	48	96.00	25.000	100.000	20.000	34.00	50.00	14.00 / Keyway	20	Carbon Steel / ISO 8 - ( AGMA 9 )
		<i>3.780</i>	<i>0.984</i>	<i>3.937</i>	<i>0.787</i>	<i>1.339</i>	<i>1.969</i>			
# GS200-50-1000B1000-NI-N	50	100.00	10.000	104.000	10.000	10.00	Hubless	0.00 / None	20	Nylon Rim - Iron Core / Commercial - Machined
		<i>3.937</i>	<i>0.394</i>	<i>4.094</i>	<i>0.394</i>	<i>0.394</i>				

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Gears - Spur - Module 2

Part Number	Teeth (No.)	Pitch Circle Diameter (PD) mm	Bore (d) mm	Outside Diameter (OD) mm	Face Width (FW) mm	Overall Width (FW+HL) mm	Hub Diameter (D1) mm	Hub Proj / Locking Method (HL) mm	Pressure Angle Deg.	Material / Quality
# GS200-50-2000B1200-NY-N	50	100.00	12.000	104.000	20.000	20.00	Hubless	0.00 / None	20	Nylon / No Insert / Commercial - Machined
		<i>3.937</i>	<i>0.472</i>	<i>4.094</i>	<i>0.787</i>	<i>0.787</i>				
# GS200-50-1500B1400-AC-HP	50	100.00	14.000	104.000	15.000	27.00	30.00	12.00 / No Set Screw	20	Acetal - No Insert / Commercial - Molded
		<i>3.937</i>	<i>0.551</i>	<i>4.094</i>	<i>0.591</i>	<i>1.063</i>	<i>1.181</i>			
# GS200-50-2000B1500-3-N	50	100.00	15.000	104.000	20.000	20.00	Hubless	0.00 / None	20	303 Stainless Steel / ISO 7 - ( AGMA 10 )
		<i>3.937</i>	<i>0.591</i>	<i>4.094</i>	<i>0.787</i>	<i>0.787</i>				
# GS200-50-2000B1500-NS-HP	50	100.00	15.000	104.000	20.000	34.00	60.00	14.00 / No Set Screw	20	Nylon / Stainless St. Core. / ISO 7 (AGMA 10)
		<i>3.937</i>	<i>0.591</i>	<i>4.094</i>	<i>0.787</i>	<i>1.339</i>	<i>2.362</i>			
# GS200-50-1200B1600-C-HP	50	100.00	16.000	104.000	12.000	26.00	60.00	14.00 / No Set Screw	20	Carbon Steel / ISO 8 - ( AGMA 9 )
		<i>3.937</i>	<i>0.630</i>	<i>4.094</i>	<i>0.472</i>	<i>1.024</i>	<i>2.362</i>			
# GS200-50-1200B1800-C-N	50	100.00	18.000	104.000	12.000	12.00	Hubless	0.00 / None	20	Carbon Steel / ISO 8 - ( AGMA 9 )
		<i>3.937</i>	<i>0.709</i>	<i>4.094</i>	<i>0.472</i>	<i>0.472</i>				

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Gears - Spur - Module 2

Part Number	Teeth (No.)	Pitch Circle Diameter (PD) mm	Bore (d) mm	Outside Diameter (OD) mm	Face Width (FW) mm	Overall Width (FW+HL) mm	Hub Diameter (D1) mm	Hub Proj / Locking Method (HL) mm	Pressure Angle Deg.	Material / Quality
# GS200-50-2000B1800-C-HP	50	100.00	18.000	104.000	20.000	40.00	60.00	20.00 / No Set Screw	20	Carbon Steel / ISO 8 - ( AGMA 9 )
		<i>3.937</i>	<i>0.709</i>	<i>4.094</i>	<i>0.787</i>	<i>1.575</i>	<i>2.362</i>			
# GS200-50-1200B2000-C-HK	50	100.00	20.000	104.000	12.000	26.00	40.00	14.00 / Keyway	20	Carbon Steel / ISO 8 - ( AGMA 9 )
		<i>3.937</i>	<i>0.787</i>	<i>4.094</i>	<i>0.472</i>	<i>1.024</i>	<i>1.575</i>			
# GS200-50-1200B2000-C-NK5	50	100.00	20.000	104.000	12.000	12.00	Hubless	0.00 / Keyway 5x2.3	20	Carbon Steel / ISO 8 - ( AGMA 9 )
		<i>3.937</i>	<i>0.787</i>	<i>4.094</i>	<i>0.472</i>	<i>0.472</i>				
# GS200-50-2000B2000-C-NK	50	100.00	20.000	104.000	20.000	20.00	Hubless	0.00 / Keyway	20	Carbon Steel / ISO 8 - ( AGMA 9 )
		<i>3.937</i>	<i>0.787</i>	<i>4.094</i>	<i>0.787</i>	<i>0.787</i>				
# GS200-50-2000B2000-S4-HP	50	100.00	20.000	104.000	20.000	40.00	60.00	20.00 / No Set Screw	20	AISI 4135 Steel / ISO 5 - Ground
		<i>3.937</i>	<i>0.787</i>	<i>4.094</i>	<i>0.787</i>	<i>1.575</i>	<i>2.362</i>			
# GS200-50-1200B2000-C-NK6	50	100.00	20.000	104.000	12.000	12.00	Hubless	0.00 / Keyway 6x2.8	20	Carbon Steel / ISO 8 - ( AGMA 9 )
		<i>3.937</i>	<i>0.787</i>	<i>4.094</i>	<i>0.472</i>	<i>0.472</i>				
# GS200-50-2000B2500-C-NK	50	100.00	25.000	104.000	20.000	20.00	Hubless	0.00 / Keyway	20	Carbon Steel / ISO 8 - ( AGMA 9 )
		<i>3.937</i>	<i>0.984</i>	<i>4.094</i>	<i>0.787</i>	<i>0.787</i>				

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Gears - Spur - Module 2

Part Number	Teeth (No.)	Pitch Circle Diameter (PD) mm	Bore (d) mm	Outside Diameter (OD) mm	Face Width (FW) mm	Overall Width (FW+HL) mm	Hub Diameter (D1) mm	Hub Proj / Locking Method (HL) mm	Pressure Angle Deg.	Material / Quality
# GS200-50-2000B2500-C-HK	50	100.00	25.000	104.000	20.000	34.00	50.00	14.00 / Keyway	20	Carbon Steel / ISO 8 - ( AGMA 9 )
		<i>3.937</i>	<i>0.984</i>	<i>4.094</i>	<i>0.787</i>	<i>1.339</i>	<i>1.969</i>			
# GS200-55-2000B1200-NY-N	55	110.00	12.000	114.000	20.000	20.00	Hubless	0.00 / None	20	Nylon / No Insert / Commercial - Machined
		<i>4.331</i>	<i>0.472</i>	<i>4.488</i>	<i>0.787</i>	<i>0.787</i>				
GS200-55-1500B1400-AC-HP	55	110.00	14.000	114.000	15.000	27.00	30.00	12.00 / No Set Screw	20	Acetal - No Insert / Commercial - Molded
		<i>4.331</i>	<i>0.551</i>	<i>4.488</i>	<i>0.591</i>	<i>1.063</i>	<i>1.181</i>			
# GS200-56-2000B1500-3-N	56	112.00	15.000	116.000	20.000	20.00	Hubless	0.00 / None	20	303 Stainless Steel / ISO 7 - ( AGMA 10 )
		<i>4.409</i>	<i>0.591</i>	<i>4.567</i>	<i>0.787</i>	<i>0.787</i>				
# GS200-56-1200B1600-C-HP	56	112.00	16.000	116.000	12.000	26.00	60.00	14.00 / No Set Screw	20	Carbon Steel / ISO 8 - ( AGMA 9 )
		<i>4.409</i>	<i>0.630</i>	<i>4.567</i>	<i>0.472</i>	<i>1.024</i>	<i>2.362</i>			
# GS200-56-2000B1800-C-HP	56	112.00	18.000	116.000	20.000	40.00	60.00	20.00 / No Set Screw	20	Carbon Steel / ISO 8 - ( AGMA 9 )
		<i>4.409</i>	<i>0.709</i>	<i>4.567</i>	<i>0.787</i>	<i>1.575</i>	<i>2.362</i>			

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Gears - Spur - Module 2

Part Number	Teeth (No.)	Pitch Circle Diameter (PD) mm	Bore (d) mm	Outside Diameter (OD) mm	Face Width (FW) mm	Overall Width (FW+HL) mm	Hub Diameter (D1) mm	Hub Proj / Locking Method (HL) mm	Pressure Angle Deg.	Material / Quality
# GS200-56-1200B1800-C-N	56	112.00	18.000	116.000	12.000	12.00	Hubless	0.00 / None	20	Carbon Steel / ISO 8 - ( AGMA 9 )
		<i>4.409</i>	<i>0.709</i>	<i>4.567</i>	<i>0.472</i>	<i>0.472</i>				
# GS200-56-1200B2000-C-HK	56	112.00	20.000	116.000	12.000	26.00	40.00	14.00 / Keyway	20	Carbon Steel / ISO 8 - ( AGMA 9 )
		<i>4.409</i>	<i>0.787</i>	<i>4.567</i>	<i>0.472</i>	<i>1.024</i>	<i>1.575</i>			
# GS200-56-2000B2000-C-N	56	112.00	20.000	116.000	20.000	20.00	Hubless	0.00 / None	20	Carbon Steel / ISO 8 - ( AGMA 9 )
		<i>4.409</i>	<i>0.787</i>	<i>4.567</i>	<i>0.787</i>	<i>0.787</i>				
# GS200-56-1200B2000-C-NK	56	112.00	20.000	116.000	12.000	12.00	Hubless	0.00 / Keyway	20	Carbon Steel / ISO 8 - ( AGMA 9 )
		<i>4.409</i>	<i>0.787</i>	<i>4.567</i>	<i>0.472</i>	<i>0.472</i>				
# GS200-56-2000B2000-S4-HP	56	112.00	20.000	116.000	20.000	40.00	60.00	20.00 / No Set Screw	20	AISI 4135 Steel / ISO 5 - Ground
		<i>4.409</i>	<i>0.787</i>	<i>4.567</i>	<i>0.787</i>	<i>1.575</i>	<i>2.362</i>			
# GS200-56-2000B2500-C-HK	56	112.00	25.000	116.000	20.000	34.00	50.00	14.00 / Keyway	20	Carbon Steel / ISO 8 - ( AGMA 9 )
		<i>4.409</i>	<i>0.984</i>	<i>4.567</i>	<i>0.787</i>	<i>1.339</i>	<i>1.969</i>			
# GS200-56-2000B2500-C-NK	56	112.00	25.000	116.000	20.000	20.00	Hubless	0.00 / Keyway	20	Carbon Steel / ISO 8 - ( AGMA 9 )
		<i>4.409</i>	<i>0.984</i>	<i>4.567</i>	<i>0.787</i>	<i>0.787</i>				

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Gears - Spur - Module 2

Part Number	Teeth (No.)	Pitch Circle Diameter (PD) mm	Bore (d) mm	Outside Diameter (OD) mm	Face Width (FW) mm	Overall Width (FW+HL) mm	Hub Diameter (D1) mm	Hub Proj / Locking Method (HL) mm	Pressure Angle Deg.	Material / Quality
# GS200-60-2000B1200-NY-N	60	120.00	12.000	124.000	20.000	20.00	Hubless	0.00 / None	20	Nylon / No Insert / Commercial - Machined
		<i>4.724</i>	<i>0.472</i>	<i>4.882</i>	<i>0.787</i>	<i>0.787</i>				
# GS200-60-1500B1400-AC-HP	60	120.00	14.000	124.000	15.000	27.00	30.00	12.00 / No Set Screw	20	Acetal - No Insert / Commercial - Molded
		<i>4.724</i>	<i>0.551</i>	<i>4.882</i>	<i>0.591</i>	<i>1.063</i>	<i>1.181</i>			
# GS200-60-2000B1500-NS-HP	60	120.00	15.000	124.000	20.000	34.00	60.00	14.00 / No Set Screw	20	Nylon / Stainless St. Core. / ISO 7 (AGMA 10)
		<i>4.724</i>	<i>0.591</i>	<i>4.882</i>	<i>0.787</i>	<i>1.339</i>	<i>2.362</i>			
# GS200-60-2000B1500-3-N	60	120.00	15.000	124.000	20.000	20.00	Hubless	0.00 / None	20	303 Stainless Steel / ISO 7 - (AGMA 10)
		<i>4.724</i>	<i>0.591</i>	<i>4.882</i>	<i>0.787</i>	<i>0.787</i>				
# GS200-60-2000B1800-C-HP	60	120.00	18.000	124.000	20.000	40.00	70.00	20.00 / No Set Screw	20	Carbon Steel / ISO 8 - (AGMA 9)
		<i>4.724</i>	<i>0.709</i>	<i>4.882</i>	<i>0.787</i>	<i>1.575</i>	<i>2.756</i>			
# GS200-60-2000B2000-C-NK	60	120.00	20.000	124.000	20.000	20.00	40.00	0.00 / Hub Flush with Gear Face - Sides Indented / Keyway	20	Carbon Steel / ISO 8 - (AGMA 9)
		<i>4.724</i>	<i>0.787</i>	<i>4.882</i>	<i>0.787</i>	<i>0.787</i>	<i>1.575</i>			

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Gears - Spur - Module 2

Part Number	Teeth (No.)	Pitch Circle Diameter (PD) mm	Bore (d) mm	Outside Diameter (OD) mm	Face Width (FW) mm	Overall Width (FW+HL) mm	Hub Diameter (D1) mm	Hub Proj / Locking Method (HL) mm	Pressure Angle Deg.	Material / Quality
# GS200-60-1200B2000-C-HK	60	120.00	20.000	124.000	12.000	26.00	40.00	14.00 / Keyway	20	Carbon Steel / ISO 8 - ( AGMA 9 )
		<i>4.724</i>	<i>0.787</i>	<i>4.882</i>	<i>0.472</i>	<i>1.024</i>	<i>1.575</i>			
# GS200-60-1200B2000-C-N	60	120.00	20.000	124.000	12.000	12.00	Hubless	0.00 / None	20	Carbon Steel / ISO 8 - ( AGMA 9 )
		<i>4.724</i>	<i>0.787</i>	<i>4.882</i>	<i>0.472</i>	<i>0.472</i>				
# GS200-60-1200B2500-C-HK	60	120.00	25.000	124.000	12.000	26.00	50.00	14.00 / Keyway	20	Carbon Steel / ISO 8 - ( AGMA 9 )
		<i>4.724</i>	<i>0.984</i>	<i>4.882</i>	<i>0.472</i>	<i>1.024</i>	<i>1.969</i>			
# GS200-60-2000B2500-S4-HP	60	120.00	25.000	124.000	20.000	40.00	70.00	20.00 / No Set Screw	20	AISI 4135 Steel / ISO 5 - Ground
		<i>4.724</i>	<i>0.984</i>	<i>4.882</i>	<i>0.787</i>	<i>1.575</i>	<i>2.756</i>			
# GS200-60-2000B2500-C-NK	60	120.00	25.000	124.000	20.000	20.00	50.00	0.00 / Hub Flush with Gear Face - Sides Indented / Keyway	20	Carbon Steel / ISO 8 - ( AGMA 9 )
		<i>4.724</i>	<i>0.984</i>	<i>4.882</i>	<i>0.787</i>	<i>0.787</i>	<i>1.969</i>			
# GS200-60-1200B2500-C-NK	60	120.00	25.000	124.000	12.000	12.00	50.00	0.00 / Hub Flush with Gear Face - Sides Indented / Keyway	20	Carbon Steel / ISO 8 - ( AGMA 9 )
		<i>4.724</i>	<i>0.984</i>	<i>4.882</i>	<i>0.472</i>	<i>0.472</i>	<i>1.969</i>			

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Gears - Spur - Module 2

Part Number	Teeth (No.)	Pitch Circle Diameter (PD) mm	Bore (d) mm	Outside Diameter (OD) mm	Face Width (FW) mm	Overall Width (FW+HL) mm	Hub Diameter (D1) mm	Hub Proj / Locking Method (HL) mm	Pressure Angle Deg.	Material / Quality
# GS200-60-2000B3000-C-HK50	60	120.00	30.000	124.000	20.000	34.00	50.00	14.00 / Keyway	20	Carbon Steel / ISO 8 - ( AGMA 9 )
		<i>4.724</i>	<i>1.181</i>	<i>4.882</i>	<i>0.787</i>	<i>1.339</i>	<i>1.969</i>			
# GS200-60-2000B3000-C-HK60	60	120.00	30.000	124.000	20.000	34.00	60.00	14.00 / Keyway	20	Carbon Steel / ISO 8 - ( AGMA 9 )
		<i>4.724</i>	<i>1.181</i>	<i>4.882</i>	<i>0.787</i>	<i>1.339</i>	<i>2.362</i>			
# GS200-64-2000B1500-3-N	64	128.00	15.000	132.000	20.000	20.00	Hubless	0.00 / None	20	303 Stainless Steel / ISO 7 - ( AGMA 10 )
		<i>5.039</i>	<i>0.591</i>	<i>5.197</i>	<i>0.787</i>	<i>0.787</i>				
# GS200-64-1200B1600-C-HP	64	128.00	16.000	132.000	12.000	26.00	60.00	14.00 / No Set Screw	20	Carbon Steel / ISO 8 - ( AGMA 9 )
		<i>5.039</i>	<i>0.630</i>	<i>5.197</i>	<i>0.472</i>	<i>1.024</i>	<i>2.362</i>			
# GS200-64-2000B1800-C-N	64	128.00	18.000	132.000	20.000	20.00	Hubless	0.00 / None	20	Carbon Steel / ISO 8 - ( AGMA 9 )
		<i>5.039</i>	<i>0.709</i>	<i>5.197</i>	<i>0.787</i>	<i>0.787</i>				
# GS200-64-2000B1800-C-HP	64	128.00	18.000	132.000	20.000	40.00	70.00	20.00 / No Set Screw	20	Carbon Steel / ISO 8 - ( AGMA 9 )
		<i>5.039</i>	<i>0.709</i>	<i>5.197</i>	<i>0.787</i>	<i>1.575</i>	<i>2.756</i>			
# GS200-64-1200B2000-C-HK	64	128.00	20.000	132.000	12.000	26.00	40.00	14.00 / Keyway	20	Carbon Steel / ISO 8 - ( AGMA 9 )
		<i>5.039</i>	<i>0.787</i>	<i>5.197</i>	<i>0.472</i>	<i>1.024</i>	<i>1.575</i>			

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Gears - Spur - Module 2

Part Number	Teeth (No.)	Pitch Circle Diameter (PD) mm	Bore (d) mm	Outside Diameter (OD) mm	Face Width (FW) mm	Overall Width (FW+HL) mm	Hub Diameter (D1) mm	Hub Proj / Locking Method (HL) mm	Pressure Angle Deg.	Material / Quality
# GS200-64-1200B2000-C-N	64	128.00	20.000	132.000	12.000	12.00	Hubless	0.00 / None	20	Carbon Steel / ISO 8 - ( AGMA 9 )
		<i>5.039</i>	<i>0.787</i>	<i>5.197</i>	<i>0.472</i>	<i>0.472</i>				
# GS200-64-2000B2500-S4-HP	64	128.00	25.000	132.000	20.000	40.00	70.00	20.00 / No Set Screw	20	AISI 4135 Steel / ISO 5 - Ground
		<i>5.039</i>	<i>0.984</i>	<i>5.197</i>	<i>0.787</i>	<i>1.575</i>	<i>2.756</i>			
# GS200-64-1200B2500-C-NK	64	128.00	25.000	132.000	12.000	12.00	50.00	0.00 / Hub Flush with Gear Face - Sides Indented / Keyway	20	Carbon Steel / ISO 8 - ( AGMA 9 )
		<i>5.039</i>	<i>0.984</i>	<i>5.197</i>	<i>0.472</i>	<i>0.472</i>	<i>1.969</i>			
# GS200-64-2000B2500-C-HK	64	128.00	25.000	132.000	20.000	34.00	50.00	14.00 / Keyway	20	Carbon Steel / ISO 8 - ( AGMA 9 )
		<i>5.039</i>	<i>0.984</i>	<i>5.197</i>	<i>0.787</i>	<i>1.339</i>	<i>1.969</i>			
# GS200-64-2000B2500-C-NK	64	128.00	25.000	132.000	20.000	20.00	50.00	0.00 / Hub Flush with Gear Face - Sides Indented / Keyway	20	Carbon Steel / ISO 8 - ( AGMA 9 )
		<i>5.039</i>	<i>0.984</i>	<i>5.197</i>	<i>0.787</i>	<i>0.787</i>	<i>1.969</i>			
# GS200-65-2000B1500-NY-N	65	130.00	15.000	134.000	20.000	20.00	Hubless	0.00 / None	20	Nylon / No Insert / Commercial - Machined
		<i>5.118</i>	<i>0.591</i>	<i>5.276</i>	<i>0.787</i>	<i>0.787</i>				

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Gears - Spur - Module 2

Part Number	Teeth (No.)	Pitch Circle Diameter (PD) mm	Bore (d) mm	Outside Diameter (OD) mm	Face Width (FW) mm	Overall Width (FW+HL) mm	Hub Diameter (D1) mm	Hub Proj / Locking Method (HL) mm	Pressure Angle Deg.	Material / Quality
# GS200-70-1500B1400-AC-HP	70	140.00	14.000	144.000	15.000	27.00	30.00	12.00 / No Set Screw	20	Acetal - No Insert / Commercial - Molded
		<i>5.512</i>	<i>0.551</i>	<i>5.669</i>	<i>0.591</i>	<i>1.063</i>	<i>1.181</i>			
# GS200-70-2000B1500-3-N	70	140.00	15.000	144.000	20.000	20.00	Hubless	0.00 / None	20	303 Stainless Steel / ISO 7 - ( AGMA 10 )
		<i>5.512</i>	<i>0.591</i>	<i>5.669</i>	<i>0.787</i>	<i>0.787</i>				
# GS200-70-2000B1500-NY-N	70	140.00	15.000	144.000	20.000	20.00	Hubless	0.00 / None	20	Nylon / No Insert / Commercial - Machined
		<i>5.512</i>	<i>0.591</i>	<i>5.669</i>	<i>0.787</i>	<i>0.787</i>				
# GS200-70-2000B2500-S4-HP	70	140.00	25.000	144.000	20.000	40.00	70.00	20.00 / No Set Screw	20	AISI 4135 Steel / ISO 5 - Ground
		<i>5.512</i>	<i>0.984</i>	<i>5.669</i>	<i>0.787</i>	<i>1.575</i>	<i>2.756</i>			
# GS200-72-2000B1800-C-N	72	144.00	18.000	148.000	20.000	20.00	Hubless	0.00 / None	20	Carbon Steel / ISO 8 - ( AGMA 9 )
		<i>5.669</i>	<i>0.709</i>	<i>5.827</i>	<i>0.787</i>	<i>0.787</i>				
# GS200-72-1200B1800-C-HP	72	144.00	18.000	148.000	12.000	26.00	60.00	14.00 / No Set Screw	20	Carbon Steel / ISO 8 - ( AGMA 9 )
		<i>5.669</i>	<i>0.709</i>	<i>5.827</i>	<i>0.472</i>	<i>1.024</i>	<i>2.362</i>			

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Gears - Spur - Module 2

Part Number	Teeth (No.)	Pitch Circle Diameter (PD) mm	Bore (d) mm	Outside Diameter (OD) mm	Face Width (FW) mm	Overall Width (FW+HL) mm	Hub Diameter (D1) mm	Hub Proj / Locking Method (HL) mm	Pressure Angle Deg.	Material / Quality
# GS200-72-1200B2000-C-N	72	144.00	20.000	148.000	12.000	12.00	Hubless	0.00 / None	20	Carbon Steel / ISO 8 - ( AGMA 9 )
		<i>5.669</i>	<i>0.787</i>	<i>5.827</i>	<i>0.472</i>	<i>0.472</i>				
# GS200-72-1200B2000-C-HK	72	144.00	20.000	148.000	12.000	26.00	40.00	14.00 / Keyway	20	Carbon Steel / ISO 8 - ( AGMA 9 )
		<i>5.669</i>	<i>0.787</i>	<i>5.827</i>	<i>0.472</i>	<i>1.024</i>	<i>1.575</i>			
# GS200-72-2000B2000-C-HP	72	144.00	20.000	148.000	20.000	40.00	70.00	20.00 / No Set Screw	20	Carbon Steel / ISO 8 - ( AGMA 9 )
		<i>5.669</i>	<i>0.787</i>	<i>5.827</i>	<i>0.787</i>	<i>1.575</i>	<i>2.756</i>			
# GS200-72-2000B2500-C-NK	72	144.00	25.000	148.000	20.000	20.00	50.00	0.00 / Hub Flush with Gear Face - Sides Indented / Keyway	20	Carbon Steel / ISO 8 - ( AGMA 9 )
		<i>5.669</i>	<i>0.984</i>	<i>5.827</i>	<i>0.787</i>	<i>0.787</i>	<i>1.969</i>			
# GS200-72-1200B2500-C-NK	72	144.00	25.000	148.000	12.000	12.00	50.00	0.00 / Hub Flush with Gear Face - Sides Indented / Keyway	20	Carbon Steel / ISO 8 - ( AGMA 9 )
		<i>5.669</i>	<i>0.984</i>	<i>5.827</i>	<i>0.472</i>	<i>0.472</i>	<i>1.969</i>			
# GS200-72-2000B2500-S4-HP	72	144.00	25.000	148.000	20.000	40.00	80.00	20.00 / No Set Screw	20	AISI 4135 Steel / ISO 5 - Ground
		<i>5.669</i>	<i>0.984</i>	<i>5.827</i>	<i>0.787</i>	<i>1.575</i>	<i>3.150</i>			

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Gears - Spur - Module 2

Part Number	Teeth (No.)	Pitch Circle Diameter (PD) mm	Bore (d) mm	Outside Diameter (OD) mm	Face Width (FW) mm	Overall Width (FW+HL) mm	Hub Diameter (D1) mm	Hub Proj / Locking Method (HL) mm	Pressure Angle Deg.	Material / Quality
# GS200-72-2000B3000-C-HK	72	144.00	30.000	148.000	20.000	34.00	60.00	14.00 / Keyway	20	Carbon Steel / ISO 8 - ( AGMA 9 )
		<i>5.669</i>	<i>1.181</i>	<i>5.827</i>	<i>0.787</i>	<i>1.339</i>	<i>2.362</i>			
# GS200-75-2000B1500-NY-N	75	150.00	15.000	154.000	20.000	20.00	Hubless	0.00 / None	20	Nylon / No Insert / Commercial - Machined
		<i>5.906</i>	<i>0.591</i>	<i>6.063</i>	<i>0.787</i>	<i>0.787</i>				
# GS200-75-2000B2500-S4-HP	75	150.00	25.000	154.000	20.000	40.00	80.00	20.00 / No Set Screw	20	AISI 4135 Steel / ISO 5 - Ground
		<i>5.906</i>	<i>0.984</i>	<i>6.063</i>	<i>0.787</i>	<i>1.575</i>	<i>3.150</i>			
# GS200-80-2000B1500-NY-N	80	160.00	15.000	164.000	20.000	20.00	Hubless	0.00 / None	20	Nylon / No Insert / Commercial - Machined
		<i>6.299</i>	<i>0.591</i>	<i>6.457</i>	<i>0.787</i>	<i>0.787</i>				
# GS200-80-1200B2000-C-HK	80	160.00	20.000	164.000	12.000	26.00	40.00	14.00 / Keyway	20	Carbon Steel / ISO 8 - ( AGMA 9 )
		<i>6.299</i>	<i>0.787</i>	<i>6.457</i>	<i>0.472</i>	<i>1.024</i>	<i>1.575</i>			
# GS200-80-1200B2000-C-N	80	160.00	20.000	164.000	12.000	12.00	Hubless	0.00 / None	20	Carbon Steel / ISO 8 - ( AGMA 9 )
		<i>6.299</i>	<i>0.787</i>	<i>6.457</i>	<i>0.472</i>	<i>0.472</i>				

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Gears - Spur - Module 2

Part Number	Teeth (No.)	Pitch Circle Diameter (PD) mm	Bore (d) mm	Outside Diameter (OD) mm	Face Width (FW) mm	Overall Width (FW+HL) mm	Hub Diameter (D1) mm	Hub Proj / Locking Method (HL) mm	Pressure Angle Deg.	Material / Quality
# GS200-80-2000B2000-C-HP	80	160.00	20.000	164.000	20.000	40.00	70.00	20.00 / No Set Screw	20	Carbon Steel / ISO 8 - ( AGMA 9 )
		<i>6.299</i>	<i>0.787</i>	<i>6.457</i>	<i>0.787</i>	<i>1.575</i>	<i>2.756</i>			
# GS200-80-2000B2000-C-NK	80	160.00	20.000	164.000	20.000	20.00	40.00	0.00 / Hub Flush with Gear Face - Sides Indented / Keyway	20	Carbon Steel / ISO 8 - ( AGMA 9 )
		<i>6.299</i>	<i>0.787</i>	<i>6.457</i>	<i>0.787</i>	<i>0.787</i>	<i>1.575</i>			
# GS200-80-2000B2500-C-NK	80	160.00	25.000	164.000	20.000	20.00	50.00	0.00 / Hub Flush with Gear Face - Sides Indented / Keyway	20	Carbon Steel / ISO 8 - ( AGMA 9 )
		<i>6.299</i>	<i>0.984</i>	<i>6.457</i>	<i>0.787</i>	<i>0.787</i>	<i>1.969</i>			
# GS200-80-1200B2500-C-HK	80	160.00	25.000	164.000	12.000	26.00	50.00	14.00 / Keyway	20	Carbon Steel / ISO 8 - ( AGMA 9 )
		<i>6.299</i>	<i>0.984</i>	<i>6.457</i>	<i>0.472</i>	<i>1.024</i>	<i>1.969</i>			
# GS200-80-1200B2500-C-NK	80	160.00	25.000	164.000	12.000	12.00	50.00	0.00 / Hub Flush with Gear Face - Sides Indented / Keyway	20	Carbon Steel / ISO 8 - ( AGMA 9 )
		<i>6.299</i>	<i>0.984</i>	<i>6.457</i>	<i>0.472</i>	<i>0.472</i>	<i>1.969</i>			
# GS200-80-2000B2500-S4-HP	80	160.00	25.000	164.000	20.000	40.00	80.00	20.00 / No Set Screw	20	AISI 4135 Steel / ISO 5 - Ground
		<i>6.299</i>	<i>0.984</i>	<i>6.457</i>	<i>0.787</i>	<i>1.575</i>	<i>3.150</i>			

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Gears - Spur - Module 2

Part Number	Teeth (No.)	Pitch Circle Diameter (PD) mm	Bore (d) mm	Outside Diameter (OD) mm	Face Width (FW) mm	Overall Width (FW+HL) mm	Hub Diameter (D1) mm	Hub Proj / Locking Method (HL) mm	Pressure Angle Deg.	Material / Quality
# GS200-80-2000B3000-C-HK	80	160.00	30.000	164.000	20.000	34.00	60.00	14.00 / Keyway	20	Carbon Steel / ISO 8 - ( AGMA 9 )
		<i>6.299</i>	<i>1.181</i>	<i>6.457</i>	<i>0.787</i>	<i>1.339</i>	<i>2.362</i>			
# GS200-85-2000B1500-NY-N	85	170.00	15.000	174.000	20.000	20.00	Hubless	0.00 / None	20	Nylon / No Insert / Commercial - Machined
		<i>6.693</i>	<i>0.591</i>	<i>6.850</i>	<i>0.787</i>	<i>0.787</i>				
# GS200-90-2000B1500-NY-N	90	180.00	15.000	184.000	20.000	20.00	Hubless	0.00 / None	20	Nylon / No Insert / Commercial - Machined
		<i>7.087</i>	<i>0.591</i>	<i>7.244</i>	<i>0.787</i>	<i>0.787</i>				
# GS200-90-2000B2500-S4-HP	90	180.00	25.000	184.000	20.000	40.00	80.00	20.00 / No Set Screw	20	AISI 4135 Steel / ISO 5 - Ground
		<i>7.087</i>	<i>0.984</i>	<i>7.244</i>	<i>0.787</i>	<i>1.575</i>	<i>3.150</i>			
# GS200-95-2000B1500-NY-N	95	190.00	15.000	194.000	20.000	20.00	Hubless	0.00 / None	20	Nylon / No Insert / Commercial - Machined
		<i>7.480</i>	<i>0.591</i>	<i>7.638</i>	<i>0.787</i>	<i>0.787</i>				
# GS200-100-2000B1500-NY-N	100	200.00	15.000	204.000	20.000	20.00	Hubless	0.00 / None	20	Nylon / No Insert / Commercial - Machined
		<i>7.874</i>	<i>0.591</i>	<i>8.031</i>	<i>0.787</i>	<i>0.787</i>				

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Gears - Spur - Module 2

Part Number	Teeth (No.)	Pitch Circle Diameter (PD) mm	Bore (d) mm	Outside Diameter (OD) mm	Face Width (FW) mm	Overall Width (FW+HL) mm	Hub Diameter (D1) mm	Hub Proj / Locking Method (HL) mm	Pressure Angle Deg.	Material / Quality
# GS200-100-1200B2000-C-HK	100	200.00	20.000	204.000	12.000	26.00	40.00	14.00 / Keyway	20	Carbon Steel / ISO 8 - ( AGMA 9 )
		<i>7.874</i>	<i>0.787</i>	<i>8.031</i>	<i>0.472</i>	<i>1.024</i>	<i>1.575</i>			
# GS200-100-2000B2000-C-HP	100	200.00	20.000	204.000	20.000	40.00	80.00	20.00 / No Set Screw	20	Carbon Steel / ISO 8 - ( AGMA 9 )
		<i>7.874</i>	<i>0.787</i>	<i>8.031</i>	<i>0.787</i>	<i>1.575</i>	<i>3.150</i>			
# GS200-100-1200B2000-C-N	100	200.00	20.000	204.000	12.000	12.00	Hubless	0.00 / None	20	Carbon Steel / ISO 8 - ( AGMA 9 )
		<i>7.874</i>	<i>0.787</i>	<i>8.031</i>	<i>0.472</i>	<i>0.472</i>				
# GS200-100-2000B2000-C-NK	100	200.00	20.000	204.000	20.000	20.00	40.00	0.00 / Hub Flush with Gear Face - Sides Indented / Keyway	20	Carbon Steel / ISO 8 - ( AGMA 9 )
		<i>7.874</i>	<i>0.787</i>	<i>8.031</i>	<i>0.787</i>	<i>0.787</i>	<i>1.575</i>			
# GS200-100-1200B2500-C-HK	100	200.00	25.000	204.000	12.000	26.00	50.00	14.00 / Keyway	20	Carbon Steel / ISO 8 - ( AGMA 9 )
		<i>7.874</i>	<i>0.984</i>	<i>8.031</i>	<i>0.472</i>	<i>1.024</i>	<i>1.969</i>			
# GS200-100-1200B2500-C-NK	100	200.00	25.000	204.000	12.000	12.00	50.00	0.00 / Hub Flush with Gear Face - Sides Indented / Keyway	20	Carbon Steel / ISO 8 - ( AGMA 9 )
		<i>7.874</i>	<i>0.984</i>	<i>8.031</i>	<i>0.472</i>	<i>0.472</i>	<i>1.969</i>			

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Gears - Spur - Module 2

Part Number	Teeth (No.)	Pitch Circle Diameter (PD) mm	Bore (d) mm	Outside Diameter (OD) mm	Face Width (FW) mm	Overall Width (FW+HL) mm	Hub Diameter (D1) mm	Hub Proj / Locking Method (HL) mm	Pressure Angle Deg.	Material / Quality
# GS200-100-2000B3000-S4-HP	100	200.00	30.000	204.000	20.000	40.00	80.00	20.00 / No Set Screw	20	AISI 4135 Steel / ISO 5 - Ground
		<i>7.874</i>	<i>1.181</i>	<i>8.031</i>	<i>0.787</i>	<i>1.575</i>	<i>3.150</i>			
# GS200-100-2000B3000-C-HK	100	200.00	30.000	204.000	20.000	34.00	60.00	14.00 / Keyway	20	Carbon Steel / ISO 8 - ( AGMA 9 )
		<i>7.874</i>	<i>1.181</i>	<i>8.031</i>	<i>0.787</i>	<i>1.339</i>	<i>2.362</i>			
# GS200-100-2000B3000-C-NK8	100	200.00	30.000	204.000	20.000	20.00	60.00	0.00 / Hub Flush with Gear Face - Sides Indented - Keyway 8x3.3	20	Carbon Steel / ISO 8 - ( AGMA 9 )
		<i>7.874</i>	<i>1.181</i>	<i>8.031</i>	<i>0.787</i>	<i>0.787</i>	<i>2.362</i>			
# GS200-100-2000B3000-C-NK7	100	200.00	30.000	204.000	20.000	20.00	60.00	0.00 / Hub Flush with Gear Face - Sides Indented - Keyway 7x3	20	Carbon Steel / ISO 8 - ( AGMA 9 )
		<i>7.874</i>	<i>1.181</i>	<i>8.031</i>	<i>0.787</i>	<i>0.787</i>	<i>2.362</i>			

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.



DISTRIBUTED BY

Ask us to put your name and address here

<http://www.minibearings.com.au/product>

Ph +61 7 3245 7977

Fax +61 7 3245 1017

Catalogue requests to [catalogues@minibearings.com.au](mailto:catalogues@minibearings.com.au)

