




MBA

Gears - Spur - Module 3

Examples shown for basic dimensions. Individual gears may vary in characteristics.



PCD = No. of Teeth x 3.000mm. 20 Degree Pressure Angle. 303 stainless steel, carbon steel and nylon.

Metallic and plastic.

Fairloc Hub Type require controlled shaft tolerances between 0.0025 and 0.0203 mm Clearance.

Gears - Spur - Module 3

Part Number	Teeth (No.)	Pitch Circle Diameter (PD) mm	Bore (d) mm	Outside Diameter (OD) mm	Face Width (FW) mm	Overall Width (FW+HL) mm	Hub Diameter (D1) mm	Hub Proj / Locking Method (HL) mm	Pressure Angle Deg.	Material / Quality
# GS300-12-1900B1000-AC-HP	12	36.00	10.000	42.000	19.000	34.00	24.00	15.00 / No Set Screw	20	Acetal - No Insert / Commercial - Molded
		1.417	0.394	1.654	0.748	1.339	0.945			
# GS300-12-1900B1200-AC-HP	12	36.00	12.000	42.000	19.000	34.00	24.00	15.00 / No Set Screw	20	Acetal - No Insert / Commercial - Molded
		1.417	0.472	1.654	0.748	1.339	0.945			

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Gears - Spur - Module 3

Part Number	Teeth (No.)	Pitch Circle Diameter (PD) mm	Bore (d) mm	Outside Diameter (OD) mm	Face Width (FW) mm	Overall Width (FW+HL) mm	Hub Diameter (D1) mm	Hub Proj / Locking Method (HL) mm	Pressure Angle Deg.	Material / Quality
# GS300-12-3000B1200-NY-HP	12	36.00	12.000	42.000	30.000	45.00	28.00	15.00 / No Set Screw	20	Nylon / No Insert / Commercial - Machined
		<i>1.417</i>	<i>0.472</i>	<i>1.654</i>	<i>1.181</i>	<i>1.772</i>	<i>1.102</i>			
GS300-12-3500B1400-C-HS	12	36.00	14.000	42.000	35.000	70.00	42.00	35.00 / Set Screw	20	Carbon Steel / ISO 8 - (AGMA 9)
		<i>1.417</i>	<i>0.551</i>	<i>1.654</i>	<i>1.378</i>	<i>2.756</i>	<i>1.654</i>			
# GS300-13-1900B1200-AC-HP	13	39.00	12.000	45.000	19.000	34.00	24.00	15.00 / No Set Screw	20	Acetal - No Insert / Commercial - Molded
		<i>1.535</i>	<i>0.472</i>	<i>1.772</i>	<i>0.748</i>	<i>1.339</i>	<i>0.945</i>			
# GS300-13-3000B1200-NY-HP	13	39.00	12.000	45.000	30.000	45.00	30.00	15.00 / No Set Screw	20	Nylon / No Insert / Commercial - Machined
		<i>1.535</i>	<i>0.472</i>	<i>1.772</i>	<i>1.181</i>	<i>1.772</i>	<i>1.181</i>			
GS300-14-1900B1200-AC-HP	14	42.00	12.000	48.000	19.000	34.00	24.00	15.00 / No Set Screw	20	Acetal - No Insert / Commercial - Molded
		<i>1.654</i>	<i>0.472</i>	<i>1.890</i>	<i>0.748</i>	<i>1.339</i>	<i>0.945</i>			
# GS300-14-3000B1200-NY-HP	14	42.00	12.000	48.000	30.000	45.00	32.00	15.00 / No Set Screw	20	Nylon / No Insert / Commercial - Machined
		<i>1.654</i>	<i>0.472</i>	<i>1.890</i>	<i>1.181</i>	<i>1.772</i>	<i>1.260</i>			

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Gears - Spur - Module 3

Part Number	Teeth (No.)	Pitch Circle Diameter (PD) mm	Bore (d) mm	Outside Diameter (OD) mm	Face Width (FW) mm	Overall Width (FW+HL) mm	Hub Diameter (D1) mm	Hub Proj / Locking Method (HL) mm	Pressure Angle Deg.	Material / Quality
# GS300-14-3000B1500-C-HP	14	42.00	15.000	48.000	30.000	50.00	34.00	20.00 / No Set Screw	20	Carbon Steel / ISO 8 - (AGMA 9)
		<i>1.654</i>	<i>0.591</i>	<i>1.890</i>	<i>1.181</i>	<i>1.969</i>	<i>1.339</i>			
# GS300-14-2200B1600-C-HP	14	42.00	16.000	48.000	22.000	40.00	34.00	18.00 / No Set Screw	20	Carbon Steel / ISO 8 - (AGMA 9)
		<i>1.654</i>	<i>0.630</i>	<i>1.890</i>	<i>0.866</i>	<i>1.575</i>	<i>1.339</i>			
# GS300-14-2200B1600-C-N	14	42.00	16.000	48.000	22.000	22.00	Hubless	0.00 / None	20	Carbon Steel / ISO 8 - (AGMA 9)
		<i>1.654</i>	<i>0.630</i>	<i>1.890</i>	<i>0.866</i>	<i>0.866</i>				
# GS300-14-3000B1600-C-HP	14	42.00	16.000	48.000	30.000	50.00	34.00	20.00 / No Set Screw	20	Carbon Steel / ISO 8 - (AGMA 9)
		<i>1.654</i>	<i>0.630</i>	<i>1.890</i>	<i>1.181</i>	<i>1.969</i>	<i>1.339</i>			
# GS300-14-3500B1600-C-N	14	42.00	16.000	48.000	35.000	35.00	Hubless	0.00 / None	20	Carbon Steel / ISO 9 - (AGMA 8)
		<i>1.654</i>	<i>0.630</i>	<i>1.890</i>	<i>1.378</i>	<i>1.378</i>				
# GS300-15-1900B0700-AC-HP	15	45.00	7.000	51.000	19.000	34.00	24.00	15.00 / No Set Screw	20	Acetal - No Insert / Commercial - Molded
		<i>1.772</i>	<i>0.276</i>	<i>2.008</i>	<i>0.748</i>	<i>1.339</i>	<i>0.945</i>			

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Gears - Spur - Module 3

Part Number	Teeth (No.)	Pitch Circle Diameter (PD) mm	Bore (d) mm	Outside Diameter (OD) mm	Face Width (FW) mm	Overall Width (FW+HL) mm	Hub Diameter (D1) mm	Hub Proj / Locking Method (HL) mm	Pressure Angle Deg.	Material / Quality
# GS300-15-1900B1200-AC-HP	15	45.00	12.000	51.000	19.000	34.00	24.00	15.00 / No Set Screw	20	Acetal - No Insert / Commercial - Molded
		<i>1.772</i>	<i>0.472</i>	<i>2.008</i>	<i>0.748</i>	<i>1.339</i>	<i>0.945</i>			
# GS300-15-3000B1400-NY-HP	15	45.00	14.000	51.000	30.000	45.00	36.00	15.00 / No Set Screw	20	Nylon / No Insert / Commercial - Machined
		<i>1.772</i>	<i>0.551</i>	<i>2.008</i>	<i>1.181</i>	<i>1.772</i>	<i>1.417</i>			
# GS300-15-3000B1500-3-HP	15	45.00	15.000	51.000	30.000	50.00	36.00	20.00 / No Set Screw	20	303 Stainless Steel / ISO 7 - (AGMA 10)
		<i>1.772</i>	<i>0.591</i>	<i>2.008</i>	<i>1.181</i>	<i>1.969</i>	<i>1.417</i>			
# GS300-15-3000B1500-C-HP	15	45.00	15.000	51.000	30.000	50.00	36.00	20.00 / No Set Screw	20	Carbon Steel / ISO 8 - (AGMA 9)
		<i>1.772</i>	<i>0.591</i>	<i>2.008</i>	<i>1.181</i>	<i>1.969</i>	<i>1.417</i>			
# GS300-15-2200B1600-C-N	15	45.00	16.000	51.000	22.000	22.00	Hubless	0.00 / None	20	Carbon Steel / ISO 8 - (AGMA 9)
		<i>1.772</i>	<i>0.630</i>	<i>2.008</i>	<i>0.866</i>	<i>0.866</i>				
# GS300-15-2200B1600-C-HP	15	45.00	16.000	51.000	22.000	40.00	36.00	18.00 / No Set Screw	20	Carbon Steel / ISO 8 - (AGMA 9)
		<i>1.772</i>	<i>0.630</i>	<i>2.008</i>	<i>0.866</i>	<i>1.575</i>	<i>1.417</i>			

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Gears - Spur - Module 3

Part Number	Teeth (No.)	Pitch Circle Diameter (PD) mm	Bore (d) mm	Outside Diameter (OD) mm	Face Width (FW) mm	Overall Width (FW+HL) mm	Hub Diameter (D1) mm	Hub Proj / Locking Method (HL) mm	Pressure Angle Deg.	Material / Quality
# GS300-15-3500B1600-C-N	15	45.00	16.000	51.000	35.000	35.00	Hubless	0.00 / None	20	Carbon Steel / ISO 9 - (AGMA 8)
		<i>1.772</i>	<i>0.630</i>	<i>2.008</i>	<i>1.378</i>	<i>1.378</i>				
# GS300-15-3000B1600-C-HP	15	45.00	16.000	51.000	30.000	50.00	36.00	20.00 / No Set Screw	20	Carbon Steel / ISO 8 - (AGMA 9)
		<i>1.772</i>	<i>0.630</i>	<i>2.008</i>	<i>1.181</i>	<i>1.969</i>	<i>1.417</i>			
# GS300-16-1900B1200-AC-HP	16	48.00	12.000	54.000	19.000	34.00	24.00	15.00 / No Set Screw	20	Acetal - No Insert / Commercial - Molded
		<i>1.890</i>	<i>0.472</i>	<i>2.126</i>	<i>0.748</i>	<i>1.339</i>	<i>0.945</i>			
# GS300-16-3000B1400-NY-HP	16	48.00	14.000	54.000	30.000	45.00	38.00	15.00 / No Set Screw	20	Nylon / No Insert / Commercial - Machined
		<i>1.890</i>	<i>0.551</i>	<i>2.126</i>	<i>1.181</i>	<i>1.772</i>	<i>1.496</i>			
# GS300-16-3000B1500-3-HP	16	48.00	15.000	54.000	30.000	50.00	38.00	20.00 / No Set Screw	20	303 Stainless Steel / ISO 7 - (AGMA 10)
		<i>1.890</i>	<i>0.591</i>	<i>2.126</i>	<i>1.181</i>	<i>1.969</i>	<i>1.496</i>			
# GS300-16-3000B1500-C-HP	16	48.00	15.000	54.000	30.000	50.00	36.00	20.00 / No Set Screw	20	Carbon Steel / ISO 8 - (AGMA 9)
		<i>1.890</i>	<i>0.591</i>	<i>2.126</i>	<i>1.181</i>	<i>1.969</i>	<i>1.417</i>			

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Gears - Spur - Module 3

Part Number	Teeth (No.)	Pitch Circle Diameter (PD) mm	Bore (d) mm	Outside Diameter (OD) mm	Face Width (FW) mm	Overall Width (FW+HL) mm	Hub Diameter (D1) mm	Hub Proj / Locking Method (HL) mm	Pressure Angle Deg.	Material / Quality
# GS300-16-2200B1600-C-HP	16	48.00	16.000	54.000	22.000	40.00	40.00	18.00 / No Set Screw	20	Carbon Steel / ISO 8 - (AGMA 9)
		<i>1.890</i>	<i>0.630</i>	<i>2.126</i>	<i>0.866</i>	<i>1.575</i>	<i>1.575</i>			
# GS300-16-3000B1600-C-HP	16	48.00	16.000	54.000	30.000	50.00	40.00	20.00 / No Set Screw	20	Carbon Steel / ISO 8 - (AGMA 9)
		<i>1.890</i>	<i>0.630</i>	<i>2.126</i>	<i>1.181</i>	<i>1.969</i>	<i>1.575</i>			
# GS300-16-2200B1600-C-N	16	48.00	16.000	54.000	22.000	22.00	Hubless	0.00 / None	20	Carbon Steel / ISO 8 - (AGMA 9)
		<i>1.890</i>	<i>0.630</i>	<i>2.126</i>	<i>0.866</i>	<i>0.866</i>				
# GS300-16-3500B1600-C-N	16	48.00	16.000	54.000	35.000	35.00	Hubless	0.00 / None	20	Carbon Steel / ISO 9 - (AGMA 8)
		<i>1.890</i>	<i>0.630</i>	<i>2.126</i>	<i>1.378</i>	<i>1.378</i>				
# GS300-17-1900B1200-AC-HP	17	51.00	12.000	57.000	19.000	34.00	24.00	15.00 / No Set Screw	20	Acetal - No Insert / Commercial - Molded
		<i>2.008</i>	<i>0.472</i>	<i>2.244</i>	<i>0.748</i>	<i>1.339</i>	<i>0.945</i>			
# GS300-18-1900B1200-AC-HP	18	54.00	12.000	60.000	19.000	34.00	24.00	15.00 / No Set Screw	20	Acetal - No Insert / Commercial - Molded
		<i>2.126</i>	<i>0.472</i>	<i>2.362</i>	<i>0.748</i>	<i>1.339</i>	<i>0.945</i>			

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Gears - Spur - Module 3

Part Number	Teeth (No.)	Pitch Circle Diameter (PD) mm	Bore (d) mm	Outside Diameter (OD) mm	Face Width (FW) mm	Overall Width (FW+HL) mm	Hub Diameter (D1) mm	Hub Proj / Locking Method (HL) mm	Pressure Angle Deg.	Material / Quality
# GS300-18-3000B1400-NY-HP	18	54.00	14.000	60.000	30.000	45.00	40.00	15.00 / No Set Screw	20	Nylon / No Insert / Commercial - Machined
		<i>2.126</i>	<i>0.551</i>	<i>2.362</i>	<i>1.181</i>	<i>1.772</i>	<i>1.575</i>			
# GS300-18-3000B1500-3-HP	18	54.00	15.000	60.000	30.000	50.00	40.00	20.00 / No Set Screw	20	303 Stainless Steel / ISO 7 - (AGMA 10)
		<i>2.126</i>	<i>0.591</i>	<i>2.362</i>	<i>1.181</i>	<i>1.969</i>	<i>1.575</i>			
# GS300-18-2200B1600-C-N	18	54.00	16.000	60.000	22.000	22.00	Hubless	0.00 / None	20	Carbon Steel / ISO 8 - (AGMA 9)
		<i>2.126</i>	<i>0.630</i>	<i>2.362</i>	<i>0.866</i>	<i>0.866</i>				
# GS300-18-3500B1800-C-N	18	54.00	18.000	60.000	35.000	35.00	Hubless	0.00 / None	20	Carbon Steel / ISO 9 - (AGMA 8)
		<i>2.126</i>	<i>0.709</i>	<i>2.362</i>	<i>1.378</i>	<i>1.378</i>				
# GS300-18-3000B1800-C-HP	18	54.00	18.000	60.000	30.000	50.00	46.00	20.00 / No Set Screw	20	Carbon Steel / ISO 8 - (AGMA 9)
		<i>2.126</i>	<i>0.709</i>	<i>2.362</i>	<i>1.181</i>	<i>1.969</i>	<i>1.811</i>			
# GS300-18-2200B1800-C-HP	18	54.00	18.000	60.000	22.000	40.00	46.00	18.00 / No Set Screw	20	Carbon Steel / ISO 8 - (AGMA 9)
		<i>2.126</i>	<i>0.709</i>	<i>2.362</i>	<i>0.866</i>	<i>1.575</i>	<i>1.811</i>			
# GS300-18-3000B2000-C-HP	18	54.00	20.000	60.000	30.000	50.00	45.00	20.00 / No Set Screw	20	Carbon Steel / ISO 8 - (AGMA 9)
		<i>2.126</i>	<i>0.787</i>	<i>2.362</i>	<i>1.181</i>	<i>1.969</i>	<i>1.772</i>			

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Gears - Spur - Module 3

Part Number	Teeth (No.)	Pitch Circle Diameter (PD) mm	Bore (d) mm	Outside Diameter (OD) mm	Face Width (FW) mm	Overall Width (FW+HL) mm	Hub Diameter (D1) mm	Hub Proj / Locking Method (HL) mm	Pressure Angle Deg.	Material / Quality
# GS300-19-1900B1200-AC-HP	19	57.00	12.000	63.000	19.000	34.00	24.00	15.00 / No Set Screw	20	Acetal - No Insert / Commercial - Molded
		<i>2.244</i>	<i>0.472</i>	<i>2.480</i>	<i>0.748</i>	<i>1.339</i>	<i>0.945</i>			
# GS300-20-1900B1200-AC-HP	20	60.00	12.000	66.000	19.000	34.00	24.00	15.00 / No Set Screw	20	Acetal - No Insert / Commercial - Molded
		<i>2.362</i>	<i>0.472</i>	<i>2.598</i>	<i>0.748</i>	<i>1.339</i>	<i>0.945</i>			
# GS300-20-3000B1400-NY-HP	20	60.00	14.000	66.000	30.000	45.00	50.00	15.00 / No Set Screw	20	Nylon / No Insert / Commercial - Machined
		<i>2.362</i>	<i>0.551</i>	<i>2.598</i>	<i>1.181</i>	<i>1.772</i>	<i>1.969</i>			
# GS300-20-3000B1500-3-HP	20	60.00	15.000	66.000	30.000	50.00	50.00	20.00 / No Set Screw	20	303 Stainless Steel / ISO 7 - (AGMA 10)
		<i>2.362</i>	<i>0.591</i>	<i>2.598</i>	<i>1.181</i>	<i>1.969</i>	<i>1.969</i>			
# GS300-20-2200B1600-C-N	20	60.00	16.000	66.000	22.000	22.00	Hubless	0.00 / None	20	Carbon Steel / ISO 8 - (AGMA 9)
		<i>2.362</i>	<i>0.630</i>	<i>2.598</i>	<i>0.866</i>	<i>0.866</i>				
# GS300-20-2200B1800-C-HP	20	60.00	18.000	66.000	22.000	40.00	50.00	18.00 / No Set Screw	20	Carbon Steel / ISO 8 - (AGMA 9)
		<i>2.362</i>	<i>0.709</i>	<i>2.598</i>	<i>0.866</i>	<i>1.575</i>	<i>1.969</i>			

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Gears - Spur - Module 3

Part Number	Teeth (No.)	Pitch Circle Diameter (PD) mm	Bore (d) mm	Outside Diameter (OD) mm	Face Width (FW) mm	Overall Width (FW+HL) mm	Hub Diameter (D1) mm	Hub Proj / Locking Method (HL) mm	Pressure Angle Deg.	Material / Quality
# GS300-20-3000B1800-C-HP	20	60.00	18.000	66.000	30.000	50.00	52.00	20.00 / No Set Screw	20	Carbon Steel / ISO 8 - (AGMA 9)
		<i>2.362</i>	<i>0.709</i>	<i>2.598</i>	<i>1.181</i>	<i>1.969</i>	<i>2.047</i>			
# GS300-20-3500B1800-C-N	20	60.00	18.000	66.000	35.000	35.00	Hubless	0.00 / None	20	Carbon Steel / ISO 9 - (AGMA 8)
		<i>2.362</i>	<i>0.709</i>	<i>2.598</i>	<i>1.378</i>	<i>1.378</i>				
# GS300-20-2200B2000-C-NK	20	60.00	20.000	66.000	22.000	22.00	Hubless	0.00 / Keyway	20	Carbon Steel / ISO 8 - (AGMA 9)
		<i>2.362</i>	<i>0.787</i>	<i>2.598</i>	<i>0.866</i>	<i>0.866</i>				
# GS300-20-2200B2000-C-HK	20	60.00	20.000	66.000	22.000	40.00	40.00	18.00 / Keyway	20	Carbon Steel / ISO 8 - (AGMA 9)
		<i>2.362</i>	<i>0.787</i>	<i>2.598</i>	<i>0.866</i>	<i>1.575</i>	<i>1.575</i>			
# GS300-20-3000B2000-C-HP	20	60.00	20.000	66.000	30.000	50.00	45.00	20.00 / No Set Screw	20	Carbon Steel / ISO 8 - (AGMA 9)
		<i>2.362</i>	<i>0.787</i>	<i>2.598</i>	<i>1.181</i>	<i>1.969</i>	<i>1.772</i>			
# GS300-20-3500B2000-C-NK	20	60.00	20.000	66.000	35.000	35.00	Hubless	0.00 / Keyway	20	Carbon Steel / ISO 9 - (AGMA 8)
		<i>2.362</i>	<i>0.787</i>	<i>2.598</i>	<i>1.378</i>	<i>1.378</i>				
# GS300-20-3500B2500-C-HP60	20	60.00	25.000	66.00	35.00		50.00	15.00	20.00	STEEL
		<i>2.362</i>	<i>0.984</i>	<i>2.598</i>	<i>1.378</i>		<i>1.969</i>	<i>0.591</i>		

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Gears - Spur - Module 3

Part Number	Teeth (No.)	Pitch Circle Diameter (PD) mm	Bore (d) mm	Outside Diameter (OD) mm	Face Width (FW) mm	Overall Width (FW+HL) mm	Hub Diameter (D1) mm	Hub Proj / Locking Method (HL) mm	Pressure Angle Deg.	Material / Quality
# GS300-21-1900B1200-AC-HP	21	63.00	12.000	69.000	19.000	34.00	24.00	15.00 / No Set Screw	20	Acetal - No Insert / Commercial - Molded
		<i>2.480</i>	<i>0.472</i>	<i>2.717</i>	<i>0.748</i>	<i>1.339</i>	<i>0.945</i>			
# GS300-22-1900B1200-AC-HP	22	66.00	12.000	72.000	19.000	34.00	24.00	15.00 / No Set Screw	20	Acetal - No Insert / Commercial - Molded
		<i>2.598</i>	<i>0.472</i>	<i>2.835</i>	<i>0.748</i>	<i>1.339</i>	<i>0.945</i>			
# GS300-22-3000B1400-NY-HP	22	66.00	14.000	72.000	30.000	45.00	54.00	15.00 / No Set Screw	20	Nylon / No Insert / Commercial - Machined
		<i>2.598</i>	<i>0.551</i>	<i>2.835</i>	<i>1.181</i>	<i>1.772</i>	<i>2.126</i>			
# GS300-22-3000B1500-3-HP	22	66.00	15.000	72.000	30.000	50.00	54.00	20.00 / No Set Screw	20	303 Stainless Steel / ISO 7 - (AGMA 10)
		<i>2.598</i>	<i>0.591</i>	<i>2.835</i>	<i>1.181</i>	<i>1.969</i>	<i>2.126</i>			
# GS300-23-1900B1200-AC-HP	23	69.00	12.000	75.000	19.000	34.00	24.00	15.00 / No Set Screw	20	Acetal - No Insert / Commercial - Molded
		<i>2.717</i>	<i>0.472</i>	<i>2.953</i>	<i>0.748</i>	<i>1.339</i>	<i>0.945</i>			
# GS300-24-1900B1200-AC-HP	24	72.00	12.000	78.000	19.000	34.00	24.00	15.00 / No Set Screw	20	Acetal - No Insert / Commercial - Molded
		<i>2.835</i>	<i>0.472</i>	<i>3.071</i>	<i>0.748</i>	<i>1.339</i>	<i>0.945</i>			

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Gears - Spur - Module 3

Part Number	Teeth (No.)	Pitch Circle Diameter (PD) mm	Bore (d) mm	Outside Diameter (OD) mm	Face Width (FW) mm	Overall Width (FW+HL) mm	Hub Diameter (D1) mm	Hub Proj / Locking Method (HL) mm	Pressure Angle Deg.	Material / Quality
# GS300-24-3000B1400-NY-HP	24	72.00	14.000	78.000	30.000	45.00	58.00	15.00 / No Set Screw	20	Nylon / No Insert / Commercial - Machined
		<i>2.835</i>	<i>0.551</i>	<i>3.071</i>	<i>1.181</i>	<i>1.772</i>	<i>2.283</i>			
# GS300-24-3000B1500-3-HP	24	72.00	15.000	78.000	30.000	50.00	58.00	20.00 / No Set Screw	20	303 Stainless Steel / ISO 7 - (AGMA 10)
		<i>2.835</i>	<i>0.591</i>	<i>3.071</i>	<i>1.181</i>	<i>1.969</i>	<i>2.283</i>			
# GS300-24-2200B1600-C-N	24	72.00	16.000	78.000	22.000	22.00	Hubless	0.00 / None	20	Carbon Steel / ISO 8 - (AGMA 9)
		<i>2.835</i>	<i>0.630</i>	<i>3.071</i>	<i>0.866</i>	<i>0.866</i>				
# GS300-24-2200B1800-C-HP	24	72.00	18.000	78.000	22.000	40.00	50.00	18.00 / No Set Screw	20	Carbon Steel / ISO 8 - (AGMA 9)
		<i>2.835</i>	<i>0.709</i>	<i>3.071</i>	<i>0.866</i>	<i>1.575</i>	<i>1.969</i>			
# GS300-24-3500B1800-C-N	24	72.00	18.000	78.000	35.000	35.00	Hubless	0.00 / None	20	Carbon Steel / ISO 9 - (AGMA 8)
		<i>2.835</i>	<i>0.709</i>	<i>3.071</i>	<i>1.378</i>	<i>1.378</i>				
# GS300-24-2200B2000-C-HK	24	72.00	20.000	78.000	22.000	40.00	40.00	18.00 / Keyway	20	Carbon Steel / ISO 8 - (AGMA 9)
		<i>2.835</i>	<i>0.787</i>	<i>3.071</i>	<i>0.866</i>	<i>1.575</i>	<i>1.575</i>			
# GS300-24-2200B2000-C-NK	24	72.00	20.000	78.000	22.000	22.00	Hubless	0.00 / Keyway	20	Carbon Steel / ISO 8 - (AGMA 9)
		<i>2.835</i>	<i>0.787</i>	<i>3.071</i>	<i>0.866</i>	<i>0.866</i>				

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Gears - Spur - Module 3

Part Number	Teeth (No.)	Pitch Circle Diameter (PD) mm	Bore (d) mm	Outside Diameter (OD) mm	Face Width (FW) mm	Overall Width (FW+HL) mm	Hub Diameter (D1) mm	Hub Proj / Locking Method (HL) mm	Pressure Angle Deg.	Material / Quality
# GS300-24-3000B2000-C-HP50	24	72.00	20.000	78.000	30.000	50.00	50.00	20.00 / No Set Screw	20	Carbon Steel / ISO 8 - (AGMA 9)
		<i>2.835</i>	<i>0.787</i>	<i>3.071</i>	<i>1.181</i>	<i>1.969</i>	<i>1.969</i>			
# GS300-24-3000B2000-C-HP60	24	72.00	20.000	78.000	30.000	50.00	60.00	20.00 / No Set Screw	20	Carbon Steel / ISO 8 - (AGMA 9)
		<i>2.835</i>	<i>0.787</i>	<i>3.071</i>	<i>1.181</i>	<i>1.969</i>	<i>2.362</i>			
# GS300-24-3500B2500-C-NK	24	72.00	25.000	78.000	35.000	35.00	Hubless	0.00 / Keyway	20	Carbon Steel / ISO 9 - (AGMA 8)
		<i>2.835</i>	<i>0.984</i>	<i>3.071</i>	<i>1.378</i>	<i>1.378</i>				
# GS300-24-3500B3000-C-HP60	24	72.00	30.000	78.00	35.00		60.00	15.00	20.00	STEEL
		<i>2.835</i>	<i>1.181</i>	<i>3.071</i>	<i>1.378</i>		<i>2.362</i>	<i>0.591</i>		
# GS300-25-3000B1400-NY-HP	25	75.00	14.000	81.000	30.000	45.00	60.00	15.00 / No Set Screw	20	Nylon / No Insert / Commercial - Machined
		<i>2.953</i>	<i>0.551</i>	<i>3.189</i>	<i>1.181</i>	<i>1.772</i>	<i>2.362</i>			
# GS300-25-1900B1400-AC-HP	25	75.00	14.000	81.000	19.000	34.00	28.00	15.00 / No Set Screw	20	Acetal - No Insert / Commercial - Molded
		<i>2.953</i>	<i>0.551</i>	<i>3.189</i>	<i>0.748</i>	<i>1.339</i>	<i>1.102</i>			
# GS300-25-2200B1800-C-N	25	75.00	18.000	81.000	22.000	22.00	Hubless	0.00 / None	20	Carbon Steel / ISO 8 - (AGMA 9)
		<i>2.953</i>	<i>0.709</i>	<i>3.189</i>	<i>0.866</i>	<i>0.866</i>				

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Gears - Spur - Module 3

Part Number	Teeth (No.)	Pitch Circle Diameter (PD) mm	Bore (d) mm	Outside Diameter (OD) mm	Face Width (FW) mm	Overall Width (FW+HL) mm	Hub Diameter (D1) mm	Hub Proj / Locking Method (HL) mm	Pressure Angle Deg.	Material / Quality
# GS300-25-3000B2000-C-HP60	25	75.00	20.000	81.000	30.000	50.00	60.00	20.00 / No Set Screw	20	Carbon Steel / ISO 8 - (AGMA 9)
		<i>2.953</i>	<i>0.787</i>	<i>3.189</i>	<i>1.181</i>	<i>1.969</i>	<i>2.362</i>			
# GS300-25-3000B2000-3-HP	25	75.00	20.000	81.000	30.000	50.00	60.00	20.00 / No Set Screw	20	303 Stainless Steel / ISO 7 - (AGMA 10)
		<i>2.953</i>	<i>0.787</i>	<i>3.189</i>	<i>1.181</i>	<i>1.969</i>	<i>2.362</i>			
# GS300-25-2200B2000-C-NK	25	75.00	20.000	81.000	22.000	22.00	Hubless	0.00 / Keyway	20	Carbon Steel / ISO 8 - (AGMA 9)
		<i>2.953</i>	<i>0.787</i>	<i>3.189</i>	<i>0.866</i>	<i>0.866</i>				
# GS300-25-2200B2000-C-HP	25	75.00	20.000	81.000	22.000	40.00	60.00	18.00 / No Set Screw	20	Carbon Steel / ISO 8 - (AGMA 9)
		<i>2.953</i>	<i>0.787</i>	<i>3.189</i>	<i>0.866</i>	<i>1.575</i>	<i>2.362</i>			
# GS300-25-3500B2000-C-N	25	75.00	20.000	81.000	35.000	35.00	Hubless	0.00 / None	20	Carbon Steel / ISO 9 - (AGMA 8)
		<i>2.953</i>	<i>0.787</i>	<i>3.189</i>	<i>1.378</i>	<i>1.378</i>				
# GS300-25-3000B2000-C-HP50	25	75.00	20.000	81.000	30.000	50.00	50.00	20.00 / No Set Screw	20	Carbon Steel / ISO 8 - (AGMA 9)
		<i>2.953</i>	<i>0.787</i>	<i>3.189</i>	<i>1.181</i>	<i>1.969</i>	<i>1.969</i>			
# GS300-25-3500B2500-C-NK	25	75.00	25.000	81.000	35.000	35.00	Hubless	0.00 / Keyway	20	Carbon Steel / ISO 9 - (AGMA 8)
		<i>2.953</i>	<i>0.984</i>	<i>3.189</i>	<i>1.378</i>	<i>1.378</i>				

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Gears - Spur - Module 3

Part Number	Teeth (No.)	Pitch Circle Diameter (PD) mm	Bore (d) mm	Outside Diameter (OD) mm	Face Width (FW) mm	Overall Width (FW+HL) mm	Hub Diameter (D1) mm	Hub Proj / Locking Method (HL) mm	Pressure Angle Deg.	Material / Quality
# GS300-25-2200B2500-C-HK	25	75.00	25.000	81.000	22.000	40.00	50.00	18.00 / Keyway	20	Carbon Steel / ISO 8 - (AGMA 9)
		<i>2.953</i>	<i>0.984</i>	<i>3.189</i>	<i>0.866</i>	<i>1.575</i>	<i>1.969</i>			
# GS300-25-3500B3000-C-HP60	25	75.00	30.000	81.00	35.00		60.00	15.00	20.00	STEEL
		<i>2.953</i>	<i>1.181</i>	<i>3.189</i>	<i>1.378</i>		<i>2.362</i>	<i>0.591</i>		
# GS300-26-3000B1400-NY-HP	26	78.00	14.000	84.000	30.000	45.00	65.00	15.00 / No Set Screw	20	Nylon / No Insert / Commercial - Machined
		<i>3.071</i>	<i>0.551</i>	<i>3.307</i>	<i>1.181</i>	<i>1.772</i>	<i>2.559</i>			
# GS300-26-1900B1400-AC-HP	26	78.00	14.000	84.000	19.000	34.00	28.00	15.00 / No Set Screw	20	Acetal - No Insert / Commercial - Molded
		<i>3.071</i>	<i>0.551</i>	<i>3.307</i>	<i>0.748</i>	<i>1.339</i>	<i>1.102</i>			
# GS300-27-1900B1400-AC-HP	27	81.00	14.000	87.000	19.000	34.00	28.00	15.00 / No Set Screw	20	Acetal - No Insert / Commercial - Molded
		<i>3.189</i>	<i>0.551</i>	<i>3.425</i>	<i>0.748</i>	<i>1.339</i>	<i>1.102</i>			
# GS300-28-3000B1400-NY-HP	28	84.00	14.000	90.000	30.000	45.00	70.00	15.00 / No Set Screw	20	Nylon / No Insert / Commercial - Machined
		<i>3.307</i>	<i>0.551</i>	<i>3.543</i>	<i>1.181</i>	<i>1.772</i>	<i>2.756</i>			

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Gears - Spur - Module 3

Part Number	Teeth (No.)	Pitch Circle Diameter (PD) mm	Bore (d) mm	Outside Diameter (OD) mm	Face Width (FW) mm	Overall Width (FW+HL) mm	Hub Diameter (D1) mm	Hub Proj / Locking Method (HL) mm	Pressure Angle Deg.	Material / Quality
# GS300-28-1900B1400-AC-HP	28	84.00	14.000	90.000	19.000	34.00	28.00	15.00 / No Set Screw	20	Acetal - No Insert / Commercial - Molded
		<i>3.307</i>	<i>0.551</i>	<i>3.543</i>	<i>0.748</i>	<i>1.339</i>	<i>1.102</i>			
# GS300-28-2200B1800-C-N	28	84.00	18.000	90.000	22.000	22.00	Hubless	0.00 / None	20	Carbon Steel / ISO 8 - (AGMA 9)
		<i>3.307</i>	<i>0.709</i>	<i>3.543</i>	<i>0.866</i>	<i>0.866</i>				
# GS300-28-2200B2000-C-HP	28	84.00	20.000	90.000	22.000	40.00	60.00	18.00 / No Set Screw	20	Carbon Steel / ISO 8 - (AGMA 9)
		<i>3.307</i>	<i>0.787</i>	<i>3.543</i>	<i>0.866</i>	<i>1.575</i>	<i>2.362</i>			
# GS300-28-2200B2000-C-NK	28	84.00	20.000	90.000	22.000	22.00	Hubless	0.00 / Keyway	20	Carbon Steel / ISO 8 - (AGMA 9)
		<i>3.307</i>	<i>0.787</i>	<i>3.543</i>	<i>0.866</i>	<i>0.866</i>				
# GS300-28-3000B2000-3-HP	28	84.00	20.000	90.000	30.000	50.00	70.00	20.00 / No Set Screw	20	303 Stainless Steel / ISO 7 - (AGMA 10)
		<i>3.307</i>	<i>0.787</i>	<i>3.543</i>	<i>1.181</i>	<i>1.969</i>	<i>2.756</i>			
# GS300-28-3500B2000-C-N	28	84.00	20.000	90.000	35.000	35.00	Hubless	0.00 / None	20	Carbon Steel / ISO 9 - (AGMA 8)
		<i>3.307</i>	<i>0.787</i>	<i>3.543</i>	<i>1.378</i>	<i>1.378</i>				
# GS300-28-3000B2200-C-HP	28	84.00	22.000	90.000	30.000	50.00	60.00	20.00 / No Set Screw	20	Carbon Steel / ISO 8 - (AGMA 9)
		<i>3.307</i>	<i>0.866</i>	<i>3.543</i>	<i>1.181</i>	<i>1.969</i>	<i>2.362</i>			

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Gears - Spur - Module 3

Part Number	Teeth (No.)	Pitch Circle Diameter (PD) mm	Bore (d) mm	Outside Diameter (OD) mm	Face Width (FW) mm	Overall Width (FW+HL) mm	Hub Diameter (D1) mm	Hub Proj / Locking Method (HL) mm	Pressure Angle Deg.	Material / Quality
# GS300-28-3000B2500-C-HP	28	84.00	25.000	90.000	30.000	50.00	60.00	20.00 / No Set Screw	20	Carbon Steel / ISO 8 - (AGMA 9)
		<i>3.307</i>	<i>0.984</i>	<i>3.543</i>	<i>1.181</i>	<i>1.969</i>	<i>2.362</i>			
# GS300-28-3500B2500-C-NK	28	84.00	25.000	90.000	35.000	35.00	Hubless	0.00 / Keyway	20	Carbon Steel / ISO 9 - (AGMA 8)
		<i>3.307</i>	<i>0.984</i>	<i>3.543</i>	<i>1.378</i>	<i>1.378</i>				
# GS300-28-2200B2500-C-HK	28	84.00	25.000	90.000	22.000	40.00	50.00	18.00 / Keyway	20	Carbon Steel / ISO 8 - (AGMA 9)
		<i>3.307</i>	<i>0.984</i>	<i>3.543</i>	<i>0.866</i>	<i>1.575</i>	<i>1.969</i>			
# GS300-28-3500B3000-C-HP60	28	84.00	30.000	90.00	35.00		60.00	15.00	20.00	STEEL
		<i>3.307</i>	<i>1.181</i>	<i>3.543</i>	<i>1.378</i>		<i>2.362</i>	<i>0.591</i>		
# GS300-30-3000B1400-NY-HP	30	90.00	14.000	96.000	30.000	45.00	75.00	15.00 / No Set Screw	20	Nylon / No Insert / Commercial - Machined
		<i>3.543</i>	<i>0.551</i>	<i>3.780</i>	<i>1.181</i>	<i>1.772</i>	<i>2.953</i>			
# GS300-30-1900B1400-AC-HP	30	90.00	14.000	96.000	19.000	34.00	28.00	15.00 / No Set Screw	20	Acetal - No Insert / Commercial - Molded
		<i>3.543</i>	<i>0.551</i>	<i>3.780</i>	<i>0.748</i>	<i>1.339</i>	<i>1.102</i>			
# GS300-30-2200B1800-C-HP	30	90.00	18.000	96.000	22.000	40.00	60.00	18.00 / No Set Screw	20	Carbon Steel / ISO 8 - (AGMA 9)
		<i>3.543</i>	<i>0.709</i>	<i>3.780</i>	<i>0.866</i>	<i>1.575</i>	<i>2.362</i>			

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Gears - Spur - Module 3

Part Number	Teeth (No.)	Pitch Circle Diameter (PD) mm	Bore (d) mm	Outside Diameter (OD) mm	Face Width (FW) mm	Overall Width (FW+HL) mm	Hub Diameter (D1) mm	Hub Proj / Locking Method (HL) mm	Pressure Angle Deg.	Material / Quality
# GS300-30-2200B2000-C-N	30	90.00	20.000	96.000	22.000	22.00	Hubless	0.00 / None	20	Carbon Steel / ISO 8 - (AGMA 9)
		<i>3.543</i>	<i>0.787</i>	<i>3.780</i>	<i>0.866</i>	<i>0.866</i>				
# GS300-30-3000B2000-3-HP	30	90.00	20.000	96.000	30.000	50.00	75.00	20.00 / No Set Screw	20	303 Stainless Steel / ISO 7 - (AGMA 10)
		<i>3.543</i>	<i>0.787</i>	<i>3.780</i>	<i>1.181</i>	<i>1.969</i>	<i>2.953</i>			
# GS300-30-3000B2200-C-N	30	90.00	22.000	96.000	30.000	30.00	Hubless	0.00 / None	20	Carbon Steel / ISO 9 - (AGMA 8)
		<i>3.543</i>	<i>0.866</i>	<i>3.780</i>	<i>1.181</i>	<i>1.181</i>				
# GS300-30-3000B2200-C-HP	30	90.00	22.000	96.000	30.000	50.00	60.00	20.00 / No Set Screw	20	Carbon Steel / ISO 8 - (AGMA 9)
		<i>3.543</i>	<i>0.866</i>	<i>3.780</i>	<i>1.181</i>	<i>1.969</i>	<i>2.362</i>			
# GS300-30-3000B2500-C-HP	30	90.00	25.000	96.000	30.000	50.00	60.00	20.00 / No Set Screw	20	Carbon Steel / ISO 8 - (AGMA 9)
		<i>3.543</i>	<i>0.984</i>	<i>3.780</i>	<i>1.181</i>	<i>1.969</i>	<i>2.362</i>			
# GS300-30-2200B2500-C-NK	30	90.00	25.000	96.000	22.000	22.00	Hubless	0.00 / Keyway	20	Carbon Steel / ISO 8 - (AGMA 9)
		<i>3.543</i>	<i>0.984</i>	<i>3.780</i>	<i>0.866</i>	<i>0.866</i>				
# GS300-30-2200B2500-C-HK	30	90.00	25.000	96.000	22.000	40.00	50.00	18.00 / Keyway	20	Carbon Steel / ISO 8 - (AGMA 9)
		<i>3.543</i>	<i>0.984</i>	<i>3.780</i>	<i>0.866</i>	<i>1.575</i>	<i>1.969</i>			

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Gears - Spur - Module 3

Part Number	Teeth (No.)	Pitch Circle Diameter (PD) mm	Bore (d) mm	Outside Diameter (OD) mm	Face Width (FW) mm	Overall Width (FW+HL) mm	Hub Diameter (D1) mm	Hub Proj / Locking Method (HL) mm	Pressure Angle Deg.	Material / Quality
# GS300-30-3500B3000-C-HP60	30	90.00 <i>3.543</i>	30.000 <i>1.181</i>	96.00 <i>3.780</i>	35.00 <i>1.378</i>		60.00 <i>2.362</i>	15.00 <i>0.591</i>	20.00	STEEL
# GS300-32-1900B1600-AC-HP	32	96.00 <i>3.780</i>	16.000 <i>0.630</i>	102.000 <i>4.016</i>	19.000 <i>0.748</i>	34.00 <i>1.339</i>	32.00 <i>1.260</i>	15.00 / No Set Screw	20	Acetal - No Insert / Commercial - Molded
# GS300-32-3000B1800-NY-N	32	96.00 <i>3.780</i>	18.000 <i>0.709</i>	102.000 <i>4.016</i>	30.000 <i>1.181</i>	30.00 <i>1.181</i>	Hubless	0.00 / None	20	Nylon / No Insert / Commercial - Machined
# GS300-32-2000B1800-C-HP	32	96.00 <i>3.780</i>	18.000 <i>0.709</i>	102.000 <i>4.016</i>	20.000 <i>0.787</i>	38.00 <i>1.496</i>	70.00 <i>2.756</i>	18.00 / No Set Screw	20	Carbon Steel / ISO 8 - (AGMA 9)
# GS300-32-2200B2000-C-N	32	96.00 <i>3.780</i>	20.000 <i>0.787</i>	102.000 <i>4.016</i>	22.000 <i>0.866</i>	22.00 <i>0.866</i>	Hubless	0.00 / None	20	Carbon Steel / ISO 8 - (AGMA 9)
# GS300-32-3000B2000-3-N	32	96.00 <i>3.780</i>	20.000 <i>0.787</i>	102.000 <i>4.016</i>	30.000 <i>1.181</i>	30.00 <i>1.181</i>	Hubless	0.00 / None	20	303 Stainless Steel / ISO 7 - (AGMA 10)
# GS300-32-3000B2200-C-N	32	96.00 <i>3.780</i>	22.000 <i>0.866</i>	102.000 <i>4.016</i>	30.000 <i>1.181</i>	30.00 <i>1.181</i>	Hubless	0.00 / None	20	Carbon Steel / ISO 9 - (AGMA 8)

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Gears - Spur - Module 3

Part Number	Teeth (No.)	Pitch Circle Diameter (PD) mm	Bore (d) mm	Outside Diameter (OD) mm	Face Width (FW) mm	Overall Width (FW+HL) mm	Hub Diameter (D1) mm	Hub Proj / Locking Method (HL) mm	Pressure Angle Deg.	Material / Quality
# GS300-32-3000B2500-C-HP	32	96.00	25.000	102.000	30.000	50.00	60.00	20.00 / No Set Screw	20	Carbon Steel / ISO 8 - (AGMA 9)
		<i>3.780</i>	<i>0.984</i>	<i>4.016</i>	<i>1.181</i>	<i>1.969</i>	<i>2.362</i>			
# GS300-32-2000B2500-C-HK	32	96.00	25.000	102.000	20.000	38.00	50.00	18.00 / Keyway	20	Carbon Steel / ISO 8 - (AGMA 9)
		<i>3.780</i>	<i>0.984</i>	<i>4.016</i>	<i>0.787</i>	<i>1.496</i>	<i>1.969</i>			
# GS300-32-2200B2500-C-NK	32	96.00	25.000	102.000	22.000	22.00	Hubless	0.00 / Keyway	20	Carbon Steel / ISO 8 - (AGMA 9)
		<i>3.780</i>	<i>0.984</i>	<i>4.016</i>	<i>0.866</i>	<i>0.866</i>				
# GS300-32-3000B3000-C-NK	32	96.00	30.000	102.000	30.000	30.00	Hubless	0.00 / Keyway	20	Carbon Steel / ISO 9 - (AGMA 8)
		<i>3.780</i>	<i>1.181</i>	<i>4.016</i>	<i>1.181</i>	<i>1.181</i>				
GS300-33-1900B1600-AC-HP	33	99.00	16.000	105.000	19.000	34.00	32.00	15.00 / No Set Screw	20	Acetal - No Insert / Commercial - Molded
		<i>3.898</i>	<i>0.630</i>	<i>4.134</i>	<i>0.748</i>	<i>1.339</i>	<i>1.260</i>			
# GS300-35-1900B1600-AC-HP	35	105.00	16.000	111.000	19.000	34.00	32.00	15.00 / No Set Screw	20	Acetal - No Insert / Commercial - Molded
		<i>4.134</i>	<i>0.630</i>	<i>4.370</i>	<i>0.748</i>	<i>1.339</i>	<i>1.260</i>			

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Gears - Spur - Module 3

Part Number	Teeth (No.)	Pitch Circle Diameter (PD) mm	Bore (d) mm	Outside Diameter (OD) mm	Face Width (FW) mm	Overall Width (FW+HL) mm	Hub Diameter (D1) mm	Hub Proj / Locking Method (HL) mm	Pressure Angle Deg.	Material / Quality
# GS300-35-3000B1800-NY-N	35	105.00	18.000	111.000	30.000	30.00	Hubless	0.00 / None	20	Nylon / No Insert / Commercial - Machined
		<i>4.134</i>	<i>0.709</i>	<i>4.370</i>	<i>1.181</i>	<i>1.181</i>				
# GS300-35-3000B2000-3-N	35	105.00	20.000	111.000	30.000	30.00	Hubless	0.00 / None	20	303 Stainless Steel / ISO 7 - (AGMA 10)
		<i>4.134</i>	<i>0.787</i>	<i>4.370</i>	<i>1.181</i>	<i>1.181</i>				
# GS300-36-3000B1800-NY-N	36	108.00	18.000	114.000	30.000	30.00	Hubless	0.00 / None	20	Nylon / No Insert / Commercial - Machined
		<i>4.252</i>	<i>0.709</i>	<i>4.488</i>	<i>1.181</i>	<i>1.181</i>				
# GS300-36-2000B2000-C-N	36	108.00	20.000	114.000	20.000	20.00	Hubless	0.00 / None	20	Carbon Steel / ISO 8 - (AGMA 9)
		<i>4.252</i>	<i>0.787</i>	<i>4.488</i>	<i>0.787</i>	<i>0.787</i>				
# GS300-36-2000B2000-C-HP	36	108.00	20.000	114.000	20.000	38.00	70.00	18.00 / No Set Screw	20	Carbon Steel / ISO 8 - (AGMA 9)
		<i>4.252</i>	<i>0.787</i>	<i>4.488</i>	<i>0.787</i>	<i>1.496</i>	<i>2.756</i>			
# GS300-36-3000B2000-3-N	36	108.00	20.000	114.000	30.000	30.00	Hubless	0.00 / None	20	303 Stainless Steel / ISO 7 - (AGMA 10)
		<i>4.252</i>	<i>0.787</i>	<i>4.488</i>	<i>1.181</i>	<i>1.181</i>				

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Gears - Spur - Module 3

Part Number	Teeth (No.)	Pitch Circle Diameter (PD) mm	Bore (d) mm	Outside Diameter (OD) mm	Face Width (FW) mm	Overall Width (FW+HL) mm	Hub Diameter (D1) mm	Hub Proj / Locking Method (HL) mm	Pressure Angle Deg.	Material / Quality
# GS300-36-2000B2500-C-HK	36	108.00	25.000	114.000	20.000	38.00	50.00	18.00 / Keyway	20	Carbon Steel / ISO 8 - (AGMA 9)
		<i>4.252</i>	<i>0.984</i>	<i>4.488</i>	<i>0.787</i>	<i>1.496</i>	<i>1.969</i>			
# GS300-36-2000B2500-C-NK	36	108.00	25.000	114.000	20.000	20.00	Hubless	0.00 / Keyway	20	Carbon Steel / ISO 8 - (AGMA 9)
		<i>4.252</i>	<i>0.984</i>	<i>4.488</i>	<i>0.787</i>	<i>0.787</i>				
# GS300-36-3000B3000-C-NK	36	108.00	30.000	114.000	30.000	30.00	Hubless	0.00 / Keyway	20	Carbon Steel / ISO 9 - (AGMA 8)
		<i>4.252</i>	<i>1.181</i>	<i>4.488</i>	<i>1.181</i>	<i>1.181</i>				
# GS300-36-3000B3000-C-HP	36	108.00	30.000	114.000	30.000	50.00	70.00	20.00 / No Set Screw	20	Carbon Steel / ISO 8 - (AGMA 9)
		<i>4.252</i>	<i>1.181</i>	<i>4.488</i>	<i>1.181</i>	<i>1.969</i>	<i>2.756</i>			
# GS300-36-3000B3500-C-HP60	36	108.00	35.000	114.00	30.00		70.00	15.00	20.00	STEEL
		<i>4.252</i>	<i>1.378</i>	<i>4.488</i>	<i>1.181</i>		<i>2.756</i>	<i>0.591</i>		
# GS300-38-1900B1600-AC-HP	38	114.00	16.000	120.000	19.000	34.00	32.00	15.00 / No Set Screw	20	Acetal - No Insert / Commercial - Molded
		<i>4.488</i>	<i>0.630</i>	<i>4.724</i>	<i>0.748</i>	<i>1.339</i>	<i>1.260</i>			
# GS300-40-1900B1600-AC-HP	40	120.00	16.000	126.000	19.000	34.00	32.00	15.00 / No Set Screw	20	Acetal - No Insert / Commercial - Molded
		<i>4.724</i>	<i>0.630</i>	<i>4.961</i>	<i>0.748</i>	<i>1.339</i>	<i>1.260</i>			

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Gears - Spur - Module 3

Part Number	Teeth (No.)	Pitch Circle Diameter (PD) mm	Bore (d) mm	Outside Diameter (OD) mm	Face Width (FW) mm	Overall Width (FW+HL) mm	Hub Diameter (D1) mm	Hub Proj / Locking Method (HL) mm	Pressure Angle Deg.	Material / Quality
# GS300-40-3000B1800-NY-N	40	120.00	18.000	126.000	30.000	30.00	Hubless	0.00 / None	20	Nylon / No Insert / Commercial - Machined
		<i>4.724</i>	<i>0.709</i>	<i>4.961</i>	<i>1.181</i>	<i>1.181</i>				
# GS300-40-2000B2000-C-N	40	120.00	20.000	126.000	20.000	20.00	Hubless	0.00 / None	20	Carbon Steel / ISO 8 - (AGMA 9)
		<i>4.724</i>	<i>0.787</i>	<i>4.961</i>	<i>0.787</i>	<i>0.787</i>				
# GS300-40-2000B2000-C-HP	40	120.00	20.000	126.000	20.000	38.00	70.00	18.00 / No Set Screw	20	Carbon Steel / ISO 8 - (AGMA 9)
		<i>4.724</i>	<i>0.787</i>	<i>4.961</i>	<i>0.787</i>	<i>1.496</i>	<i>2.756</i>			
# GS300-40-2000B2500-C-HK	40	120.00	25.000	126.000	20.000	38.00	50.00	18.00 / Keyway	20	Carbon Steel / ISO 8 - (AGMA 9)
		<i>4.724</i>	<i>0.984</i>	<i>4.961</i>	<i>0.787</i>	<i>1.496</i>	<i>1.969</i>			
# GS300-40-2000B2500-C-NK	40	120.00	25.000	126.000	20.000	20.00	Hubless	0.00 / Keyway	20	Carbon Steel / ISO 8 - (AGMA 9)
		<i>4.724</i>	<i>0.984</i>	<i>4.961</i>	<i>0.787</i>	<i>0.787</i>				
# GS300-40-3000B2500-3-N	40	120.00	25.000	126.000	30.000	30.00	Hubless	0.00 / None	20	303 Stainless Steel / ISO 7 - (AGMA 10)
		<i>4.724</i>	<i>0.984</i>	<i>4.961</i>	<i>1.181</i>	<i>1.181</i>				
# GS300-40-3000B3000-C-HP	40	120.00	30.000	126.000	30.000	50.00	70.00	20.00 / No Set Screw	20	Carbon Steel / ISO 8 - (AGMA 9)
		<i>4.724</i>	<i>1.181</i>	<i>4.961</i>	<i>1.181</i>	<i>1.969</i>	<i>2.756</i>			

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Gears - Spur - Module 3

Part Number	Teeth (No.)	Pitch Circle Diameter (PD) mm	Bore (d) mm	Outside Diameter (OD) mm	Face Width (FW) mm	Overall Width (FW+HL) mm	Hub Diameter (D1) mm	Hub Proj / Locking Method (HL) mm	Pressure Angle Deg.	Material / Quality
# GS300-40-3000B3000-C-NK	40	120.00	30.000	126.000	30.000	30.00	Hubless	0.00 / Keyway	20	Carbon Steel / ISO 9 - (AGMA 8)
		<i>4.724</i>	<i>1.181</i>	<i>4.961</i>	<i>1.181</i>	<i>1.181</i>				
# GS300-40-3000B3500-C-HP60	40	120.00	35.000	126.00	30.00		70.00	15.00	20.00	STEEL
		<i>4.724</i>	<i>1.378</i>	<i>4.961</i>	<i>1.181</i>		<i>2.756</i>	<i>0.591</i>		
# GS300-42-3000B2500-3-N	42	126.00	25.000	132.000	30.000	30.00	Hubless	0.00 / None	20	303 Stainless Steel / ISO 7 - (AGMA 10)
		<i>4.961</i>	<i>0.984</i>	<i>5.197</i>	<i>1.181</i>	<i>1.181</i>				
# GS300-45-1900B1600-AC-HP	45	135.00	16.000	141.000	19.000	34.00	32.00	15.00 / No Set Screw	20	Acetal - No Insert / Commercial - Molded
		<i>5.315</i>	<i>0.630</i>	<i>5.551</i>	<i>0.748</i>	<i>1.339</i>	<i>1.260</i>			
# GS300-45-3000B1800-NY-N	45	135.00	18.000	141.000	30.000	30.00	Hubless	0.00 / None	20	Nylon / No Insert / Commercial - Machined
		<i>5.315</i>	<i>0.709</i>	<i>5.551</i>	<i>1.181</i>	<i>1.181</i>				
# GS300-45-3000B2500-3-N	45	135.00	25.000	141.000	30.000	30.00	Hubless	0.00 / None	20	303 Stainless Steel / ISO 7 - (AGMA 10)
		<i>5.315</i>	<i>0.984</i>	<i>5.551</i>	<i>1.181</i>	<i>1.181</i>				
# GS300-45-3000B3000-C-HP	45	135.00	30.000	141.000	30.000	50.00	80.00	20.00 / No Set Screw	20	Carbon Steel / ISO 8 - (AGMA 9)
		<i>5.315</i>	<i>1.181</i>	<i>5.551</i>	<i>1.181</i>	<i>1.969</i>	<i>3.150</i>			

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Gears - Spur - Module 3

Part Number	Teeth (No.)	Pitch Circle Diameter (PD) mm	Bore (d) mm	Outside Diameter (OD) mm	Face Width (FW) mm	Overall Width (FW+HL) mm	Hub Diameter (D1) mm	Hub Proj / Locking Method (HL) mm	Pressure Angle Deg.	Material / Quality
# GS300-48-3000B1800-NY-N	48	144.00	18.000	150.000	30.000	30.00	Hubless	0.00 / None	20	Nylon / No Insert / Commercial - Machined
		<i>5.669</i>	<i>0.709</i>	<i>5.906</i>	<i>1.181</i>	<i>1.181</i>				
# GS300-48-2000B2000-C-HP	48	144.00	20.000	150.000	20.000	38.00	70.00	18.00 / No Set Screw	20	Carbon Steel / ISO 8 - (AGMA 9)
		<i>5.669</i>	<i>0.787</i>	<i>5.906</i>	<i>0.787</i>	<i>1.496</i>	<i>2.756</i>			
# GS300-48-2000B2000-C-N	48	144.00	20.000	150.000	20.000	20.00	Hubless	0.00 / None	20	Carbon Steel / ISO 8 - (AGMA 9)
		<i>5.669</i>	<i>0.787</i>	<i>5.906</i>	<i>0.787</i>	<i>0.787</i>				
# GS300-48-2000B2500-C-NK	48	144.00	25.000	150.000	20.000	20.00	50.00	0.00 / Hub Flush with Gear Face - Sides Indented / Keyway	20	Carbon Steel / ISO 8 - (AGMA 9)
		<i>5.669</i>	<i>0.984</i>	<i>5.906</i>	<i>0.787</i>	<i>0.787</i>	<i>1.969</i>			
# GS300-48-2000B2500-C-HK	48	144.00	25.000	150.000	20.000	38.00	50.00	18.00 / Keyway	20	Carbon Steel / ISO 8 - (AGMA 9)
		<i>5.669</i>	<i>0.984</i>	<i>5.906</i>	<i>0.787</i>	<i>1.496</i>	<i>1.969</i>			
# GS300-48-3000B2500-3-N	48	144.00	25.000	150.000	30.000	30.00	Hubless	0.00 / None	20	303 Stainless Steel / ISO 7 - (AGMA 10)
		<i>5.669</i>	<i>0.984</i>	<i>5.906</i>	<i>1.181</i>	<i>1.181</i>				

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Gears - Spur - Module 3

Part Number	Teeth (No.)	Pitch Circle Diameter (PD) mm	Bore (d) mm	Outside Diameter (OD) mm	Face Width (FW) mm	Overall Width (FW+HL) mm	Hub Diameter (D1) mm	Hub Proj / Locking Method (HL) mm	Pressure Angle Deg.	Material / Quality
# GS300-48-3000B3000-C-HP	48	144.00	30.000	150.000	30.000	50.00	80.00	20.00 / No Set Screw	20	Carbon Steel / ISO 8 - (AGMA 9)
		<i>5.669</i>	<i>1.181</i>	<i>5.906</i>	<i>1.181</i>	<i>1.969</i>	<i>3.150</i>			
# GS300-48-3000B3000-C-NK	48	144.00	30.000	150.000	30.000	30.00	60.00	0.00 / Hub Flush with Gear Face - Sides Indented / Keyway	20	Carbon Steel / ISO 9 - (AGMA 8)
		<i>5.669</i>	<i>1.181</i>	<i>5.906</i>	<i>1.181</i>	<i>1.181</i>	<i>2.362</i>			
# GS300-48-3000B4000-C-HP60	48	144.00	40.000	150.00	30.00		80.00	15.00	20.00	STEEL
		<i>5.669</i>	<i>1.575</i>	<i>5.906</i>	<i>1.181</i>		<i>3.150</i>	<i>0.591</i>		
# GS300-50-3000B1800-NY-N	50	150.00	18.000	156.000	30.000	30.00	Hubless	0.00 / None	20	Nylon / No Insert / Commercial - Machined
		<i>5.906</i>	<i>0.709</i>	<i>6.142</i>	<i>1.181</i>	<i>1.181</i>				
# GS300-50-2000B2000-C-HP	50	150.00	20.000	156.000	20.000	38.00	70.00	18.00 / No Set Screw	20	Carbon Steel / ISO 8 - (AGMA 9)
		<i>5.906</i>	<i>0.787</i>	<i>6.142</i>	<i>0.787</i>	<i>1.496</i>	<i>2.756</i>			
# GS300-50-2000B2000-C-N	50	150.00	20.000	156.000	20.000	20.00	Hubless	0.00 / None	20	Carbon Steel / ISO 8 - (AGMA 9)
		<i>5.906</i>	<i>0.787</i>	<i>6.142</i>	<i>0.787</i>	<i>0.787</i>				

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Gears - Spur - Module 3

Part Number	Teeth (No.)	Pitch Circle Diameter (PD) mm	Bore (d) mm	Outside Diameter (OD) mm	Face Width (FW) mm	Overall Width (FW+HL) mm	Hub Diameter (D1) mm	Hub Proj / Locking Method (HL) mm	Pressure Angle Deg.	Material / Quality
# GS300-50-2000B2500-C-NK	50	150.00	25.000	156.000	20.000	20.00	50.00	0.00 / Hub Flush with Gear Face - Sides Indented / Keyway	20	Carbon Steel / ISO 8 - (AGMA 9)
		<i>5.906</i>	<i>0.984</i>	<i>6.142</i>	<i>0.787</i>	<i>0.787</i>	<i>1.969</i>			
# GS300-50-2000B2500-C-HK	50	150.00	25.000	156.000	20.000	38.00	50.00	18.00 / Keyway	20	Carbon Steel / ISO 8 - (AGMA 9)
		<i>5.906</i>	<i>0.984</i>	<i>6.142</i>	<i>0.787</i>	<i>1.496</i>	<i>1.969</i>			
# GS300-50-3000B2500-3-N	50	150.00	25.000	156.000	30.000	30.00	Hubless	0.00 / None	20	303 Stainless Steel / ISO 7 - (AGMA 10)
		<i>5.906</i>	<i>0.984</i>	<i>6.142</i>	<i>1.181</i>	<i>1.181</i>				
# GS300-50-3000B3000-C-HP	50	150.00	30.000	156.000	30.000	50.00	80.00	20.00 / No Set Screw	20	Carbon Steel / ISO 8 - (AGMA 9)
		<i>5.906</i>	<i>1.181</i>	<i>6.142</i>	<i>1.181</i>	<i>1.969</i>	<i>3.150</i>			
# GS300-50-3000B3000-C-NK	50	150.00	30.000	156.000	30.000	30.00	60.00	0.00 / Hub Flush with Gear Face - Sides Indented / Keyway	20	Carbon Steel / ISO 9 - (AGMA 8)
		<i>5.906</i>	<i>1.181</i>	<i>6.142</i>	<i>1.181</i>	<i>1.181</i>	<i>2.362</i>			
# GS300-50-3000B4000-C-HP60	50	150.00	40.000	156.00	30.00		80.00	15.00	20.00	STEEL
		<i>5.906</i>	<i>1.575</i>	<i>6.142</i>	<i>1.181</i>		<i>3.150</i>	<i>0.591</i>		

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Gears - Spur - Module 3

Part Number	Teeth (No.)	Pitch Circle Diameter (PD) mm	Bore (d) mm	Outside Diameter (OD) mm	Face Width (FW) mm	Overall Width (FW+HL) mm	Hub Diameter (D1) mm	Hub Proj / Locking Method (HL) mm	Pressure Angle Deg.	Material / Quality
# GS300-55-3000B1800-NY-N	55	165.00	18.000	171.000	30.000	30.00	Hubless	0.00 / None	20	Nylon / No Insert / Commercial - Machined
		<i>6.496</i>	<i>0.709</i>	<i>6.732</i>	<i>1.181</i>	<i>1.181</i>				
# GS300-55-3000B2500-3-N	55	165.00	25.000	171.000	30.000	30.00	Hubless	0.00 / None	20	303 Stainless Steel / ISO 7 - (AGMA 10)
		<i>6.496</i>	<i>0.984</i>	<i>6.732</i>	<i>1.181</i>	<i>1.181</i>				
# GS300-56-2000B2000-C-HP	56	168.00	20.000	174.000	20.000	38.00	70.00	18.00 / No Set Screw	20	Carbon Steel / ISO 8 - (AGMA 9)
		<i>6.614</i>	<i>0.787</i>	<i>6.850</i>	<i>0.787</i>	<i>1.496</i>	<i>2.756</i>			
# GS300-56-2000B2000-C-N	56	168.00	20.000	174.000	20.000	20.00	Hubless	0.00 / None	20	Carbon Steel / ISO 8 - (AGMA 9)
		<i>6.614</i>	<i>0.787</i>	<i>6.850</i>	<i>0.787</i>	<i>0.787</i>				
# GS300-56-3000B2500-3-N	56	168.00	25.000	174.000	30.000	30.00	Hubless	0.00 / None	20	303 Stainless Steel / ISO 7 - (AGMA 10)
		<i>6.614</i>	<i>0.984</i>	<i>6.850</i>	<i>1.181</i>	<i>1.181</i>				
# GS300-56-2000B2500-C-NK	56	168.00	25.000	174.000	20.000	20.00	50.00	0.00 / Hub Flush with Gear Face - Sides Indented / Keyway	20	Carbon Steel / ISO 8 - (AGMA 9)
		<i>6.614</i>	<i>0.984</i>	<i>6.850</i>	<i>0.787</i>	<i>0.787</i>	<i>1.969</i>			

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Gears - Spur - Module 3

Part Number	Teeth (No.)	Pitch Circle Diameter (PD) mm	Bore (d) mm	Outside Diameter (OD) mm	Face Width (FW) mm	Overall Width (FW+HL) mm	Hub Diameter (D1) mm	Hub Proj / Locking Method (HL) mm	Pressure Angle Deg.	Material / Quality
# GS300-56-2000B2500-C-HK	56	168.00	25.000	174.000	20.000	38.00	50.00	18.00 / Keyway	20	Carbon Steel / ISO 8 - (AGMA 9)
		<i>6.614</i>	<i>0.984</i>	<i>6.850</i>	<i>0.787</i>	<i>1.496</i>	<i>1.969</i>			
# GS300-56-3000B3500-C-HP	56	168.00	35.000	174.000	30.000	50.00	90.00	20.00 / No Set Screw	20	Carbon Steel / ISO 8 - (AGMA 9)
		<i>6.614</i>	<i>1.378</i>	<i>6.850</i>	<i>1.181</i>	<i>1.969</i>	<i>3.543</i>			
# GS300-60-3000B1800-NY-N	60	180.00	18.000	186.000	30.000	30.00	Hubless	0.00 / None	20	Nylon / No Insert / Commercial - Machined
		<i>7.087</i>	<i>0.709</i>	<i>7.323</i>	<i>1.181</i>	<i>1.181</i>				
GS300-60-2000B2000-C-N	60	180.00	20.000	186.000	20.000	20.00	Hubless	0.00 / None	20	Carbon Steel / ISO 8 - (AGMA 9)
		<i>7.087</i>	<i>0.787</i>	<i>7.323</i>	<i>0.787</i>	<i>0.787</i>				
# GS300-60-2000B2200-C-HP	60	180.00	22.000	186.000	20.000	38.00	70.00	18.00 / No Set Screw	20	Carbon Steel / ISO 8 - (AGMA 9)
		<i>7.087</i>	<i>0.866</i>	<i>7.323</i>	<i>0.787</i>	<i>1.496</i>	<i>2.756</i>			
# GS300-60-3000B2500-3-N	60	180.00	25.000	186.000	30.000	30.00	Hubless	0.00 / None	20	303 Stainless Steel / ISO 7 - (AGMA 10)
		<i>7.087</i>	<i>0.984</i>	<i>7.323</i>	<i>1.181</i>	<i>1.181</i>				

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Gears - Spur - Module 3

Part Number	Teeth (No.)	Pitch Circle Diameter (PD) mm	Bore (d) mm	Outside Diameter (OD) mm	Face Width (FW) mm	Overall Width (FW+HL) mm	Hub Diameter (D1) mm	Hub Proj / Locking Method (HL) mm	Pressure Angle Deg.	Material / Quality
# GS300-60-2000B2500-C-NK	60	180.00	25.000	186.000	20.000	20.00	50.00	0.00 / Hub Flush with Gear Face - Sides Indented / Keyway	20	Carbon Steel / ISO 8 - (AGMA 9)
		<i>7.087</i>	<i>0.984</i>	<i>7.323</i>	<i>0.787</i>	<i>0.787</i>	<i>1.969</i>			
# GS300-60-2000B2800-C-NK	60	180.00	28.000	186.000	20.000	20.00	56.00	0.00 / Hub Flush with Gear Face - Sides Indented / Keyway	20	Carbon Steel / ISO 8 - (AGMA 9)
		<i>7.087</i>	<i>1.102</i>	<i>7.323</i>	<i>0.787</i>	<i>0.787</i>	<i>2.205</i>			
# GS300-60-3000B3000-C-NK	60	180.00	30.000	186.000	30.000	30.00	60.00	0.00 / Hub Flush with Gear Face - Sides Indented / Keyway	20	Carbon Steel / ISO 9 - (AGMA 8)
		<i>7.087</i>	<i>1.181</i>	<i>7.323</i>	<i>1.181</i>	<i>1.181</i>	<i>2.362</i>			
# GS300-60-2000B3000-C-HK	60	180.00	30.000	186.000	20.000	38.00	60.00	18.00 / Keyway	20	Carbon Steel / ISO 8 - (AGMA 9)
		<i>7.087</i>	<i>1.181</i>	<i>7.323</i>	<i>0.787</i>	<i>1.496</i>	<i>2.362</i>			
# GS300-60-3000B3500-C-HP	60	180.00	35.000	186.000	30.000	50.00	90.00	20.00 / No Set Screw	20	Carbon Steel / ISO 8 - (AGMA 9)
		<i>7.087</i>	<i>1.378</i>	<i>7.323</i>	<i>1.181</i>	<i>1.969</i>	<i>3.543</i>			
# GS300-60-3000B4000-C-HP60	60	180.00	40.000	186.00	30.00		80.00	15.00	20.00	STEEL
		<i>7.087</i>	<i>1.575</i>	<i>7.323</i>	<i>1.181</i>		<i>3.150</i>	<i>0.591</i>		

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Gears - Spur - Module 3

Part Number	Teeth (No.)	Pitch Circle Diameter (PD) mm	Bore (d) mm	Outside Diameter (OD) mm	Face Width (FW) mm	Overall Width (FW+HL) mm	Hub Diameter (D1) mm	Hub Proj / Locking Method (HL) mm	Pressure Angle Deg.	Material / Quality
# GS300-64-2000B2200-C-HP	64	192.00	22.000	198.000	20.000	38.00	70.00	18.00 / No Set Screw	20	Carbon Steel / ISO 8 - (AGMA 9)
		<i>7.559</i>	<i>0.866</i>	<i>7.795</i>	<i>0.787</i>	<i>1.496</i>	<i>2.756</i>			
# GS300-64-2000B3000-C-HK	64	192.00	30.000	198.000	20.000	38.00	60.00	18.00 / Keyway	20	Carbon Steel / ISO 8 - (AGMA 9)
		<i>7.559</i>	<i>1.181</i>	<i>7.795</i>	<i>0.787</i>	<i>1.496</i>	<i>2.362</i>			
# GS300-64-3000B4000-C-HP	64	192.00	40.000	198.000	30.000	50.00	90.00	20.00 / No Set Screw	20	Carbon Steel / ISO 8 - (AGMA 9)
		<i>7.559</i>	<i>1.575</i>	<i>7.795</i>	<i>1.181</i>	<i>1.969</i>	<i>3.543</i>			
# GS300-72-3000B4000-C-HP	72	216.00	40.000	222.000	30.000	50.00	100.00	20.00 / No Set Screw	20	Carbon Steel / ISO 8 - (AGMA 9)
		<i>8.504</i>	<i>1.575</i>	<i>8.740</i>	<i>1.181</i>	<i>1.969</i>	<i>3.937</i>			
# GS300-75-3000B4000-C-HP	75	225.00	40.000	231.000	30.000	50.00	100.00	20.00 / No Set Screw	20	Carbon Steel / ISO 8 - (AGMA 9)
		<i>8.858</i>	<i>1.575</i>	<i>9.094</i>	<i>1.181</i>	<i>1.969</i>	<i>3.937</i>			
# GS300-80-3000B4000-C-HP	80	240.00	40.000	246.000	30.000	50.00	100.00	20.00 / No Set Screw	20	Carbon Steel / ISO 8 - (AGMA 9)
		<i>9.449</i>	<i>1.575</i>	<i>9.685</i>	<i>1.181</i>	<i>1.969</i>	<i>3.937</i>			

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.



DISTRIBUTED BY

Ask us to put your name and address here

<http://www.minibearings.com.au/product>

Ph +61 7 3245 7977

Fax +61 7 3245 1017

Catalogue requests to catalogues@minibearings.com.au

