




# MBA

## Handles - Clean Line - Tubular



This tubular handle has been designed for application on medical and hospital equipment and on food processing machines whose parts must be frequently cleaned for hygienic reasons. Its shape is compact thus with no cavities, avoiding any unhealthy residues deposit.

Aluminium tube with epoxy base coating, highly resistant to wear, scratches and chemical agents, in white similar to RAL 9002.

Avoid continuous contact with boiling water or steam.

Tube end caps in technopolymer, white colour similar to RAL 9002 with matte finish.

Zinc-plated steel special screws and brass nuts.

## Handles - Clean Line - Tubular

Part Number	Length (L) mm	Distance Between Bolts mm	Height (h) mm	Supports Width (l) mm	Between Supports (l1) mm	Support Thickness (l2) mm	Centre Handle Height (h1) mm	Handle Diameter (d2) mm	Thread Size (d)	Hole Depth (p) mm
	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>		<i>inches</i>
# 151501	265 <i>10.433</i>	200+/-1	75 <i>2.953</i>	18 <i>0.709</i>	170 <i>6.693</i>	30 <i>1.181</i>	60 <i>2.362</i>	30 <i>1.181</i>	M8	15 <i>0.591</i>
# 151506	315 <i>12.402</i>	250+/-1	75 <i>2.953</i>	18 <i>0.709</i>	220 <i>8.661</i>	30 <i>1.181</i>	60 <i>2.362</i>	30 <i>1.181</i>	M8	15 <i>0.591</i>
# 151511	365 <i>14.370</i>	300+/-1	75 <i>2.953</i>	18 <i>0.709</i>	270 <i>10.630</i>	30 <i>1.181</i>	60 <i>2.362</i>	30 <i>1.181</i>	M8	15 <i>0.591</i>
# 151516	465 <i>18.307</i>	400+/-1	75 <i>2.953</i>	18 <i>0.709</i>	370 <i>14.567</i>	30 <i>1.181</i>	60 <i>2.362</i>	30 <i>1.181</i>	M8	15 <i>0.591</i>

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Handles - Clean Line - Tubular

Part Number	Length (L) mm	Distance Between Bolts mm	Height (h) mm	Supports Width (l) mm	Between Supports (l1) mm	Support Thickness (l2) mm	Centre Handle Height (h1) mm	Handle Diameter (d2) mm	Thread Size (d)	Hole Depth (p) mm
	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>		<i>inches</i>
# 151521	565 <i>22.244</i>	500+/-1	75 <i>2.953</i>	18 <i>0.709</i>	470 <i>18.504</i>	30 <i>1.181</i>	60 <i>2.362</i>	30 <i>1.181</i>	M8	15 <i>0.591</i>
# 151526	665 <i>26.181</i>	600+/-1	75 <i>2.953</i>	18 <i>0.709</i>	570 <i>22.441</i>	30 <i>1.181</i>	60 <i>2.362</i>	30 <i>1.181</i>	M8	15 <i>0.591</i>

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.



DISTRIBUTED BY

Ask us to put your name and address here

<http://www.minibearings.com.au/product>

Ph +61 7 3245 7977

Fax +61 7 3245 1017

Catalogue requests to [catalogues@minibearings.com.au](mailto:catalogues@minibearings.com.au)

