




# MBA

## Hinges - Polyhinge



Revolutionary concept in tough lightweight hinging.

Corrosion resistant - Non-conductive.

0 to 105 Degree Celsius.

Safely supports 9kg per 25mm of length.

Mechanical fixing recommended using rivets, screws or staples.

Use for acid tank covers, computer cabinets, marine doors.

### Hinges - Polyhinge

Part Number	Width mm <i>inches</i>	Length	Colour
# HNGPOLY-38-B	38.0 <i>1.496</i>	Order per meter	BLACK
# HNGPOLY-38-W	38.0 <i>1.496</i>	Order per meter	WHITE
# HNGPOLY-50-B	50.0 <i>1.969</i>	Order per meter	BLACK

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

**Hinges - Polyhinge**

Part Number	Width mm	Length	Colour
HNGPOLY-50-W	50.0 <i>inches</i> 1.969	Order per meter	WHITE



DISTRIBUTED BY

Ask us to put your name and address here

<http://www.minibearings.com.au/product>

Ph +61 7 3245 7977

Fax +61 7 3245 1017

Catalogue requests to [catalogues@minibearings.com.au](mailto:catalogues@minibearings.com.au)

