




# MBA

## Hobby Shafting - Precision Ground



A small selection of popular sizes.

See main listings for sizes not shown here.

### Hobby Shafting - Precision Ground

Part Number	Diameter (d) mm <i>inches</i>	Length (L) mm <i>inches</i>	Material	Straightness	Surface Finish Micrometer	Hardness	Tolerance	Ends
SH-02.000x0025.00-303	2.000 <i>0.079</i>	25.0 <i>0.984</i>	303 Stainless	0.0003 mm / mm	Ground 0.25 um	HRB 84	-0.002/-0.008	Chamfered
SH-02.000x0050.00-303	2.000 <i>0.079</i>	50.0 <i>1.969</i>	303 Stainless	0.0003 mm / mm	Ground 0.25 um	HRB 84	-0.002/-0.008	Chamfered
SH-02.000x0075.00-303	2.000 <i>0.079</i>	75.0 <i>2.953</i>	303 Stainless	0.0003 mm / mm	Ground 0.25 um	HRB 84	-0.002/-0.008	Chamfered
SH-02.000x0100.00-303	2.000 <i>0.079</i>	100.0 <i>3.937</i>	303 Stainless	0.0003 mm / mm	Ground 0.25 um	HRB 84	-0.002/-0.008	Chamfered

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Hobby Shafting - Precision Ground

Part Number	Diameter (d) mm <i>inches</i>	Length (L) mm <i>inches</i>	Material	Straightness	Surface Finish Micrometer	Hardness	Tolerance	Ends
SH-02.000x0150.00-303	2.000 <i>0.079</i>	150.0 <i>5.906</i>	303 Stainless	0.0003 mm / mm	Ground 0.25 um	HRB 84	-0.002/-0.008	Chamfered
SH-02.000x0200.00-303	2.000 <i>0.079</i>	200.0 <i>7.874</i>	303 Stainless	0.0003 mm / mm	Ground 0.25 um	HRB 84	-0.002/-0.008	Chamfered
SH-02.000x0300.00-303	2.000 <i>0.079</i>	300.0 <i>11.811</i>	303 Stainless	0.0003 mm / mm	Ground 0.25 um	HRB 84	-0.002/-0.008	Chamfered
# SH-02.500x0100.00-303	2.500 <i>0.098</i>	100.0 <i>3.937</i>	303 Stainless	0.0003 mm / mm	Ground 0.25 um	HRB 84	-0.002/-0.008	Chamfered
# SH-02.500x0300.00-303	2.500 <i>0.098</i>	300.0 <i>11.811</i>	303 Stainless	0.0003 mm / mm	Ground 0.25 um	HRB 84	-0.002/-0.008	Chamfered
SH-03.000x0025.00-303	3.000 <i>0.118</i>	25.0 <i>0.984</i>	303 Stainless	0.0003 mm / mm	Ground 0.25 um	HRB 84	-0.002/-0.008	Chamfered
SH-03.000x0040.00-416	3.000 <i>0.118</i>	40.0 <i>1.575</i>	416 Stainless	0.0003 mm / mm	Ground 0.25 um	HRC 26-32	-0.002/-0.008	Chamfered
SH-03.000x0050.00-303	3.000 <i>0.118</i>	50.0 <i>1.969</i>	303 Stainless	0.0003 mm / mm	Ground 0.25 um	HRB 84	-0.002/-0.008	Chamfered
SH-03.000x0050.00-416	3.000 <i>0.118</i>	50.0 <i>1.969</i>	416 Stainless	0.0003 mm / mm	Ground 0.25 um	HRC 26-32	-0.002/-0.008	Chamfered
# SH-03.000x0075.00-303	3.000 <i>0.118</i>	75.0 <i>2.953</i>	303 Stainless	0.0003 mm / mm	Ground 0.25 um	HRB 84	-0.002/-0.008	Chamfered

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Hobby Shafting - Precision Ground

Part Number	Diameter (d) mm <i>inches</i>	Length (L) mm <i>inches</i>	Material	Straightness	Surface Finish Micrometer	Hardness	Tolerance	Ends
SH-03.000x0100.00-416	3.000 <i>0.118</i>	100.0 <i>3.937</i>	416 Stainless	0.0003 mm / mm	Ground 0.25 um	HRC 26-32	-0.002/-0.008	Chamfered
SH-03.000x0150.00-416	3.000 <i>0.118</i>	150.0 <i>5.906</i>	416 Stainless	0.0003 mm / mm	Ground 0.25 um	HRC 26-32	-0.002/-0.008	Chamfered
SH-03.000x0160.00-416	3.000 <i>0.118</i>	160.0 <i>6.299</i>	416 Stainless	0.0003 mm / mm	Ground 0.25 um	HRC 26-32	-0.002/-0.008	Chamfered
SH-03.000x0200.00-303	3.000 <i>0.118</i>	200.0 <i>7.874</i>	303 Stainless	0.0003 mm / mm	Ground 0.25 um	HRB 84	-0.002/-0.008	Chamfered
# SH-03.000x0350.00-416	3.000 <i>0.118</i>	350.0 <i>13.780</i>	416 Stainless	0.0003 mm / mm	Ground 0.25 um	HRC 26-32	-0.002/-0.008	Chamfered
SH-03.000x0400.00-303	3.000 <i>0.118</i>	400.0 <i>15.748</i>	303 Stainless	0.0003 mm / mm	Ground 0.25 um	HRB 84	-0.002/-0.008	Chamfered
SH-03.000x0400.00-416	3.000 <i>0.118</i>	400.0 <i>15.748</i>	416 Stainless	0.0003 mm / mm	Ground 0.25 um	HRC 26-32	-0.002/-0.008	Chamfered
SH-03.167x0025.40-303	3.167 <i>0.125</i>	25.4 <i>1.000</i>	303 Stainless	0.0003 mm / mm	Ground 0.25 um	HRB 84	+0.000/-0.005	Chamfered
SH-03.167x0025.40-416	3.167 <i>0.125</i>	25.4 <i>1.000</i>	416 Stainless	0.0003 mm / mm	Ground 0.25-0.30 um	HRC 26-32	+0.000/-0.005	Chamfered
SH-03.167x0152.40-416	3.167 <i>0.125</i>	152.4 <i>6.000</i>	416 Stainless	0.0003 mm / mm	Ground 0.25-0.30 um	HRC 26-32	+0.000/-0.005	Chamfered

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Hobby Shafting - Precision Ground

Part Number	Diameter (d) mm <i>inches</i>	Length (L) mm <i>inches</i>	Material	Straightness	Surface Finish Micrometer	Hardness	Tolerance	Ends
SH-03.167x0301.63-303	3.167 <i>0.125</i>	301.6 <i>11.874</i>	303 Stainless	0.0003 mm / mm	Ground 0.25 um	HRB 84	+0.000/-0.005	Chamfered
SH-04.000x0025.00-416	4.000 <i>0.157</i>	25.0 <i>0.984</i>	416 Stainless	0.0003 mm / mm	Ground 0.25 um	HRC 26-32	-0.004/-0.012	Chamfered
SH-04.000x0050.00-416	4.000 <i>0.157</i>	50.0 <i>1.969</i>	416 Stainless	0.0003 mm / mm	Ground 0.25 um	HRC 26-32	-0.004/-0.012	Chamfered
SH-04.000x0065.00-416	4.000 <i>0.157</i>	65.0 <i>2.559</i>	416 Stainless	0.0003 mm / mm	Ground 0.25 um	HRC 26-32	-0.004/-0.012	Chamfered
# SH-04.000x0100.00-416	4.000 <i>0.157</i>	100.0 <i>3.937</i>	416 Stainless	0.0003 mm / mm	Ground 0.25 um	HRC 26-32	-0.004/-0.012	Chamfered
SH-04.000x0110.00-416	4.000 <i>0.157</i>	110.0 <i>4.331</i>	416 Stainless	0.0003 mm / mm	Ground 0.25 um	HRC 26-32	-0.004/-0.012	Chamfered
SH-04.000x0190.00-416	4.000 <i>0.157</i>	190.0 <i>7.480</i>	416 Stainless	0.0003 mm / mm	Ground 0.25 um	HRC 26-32	-0.004/-0.012	Chamfered
# SH-04.000x0200.00-303	4.000 <i>0.157</i>	200.0 <i>7.874</i>	303 Stainless	0.0003 mm / mm	Ground 0.25 um	HRB 84	-0.004/-0.012	Chamfered
# SH-04.000x0200.00-416	4.000 <i>0.157</i>	200.0 <i>7.874</i>	416 Stainless	0.0003 mm / mm	Ground 0.25 um	HRC 26-32	-0.004/-0.012	Chamfered
# SH-04.000x0300.00-303	4.000 <i>0.157</i>	300.0 <i>11.811</i>	303 Stainless	0.0003 mm / mm	Ground 0.25 um	HRB 84	-0.004/-0.012	Chamfered

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Hobby Shafting - Precision Ground

Part Number	Diameter (d) mm <i>inches</i>	Length (L) mm <i>inches</i>	Material	Straightness	Surface Finish Micrometer	Hardness	Tolerance	Ends
SH-04.000x0400.00-303	4.000 <i>0.157</i>	400.0 <i>15.748</i>	303 Stainless	0.0003 mm / mm	Ground 0.25 um	HRB 84	-0.004/-0.012	Chamfered
SH-04.755x0025.40-303	4.755 <i>0.187</i>	25.4 <i>1.000</i>	303 Stainless	0.0003 mm / mm	Ground 0.25 um	HRB 84	+0.000/-0.005	Chamfered
SH-04.755x0031.75-303	4.755 <i>0.187</i>	31.8 <i>1.252</i>	303 Stainless	0.0003 mm / mm	Ground 0.25 um	HRB 84	+0.000/-0.005	Chamfered
SH-04.755x0101.60-416	4.755 <i>0.187</i>	101.6 <i>4.000</i>	416 Stainless	0.0003 mm / mm	Ground 0.25-0.30 um	HRC 26-32	+0.000/-0.005	Chamfered
# SH-04.755x0107.95-416	4.755 <i>0.187</i>	108.0 <i>4.252</i>	416 Stainless	0.0003 mm / mm	Ground 0.25-0.30 um	HRC 26-32	+0.000/-0.005	Chamfered
# SH-04.755x0301.63-303	4.755 <i>0.187</i>	301.6 <i>11.874</i>	303 Stainless	0.0003 mm / mm	Ground 0.25 um	HRB 84	+0.000/-0.005	Chamfered
SH-05.000x0025.00-303	5.000 <i>0.197</i>	25.0 <i>0.984</i>	303 Stainless	0.0003 mm / mm	Ground 0.25 um	HRB 84	-0.004/-0.012	Chamfered
SH-05.000x0035.00-416	5.000 <i>0.197</i>	35.0 <i>1.378</i>	416 Stainless	0.0003 mm / mm	Ground 0.25 um	HRC 26-32	-0.004/-0.012	Chamfered
SH-05.000x0065.00-416	5.000 <i>0.197</i>	65.0 <i>2.559</i>	416 Stainless	0.0003 mm / mm	Ground 0.25 um	HRC 26-32	-0.004/-0.012	Chamfered
# SH-05.000x0080.00-416	5.000 <i>0.197</i>	80.0 <i>3.150</i>	416 Stainless	0.0003 mm / mm	Ground 0.25 um	HRC 26-32	-0.004/-0.012	Chamfered

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Hobby Shafting - Precision Ground

Part Number	Diameter (d) mm <i>inches</i>	Length (L) mm <i>inches</i>	Material	Straightness	Surface Finish Micrometer	Hardness	Tolerance	Ends
SH-05.000x0100.00-416	5.000 <i>0.197</i>	100.0 <i>3.937</i>	416 Stainless	0.0003 mm / mm	Ground 0.25 um	HRC 26-32	-0.004/-0.012	Chamfered
SH-05.000x0110.00-416	5.000 <i>0.197</i>	110.0 <i>4.331</i>	416 Stainless	0.0003 mm / mm	Ground 0.25 um	HRC 26-32	-0.004/-0.012	Chamfered
# SH-05.000x0200.00-303	5.000 <i>0.197</i>	200.0 <i>7.874</i>	303 Stainless	0.0003 mm / mm	Ground 0.25 um	HRB 84	-0.004/-0.012	Chamfered
# SH-05.000x0200.00-416	5.000 <i>0.197</i>	200.0 <i>7.874</i>	416 Stainless	0.0003 mm / mm	Ground 0.25 um	HRC 26-32	-0.004/-0.012	Chamfered
# SH-05.000x0300.00-303	5.000 <i>0.197</i>	300.0 <i>11.811</i>	303 Stainless	0.0003 mm / mm	Ground 0.25 um	HRB 84	-0.004/-0.012	Chamfered
SH-05.000x0400.00-303	5.000 <i>0.197</i>	400.0 <i>15.748</i>	303 Stainless	0.0003 mm / mm	Ground 0.25 um	HRB 84	-0.004/-0.012	Chamfered
# SH-05.000x0500.00-303	5.000 <i>0.197</i>	500.0 <i>19.685</i>	303 Stainless	0.0003 mm / mm	Ground 0.25 um	HRB 84	-0.004/-0.012	Chamfered
# SH-06.000x0025.00-416	6.000 <i>0.236</i>	25.0 <i>0.984</i>	416 Stainless	0.0003 mm / mm	Ground 0.25 um	HRC 26-32	-0.004/-0.012	Chamfered
# SH-06.000x0040.00-416	6.000 <i>0.236</i>	40.0 <i>1.575</i>	416 Stainless	0.0003 mm / mm	Ground 0.25 um	HRC 26-32	-0.004/-0.012	Chamfered
SH-06.000x0100.00-416	6.000 <i>0.236</i>	100.0 <i>3.937</i>	416 Stainless	0.0003 mm / mm	Ground 0.25 um	HRC 26-32	-0.004/-0.012	Chamfered

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Hobby Shafting - Precision Ground

Part Number	Diameter (d) mm <i>inches</i>	Length (L) mm <i>inches</i>	Material	Straightness	Surface Finish Micrometer	Hardness	Tolerance	Ends
SH-06.000x0140.00-416	6.000 <i>0.236</i>	140.0 <i>5.512</i>	416 Stainless	0.0003 mm / mm	Ground 0.25 um	HRC 26-32	-0.004/-0.012	Chamfered
# SH-06.000x0150.00-416	6.000 <i>0.236</i>	150.0 <i>5.906</i>	416 Stainless	0.0003 mm / mm	Ground 0.25 um	HRC 26-32	-0.004/-0.012	Chamfered
# SH-06.000x0180.00-416	6.000 <i>0.236</i>	180.0 <i>7.087</i>	416 Stainless	0.0003 mm / mm	Ground 0.25 um	HRC 26-32	-0.004/-0.012	Chamfered
SH-06.000x0190.00-416	6.000 <i>0.236</i>	190.0 <i>7.480</i>	416 Stainless	0.0003 mm / mm	Ground 0.25 um	HRC 26-32	-0.004/-0.012	Chamfered
SH-06.000x0200.00-303	6.000 <i>0.236</i>	200.0 <i>7.874</i>	303 Stainless	0.0003 mm / mm	Ground 0.25 um	HRB 84	-0.004/-0.012	Chamfered
SH-06.000x0200.00-416	6.000 <i>0.236</i>	200.0 <i>7.874</i>	416 Stainless	0.0003 mm / mm	Ground 0.25 um	HRC 26-32	-0.004/-0.012	Chamfered
SH-06.000x0300.00-303	6.000 <i>0.236</i>	300.0 <i>11.811</i>	303 Stainless	0.0003 mm / mm	Ground 0.25 um	HRB 84	-0.004/-0.012	Chamfered
SH-06.344x0053.98-303	6.344 <i>0.250</i>	54.0 <i>2.126</i>	303 Stainless	0.0002 mm / mm	Ground 0.20 um	HRB 84	+0.000/-0.0025	Chamfered
SH-06.344x0060.33-303	6.344 <i>0.250</i>	60.3 <i>2.374</i>	303 Stainless	0.0002 mm / mm	Ground 0.20 um	HRB 84	+0.000/-0.0025	Chamfered
SH-06.344x0066.68-303	6.344 <i>0.250</i>	66.7 <i>2.626</i>	303 Stainless	0.0002 mm / mm	Ground 0.20 um	HRB 84	+0.000/-0.0025	Chamfered

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Hobby Shafting - Precision Ground

Part Number	Diameter (d) mm <i>inches</i>	Length (L) mm <i>inches</i>	Material	Straightness	Surface Finish Micrometer	Hardness	Tolerance	Ends
SH-06.344x0069.85-303	6.344 <i>0.250</i>	69.9 <i>2.752</i>	303 Stainless	0.0002 mm / mm	Ground 0.20 um	HRB 84	+0.000/-0.0025	Chamfered
SH-06.344x0076.20-303	6.344 <i>0.250</i>	76.2 <i>3.000</i>	303 Stainless	0.0002 mm / mm	Ground 0.20 um	HRB 84	+0.000/-0.0025	Chamfered
SH-06.344x0203.20-303	6.344 <i>0.250</i>	203.2 <i>8.000</i>	303 Stainless	0.0002 mm / mm	Ground 0.20 um	HRB 84	+0.000/-0.0025	Chamfered
SH-07.930x0355.60-303	7.930 <i>0.312</i>	355.6 <i>14.000</i>	303 Stainless	0.0003 mm / mm	Ground 0.25 um	HRB 84	+0.000/-0.005	Chamfered
SH-08.000x0040.00-416	8.000 <i>0.315</i>	40.0 <i>1.575</i>	416 Stainless	0.0003 mm / mm	Ground 0.25 um	HRC 26-32	-0.005/-0.014	Chamfered
SH-08.000x0075.00-303	8.000 <i>0.315</i>	75.0 <i>2.953</i>	303 Stainless	0.0003 mm / mm	Ground 0.25 um	HRB 84	-0.005/-0.014	Chamfered
SH-08.000x0100.00-416	8.000 <i>0.315</i>	100.0 <i>3.937</i>	416 Stainless	0.0003 mm / mm	Ground 0.25 um	HRC 26-32	-0.005/-0.014	Chamfered
SH-08.000x0140.00-416	8.000 <i>0.315</i>	140.0 <i>5.512</i>	416 Stainless	0.0003 mm / mm	Ground 0.25 um	HRC 26-32	-0.005/-0.014	Chamfered
SH-08.000x0190.00-416	8.000 <i>0.315</i>	190.0 <i>7.480</i>	416 Stainless	0.0003 mm / mm	Ground 0.25 um	HRC 26-32	-0.005/-0.014	Chamfered
# SH-08.000x0200.00-416	8.000 <i>0.315</i>	200.0 <i>7.874</i>	416 Stainless	0.0003 mm / mm	Ground 0.25 um	HRC 26-32	-0.005/-0.014	Chamfered

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Hobby Shafting - Precision Ground

Part Number	Diameter (d) mm <i>inches</i>	Length (L) mm <i>inches</i>	Material	Straightness	Surface Finish Micrometer	Hardness	Tolerance	Ends
SH-08.000x0250.00-C1060	8.000 <i>0.315</i>	250.0 <i>9.843</i>	C1060 Case Hardened Steel	0.0003 mm / mm	Ground 0.25-0.40 um	HRC 60-63	-0.000/-0.009	Chamfered
SH-08.000x0300.00-303	8.000 <i>0.315</i>	300.0 <i>11.811</i>	303 Stainless	0.0003 mm / mm	Ground 0.25 um	HRB 84	-0.005/-0.014	Chamfered
SH-08.000x0300.00-416	8.000 <i>0.315</i>	300.0 <i>11.811</i>	416 Stainless	0.0003 mm / mm	Ground 0.25 um	HRC 26-32	-0.005/-0.014	Chamfered
SH-08.000x0400.00-303	8.000 <i>0.315</i>	400.0 <i>15.748</i>	303 Stainless	0.0003 mm / mm	Ground 0.25 um	HRB 84	-0.005/-0.014	Chamfered
SH-08.000x0500.00-303	8.000 <i>0.315</i>	500.0 <i>19.685</i>	303 Stainless	0.0003 mm / mm	Ground 0.25 um	HRB 84	-0.005/-0.014	Chamfered
SH-09.000x0100.00-303	9.000 <i>0.354</i>	100.0 <i>3.937</i>	303 Stainless	0.0003 mm / mm	Ground 0.25 um	HRB 84	-0.005/-0.014	Chamfered
SH-09.525x0101.60-420	9.525 <i>0.375</i>	101.6 <i>4.000</i>	420 Case Hardened Stainless	0.0001 mm / mm	Ground 0.30 um Max	Rc 52-56	-0.013/-0.026	Chamfered
SH-09.525x0203.20-420	9.525 <i>0.375</i>	203.2 <i>8.000</i>	420 Case Hardened Stainless	0.0001 mm / mm	Ground 0.30 um Max	Rc 52-56	-0.013/-0.026	Chamfered
SH-09.525x0406.40-420	9.525 <i>0.375</i>	406.4 <i>16.000</i>	420 Case Hardened Stainless	0.0001 mm / mm	Ground 0.30 um Max	Rc 52-56	-0.013/-0.026	Chamfered

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Hobby Shafting - Precision Ground

Part Number	Diameter (d) mm <i>inches</i>	Length (L) mm <i>inches</i>	Material	Straightness	Surface Finish Micrometer	Hardness	Tolerance	Ends
# SH-10.000x0060.00-416	10.000 <i>0.394</i>	60.0 <i>2.362</i>	416 Stainless	0.0003 mm / mm	Ground 0.25 um	HRC 26-32	-0.005/-0.014	Chamfered
# SH-10.000x0100.00-416	10.000 <i>0.394</i>	100.0 <i>3.937</i>	416 Stainless	0.0003 mm / mm	Ground 0.25 um	HRC 26-32	-0.005/-0.014	Chamfered
SH-10.000x0200.00-416	10.000 <i>0.394</i>	200.0 <i>7.874</i>	416 Stainless	0.0003 mm / mm	Ground 0.25 um	HRC 26-32	-0.005/-0.014	Chamfered
SH-12.000x0100.00-303	12.000 <i>0.472</i>	100.0 <i>3.937</i>	303 Stainless	0.0003 mm / mm	Ground 0.25 um	HRB 84	-0.006/-0.017	Chamfered
SH-12.000x0150.00-303	12.000 <i>0.472</i>	150.0 <i>5.906</i>	303 Stainless	0.0003 mm / mm	Ground 0.25 um	HRB 84	-0.006/-0.017	Chamfered
SH-12.000x0500.00-303	12.000 <i>0.472</i>	500.0 <i>19.685</i>	303 Stainless	0.0003 mm / mm	Ground 0.25 um	HRB 84	-0.006/-0.017	Chamfered
SH-12.700x0152.40-12L14	12.700 <i>0.500</i>	152.4 <i>6.000</i>	12L14 Cold Rolled Steel		Smooth		+/- 0.013	Saw Cut
SH-12.700x0203.20-420	12.700 <i>0.500</i>	203.2 <i>8.000</i>	420 Case Hardened Stainless	0.0001 mm / mm	Ground 0.30 um Max	Rc 52-56	-0.013/-0.026	Chamfered

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.



DISTRIBUTED BY

Ask us to put your name and address here

<http://www.minibearings.com.au/product>

Ph +61 7 3245 7977

Fax +61 7 3245 1017

Catalogue requests to [catalogues@minibearings.com.au](mailto:catalogues@minibearings.com.au)

