




MBA

Hobby Washers - Precision Shim



A small selection of popular sizes.

See main listings for sizes not shown here.

Hobby Washers - Precision Shim

Part Number	ID (d) mm	OD (D) mm	Thickness (T) mm	Other	OD Tolerance	Thickness Tolerance mm	ID Tolerance mm	Material	Grade
	<i>inches</i>	<i>inches</i>	<i>inches</i>			<i>inches</i>	<i>inches</i>		
WP00300-00600-010-C	3.000	6.000	0.100	Hardness 170-225 HV	-0.030/-0.150	+0.000/-0.030	+0.150/-0.030	Carbon Spring Steel - Self Finish	Precision
	<i>0.118</i>	<i>0.236</i>	<i>0.004</i>						
WP00300-00600-050-C	3.000	6.000	0.500	Hardness 170-225 HV	-0.030/-0.150	+0.000/-0.050	+0.150/-0.030	Carbon Spring Steel - Self Finish	Precision
	<i>0.118</i>	<i>0.236</i>	<i>0.020</i>						
WP00300-00600-100-C	3.000	6.000	1.000	Hardness 170-225 HV	-0.030/-0.150	+0.000/-0.050	+0.150/-0.030	Carbon Spring Steel - Self Finish	Precision
	<i>0.118</i>	<i>0.236</i>	<i>0.039</i>						

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Hobby Washers - Precision Shim

Part Number	ID (d) mm	OD (D) mm	Thickness (T) mm	Other	OD Tolerance	Thickness Tolerance mm	ID Tolerance mm	Material	Grade
	<i>inches</i>	<i>inches</i>	<i>inches</i>			<i>inches</i>	<i>inches</i>		
WP00400-00800-010-C	4.000	8.000	0.100	Hardness 170-225 HV	-0.040/-0.190	+0.000/-0.030	+0.150/-0.030	Carbon Spring Steel - Self Finish	Precision
	<i>0.157</i>	<i>0.315</i>	<i>0.004</i>						
WP00400-00800-020-C	4.000	8.000	0.200	Hardness 170-225 HV	-0.040/-0.190	+0.000/-0.040	+0.150/-0.030	Carbon Spring Steel - Self Finish	Precision
	<i>0.157</i>	<i>0.315</i>	<i>0.008</i>						
WP00400-00800-050-C	4.000	8.000	0.500	Hardness 170-225 HV	-0.040/-0.190	+0.000/-0.050	+0.150/-0.030	Carbon Spring Steel - Self Finish	Precision
	<i>0.157</i>	<i>0.315</i>	<i>0.020</i>						
WP00400-00800-100-C	4.000	8.000	1.000	Hardness 170-225 HV	-0.040/-0.190	+0.000/-0.050	+0.150/-0.030	Carbon Spring Steel - Self Finish	Precision
	<i>0.157</i>	<i>0.315</i>	<i>0.039</i>						
WP00500-01000-010-C	5.000	10.000	0.100	Hardness 170-225 HV	-0.040/-0.190	+0.000/-0.030	+0.150/-0.030	Carbon Spring Steel - Self Finish	Precision
	<i>0.197</i>	<i>0.394</i>	<i>0.004</i>						
WP00500-01000-050-C	5.000	10.000	0.500	Hardness 170-225 HV	-0.040/-0.190	+0.000/-0.050	+0.150/-0.030	Carbon Spring Steel - Self Finish	Precision
	<i>0.197</i>	<i>0.394</i>	<i>0.020</i>						
WP00530-00685-015-400	5.300	6.850	0.150		+/- 0.025	+/- 0.010	+/- 0.025	Heat Treated 400 Grade Stainless Steel, Edges Radiused	Precision
	<i>0.209</i>	<i>0.270</i>	<i>0.006</i>						

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Hobby Washers - Precision Shim

Part Number	ID (d) mm	OD (D) mm	Thickness (T) mm	Other	OD Tolerance	Thickness Tolerance mm	ID Tolerance mm	Material	Grade
	<i>inches</i>	<i>inches</i>	<i>inches</i>			<i>inches</i>	<i>inches</i>		
WP00600-01200-010-C	6.000	12.000	0.100	Hardness 170-225 HV	-0.050/-0.230	+0.000/-0.030	+0.150/-0.030	Carbon Spring Steel - Self Finish	Precision
	<i>0.236</i>	<i>0.472</i>	<i>0.004</i>						
WP00600-01200-050-C	6.000	12.000	0.500	Hardness 170-225 HV	-0.050/-0.230	+0.000/-0.050	+0.150/-0.030	Carbon Spring Steel - Self Finish	Precision
	<i>0.236</i>	<i>0.472</i>	<i>0.020</i>						
WP00630-00785-018-400	6.300	7.850	0.180		+/- 0.025	+/- 0.010	+/- 0.025	Heat Treated 400 Grade Stainless Steel, Edges Radiused	Precision
	<i>0.248</i>	<i>0.309</i>	<i>0.007</i>						
WP00640-00930-013-C	6.401	9.296	0.127		+0.000/-0.127	+/-0.025	+/-0.127	AISI C1075 Spring Steel	Precision
	<i>0.252</i>	<i>0.366</i>	<i>0.005</i>						
# WP00640-00930-038-C	6.401	9.296	0.381		+0.000/-0.127	+/-0.025	+/-0.127	AISI C1075 Spring Steel	Precision
	<i>0.252</i>	<i>0.366</i>	<i>0.015</i>						
WP00640-00930-081-C	6.401	9.296	0.813		+0.000/-0.127	+/-0.025	+/-0.127	AISI C1075 Spring Steel	Precision
	<i>0.252</i>	<i>0.366</i>	<i>0.032</i>						
WP00643-00947-008-2	6.426	9.474	0.076		+0.000/-0.127	+/-0.025	+0.127/-0.000	302 Stainless Steel	Precision
	<i>0.253</i>	<i>0.373</i>	<i>0.003</i>						

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Hobby Washers - Precision Shim

Part Number	ID (d) mm	OD (D) mm	Thickness (T) mm	Other	OD Tolerance	Thickness Tolerance mm	ID Tolerance mm	Material	Grade
	<i>inches</i>	<i>inches</i>	<i>inches</i>			<i>inches</i>	<i>inches</i>		
WP00643-00947-013-2	6.426	9.474	0.127		+0.000/-0.127	+/-0.025	+0.127/-0.000	302 Stainless Steel	Precision
	<i>0.253</i>	<i>0.373</i>	<i>0.005</i>						
WP00643-00947-018-2	6.426	9.474	0.178		+0.000/-0.127	+/-0.025	+0.127/-0.000	302 Stainless Steel	Precision
	<i>0.253</i>	<i>0.373</i>	<i>0.007</i>						
WP00643-00947-025-2	6.426	9.474	0.254		+0.000/-0.127	+/-0.025	+0.127/-0.000	302 Stainless Steel	Precision
	<i>0.253</i>	<i>0.373</i>	<i>0.010</i>						
WP00643-00947-051-2	6.426	9.474	0.508		+0.000/-0.127	+/-0.025	+0.127/-0.000	302 Stainless Steel	Precision
	<i>0.253</i>	<i>0.373</i>	<i>0.020</i>						
WP00650-00830-050-4	6.500	8.300	0.500	Star 430 Washer				302 Stainless Steel	Precision
	<i>0.256</i>	<i>0.327</i>	<i>0.020</i>						
WP00650-00836-020-4	6.500	8.360	0.200	Star 430 Washer				302 Stainless Steel	Precision
	<i>0.256</i>	<i>0.329</i>	<i>0.008</i>						
WP00700-01300-010-C	7.000	13.000	0.100	Hardness 170-225 HV	-0.050/-0.230	+0.000/-0.030	+0.190/+0.040	Carbon Spring Steel - Self Finish	Precision
	<i>0.276</i>	<i>0.512</i>	<i>0.004</i>						
# WP00700-01300-020-C	7.000	13.000	0.200	Hardness 170-225 HV	-0.050/-0.230	+0.000/-0.040	+0.190/+0.040	Carbon Spring Steel - Self Finish	Precision
	<i>0.276</i>	<i>0.512</i>	<i>0.008</i>						

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Hobby Washers - Precision Shim

Part Number	ID (d) mm	OD (D) mm	Thickness (T) mm	Other	OD Tolerance	Thickness Tolerance mm	ID Tolerance mm	Material	Grade
	<i>inches</i>	<i>inches</i>	<i>inches</i>			<i>inches</i>	<i>inches</i>		
WP00700-01300-030-C	7.000	13.000	0.300	Hardness 170-225 HV	-0.050/-0.230	+0.000/-0.050	+0.190/+0.040	Carbon Spring Steel - Self Finish	Precision
	<i>0.276</i>	<i>0.512</i>	<i>0.012</i>						
WP00700-01300-050-C	7.000	13.000	0.500	Hardness 170-225 HV	-0.050/-0.230	+0.000/-0.050	+0.190/+0.040	Carbon Spring Steel - Self Finish	Precision
	<i>0.276</i>	<i>0.512</i>	<i>0.020</i>						
WP00700-01300-100-C	7.000	13.000	1.000	Hardness 170-225 HV	-0.050/-0.230	+0.000/-0.050	+0.190/+0.040	Carbon Spring Steel - Self Finish	Precision
	<i>0.276</i>	<i>0.512</i>	<i>0.039</i>						
WP00734-00942-013-C	7.341	9.423	0.127		+0.000/-0.127	+/-0.025	+/-0.127	AISI C1075 Spring Steel	Precision
	<i>0.289</i>	<i>0.371</i>	<i>0.005</i>						
# WP00734-00942-038-C	7.341	9.423	0.381		+0.000/-0.127	+/-0.025	+/-0.127	AISI C1075 Spring Steel	Precision
	<i>0.289</i>	<i>0.371</i>	<i>0.015</i>						
WP00800-01400-010-C	8.000	14.000	0.100	Hardness 170-225 HV	-0.050/-0.230	+0.000/-0.030	+0.190/+0.040	Carbon Spring Steel - Self Finish	Precision
	<i>0.315</i>	<i>0.551</i>	<i>0.004</i>						
# WP00800-01400-015-C	8.000	14.000	0.150	Hardness 170-225 HV	-0.050/-0.230	+0.000/-0.040	+0.190/+0.040	Carbon Spring Steel - Self Finish	Precision
	<i>0.315</i>	<i>0.551</i>	<i>0.006</i>						

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Hobby Washers - Precision Shim

Part Number	ID (d) mm	OD (D) mm	Thickness (T) mm	Other	OD Tolerance	Thickness Tolerance mm	ID Tolerance mm	Material	Grade
	<i>inches</i>	<i>inches</i>	<i>inches</i>			<i>inches</i>	<i>inches</i>		
WP00800-01400-020-C	8.000	14.000	0.200	Hardness 170-225 HV	-0.050/-0.230	+0.000/-0.040	+0.190/+0.040	Carbon Spring Steel - Self Finish	Precision
	<i>0.315</i>	<i>0.551</i>	<i>0.008</i>						
# WP00800-01400-025-C	8.000	14.000	0.250	Hardness 170-225 HV	-0.050/-0.230	+0.000/-0.040	+0.190/+0.040	Carbon Spring Steel - Self Finish	Precision
	<i>0.315</i>	<i>0.551</i>	<i>0.010</i>						
WP00800-01400-030-C	8.000	14.000	0.300	Hardness 170-225 HV	-0.050/-0.230	+0.000/-0.050	+0.190/+0.040	Carbon Spring Steel - Self Finish	Precision
	<i>0.315</i>	<i>0.551</i>	<i>0.012</i>						
WP00800-01400-050-C	8.000	14.000	0.500	Hardness 170-225 HV	-0.050/-0.230	+0.000/-0.050	+0.190/+0.040	Carbon Spring Steel - Self Finish	Precision
	<i>0.315</i>	<i>0.551</i>	<i>0.020</i>						
WP00800-01400-100-C	8.000	14.000	1.000	Hardness 170-225 HV	-0.050/-0.230	+0.000/-0.050	+0.190/+0.040	Carbon Spring Steel - Self Finish	Precision
	<i>0.315</i>	<i>0.551</i>	<i>0.039</i>						
WP00830-00980-018-400	8.300	9.800	0.180		+/- 0.025	+/- 0.010	+/- 0.025	Heat Treated 400 Grade Stainless Steel, Edges Radiused	Precision
	<i>0.327</i>	<i>0.386</i>	<i>0.007</i>						
# WP00900-01500-010-C	9.000	15.000	0.100	Hardness 170-225 HV	-0.050/-0.230	+0.000/-0.030	+0.190/+0.040	Carbon Spring Steel - Self Finish	Precision
	<i>0.354</i>	<i>0.591</i>	<i>0.004</i>						

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Hobby Washers - Precision Shim

Part Number	ID (d) mm	OD (D) mm	Thickness (T) mm	Other	OD Tolerance	Thickness Tolerance mm	ID Tolerance mm	Material	Grade
	<i>inches</i>	<i>inches</i>	<i>inches</i>			<i>inches</i>	<i>inches</i>		
WP00960-01265-025-2	9.601	12.649	0.254		+0.000/-0.127	+/-0.025	+0.127/-0.000	302 Stainless Steel	Precision
	<i>0.378</i>	<i>0.498</i>	<i>0.010</i>						
WP01000-01600-010-C	10.000	16.000	0.100	Hardness 170-225 HV	-0.050/-0.230	+0.000/-0.030	+0.190/+0.040	Carbon Spring Steel - Self Finish	Precision
	<i>0.394</i>	<i>0.630</i>	<i>0.004</i>						
WP01000-01600-020-C	10.000	16.000	0.200	Hardness 170-225 HV	-0.050/-0.230	+0.000/-0.040	+0.190/+0.040	Carbon Spring Steel - Self Finish	Precision
	<i>0.394</i>	<i>0.630</i>	<i>0.008</i>						
WP01000-01600-030-C	10.000	16.000	0.300	Hardness 170-225 HV	-0.050/-0.230	+0.000/-0.050	+0.190/+0.040	Carbon Spring Steel - Self Finish	Precision
	<i>0.394</i>	<i>0.630</i>	<i>0.012</i>						
WP01000-01600-050-C	10.000	16.000	0.500	Hardness 170-225 HV	-0.050/-0.230	+0.000/-0.050	+0.190/+0.040	Carbon Spring Steel - Self Finish	Precision
	<i>0.394</i>	<i>0.630</i>	<i>0.020</i>						
WP01030-01180-018-400	10.300	11.800	0.180		+/- 0.025	+/- 0.010	+/- 0.025	Heat Treated 400 Grade Stainless Steel, Edges Radiused	Precision
	<i>0.406</i>	<i>0.465</i>	<i>0.007</i>						
WP01030-01180-020-400	10.300	11.800	0.200		+/- 0.025	+/- 0.010	+/- 0.025	Heat Treated 400 Grade Stainless Steel, Edges Radiused	Precision
	<i>0.406</i>	<i>0.465</i>	<i>0.008</i>						

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Hobby Washers - Precision Shim

Part Number	ID (d) mm	OD (D) mm	Thickness (T) mm	Other	OD Tolerance	Thickness Tolerance mm	ID Tolerance mm	Material	Grade
	<i>inches</i>	<i>inches</i>	<i>inches</i>			<i>inches</i>	<i>inches</i>		
WP01030-01180-022-400	10.300	11.800	0.220		+/- 0.025	+/- 0.010	+/- 0.025	Heat Treated 400 Grade Stainless Steel, Edges Radiused	Precision
	<i>0.406</i>	<i>0.465</i>	<i>0.009</i>						
# WP01100-01700-010-C	11.000	17.000	0.100	Hardness 170- 225 HV	-0.050/-0.230	+0.000/-0.030	+0.230/+0.050	Carbon Spring Steel - Self Finish	Precision
	<i>0.433</i>	<i>0.669</i>	<i>0.004</i>						
WP01100-01700-020-C	11.000	17.000	0.200	Hardness 170- 225 HV	-0.050/-0.230	+0.000/-0.040	+0.230/+0.050	Carbon Spring Steel - Self Finish	Precision
	<i>0.433</i>	<i>0.669</i>	<i>0.008</i>						
WP01130-01280-018-400	11.300	12.800	0.180		+/- 0.025	+/- 0.010	+/- 0.025	Heat Treated 400 Grade Stainless Steel, Edges Radiused	Precision
	<i>0.445</i>	<i>0.504</i>	<i>0.007</i>						
WP01130-01280-020-400	11.300	12.800	0.200		+/- 0.025	+/- 0.010	+/- 0.025	Heat Treated 400 Grade Stainless Steel, Edges Radiused	Precision
	<i>0.445</i>	<i>0.504</i>	<i>0.008</i>						
WP01130-01280-022-400	11.300	12.800	0.220		+/- 0.025	+/- 0.010	+/- 0.025	Heat Treated 400 Grade Stainless Steel, Edges Radiused	Precision
	<i>0.445</i>	<i>0.504</i>	<i>0.009</i>						

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Hobby Washers - Precision Shim

Part Number	ID (d) mm	OD (D) mm	Thickness (T) mm	Other	OD Tolerance	Thickness Tolerance mm	ID Tolerance mm	Material	Grade
	<i>inches</i>	<i>inches</i>	<i>inches</i>			<i>inches</i>	<i>inches</i>		
WP01200-01800-010-C	12.000	18.000	0.100	Hardness 170-225 HV	-0.050/-0.230	+0.000/-0.030	+0.230/+0.050	Carbon Spring Steel - Self Finish	Precision
	<i>0.472</i>	<i>0.709</i>	<i>0.004</i>						
WP01200-01800-020-C	12.000	18.000	0.200	Hardness 170-225 HV	-0.050/-0.230	+0.000/-0.040	+0.230/+0.050	Carbon Spring Steel - Self Finish	Precision
	<i>0.472</i>	<i>0.709</i>	<i>0.008</i>						
WP01200-01800-030-C	12.000	18.000	0.300	Hardness 170-225 HV	-0.050/-0.230	+0.000/-0.050	+0.230/+0.050	Carbon Spring Steel - Self Finish	Precision
	<i>0.472</i>	<i>0.709</i>	<i>0.012</i>						
WP01200-01800-050-C	12.000	18.000	0.500	Hardness 170-225 HV	-0.050/-0.230	+0.000/-0.050	+0.230/+0.050	Carbon Spring Steel - Self Finish	Precision
	<i>0.472</i>	<i>0.709</i>	<i>0.020</i>						
WP01273-01875-013-C	12.725	18.745	0.127		+0.000/-0.127	+/-0.025	+/-0.127	AISI C1075 Spring Steel	Precision
	<i>0.501</i>	<i>0.738</i>	<i>0.005</i>						
WP01300-01900-010-C	13.000	19.000	0.100	Hardness 170-225 HV	-0.065/-0.275	+0.000/-0.030	+0.230/+0.050	Carbon Spring Steel - Self Finish	Precision
	<i>0.512</i>	<i>0.748</i>	<i>0.004</i>						
WP01300-01900-050-C	13.000	19.000	0.500	Hardness 170-225 HV	-0.065/-0.275	+0.000/-0.050	+0.230/+0.050	Carbon Spring Steel - Self Finish	Precision
	<i>0.512</i>	<i>0.748</i>	<i>0.020</i>						

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Hobby Washers - Precision Shim

Part Number	ID (d) mm	OD (D) mm	Thickness (T) mm	Other	OD Tolerance	Thickness Tolerance mm	ID Tolerance mm	Material	Grade
	<i>inches</i>	<i>inches</i>	<i>inches</i>			<i>inches</i>	<i>inches</i>		
WP01500-02100-010-C	15.000	21.000	0.100	Hardness 170-225 HV	-0.065/-0.275	+0.000/-0.030	+0.230/+0.050	Carbon Spring Steel - Self Finish	Precision
	<i>0.591</i>	<i>0.827</i>	<i>0.004</i>						
WP01590-02210-013-C	15.900	22.098	0.127		+0.000/-0.127	+/-0.025	+/-0.127	AISI C1075 Spring Steel	Precision
	<i>0.626</i>	<i>0.870</i>	<i>0.005</i>						
WP01700-02400-010-C	17.000	24.000	0.100	Hardness 170-225 HV	-0.065/-0.275	+0.000/-0.030	+0.230/+0.050	Carbon Spring Steel - Self Finish	Precision
	<i>0.669</i>	<i>0.945</i>	<i>0.004</i>						
WP01700-02400-020-C	17.000	24.000	0.200	Hardness 170-225 HV	-0.065/-0.275	+0.000/-0.040	+0.230/+0.050	Carbon Spring Steel - Self Finish	Precision
	<i>0.669</i>	<i>0.945</i>	<i>0.008</i>						
WP02000-02800-010-C	20.000	28.000	0.100	Hardness 170-225 HV	-0.065/-0.275	+0.000/-0.030	+0.275/+0.065	Carbon Spring Steel - Self Finish	Precision
	<i>0.787</i>	<i>1.102</i>	<i>0.004</i>						
WP02500-03500-010-C	25.000	35.000	0.100	Hardness 170-225 HV	-0.080/-0.330	+0.000/-0.030	+0.275/+0.065	Carbon Spring Steel - Self Finish	Precision
	<i>0.984</i>	<i>1.378</i>	<i>0.004</i>						
WP02500-03500-050-C	25.000	35.000	0.500	Hardness 170-225 HV	-0.080/-0.330	+0.000/-0.050	+0.275/+0.065	Carbon Spring Steel - Self Finish	Precision
	<i>0.984</i>	<i>1.378</i>	<i>0.020</i>						

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Hobby Washers - Precision Shim

Part Number	ID (d) mm	OD (D) mm	Thickness (T) mm	Other	OD Tolerance	Thickness Tolerance mm	ID Tolerance mm	Material	Grade
	<i>inches</i>	<i>inches</i>	<i>inches</i>			<i>inches</i>	<i>inches</i>		
WP03000-04200-010-C	30.000	42.000	0.100	Hardness 170-225 HV	-0.080/-0.330	+0.000/-0.030	+0.275/+0.065	Carbon Spring Steel - Self Finish	Precision
	<i>1.181</i>	<i>1.654</i>	<i>0.004</i>						
WP03200-04500-050-C	32.000	45.000	0.500	Hardness 170-225 HV	-0.080/-0.330	+0.000/-0.050	+0.330/+0.080	Carbon Spring Steel - Self Finish	Precision
	<i>1.260</i>	<i>1.772</i>	<i>0.020</i>						
W-3456810	Assorted Thin Shim for Assembling - 3,4,5,6,8,10mm (60pcs)	-	-						

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.



DISTRIBUTED BY

Ask us to put your name and address here

<http://www.minibearings.com.au/product>

Ph +61 7 3245 7977

Fax +61 7 3245 1017

Catalogue requests to catalogues@minibearings.com.au

