




MBA

Hoist Rings - Centre Pull



Material
 Standard: Alloy Steel. Finish: Black Oxide (except washer).
 Washer: Zinc plated with clear conversion coating.
 The Envirolux™ protective finish is a proprietary coating that helps prevent rusting and other environmental hazards from affecting the hoist rings.
 This coating is environmentally friendly and is proven to be effective in extreme conditions.
 Stated load capacity is based upon specific thread torques shown in chart.
 It is recommended that these torques be used when installing hoist rings.

Performance

- Full swivel and pivot action.
- Rated at 5:1 strength factor.
- Clevis, bolt, pins, base, washer and bushing are magnetic particle inspected to ASTM E709-80.
- Proof tested to 200% of rated load capacity.
- All products marked CE.

Standard: Alloy Steel. Finish: Black Oxide (except washer).

Washer: Zinc plated with clear conversion coating.

Hoist Rings - Centre Pull

Part Number	Thread Size	Load Capacity kg	Inside Radius (E) mm	Washer Diameter (D) mm	Ring Thickness (F) mm	Ring Width (G) mm	Ring Height (B) mm	Thread Length mm	Finish	Thread Torque (Kg-m)
			<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>		
# M8-23356	M8 x 1.25	400.00	10.90	19.00	9.70	46.70	67.80	12.50	Envirolux™ Finish	1.00
			<i>0.429</i>	<i>0.748</i>	<i>0.382</i>	<i>1.839</i>	<i>2.669</i>	<i>0.492</i>		
# M8-23456	M8 x 1.25	400.00	10.90	19.00	9.70	46.70	67.80	12.50	Standard Finish	1.00
			<i>0.429</i>	<i>0.748</i>	<i>0.382</i>	<i>1.839</i>	<i>2.669</i>	<i>0.492</i>		
# M10-23458	M10 x 1.50	450.00	10.90	19.00	9.70	46.70	67.80	17.50	Standard Finish	1.70
			<i>0.429</i>	<i>0.748</i>	<i>0.382</i>	<i>1.839</i>	<i>2.669</i>	<i>0.689</i>		
# M10-23358	M10 x 1.50	450.00	10.90	19.00	9.70	46.70	67.80	17.50	Envirolux™ Finish	1.70
			<i>0.429</i>	<i>0.748</i>	<i>0.382</i>	<i>1.839</i>	<i>2.669</i>	<i>0.689</i>		

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Hoist Rings - Centre Pull

Part Number	Thread Size	Load Capacity kg	Inside Radius (E) mm	Washer Diameter (D) mm	Ring Thickness (F) mm	Ring Width (G) mm	Ring Height (B) mm	Thread Length mm	Finish	Thread Torque (Kg-m)
			<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>		
# M12-23362	M12 x 1.75	1050.00	22.40	38.10	19.00	89.40	121.40	19.00	Envirolux™ Finish	3.80
			<i>0.882</i>	<i>1.500</i>	<i>0.748</i>	<i>3.520</i>	<i>4.780</i>	<i>0.748</i>		
# M12-23462	M12 x 1.75	1050.00	22.40	38.10	19.00	89.40	121.40	19.00	Standard Finish	3.80
			<i>0.882</i>	<i>1.500</i>	<i>0.748</i>	<i>3.520</i>	<i>4.780</i>	<i>0.748</i>		
# M16-23365	M16 x 2.00	1900.00	22.40	38.10	19.00	89.40	121.40	29.00	Envirolux™ Finish	8.20
			<i>0.882</i>	<i>1.500</i>	<i>0.748</i>	<i>3.520</i>	<i>4.780</i>	<i>1.142</i>		
# M16-23465	M16 x 2.00	1900.00	22.40	38.10	19.00	89.40	121.40	29.00	Standard Finish	8.20
			<i>0.882</i>	<i>1.500</i>	<i>0.748</i>	<i>3.520</i>	<i>4.780</i>	<i>1.142</i>		
# M20-23368	M20 x 2.50	1250.00	22.40	38.10	19.00	89.40	121.40	34.00	Envirolux™ Finish	13.60
			<i>0.882</i>	<i>1.500</i>	<i>0.748</i>	<i>3.520</i>	<i>4.780</i>	<i>1.339</i>		
# M20-23468	M20 x 2.50	1250.00	22.40	38.10	19.00	89.40	121.40	34.00	Standard Finish	13.60
			<i>0.882</i>	<i>1.500</i>	<i>0.748</i>	<i>3.520</i>	<i>4.780</i>	<i>1.339</i>		
# M20-23371	M20 x 2.50	3000.00	35.60	58.70	25.40	130.60	165.60	32.00	Envirolux™ Finish	13.60
			<i>1.402</i>	<i>2.311</i>	<i>1.000</i>	<i>5.142</i>	<i>6.520</i>	<i>1.260</i>		
# M20-23471	M20 x 2.50	3000.00	35.60	58.70	25.40	130.60	165.60	32.00	Standard Finish	13.60
			<i>1.402</i>	<i>2.311</i>	<i>1.000</i>	<i>5.142</i>	<i>6.520</i>	<i>1.260</i>		
# M24-23474	M24 x 3.00	4200.00	35.60	58.70	25.40	130.60	165.60	37.00	Standard Finish	31.00
			<i>1.402</i>	<i>2.311</i>	<i>1.000</i>	<i>5.142</i>	<i>6.520</i>	<i>1.457</i>		

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Hoist Rings - Centre Pull

Part Number	Thread Size	Load Capacity kg	Inside Radius (E) mm	Washer Diameter (D) mm	Ring Thickness (F) mm	Ring Width (G) mm	Ring Height (B) mm	Thread Length mm	Finish	Thread Torque (Kg-m)
			<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>		
# M24-23374	M24 x 3.00	4200.00	35.60	58.70	25.40	130.60	165.60	37.00	EnviroLux™ Finish	31.00
			<i>1.402</i>	<i>2.311</i>	<i>1.000</i>	<i>5.142</i>	<i>6.520</i>	<i>1.457</i>		
# M30-23379	M30 x 3.50	7000.00	44.50	81.00	31.70	165.10	221.70	61.70	EnviroLux™ Finish	60.00
			<i>1.752</i>	<i>3.189</i>	<i>1.248</i>	<i>6.500</i>	<i>8.728</i>	<i>2.429</i>		
# M30-23478	M30 x 3.50	7000.00	44.50	81.00	31.70	165.10	221.70	41.90	Standard Finish	60.00
			<i>1.752</i>	<i>3.189</i>	<i>1.248</i>	<i>6.500</i>	<i>8.728</i>	<i>1.650</i>		
# M30-23479	M30 x 3.50	7000.00	44.50	81.00	31.70	165.10	221.70	61.70	Standard Finish	60.00
			<i>1.752</i>	<i>3.189</i>	<i>1.248</i>	<i>6.500</i>	<i>8.728</i>	<i>2.429</i>		
# M30-23378	M30 x 3.50	7000.00	44.50	81.00	31.70	165.10	221.70	41.90	EnviroLux™ Finish	60.00
			<i>1.752</i>	<i>3.189</i>	<i>1.248</i>	<i>6.500</i>	<i>8.728</i>	<i>1.650</i>		
# M36-23383	M36 x 4.00	11000.00	57.20	106.40	44.40	217.20	316.70	63.50	EnviroLux™ Finish	100.00
			<i>2.252</i>	<i>4.189</i>	<i>1.748</i>	<i>8.551</i>	<i>12.469</i>	<i>2.500</i>		
# M36-23483	M36 x 4.00	11000.00	57.20	106.40	44.40	217.20	316.70	63.50	Standard Finish	100.00
			<i>2.252</i>	<i>4.189</i>	<i>1.748</i>	<i>8.551</i>	<i>12.469</i>	<i>2.500</i>		
# M42-23384	M42 x 4.50	12500.00	57.20	106.40	44.40	217.20	316.70	68.00	EnviroLux™ Finish	100.00
			<i>2.252</i>	<i>4.189</i>	<i>1.748</i>	<i>8.551</i>	<i>12.469</i>	<i>2.677</i>		
# M42-23484	M42 x 4.50	12500.00	57.20	106.40	44.40	217.20	316.70	68.00	Standard Finish	100.00
			<i>2.252</i>	<i>4.189</i>	<i>1.748</i>	<i>8.551</i>	<i>12.469</i>	<i>2.677</i>		

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Hoist Rings - Centre Pull

Part Number	Thread Size	Load Capacity kg	Inside Radius (E) mm	Washer Diameter (D) mm	Ring Thickness (F) mm	Ring Width (G) mm	Ring Height (B) mm	Thread Length mm	Finish	Thread Torque (Kg-m)
			<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>		
# M48-23385	M48 x 5.00	13500.00	57.20	106.40	44.40	217.20	316.70	88.00	EnviroLux™ Finish	100.00
			<i>2.252</i>	<i>4.189</i>	<i>1.748</i>	<i>8.551</i>	<i>12.469</i>	<i>3.465</i>		
# M48-23485	M48 x 5.00	13500.00	57.20	106.40	44.40	217.20	316.70	88.00	Standard Finish	100.00
			<i>2.252</i>	<i>4.189</i>	<i>1.748</i>	<i>8.551</i>	<i>12.469</i>	<i>3.465</i>		
# M64-23388	M64 x 6.00	22500.00	76.20	146.00	57.15	297.60	419.10	96.00	EnviroLux™ Finish	290.00
			<i>3.000</i>	<i>5.748</i>	<i>2.250</i>	<i>11.717</i>	<i>16.500</i>	<i>3.780</i>		
# M64-23488	M64 x 6.00	22500.00	76.20	146.00	57.15	297.60	419.10	96.00	Standard Finish	290.00
			<i>3.000</i>	<i>5.748</i>	<i>2.250</i>	<i>11.717</i>	<i>16.500</i>	<i>3.780</i>		

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.



DISTRIBUTED BY

Ask us to put your name and address here

<http://www.minibearings.com.au/product>

Ph +61 7 3245 7977

Fax +61 7 3245 1017

Catalogue requests to catalogues@minibearings.com.au

