




# MBA

## Hoist Rings - Side Pull 2000

Alloy Steel. Finish: Black Oxide.



Material:  
Alloy Steel. Finish: Black Oxide.

Performance  
The Side Pull Style Hoist Ring is ideal for flipping fixtures, dies and moulds. The hoist ring is low profile and has a unique bolt retention design. The oversized forged base easily adapts to larger hoist hooks. Its relatively light weight makes it easier to handle than smaller hoist rings and the installation is conveniently done with external wrenching (47581, 47582) or internal/external wrenching (all other sizes).

- Can be used for top lifts.
- Full swivel and pivot action.
- Rated at 5:1 strength factor.
- All products are CE marked.
- Proof tested to 200% of rated load capacity.

## Hoist Rings - Side Pull 2000

Part Number	Thread Size	Load Capacity kg	Base Height (B) mm	Screw Length (C) mm	Centre Ring Height (F) mm	Ring Diameter (G) mm	Base Width (H) mm	Radius (I) mm	Rings Length (L) mm	Bolt Diameter (M)
			<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>	
# M8-47581	M8 x 1.25	325.00	33.00 <i>1.299</i>	16.00 <i>0.630</i>	14.00 <i>0.551</i>	8.00 <i>0.315</i>	25.00 <i>0.984</i>	25.00 <i>0.984</i>	76.00 <i>2.992</i>	19.00
# M10-47582	M10 x 1.50	500.00	33.00 <i>1.299</i>	20.00 <i>0.787</i>	14.00 <i>0.551</i>	8.00 <i>0.315</i>	25.00 <i>0.984</i>	25.00 <i>0.984</i>	76.00 <i>2.992</i>	19.00
# M12-47583	M12 x 1.75	725.00	48.00 <i>1.890</i>	24.00 <i>0.945</i>	21.00 <i>0.827</i>	13.00 <i>0.512</i>	44.00 <i>1.732</i>	38.00 <i>1.496</i>	110.00 <i>4.331</i>	32 (6mm Hex)
# M16-47584	M16 x 2.00	1400.00	48.00 <i>1.890</i>	32.00 <i>1.260</i>	21.00 <i>0.827</i>	13.00 <i>0.512</i>	44.00 <i>1.732</i>	38.00 <i>1.496</i>	110.00 <i>4.331</i>	32 (8mm Hex)

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Hoist Rings - Side Pull 2000

Part Number	Thread Size	Load Capacity kg	Base Height (B) mm	Screw Length (C) mm	Centre Ring Height (F) mm	Ring Diameter (G) mm	Base Width (H) mm	Radius (I) mm	Rings Length (L) mm	Bolt Diameter (M)
			<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>	
# M20-47585	M20 x 2.50	2290.00	59.00 <i>2.323</i>	40.00 <i>1.575</i>	26.00 <i>1.024</i>	16.00 <i>0.630</i>	57.00 <i>2.244</i>	51.00 <i>2.008</i>	145.00 <i>5.709</i>	44 (10mm Hex)
# M24-47586	M24 x 3.00	3050.00	59.00 <i>2.323</i>	48.00 <i>1.890</i>	26.00 <i>1.024</i>	16.00 <i>0.630</i>	57.00 <i>2.244</i>	51.00 <i>2.008</i>	145.00 <i>5.709</i>	44 (12mm Hex)
# M30-47587	M30 x 3.50	4850.00	90.00 <i>3.543</i>	60.00 <i>2.362</i>	42.00 <i>1.654</i>	27.00 <i>1.063</i>	95.00 <i>3.740</i>	76.00 <i>2.992</i>	265.00 <i>10.433</i>	76 (19mm Hex)
# M36-47588	M36 x 4.00	7500.00	90.00 <i>3.543</i>	72.00 <i>2.835</i>	42.00 <i>1.654</i>	27.00 <i>1.063</i>	95.00 <i>3.740</i>	76.00 <i>2.992</i>	265.00 <i>10.433</i>	76 (19mm Hex)
# M48-47589	M48 x 5.00	10000.00	90.00 <i>3.543</i>	96.00 <i>3.780</i>	42.00 <i>1.654</i>	27.00 <i>1.063</i>	95.00 <i>3.740</i>	76.00 <i>2.992</i>	265.00 <i>10.433</i>	76 (19mm Hex)

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.



DISTRIBUTED BY

Ask us to put your name and address here

<http://www.minibearings.com.au/product>

Ph +61 7 3245 7977

Fax +61 7 3245 1017

Catalogue requests to [catalogues@minibearings.com.au](mailto:catalogues@minibearings.com.au)

