




MBA

Housings - Bearing - Blocks - Frelon Lined



Self aligning.

Open or closed.

Precision or standard.

For rotating and linear motion.

Housings - Bearing - Blocks - Frelon Lined

| Part Number | Bore Diameter (+0.10/+0.05) mm | Length (C) mm | Base Width (B) mm | Block Configuration | Base to Centreline (A) mm | Max Load Rating kg | Body Material | Bearing Material | Quality |
|----------------|--------------------------------------|---------------|----------------------|------------------------|---------------------------------|-----------------------|----------------------|--------------------------|-----------|
| | <i>inches</i> | <i>inches</i> | <i>inches</i> | | <i>inches</i> | | | | |
| # BBFP-06.35CL | 6.350 | 30.175 | 41.275 | Closed | 11.100 | 133.93 | Anodized Aluminum | Frelon Lined Aluminum | Precision |
| | <i>0.250</i> | <i>1.188</i> | <i>1.625</i> | | <i>0.437</i> | | | | |
| # BBFS-06.35CL | 6.350 | 30.175 | 41.275 | Closed | 11.100 | 133.93 | Anodized Aluminum | Frelon Lined Aluminum | Standard |
| | <i>0.250</i> | <i>1.188</i> | <i>1.625</i> | | <i>0.437</i> | | | | |
| # BBFS-08.00CL | 8.000 | 32.000 | 35.000 | Closed | 15.000 | 179.59 | Anodized Aluminum | Frelon Lined Aluminum | Standard |
| | <i>0.315</i> | <i>1.260</i> | <i>1.378</i> | | <i>0.591</i> | | | | |

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Housings - Bearing - Blocks - Frelon Lined

| Part Number | Bore Diameter (+0.10/+0.05) mm | Length (C) mm | Base Width (B) mm | Block Configuration | Base to Centreline (A) mm | Max Load Rating kg | Body Material | Bearing Material | Quality |
|----------------|--------------------------------------|---------------|----------------------|------------------------|---------------------------------|-----------------------|----------------------|--------------------------|-----------|
| | <i>inches</i> | <i>inches</i> | <i>inches</i> | | <i>inches</i> | | | | |
| # BBFP-08.00CL | 8.000 | 32.000 | 35.000 | Closed | 15.000 | 179.59 | Anodized Aluminum | Frelon Lined Aluminum | Precision |
| | <i>0.315</i> | <i>1.260</i> | <i>1.378</i> | | <i>0.591</i> | | | | |
| # BBFS-09.53CL | 9.525 | 33.350 | 44.450 | Closed | 12.700 | 227.68 | Anodized Aluminum | Frelon Lined Aluminum | Standard |
| | <i>0.375</i> | <i>1.313</i> | <i>1.750</i> | | <i>0.500</i> | | | | |
| # BBFP-09.53CL | 9.525 | 33.350 | 44.450 | Closed | 12.700 | 227.68 | Anodized Aluminum | Frelon Lined Aluminum | Precision |
| | <i>0.375</i> | <i>1.313</i> | <i>1.750</i> | | <i>0.500</i> | | | | |
| # BBFP-10.00CL | 10.000 | 36.000 | 40.000 | Closed | 16.000 | 304.59 | Anodized Aluminum | Frelon Lined Aluminum | Precision |
| | <i>0.394</i> | <i>1.417</i> | <i>1.575</i> | | <i>0.630</i> | | | | |
| # BBFS-10.00CL | 10.000 | 36.000 | 40.000 | Closed | 16.000 | 304.59 | Anodized Aluminum | Frelon Lined Aluminum | Standard |
| | <i>0.394</i> | <i>1.417</i> | <i>1.575</i> | | <i>0.630</i> | | | | |
| # BBFP-12.00OP | 12.000 | 39.000 | 43.000 | Open | 18.000 | 403.06 | Anodized Aluminum | Frelon Lined Aluminum | Precision |
| | <i>0.472</i> | <i>1.535</i> | <i>1.693</i> | | <i>0.709</i> | | | | |
| # BBFP-12.00CL | 12.000 | 39.000 | 43.000 | Closed | 18.000 | 403.06 | Anodized Aluminum | Frelon Lined Aluminum | Precision |
| | <i>0.472</i> | <i>1.535</i> | <i>1.693</i> | | <i>0.709</i> | | | | |
| # BBFS-12.00CL | 12.000 | 39.000 | 43.000 | Closed | 18.000 | 403.06 | Anodized Aluminum | Frelon Lined Aluminum | Standard |
| | <i>0.472</i> | <i>1.535</i> | <i>1.693</i> | | <i>0.709</i> | | | | |

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Housings - Bearing - Blocks - Frelon Lined

| Part Number | Bore Diameter (+0.10/+0.05) mm | Length (C) mm | Base Width (B) mm | Block Configuration | Base to Centreline (A) mm | Max Load Rating kg | Body Material | Bearing Material | Quality |
|----------------|--------------------------------------|---------------|----------------------|------------------------|---------------------------------|-----------------------|----------------------|--------------------------|-----------|
| | <i>inches</i> | <i>inches</i> | <i>inches</i> | | <i>inches</i> | | | | |
| # BBFS-12.00OP | 12.000 | 39.000 | 43.000 | Open | 18.000 | 403.06 | Anodized Aluminum | Frelon Lined Aluminum | Standard |
| | <i>0.472</i> | <i>1.535</i> | <i>1.693</i> | | <i>0.709</i> | | | | |
| BBFP-12.70CL | 12.700 | 42.875 | 50.800 | Closed | 17.450 | 435.27 | Anodized Aluminum | Frelon Lined Aluminum | Precision |
| | <i>0.500</i> | <i>1.688</i> | <i>2.000</i> | | <i>0.687</i> | | | | |
| # BBFP-12.70OP | 12.700 | 42.875 | 50.800 | Open | 17.450 | 435.27 | Anodized Aluminum | Frelon Lined Aluminum | Precision |
| | <i>0.500</i> | <i>1.688</i> | <i>2.000</i> | | <i>0.687</i> | | | | |
| # BBFS-12.70OP | 12.700 | 42.875 | 50.800 | Open | 17.450 | 435.27 | Anodized Aluminum | Frelon Lined Aluminum | Standard |
| | <i>0.500</i> | <i>1.688</i> | <i>2.000</i> | | <i>0.687</i> | | | | |
| # BBFS-12.70CL | 12.700 | 42.875 | 50.800 | Closed | 17.450 | 435.27 | Anodized Aluminum | Frelon Lined Aluminum | Standard |
| | <i>0.500</i> | <i>1.688</i> | <i>2.000</i> | | <i>0.687</i> | | | | |
| # BBFP-15.88OP | 15.875 | 49.225 | 63.500 | Open | 22.225 | 656.25 | Anodized Aluminum | Frelon Lined Aluminum | Precision |
| | <i>0.625</i> | <i>1.938</i> | <i>2.500</i> | | <i>0.875</i> | | | | |
| # BBFP-15.88CL | 15.875 | 49.225 | 63.500 | Closed | 22.225 | 656.25 | Anodized Aluminum | Frelon Lined Aluminum | Precision |
| | <i>0.625</i> | <i>1.938</i> | <i>2.500</i> | | <i>0.875</i> | | | | |
| # BBFS-15.88OP | 15.875 | 49.225 | 63.500 | Open | 22.225 | 656.25 | Anodized Aluminum | Frelon Lined Aluminum | Standard |
| | <i>0.625</i> | <i>1.938</i> | <i>2.500</i> | | <i>0.875</i> | | | | |

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Housings - Bearing - Blocks - Frelon Lined

| Part Number | Bore Diameter (+0.10/+0.05) mm | Length (C) mm | Base Width (B) mm | Block Configuration | Base to Centreline (A) mm | Max Load Rating kg | Body Material | Bearing Material | Quality |
|----------------|--------------------------------------|---------------|----------------------|------------------------|---------------------------------|-----------------------|----------------------|--------------------------|-----------|
| | <i>inches</i> | <i>inches</i> | <i>inches</i> | | <i>inches</i> | | | | |
| # BBFS-15.88CL | 15.875 | 49.225 | 63.500 | Closed | 22.225 | 656.25 | Anodized Aluminum | Frelon Lined Aluminum | Standard |
| | <i>0.625</i> | <i>1.938</i> | <i>2.500</i> | | <i>0.875</i> | | | | |
| # BBFP-16.00CL | 16.000 | 43.000 | 53.000 | Closed | 22.000 | 605.10 | Anodized Aluminum | Frelon Lined Aluminum | Precision |
| | <i>0.630</i> | <i>1.693</i> | <i>2.087</i> | | <i>0.866</i> | | | | |
| # BBFP-16.00OP | 16.000 | 43.000 | 53.000 | Open | 22.000 | 605.10 | Anodized Aluminum | Frelon Lined Aluminum | Precision |
| | <i>0.630</i> | <i>1.693</i> | <i>2.087</i> | | <i>0.866</i> | | | | |
| # BBFS-16.00OP | 16.000 | 43.000 | 53.000 | Open | 22.000 | 605.10 | Anodized Aluminum | Frelon Lined Aluminum | Standard |
| | <i>0.630</i> | <i>1.693</i> | <i>2.087</i> | | <i>0.866</i> | | | | |
| # BBFS-16.00CL | 16.000 | 43.000 | 53.000 | Closed | 22.000 | 605.10 | Anodized Aluminum | Frelon Lined Aluminum | Standard |
| | <i>0.630</i> | <i>1.693</i> | <i>2.087</i> | | <i>0.866</i> | | | | |
| # BBFP-19.05CL | 19.050 | 52.400 | 69.850 | Closed | 23.800 | 850.45 | Anodized Aluminum | Frelon Lined Aluminum | Precision |
| | <i>0.750</i> | <i>2.063</i> | <i>2.750</i> | | <i>0.937</i> | | | | |
| # BBFP-19.05OP | 19.050 | 52.400 | 69.850 | Open | 23.800 | 850.45 | Anodized Aluminum | Frelon Lined Aluminum | Precision |
| | <i>0.750</i> | <i>2.063</i> | <i>2.750</i> | | <i>0.937</i> | | | | |
| # BBFS-19.05CL | 19.050 | 52.400 | 69.850 | Closed | 23.800 | 850.45 | Anodized Aluminum | Frelon Lined Aluminum | Standard |
| | <i>0.750</i> | <i>2.063</i> | <i>2.750</i> | | <i>0.937</i> | | | | |

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Housings - Bearing - Blocks - Frelon Lined

| Part Number | Bore Diameter (+0.10/+0.05) mm | Length (C) mm | Base Width (B) mm | Block Configuration | Base to Centreline (A) mm | Max Load Rating kg | Body Material | Bearing Material | Quality |
|----------------|--------------------------------------|---------------|----------------------|------------------------|---------------------------------|-----------------------|----------------------|--------------------------|-----------|
| | <i>inches</i> | <i>inches</i> | <i>inches</i> | | <i>inches</i> | | | | |
| # BBFS-19.05OP | 19.050 | 52.400 | 69.850 | Open | 23.800 | 850.45 | Anodized Aluminum | Frelon Lined Aluminum | Standard |
| | <i>0.750</i> | <i>2.063</i> | <i>2.750</i> | | <i>0.937</i> | | | | |
| # BBFS-20.00CL | 20.000 | 54.000 | 60.000 | Closed | 25.000 | 945.41 | Anodized Aluminum | Frelon Lined Aluminum | Standard |
| | <i>0.787</i> | <i>2.126</i> | <i>2.362</i> | | <i>0.984</i> | | | | |
| # BBFP-20.00CL | 20.000 | 54.000 | 60.000 | Closed | 25.000 | 945.41 | Anodized Aluminum | Frelon Lined Aluminum | Precision |
| | <i>0.787</i> | <i>2.126</i> | <i>2.362</i> | | <i>0.984</i> | | | | |
| # BBFP-20.00OP | 20.000 | 54.000 | 60.000 | Open | 25.000 | 945.41 | Anodized Aluminum | Frelon Lined Aluminum | Precision |
| | <i>0.787</i> | <i>2.126</i> | <i>2.362</i> | | <i>0.984</i> | | | | |
| # BBFS-20.00OP | 20.000 | 54.000 | 60.000 | Open | 25.000 | 945.41 | Anodized Aluminum | Frelon Lined Aluminum | Standard |
| | <i>0.787</i> | <i>2.126</i> | <i>2.362</i> | | <i>0.984</i> | | | | |
| # BBFS-25.00CL | 25.000 | 67.000 | 78.000 | Closed | 30.000 | 1523.98 | Anodized Aluminum | Frelon Lined Aluminum | Standard |
| | <i>0.984</i> | <i>2.638</i> | <i>3.071</i> | | <i>1.181</i> | | | | |
| # BBFP-25.00OP | 25.000 | 67.000 | 78.000 | Open | 30.000 | 1523.98 | Anodized Aluminum | Frelon Lined Aluminum | Precision |
| | <i>0.984</i> | <i>2.638</i> | <i>3.071</i> | | <i>1.181</i> | | | | |
| # BBFP-25.00CL | 25.000 | 67.000 | 78.000 | Closed | 30.000 | 1523.98 | Anodized Aluminum | Frelon Lined Aluminum | Precision |
| | <i>0.984</i> | <i>2.638</i> | <i>3.071</i> | | <i>1.181</i> | | | | |

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Housings - Bearing - Blocks - Frelon Lined

| Part Number | Bore Diameter (+0.10/+0.05) mm | Length (C) mm | Base Width (B) mm | Block Configuration | Base to Centreline (A) mm | Max Load Rating kg | Body Material | Bearing Material | Quality |
|----------------|--------------------------------------|---------------|----------------------|------------------------|---------------------------------|-----------------------|----------------------|--------------------------|-----------|
| | <i>inches</i> | <i>inches</i> | <i>inches</i> | | <i>inches</i> | | | | |
| # BBFS-25.00OP | 25.000 | 67.000 | 78.000 | Open | 30.000 | 1523.98 | Anodized Aluminum | Frelon Lined Aluminum | Standard |
| | <i>0.984</i> | <i>2.638</i> | <i>3.071</i> | | <i>1.181</i> | | | | |
| # BBFS-25.40CL | 25.400 | 71.450 | 82.550 | Closed | 30.150 | 1573.66 | Anodized Aluminum | Frelon Lined Aluminum | Standard |
| | <i>1.000</i> | <i>2.813</i> | <i>3.250</i> | | <i>1.187</i> | | | | |
| # BBFP-25.40CL | 25.400 | 71.450 | 82.550 | Closed | 30.150 | 1573.66 | Anodized Aluminum | Frelon Lined Aluminum | Precision |
| | <i>1.000</i> | <i>2.813</i> | <i>3.250</i> | | <i>1.187</i> | | | | |
| # BBFP-25.40OP | 25.400 | 71.450 | 82.550 | Open | 30.150 | 1573.66 | Anodized Aluminum | Frelon Lined Aluminum | Precision |
| | <i>1.000</i> | <i>2.813</i> | <i>3.250</i> | | <i>1.187</i> | | | | |
| # BBFS-25.40OP | 25.400 | 71.450 | 82.550 | Open | 30.150 | 1573.66 | Anodized Aluminum | Frelon Lined Aluminum | Standard |
| | <i>1.000</i> | <i>2.813</i> | <i>3.250</i> | | <i>1.187</i> | | | | |
| # BBFS-30.00OP | 30.000 | 79.000 | 87.000 | Open | 35.000 | 2143.88 | Anodized Aluminum | Frelon Lined Aluminum | Standard |
| | <i>1.181</i> | <i>3.110</i> | <i>3.425</i> | | <i>1.378</i> | | | | |
| # BBFS-30.00CL | 30.000 | 79.000 | 87.000 | Closed | 35.000 | 2143.88 | Anodized Aluminum | Frelon Lined Aluminum | Standard |
| | <i>1.181</i> | <i>3.110</i> | <i>3.425</i> | | <i>1.378</i> | | | | |
| # BBFP-30.00CL | 30.000 | 79.000 | 87.000 | Closed | 35.000 | 2143.88 | Anodized Aluminum | Frelon Lined Aluminum | Precision |
| | <i>1.181</i> | <i>3.110</i> | <i>3.425</i> | | <i>1.378</i> | | | | |

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Housings - Bearing - Blocks - Frelon Lined

| Part Number | Bore Diameter (+0.10/+0.05) mm | Length (C) mm | Base Width (B) mm | Block Configuration | Base to Centreline (A) mm | Max Load Rating kg | Body Material | Bearing Material | Quality |
|----------------|--------------------------------------|---------------|----------------------|------------------------|---------------------------------|-----------------------|----------------------|--------------------------|-----------|
| | <i>inches</i> | <i>inches</i> | <i>inches</i> | | <i>inches</i> | | | | |
| # BBFP-30.00OP | 30.000 | 79.000 | 87.000 | Open | 35.000 | 2143.88 | Anodized Aluminum | Frelon Lined Aluminum | Precision |
| | <i>1.181</i> | <i>3.110</i> | <i>3.425</i> | | <i>1.378</i> | | | | |
| # BBFP-31.75CL | 31.750 | 92.075 | 101.600 | Closed | 38.100 | 2296.88 | Anodized Aluminum | Frelon Lined Aluminum | Precision |
| | <i>1.250</i> | <i>3.625</i> | <i>4.000</i> | | <i>1.500</i> | | | | |
| # BBFP-31.75OP | 31.750 | 92.075 | 101.600 | Open | 38.100 | 2296.88 | Anodized Aluminum | Frelon Lined Aluminum | Precision |
| | <i>1.250</i> | <i>3.625</i> | <i>4.000</i> | | <i>1.500</i> | | | | |
| # BBFS-31.75OP | 31.750 | 92.075 | 101.600 | Open | 38.100 | 2296.88 | Anodized Aluminum | Frelon Lined Aluminum | Standard |
| | <i>1.250</i> | <i>3.625</i> | <i>4.000</i> | | <i>1.500</i> | | | | |
| # BBFS-31.75CL | 31.750 | 92.075 | 101.600 | Closed | 38.100 | 2296.88 | Anodized Aluminum | Frelon Lined Aluminum | Standard |
| | <i>1.250</i> | <i>3.625</i> | <i>4.000</i> | | <i>1.500</i> | | | | |
| # BBFP-38.10CL | 38.100 | 101.600 | 120.650 | Closed | 44.450 | 3147.32 | Anodized Aluminum | Frelon Lined Aluminum | Precision |
| | <i>1.500</i> | <i>4.000</i> | <i>4.750</i> | | <i>1.750</i> | | | | |
| # BBFP-38.10OP | 38.100 | 101.600 | 120.650 | Open | 44.450 | 3147.32 | Anodized Aluminum | Frelon Lined Aluminum | Precision |
| | <i>1.500</i> | <i>4.000</i> | <i>4.750</i> | | <i>1.750</i> | | | | |
| # BBFS-38.10OP | 38.100 | 101.600 | 120.650 | Open | 44.450 | 3147.32 | Anodized Aluminum | Frelon Lined Aluminum | Standard |
| | <i>1.500</i> | <i>4.000</i> | <i>4.750</i> | | <i>1.750</i> | | | | |

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Housings - Bearing - Blocks - Frelon Lined

| Part Number | Bore Diameter (+0.10/+0.05) mm | Length (C) mm | Base Width (B) mm | Block Configuration | Base to Centreline (A) mm | Max Load Rating kg | Body Material | Bearing Material | Quality |
|----------------|--------------------------------------|---------------|----------------------|------------------------|---------------------------------|-----------------------|----------------------|--------------------------|-----------|
| | <i>inches</i> | <i>inches</i> | <i>inches</i> | | <i>inches</i> | | | | |
| # BBFS-38.10CL | 38.100 | 101.600 | 120.650 | Closed | 44.450 | 3147.32 | Anodized Aluminum | Frelon Lined Aluminum | Standard |
| | <i>1.500</i> | <i>4.000</i> | <i>4.750</i> | | <i>1.750</i> | | | | |
| # BBFP-40.00OP | 40.000 | 91.000 | 108.000 | Open | 45.000 | 3362.76 | Anodized Aluminum | Frelon Lined Aluminum | Precision |
| | <i>1.575</i> | <i>3.583</i> | <i>4.252</i> | | <i>1.772</i> | | | | |
| # BBFP-40.00CL | 40.000 | 91.000 | 108.000 | Closed | 45.000 | 3362.76 | Anodized Aluminum | Frelon Lined Aluminum | Precision |
| | <i>1.575</i> | <i>3.583</i> | <i>4.252</i> | | <i>1.772</i> | | | | |
| # BBFS-40.00CL | 40.000 | 91.000 | 108.000 | Closed | 45.000 | 3362.76 | Anodized Aluminum | Frelon Lined Aluminum | Standard |
| | <i>1.575</i> | <i>3.583</i> | <i>4.252</i> | | <i>1.772</i> | | | | |
| # BBFS-40.00OP | 40.000 | 91.000 | 108.000 | Open | 45.000 | 3362.76 | Anodized Aluminum | Frelon Lined Aluminum | Standard |
| | <i>1.575</i> | <i>3.583</i> | <i>4.252</i> | | <i>1.772</i> | | | | |
| # BBFS-50.00OP | 50.000 | 113.000 | 132.000 | Open | 50.000 | 5254.59 | Anodized Aluminum | Frelon Lined Aluminum | Standard |
| | <i>1.969</i> | <i>4.449</i> | <i>5.197</i> | | <i>1.969</i> | | | | |
| # BBFP-50.00OP | 50.000 | 113.000 | 132.000 | Open | 50.000 | 5254.59 | Anodized Aluminum | Frelon Lined Aluminum | Precision |
| | <i>1.969</i> | <i>4.449</i> | <i>5.197</i> | | <i>1.969</i> | | | | |
| # BBFS-50.00CL | 50.000 | 113.000 | 132.000 | Closed | 50.000 | 5254.59 | Anodized Aluminum | Frelon Lined Aluminum | Standard |
| | <i>1.969</i> | <i>4.449</i> | <i>5.197</i> | | <i>1.969</i> | | | | |

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Housings - Bearing - Blocks - Frelon Lined

| Part Number | Bore Diameter (+0.10/+0.05) mm | Length (C) mm | Base Width (B) mm | Block Configuration | Base to Centreline (A) mm | Max Load Rating kg | Body Material | Bearing Material | Quality |
|----------------|--------------------------------------|---------------|----------------------|------------------------|---------------------------------|-----------------------|----------------------|--------------------------|-----------|
| | <i>inches</i> | <i>inches</i> | <i>inches</i> | | <i>inches</i> | | | | |
| # BBFP-50.00CL | 50.000 | 113.000 | 132.000 | Closed | 50.000 | 5254.59 | Anodized Aluminum | Frelon Lined Aluminum | Precision |
| | <i>1.969</i> | <i>4.449</i> | <i>5.197</i> | | <i>1.969</i> | | | | |
| # BBFP-50.80OP | 50.800 | 127.000 | 152.400 | Open | 53.975 | 5591.52 | Anodized Aluminum | Frelon Lined Aluminum | Precision |
| | <i>2.000</i> | <i>5.000</i> | <i>6.000</i> | | <i>2.125</i> | | | | |
| # BBFS-50.80OP | 50.800 | 127.000 | 152.400 | Open | 53.975 | 5591.52 | Anodized Aluminum | Frelon Lined Aluminum | Standard |
| | <i>2.000</i> | <i>5.000</i> | <i>6.000</i> | | <i>2.125</i> | | | | |
| # BBFS-50.80CL | 50.800 | 127.000 | 152.400 | Closed | 53.975 | 5591.52 | Anodized Aluminum | Frelon Lined Aluminum | Standard |
| | <i>2.000</i> | <i>5.000</i> | <i>6.000</i> | | <i>2.125</i> | | | | |
| # BBFP-50.80CL | 50.800 | 127.000 | 152.400 | Closed | 53.975 | 5591.52 | Anodized Aluminum | Frelon Lined Aluminum | Precision |
| | <i>2.000</i> | <i>5.000</i> | <i>6.000</i> | | <i>2.125</i> | | | | |

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.



DISTRIBUTED BY

Ask us to put your name and address here

<http://www.minibearings.com.au/product>

Ph +61 7 3245 7977

Fax +61 7 3245 1017

Catalogue requests to catalogues@minibearings.com.au

| | | | | | |
|--|--|--|--|--|--|
| | | | | | |
| | | | | | |
| | | | | | |